Annual Report of the Registrar-General for Scotland

1958

No. 104

EDINBURGH
HER MAJESTY'S STATIONERY OFFICE
1960



TABLE OF CONTENTS

	Page
INTRODUCTORY LETTER	6
TEXT	
INTRODUCTION	7
ESTIMATED POPULATION	8
BIRTHS	
Sex Ratio	12
Monthly Rates	12
Fertility Rates	12
Multiple Births	13
Illegitimate Births	13
International Rates	14
MARRIAGES	
Civil Marriages	15
International Rates	15
Divorces	15
DEATHS	
Standardised Rates	18
Monthly Rates	19
International Rates	19
Age and Sex	19
Infant Mortality	20
International Rates	21
Mortality among Legitimate and Illegitimate Children	21
Neo-natal Mortality	22
Centenarians	23
LIFE TABLES	23
CAUSES OF DEATH	25
Certification	25
Principal Epidemic Diseases	25
Tuberculosis	26
Other Infective and Parasitic Diseases	28
Malignant Neoplasms	28
Diabetes	31
Anæmias	31
Other General Diseases	31
Diseases of the Nervous System	31
Diseases of the Circulatory System	31
Coronorary Thrombosis	31
Diseases of the Respiratory System	32
Diseases of the Digestive System	32
Diseases of the Genito-Urinary System	32
Diseases of Pregnancy and Childbirth	32
Diseases of Skin and Cellular Tissue	33
Diseases of the Bones and Organs of Movement	34
Malformations	34
Diseases of Early Infancy	35
Senility	35
Violence	35
Accidents	35
Suicide	38
Relative Frequency of Cause of Death	38
Infant Deaths	39
Month of Registration	39
Age Period	39
Death-rates in Scotland compared with England and Wales and Northern Ireland	39

CENTRAL CLYDESIDE CONURBATION — Page
Statistical Summary 41

APPENDICES

I. Fertility of Women
Report on information obtained under the Population (Statistics) Act 1938 for the year 1958 43

II. Stillbirths
Registration of Stillbirths 47

III. Social Class
Births, Stillbirths and Infant Deaths according to social class, 1958 . 61

IV. Marriages
Additional Statistics regarding Marriages registered during the year 1957 68

V. Parliamentary and Local Government Electors, 1958 . . . 76

VI. Alteration of Boundaries
Burghs, Landward Areas, Parishes and Registration Districts . . 77

VII. Registration of Births &c.
Re-registration of Births 78
Adopted Children Register 78
Searches and Extracts 78

VIII. Inhabited Houses 79

IX. Classification of Causes of Death according to the Sixth and Seventh International Revisions 80

X. Perinatal Deaths Classified to Stillbirth Causes . . . 83

XI. Results of Inquiries into Ill-defined Causes of Death Registered in Scotland during 1958 87

XII. Classification of Secondary Causes of Death Registered in Scotland during 1956 96

XIII. Weather
Report on the weather in Scotland for the year ending 31st December, 1958 106

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland 1855 to 1958, with Quinquennial averages 110
1A. Estimated Populations, Total, De Facto and Civilian by sex and age as at 30th June 1958 112
1B. Estimated Total Population by sex, age and marital condition, as at 30th June 1958 112
2. Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1958, with Quinquennial averages 113
3. Births, Stillbirths, Deaths and Marriages by Quarters, Scotland 1948 to 1958 115
4. Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1958 116
5. Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1958 . . 119
6. Birth, Stillbirth, Death and Marriage rates, Landward Areas, 1958 . 123

GENERAL REGISTRATION SUMMARY

7. Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs, and Counties, 1958 124

BIRTHS

		Page
8.	Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1958	125
	See also Tables 7 and 63.	

FERTILITY OF WOMEN

9.	Births by single age of mother, sex and legitimacy, Scotland, 1958	127
10.	Births by age of mother and duration of marriage, Scotland, 1958	128
11.	Fertility by age of mother, Scotland, 1958	129
12.	Interval between marriage and birth of first child, Scotland, 1958	130
13.	Number of previous children by age of mother, Scotland, 1958	131
14.	Number of previous children by duration of marriage, Scotland, 1958	132
15.	Deaths of married, widowed and divorced women by age-groups who died childless, Scotland, 1958	133
16.	Deaths of women by duration of marriage, and number who died childless Scotland, 1958	134
17.	Deaths from selected causes and age-groups of women who had been married, Scotland, 1958	135

STILLBIRTHS

18.	Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1958	136
19.	Stillbirths by age of mother and number of previous children, Scotland, 1958	138
20.	Multiple confinements (all births live and still) by age of mother, 1958	139
21.	Stillbirths by cause and age of mother, Scotland, 1958	140
21A.	Stillbirths by cause of death, Scotland—1950-1958	143
22.	Stillbirths by cause and order of birth, Scotland, 1958	146
23.	Stillbirths by cause and month of registration, Scotland, 1958	148
23A.	Stillbirths by cause and place of occurrence, Scotland, 1958	150
24.	Stillbirths by cause in Public Health Districts of Scotland (Both Sexes), 1958	151

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS

25.	Legitimate stillbirths by cause and social classification, Scotland, 1958	155
26.	Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1958	157
27.	Stillbirths by social classification, age of mother and number of previous children, Scotland, 1958	158
28.	Live births by social classification, age of mother and number of previous children, Scotland, 1958	159

DEATHS

29.	Children under one year, deaths from selected causes, Scotland, 1958	160
30.	Children under one year, deaths from selected causes by month of registration, Scotland, 1958	161
31.	Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1958	162
32.	Children under one year, deaths by selected age-groups, Scotland, 1958	164
33.	Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1958	165
34.	Deaths, male and female, by year of age and conjugal condition, Scotland, 1958	166
35.	Deaths and death-rates from selected causes by age groups, Scotland, 1958	168
36.	Deaths and death-rates from selected causes, Scotland, and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1958	172
37.	Deaths from selected causes and in age-groups, Scotland, 1948-1958	174
38.	Death-rates from selected causes and in age-groups, Scotland, 1948-1958	176
39.	Deaths from principal epidemic and certain other diseases, Scotland, 1855-1958	178

DEATHS—*continued*

Page

40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1958 179
41A. Deaths in Scotland from non-transport accidents by place of occurrence, age and sex, 1958 180
41B. Deaths from Poisoning in Scotland in 1958 182
41C. Deaths under Anæsthetics (Secondary Causes) in Scotland in 1958 . . 183

Detailed International List

42. Causes of death by age groups (males and females), Scotland, 1958 . . 184
42A. Causes of death by sex, Scotland, 1950-1958 226

Intermediate International List

43. Causes of death by months (Persons) Scotland, 1958 . . . 267
44A. Deaths in Scotland by sex and age-groups, 1958 272
44B. Deaths in Cities over 100,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1958 280
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1958 288
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1958 296
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1958 304
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1958 312
45. Causes of deaths in Public Health Districts of Scotland (Persons) 1958 . 320

Abbreviated International List

46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1958 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties) . . . 332
47. Statistical Abstract, Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1958 392

	Page		*Page*
County of Aberdeen	392	County of Lanark	416
Do. Angus	396	Do. Midlothian	418
Do. Argyll	396	Do. Moray	420
Do. Ayr	398	Do. Nairn	420
Do. Banff	400	Do. Orkney	420
Do. Berwick	402	Do. Peebles	422
Do. Bute	404	Do. Perth	422
Do. Caithness	404	Do. Renfrew	424
Do. Clackmannan	404	Do. Ross and Cromarty	426
Do. Dumfries	406	Do. Roxburgh	426
Do. Dunbarton	406	Do. Selkirk	428
Do. East Lothian	408	Do. Stirling	428
Do. Fife	410	Do. Sutherland	430
Do. Inverness	414	Do. West Lothian	430
Do. Kincardine	414	Do. Wigtown	432
Do. Kinross	414	Do. Zetland	432
Do. Kirkcudbright	416		

STANDARDISED RATES

48. Standardised mortality ratios, age specific death rates and infant mortality rates from selected causes in 1958 in England and Wales, Scotland and Northern Ireland 434

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1957 . . . 440
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1957 441
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1957 442

MARRIAGES—*continued*

		Page
52.	Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1957	443
53.	Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1957	444
54.	Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1957	446
54A.	Age and conjugal condition of men marrying in Scotland, 1957	448
54B.	Age and conjugal condition of women marrying in Scotland, 1957	450
55.	Ages in combination of men and women at marriage, Scotland, 1957	452
56.	Ages in combination of bachelors and spinsters at marriage, Scotland, 1957	453
57.	Ages in combination of bachelors and widows at marriage, Scotland, 1957	454
58.	Ages in combination of widowers and spinsters at marriage, Scotland, 1957	455
59.	Ages in combination of widowers and widows at marriage, Scotland, 1957	456
59A.	Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1957	457
59B.	Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1957	458

See also Tables 7 and 63.

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60.	Parliamentary Electors on the February 1958 Register	459
61.	Local Government Electors and analysis of local elections on the February 1958 Register	462

INHABITED HOUSES

62.	Return of Inhabited Houses in Scotland 1939 and 1954-1958	473

METEOROLOGY

63.	Meteorology of Scotland for 1958; also number of births, stillbirths, deaths, deaths under one year and marriages by months, with rates	479
64.	Deaths, temperature and rainfall for each week of 1958—seventeen Large Burghs	480

See also Tables I to IV, pages 482 to 489.

METEOROLOGICAL TABLES FOR APPENDIX XIII

I.	District Values of air temperature, rainfall and sunshine, 1958	482
II.	Summary table of mean values of air temperature at the principal towns, Monthly values, 1958, also generalised figures for rain for the United Kingdom	483
III.	Number of hours bright sunshine, Monthly values 1958	484
IV.	Rainfall, Monthly values, 1958	486

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1958

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, 7*th March*, 1960.

SIR,

I have the honour, in compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, to submit, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1958.

I am, Sir,

Your obedient Servant,

ALEX. B. TAYLOR,
Registrar-General.

To THE RIGHT HONOURABLE
JOHN S. MACLAY, C.M.G., M.P.,
SECRETARY OF STATE FOR SCOTLAND.

Introduction

Population. The estimated population of Scotland at 30th June, 1958, was 5,169,000, and was 19,000 more than in the previous year. The natural increase (excess of births over deaths) during the period was 34,600, but the effect of this on the population was reduced to the figure of 19,000 referred to by a net outward movement of population. In so far as such movement consisted of emigration in the ordinary sense, it is estimated that about 9,200 went to other parts of the United Kingdom and 13,200 went overseas.

Births. The births registered in Scotland during the year 1958 numbered 99,481, giving a rate of 19·25 per thousand of the population. This rate is 0·23 above the 1957 rate and 0·98 above the average.

Marriages. 41,201 marriages were registered, 1,460 fewer than in 1957. The rate of 7·97 per thousand is 0·3 less than the average rate.

Deaths. 62,065 deaths were registered and the death rate was 12·0 per thousand of the population. This is 0·1 above the rate for 1957.

Infant Mortality. Deaths of children under one year numbered 2,758 and equal a rate of 27·7 per 1,000 live births. This is the lowest rate ever recorded in Scotland.

Maternal Mortality. Deaths from diseases and accidents of pregnancy and childbirth numbered 53, representing a maternal mortality rate of 0·5 per 1,000 births (live and still). This rate is the same as for 1957 and is 0·1 below the average.

Expectation of Life. The expectation of life at birth on the experience of the mortality of 1958 is 66·22 years for males and 71·35 years for females.

EXPLANATORY NOTES

(1) *To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years* 1953 *to* 1957.

(2) *The home or de facto population is used for the calculation of the birth, death and marriage-rates.*

(3) *Births, Stillbirths and Deaths are corrected throughout this Report by transfer where necessary to usual place of residence, if in Scotland, but Marriage figures are as registered.*

(4) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

Report 1958

Estimated Population

The estimated population of Scotland at 30th June, 1958, was 5,169,000 and was 19,000 more than in the previous year.

Since 1951 these estimates have been based upon the figures obtained at the census in that year, adjusted to take account of the natural increase (excess of births over deaths) and such information as is available about movement into and out of Scotland. This movement comprises emigration and immigration in the ordinary sense of these terms, movements of workers on civil engineering projects and admission to, discharge from, and movement of H.M. Forces, these factors operating differently at different times.

The natural increase in the year to 30th June, 1958, was 34,600, compared with 36,900 in 1957. As in every year since 1951, the estimated numbers moving out of Scotland, whether for purposes of emigration in the ordinary sense or otherwise, have been in excess of the estimated numbers moving in. In the year to 30th June, 1958, the estimated net outward movement was 15,600, thus reducing the effect of the natural increase to the increase of 19,000 given above. Of those who moved out it is estimated that about 9,200 went to the rest of the United Kingdom and 13,200 went overseas. In 1957 the estimated net outward movement, emigration and otherwise (31,500) reduced the effect of the natural increase to only 5,400.

Table 1, as in previous Reports, gives the estimated mid-year population in 1958. Since 1951 the estimated population has been the "home" or "de facto" population, comprising the population of all types actually in Scotland, and thus including all armed forces in Scotland who are not of Scottish domicile but excluding members of H.M. Forces of Scottish domicile serving outwith Scotland and the Merchant Navy at sea. The "home" population has been used since 1951 as a basis for calculating the birth, death and marriage rates in these Reports.

It is sometimes also convenient to have estimates of the "civilian" population (all armed forces and merchant navy at home and abroad being excluded); and the "total" population (i.e. the "home" population, members of H.M. Forces of Scottish domicile serving out of Scotland and of the Merchant Navy at sea but excluding Forces stationed in Scotland who are not of Scottish domicile). An additional table (1A) has been included for the first time this year to show these additional population figures along with the "home" population, analysing all three by age and sex. Another additional table (1B) analyses the "total" population by age, sex and marital condition.

Changes in the age structure of the population over a period are of interest. Table A(1) below shows the age distribution according to three age groups at different dates since 1861. It will be noted that the proportion of the total population over 65 had more than doubled between 1901 and 1951; and that it has been creeping upwards since then, being in 1958 2·2 times the proportion in 1901.

A distinctive feature of the population of Scotland is its distribution—a much higher number living in urban than rural areas and in cities than in large

burghs. The Central Clydeside Conurbation (defined on page 41) occupying just over one per cent. of the area of Scotland has a population about one-third of the total population of Scotland.

Table A(1)

Age Distribution of the Population of Scotland, 1861-1958

Year	Proportion per 1,000 of total population in each age-group		
	0–14	15–64	Over 65
1861 Census	361	591	49
1901 ,,	334	617	48
1951 ,,	246	654	99
1952 Estimate	247	652	100
1953 ,,	247	651	101
1954 ,,	248	650	102
1955 ,,	249	649	102
1956 ,,	250	647	102
1957 ,,	252	645	103
1958 ,,	253	643	104

Studies of long term trends can be appropriately made only in the Census Reports, but Tables A(2) and A(3) below show something of the apparent trends since 1951.

Table A(2) shows that since 1951 the small burghs take first place as gainers of population and the large burghs second place. In the four counties of cities there has been a slight decrease in population since 1951. In the landward areas of counties the population has fluctuated, the total number in 1958 being only very slightly less than the total number in 1951.

Table A(2) Census Population 1951 and Estimated Populations 1952-58, Scotland by Local Authority Districts

Year	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
1951	5,096,415	1,926,903	828,389	817,623	1,523,500
1952	5,114,624	1,923,584	836,054	838,130	1,516,856
1953	5,117,612	1,917,506	839,844	840,198	1,520,064
1954	5,123,336	1,915,223	844,214	842,333	1,521,566
1955	5,133,292	1,914,652	848,644	844,925	1,525,071
1956	5,144,578	1,913,486	855,019	848,290	1,527,783
1957	5,150,020	1,910,450	860,430	850,745	1,528,395
1958	5,168,992	1,912,884	867,844	867,691	1,520,573

In Table A(3) the ratio of the population in the Central Clydeside Conurbation to the population in the rest of Scotland has not changed very much since 1951. Both have increases but the increase is slightly greater proportionately in the Conurbation.

Table A(3) Census Population 1951 and Estimated Populations 1952-58, Scotland by Central Clydeside Conurbation and Rest of Scotland

Year	Scotland	Central Clydeside Conurbation	Rest of Scotland
1951	5,096,415	1,762,053	3,334,362
1952	5,114,624	1,761,113	3,353,511
1953	5,117,612	1,762,437	3,355,175
1954	5,123,336	1,765,414	3,357,922
1955	5,133,292	1,770,340	3,362,952
1956	5,144,578	1,777,589	3,366,989
1957	5,150,020	1,782,170	3,367,850
1958	5,168,992	1,790,658	3,378,334

Births

Numbers. The number of living children* whose births were registered in Scotland in 1958 was 99,481 (51,018 males and 48,463 females). This is an increase of 1,504 over 1957 and 5,670 above the average of the five years 1953-1957.

Rates. The birth-rate for the year was 19·25 per 1,000 population. The rate in 1957 was 19·02 and the average rate 18·27. In the cities the 1958 rate was 19·6, in the large burghs 20·7, in the small burghs 18·5, and in the landward districts 18·5. (Table B(1).)

The birth-rates in 1958 in each city, large burgh and county will be found in Table 4. In the cities and large burghs the rate ranged from 25·9 in Coatbridge, 24·8 in Dumbarton and 22·7 in Kilmarnock and Clydebank to 17·4 in Aberdeen, 16·9 in Arbroath and 16·8 in Edinburgh. In the counties the rate ranged from 22·6 in Caithness, 20·7 in Lanark and 20·6 in Midlothian and West Lothian to 14·5 in Peebles, 12·8 in Bute and 12·4 in Berwick.

The standardised† birth-rate, in the cities and large burghs, varied from 24·6 in Coatbridge, 24·3 in Dumbarton and 21·0 in Kilmarnock to 16·6 in Dumfries, 16·4 in Aberdeen and 15·1 in Arbroath. In the counties the rate ranged from 25·3 in Sutherland, 23·7 in Inverness and 23·6 in Ross and Cromarty, to 15·6 in Bute, 15·2 in Orkney and 14·0 in Berwick.

Table B(1)

Birth-rate in Scotland and its Groups of Public Health Districts in 1958

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities	37,434	18,237	17,377	942	878	19·57	18·62	0·95	4·86
Large Burghs	17,926	8,936	8,340	353	297	20·66	19·91	0·75	3·63
Small Burghs	16,016	7,901	7,568	287	260	18·46	17·83	0·63	3·42
Landward	28,105	13,799	13,250	563	493	18·48	17·79	0·69	3·76
Scotland	99,481	48,873	46,535	2,145	1,928	19·25	18·46	0·79	4·09

	Stillbirths			Rate per 1,000 Births (including Stillbirths)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities	887	828	59	23·1	22·7	31·4
Large Burghs	456	438	18	24·8	24·7	26·9
Small Burghs	358	343	15	21·9	21·7	26·7
Landward	623	586	37	21·7	21·2	33·9
Scotland	2,324	2,195	129	22·8	22·5	30·7

*Stillbirths are dealt with in Appendix II (Pages 47–60).
†The local birth rates are standardised to the Scottish age and sex distribution.

Ratio of Male to Female Births. There were 1,053 males to every thousand females among the children born alive in 1958. The ratio is four below that in the year 1957 and five below the average for the years 1953 to 1957. The highest average of male to female births since 1855 (the beginning of registration) was in the period 1946 to 1950 when the ratio was 1,063.

Monthly Birth-rates. As will be seen from Table 63 the average monthly birth-rate was, as usual, higher in the first than in the second half of the year.

Fertility Rates. Births and birth rates in relation to women of child-bearing age in Scotland in 1958 are given in Table 8. They are given for Scotland as a whole, for the administrative areas in the aggregate, and for each county and large burgh. The total number of births is shown and, separately, the number of legitimate and illegitimate births.

The rates are summarised in the following Table B(2) for three-yearly periods centred on each census from 1861 to 1951.

The number of births per 1,000 married women reached its highest figure of 319·4 in 1870-72. By 1900-02 it had fallen to 271·8 and by 1950-52 that figure was more than halved at 132·3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

Table B(2)

Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 . .	144·6	—	100	316·0	—	100
1870-72 . .	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 . .	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 . .	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 . .	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 . .	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 . .	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 . .	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 . .	73·0	91·1	50·5	136·9	81·0	43·3
1950-52 . .	80·3	110·0	55·5	132·3	96·6	41·9

The yearly rates from 1931 to 1958 are given in the following Table B(3). It will be observed that the rate for all women aged 15 to 44 was higher in 1958 than in 1931, whereas the rate for married women was a good deal lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased. The marriage-rate has remained high for a long time, and the numbers of married persons in the population were sharply increased by exceptionally high marriage-rates after the last war.

In 1958 the birth-rate per 1,000 married women was lower by 25·7 than in 1931. In 1947 the high post-war birth-rates raised the rate to 163·9 but after that it decreased steadily till 1952, when it reached the low level of 131·3. Since

then however there has been an upward trend, the rate of 142·6 in 1958 being 11·3 higher than the 1952 rate.

It would seem that this steady increase in the number of births per 1,000 married women is due to an increase in the number of marriages at the younger ages, mainly under 20 where fertility is generally highest.

Table B(3)

Crude Birth-rate and rate per 1,000 women aged 15-44 in Scotland 1931-1958

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·3	97·1	163·9	12·3
1948	19·7	86·6	143·9	11·5
1949	18·7	83·4	137·9	10·6
1950	18·0	81·0	133·9	9·9
1951	17·7	79·8	131·5	9·6
1952	17·7	80·1	131·3	9·1
1953	17·8	81·3	132·1	9·2
1954	18·0	83·2	134·2	9·2
1955	18·0	84·1	134·2	9·1
1956	18·5	87·5	137·4	9·6
1957	19·0	90·8	140·9	9·7
1958	19·2	92·8	142·6	10·1

Multiple Births. The total number of women who gave birth to living children in 1958 was 98,297, of whom 97,120 or 98·80 per cent. gave birth to single children, 1,171 or 1·19 per cent. to twin children, 5 to triplets and 1 to quadruplets. These births refer only to children born alive; and single births here include multiple births in which only one child was born alive. Appendix II, which analyses the stillbirths registered in Scotland in 1958, provides further particulars regarding multiple births, live and still. (Table 20, page 139.)

Illegitimate Births. These numbered 4,073 or 4·09 per cent. of the total living births compared with 4,017 and 4·10 per cent. in 1957. In the cities the percentage was 4·9 and in the large burghs 3·6, compared with 4·8 and 3·6 in 1957. It was 3·4 in the small burghs and 3·8 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 10·1 per 1,000, that for the cities being 11·4, for the large burghs 9·7, for the small burghs 8·4 and for the landward areas 9·5. (Tables 1-4 and 8.)

Table C. Birth-rate per 1,000 Women aged 15-44, 1958

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being=100	Rate	Relative Quantity, Scotland being=100
Counties of Cities	409,700	37,434	19·57	101·7	91·4	98·5
Large Burghs	184,400	17,926	20·66	107·3	97·2	104·7
Small Burghs	178,900	16,016	18·46	95·9	89·5	96·4
Landward	298,700	28,105	18·48	96·0	94·1	101·4
SCOTLAND	1,071,700	99,481	19·25	100·0	92·8	100·0

International Rates. The following table shows birth-rates in certain other countries:

Birth-rates per 1,000 Population, 1958

Canada	27·7	Finland	18·5
Israel*	26·4	France	18·1
Union of South Africa†	25·7	Norway	18·1
New Zealand‡	25·2	Japan	18·0
U.S.A.	24·3	Italy	17·9
India	23·9	Switzerland	17·6
Yugoslavia	23·8	Czechoslovakia	17·4
Portugal	23·1	Belgium	17·0
Australia	22·6	Western Germany	17·0
Spain	21·9	Austria	16·9
Northern Ireland	21·6	Denmark	16·5
Netherlands	21·2	England and Wales	16·4
Eire	20·9	Hungary	16·1
Scotland	19·2	Sweden	14·2

* Jewish population only. † European population only. ‡ Excluding Maoris.

Marriages

There were 41,201 marriages in Scotland in 1958. This was 1,460 fewer than in 1957. The rate per 1,000 of the population was 7·97 compared with a rate of 8·28 in 1957 and 8·55 in 1956.

During 1958 the marriage rate was highest in the months of March (13·8), September (10·8) and July (10·0), and lowest in November (5·3), January (4·5) and May (2·7). (Table 63.)

Table D. Marriages in Scotland and its Groups of Public Health Districts in 1958

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being=100
Counties of Cities	17,673	9·24	115·9
Large Burghs	7,786	8·97	112·5
Small Burghs	7,425	8·56	107·4
Landward	8,317	5·47	68·6
SCOTLAND	41,201	7·97	100·0

The marriage rate was highest in the urban and lowest in the rural areas. This is invariably the case (and almost certainly overstates the true urban-rural difference in this respect because people living in rural areas often go to a town or city to be married). The parties often come from different areas, and consequently it is not possible to correct the figures of marriage according to normal residence as it is customary to do for births and deaths. (Table 4.)

The following table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1958:

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	41,201	17,673	7,786	7,425	8,317
Solemnised by a minister of religion:					
Preceded by Banns or Publication of Notice	33,572	13,177	6,276	6,283	7,836
Authorised by Sheriff's Licence	120	68	24	11	17
Irregular Marriages:					
Decree of Declarator (Court of Session)	3	2	—	—	1
Civil Marriages:					
Preceded by Publication of Notice	7,198	4,229	1,408	1,106	455
Authorised by Sheriff's Licence	308	197	78	25	8

Civil marriages constituted 18·2 per cent. of all marriages registered in Scotland. The percentage was 25·0 for the cities, 19·1 for the large burghs, 15·2 for the small burghs and 5·6 for landward areas. In 1957 civil marriages constituted 17·4 per cent. of all marriages (24·8 per cent. for the cities, 17·4 for the large burghs, 13·4 for the small burghs and 5·2 for landward areas).

The proportion of civil marriages to total marriages rose steadily from 11·3 per cent. in 1941, the first full year in which the Marriage (Scotland) Act, 1939 took effect, to 19·2 per cent. in 1955. This percentage fell, however, to 17·9 in 1956 and to 17·4 in 1957 but increased again to 18·2 in 1958.

International Rates. The following table shows the marriage rates in other countries so far as these are available:

Marriage Rates per 1,000 Population, 1958

Hungary	9·3	England and Wales	7·6
Yugoslavia	9·2	Australia	7·5
Western Germany	9·1	Belgium	7·4
Japan	9·0	Czechoslovakia	7·4
Spain	8·5	Italy	7·4
Israel†	8·3	Denmark	7·2
Portugal	8·3	Finland	7·2
U.S.A.	8·3	France	7·0
Netherlands	8·2	Sweden	6·8
Scotland	8·0	Norway	6·7
New Zealand*	8·0	Northern Ireland	6·6
Austria	7·9	Ceylon	6·1
Canada	7·9	Eire	5·3
Switzerland	7·7		

* Excluding Maoris. † Jewish population only.

Divorces. 1,791 marriages were dissolved by decrees pronounced in Scotland during the year 1958. Of these 1,762 were decrees of divorce and 19 of nullity. Ten marriages were dissolved on a presumption of death of one of the parties.

Divorces increased by 40 compared with the number in 1957 but they are 277 below the average of the past five years.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten yearly periods from 1855 to 1954, and annually from 1945 to 1958. The annual numbers of divorces increased steadily until 1946. Until 1952 the number varied irregularly with the ability of the courts to deal with the post-war accumulation of cases. With the exception of the slight increase this year there has been a regular decline in the number of decrees since 1952.

Table E. Number of Divorces, etc. in Scotland, 1855-1958

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855–64	17	1945	2208	15	4
1865–74	14	1946	2902	22	10
1875–84	60	1947	2495	18	20
1885–94	100	1948	2028	19	10
1895–1904	159	1949	2419	19	9
1905–14	222	1950	2186	10	8
1915–24	458	1951	1928	16	11
1925–34	488	1952	2702	16	19
1935–44	906	1953	2352	13	11
1945–54	2358	1954	2200	16	10
		1955	2054	19	5
		1956	1867	16	8
		1957	1722	17	8
		1958	1762	19	10

The following tables give further details as follows:

(a) Marital Condition at time of marriage 1948-1958; (b) age of wife in relation to age of husband at time of divorce, 1958; (c) age of wife in relation to age of husband at date of marriage, 1958, and (d) age of wife at time of divorce with duration of marriage, 1958. The particulars relate only to persons who were married in Scotland.

Divorce Statistics of Persons Married in Scotland 1948-1958

Year	Marital Condition at Time of Marriage					
	Husbands			Wives		
	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
1948	1,675	24	15	1,686	16	12
1949	1,953	37	23	1,953	34	26
1950	1,744	45	25	1,763	30	21
1951	1,562	61	25	1,578	45	25
1952	2,196	75	36	2,208	59	40
1953	1,901	55	48	1,902	54	48
1954	1,784	63	38	1,776	64	45
1955	1,679	43	54	1,681	46	49
1956	1,524	50	47	1,524	42	55
1957	1,445	44	27	1,453	24	39
1958	1,468	37	47	1,469	35	48

Present Age of Wife in Relation to Age of Husband—1958

Present Age of Wife	All Ages	Present Age of Husband								
		16–20	21–24	25–29	30–34	35–39	40–44	45–49	50–59	60 and over
16–20	45	9	28	7	1	—	—	—	—	—
21–24	184	1	60	92	22	7	1	1	—	—
25–29	358	1	10	158	147	27	9	4	2	—
30–34	312	—	3	25	141	106	28	6	2	1
35–39	246	—	1	1	23	101	89	26	5	—
40–44	181	—	—	—	2	20	68	68	21	2
45–49	119	—	—	—	1	2	17	44	53	2
50–59	92	—	—	—	—	—	5	8	64	15
60 and over	15	—	—	—	—	—	—	—	1	14
TOTAL .	1,552	11	102	283	337	263	217	157	148	34

Age of Wife at Time of Marriage in Relation to Age of Husband—1958

Age of Wife	All Ages	Age of Husband								
		16–20	21–24	25–29	30–34	35–39	40–44	45–49	50–59	60 and over
16–20	770	237	388	110	27	7	—	1	—	—
21–24	431	53	191	137	38	8	2	—	2	—
25–29	245	11	67	111	37	13	4	2	—	—
30–34	66	1	6	16	18	18	5	1	1	—
35–39	22	—	—	5	7	3	3	3	—	1
40–44	8	—	—	1	—	2	2	1	2	—
45–49	3	—	—	—	—	1	—	1	1	—
50–59	6	—	—	—	—	—	—	1	5	—
60 and over	1	—	—	—	—	—	—	—	—	1
TOTAL .	1,552	302	652	380	127	52	16	10	11	2

Present Age of Wife and Duration of Marriage—1958

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0–2	3–4	5–6	7–9	10–14	15–19	20 and over
16–20	45	27	18	—	—	—	—	—
21–24	184	22	79	74	9	—	—	—
25–29	358	8	42	88	173	47	—	—
30–34	312	6	15	22	68	172	29	—
35–39	246	—	6	6	17	82	115	20
40–44	181	1	2	4	10	18	56	90
45–49	119	—	—	2	5	10	19	83
50–59	92	—	3	3	—	9	8	69
60 and over	15	—	—	2	—	1	1	11
TOTAL	1,552	64	165	201	282	339	228	273

Deaths

The total number of deaths registered during the year was 62,065—an increase of 922 compared with 1957. The death rate for the year was 12·0 per 1,000 population, and is 0·1 above that for the previous year.

Standardised Death-rates

The following Table shows the crude and standardised* death-rates for Scotland for each year 1931-58.

The improvement manifest in the crude rates over the years reveals only part of the real improvement that has taken place. The adverse influence on mortality of the ageing of the population is allowed for by standardisation. Thus since 1931 the crude rate shows a decline of only 9 per cent. whereas, with the elimination of the effects of changing age structure of the population, the extent of improvement in the general death-rate is no less than 39 per cent.

Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940†	14·86	12·46	16·59	14·32	13·40	10·78
1941†	14·74	12·30	16·75	14·02	13·11	10·71
1942†	13·34	10·70	15·24	12·26	11·81	9·27
1943†	13·98	10·71	15·93	12·21	12·43	9·34
1944†	13·57	10·22	15·65	11·74	11·95	8·82
1945†	13·20	9·63	15·11	11·07	11·70	8·32
1946†	13·07	9·82	14·14	11·15	12·15	8·61
1947	13·02	9·73	13·86	11·13	12·25	8·48
1948	11·96	8·79	12·64	10·03	11·34	7·68
1949	12·42	8·91	12·99	10·13	11·90	7·83
1950	12·48	8·75	13·09	10·05	11·93	7·61
1951	12·86	8·84	13·55	10·23	12·23	7·61
1952	12·03	8·22	12·86	9·64	11·26	6·96
1953	11·50	7·76	12·41	9·23	10·68	6·44
1954	11·98	7·92	12·87	9·44	11·17	6·57
1955	12·01	7·87	12·76	9·33	11·32	6·57
1956	12·01	7·73	12·85	9·28	11·24	6·34
1957	11·87	7·61	12·83	9·22	11·00	6·19
1958	12·01	7·60	12·81	9·14	11·27	6·23

† Civilian death-rates

The crude rates do not vary greatly between urban and rural areas, being 12·43 per 1,000 in the cities, 11·30 in the large burghs, 12·97 in the small burghs and 11·34 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. The standardised rate for the cities was 12·94, for the large burghs 12·12, for the small burghs 11·74 and for the landward area only 11·01.

*Standardised to a Standard International Population, 1900.

Table F. Deaths in Scotland and its Groups of Public Health Districts in 1958

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Numbers	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	25,648	23,769	12·43	12·94
Large Burghs	10,505	9,808	11·30	12·12
Small Burghs	8,921	11,251	12·97	11·74
Landward	16,991	17,237	11·34	11·01
SCOTLAND	62,065	62,065	12·01	—

In the cities and large burghs the standardised rate ranged from 14·4 in Hamilton, 14·1 in Glasgow, and 13·2 in Paisley to 10·5 in Inverness, 10·4 in Kirkcaldy and 10·2 in Arbroath. In the counties it ranged from 12·9 in Wigtown, 12·8 in Argyll and 12·5 in Bute and Lanark to 10·1 in Inverness and Perth, 9·8 in Sutherland and Zetland and 9·3 in Ross and Cromarty. (Table 4.)

Monthly Death-rates. The highest death-rates of the year occurred in January (15·5), February (14·5) and December (14·4) and the lowest in July (10·0), September (9·9) and August (9·3). (Table 63).

International Death-rates. The following table gives the crude death-rates for various countries, so far as available, in the year 1958. The Scottish death-rate is with Eire the third highest of the countries mentioned. In Scotland, however, the population is older than in most of the other countries included in the table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

Death-rates per 1,000 Population, 1958

Austria	12·2	Italy	9·4
Belgium	12·1	Czechoslovakia	9·3
Scotland	12·0	Denmark	9·2
Eire	12·0	Yugoslavia	9·2
India	11·9	Finland	8·9
England and Wales	11·7	New Zealand*	8·9
France	11·2	Norway	8·9
Northern Ireland	10·8	Spain	8·7
Western Germany	10·8	Union of South Africa†	8·6
Portugal	10·2	Australia	8·5
Hungary	9·9	Canada	7·8
Sweden	9·6	Japan	7·5
Switzerland	9·5	Netherlands	7·5
U.S.A.	9·5	Israel‡	5·8

* Excluding Maoris. † European population only. ‡ Jewish population only.

Age and Sex. The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age-group.

Table G shows death-rates by age and sex for five-yearly periods from 1911 to 1955 and for single years from 1951. (Tables 35, 37 and 38).

Infant Mortality. Deaths of children aged under one year numbered 2,758. When related to the 99,481 live births in 1958 the infant mortality rate is 27·7 per 1,000 live births which is 0·9 below that for the 1957 and is the lowest rate ever recorded in Scotland. Up to the year 1915 the rate was never below 100, and by 1939 it had fallen to 69. In 1946 the rate was 54 but since then it has gradually declined. In 1958 the male rate was 30·9 and the female rate 24·3, compared with 32·6 and 24·4 respectively in 1957.

The monthly infant mortality rate was highest in January (37), February (31), and November (30), and lowest in July (26), August and October (24) and September (23). In 1957 the highest rates were recorded in December, February, January and March and the lowest in April, August and October. (Tables 1, 2 and 63).

The rate was 30 in the cities, 29 in the large burghs, 24 in the small burghs and 26 in the landward areas. In 1957 these rates were respectively 30, 30, 26 and 26. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh.

Table G. Age-group Death-rates per 1,000 of Population from 1911 to 1958

Years	Males												Females										
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	–	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	–	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·
1921–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·
1926–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·
1931–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·
1936–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·
1941–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·
1946–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·
1951–55	38·7	1·5	0·7	0·5	1·2	1·8	3·4	9·6	25·6	57·0	130·0	272·9	30·0	1·3	0·5	0·4	0·8	1·5	2·7	6·0	14·4	39·4	104·
1951	43·5	1·8	0·9	0·5	1·3	2·1	3·6	10·4	26·4	59·0	140·0	298·4	33·2	1·6	0·6	0·5	1·2	1·9	3·0	6·3	15·6	43·5	115·
1952	41·7	1·6	0·8	0·5	1·2	1·8	3·3	9·7	25·3	56·6	131·4	270·8	32·5	1·4	0·5	0·4	1·0	1·6	2·7	6·1	14·6	40·3	102·
1953	36·6	1·5	0·8	0·6	1·2	1·8	3·5	9·1	24·9	55·6	122·6	242·4	27·6	1·3	0·5	0·4	0·8	1·4	2·6	6·0	13·5	36·9	98·
1954	36·7	1·5	0·6	0·4	1·1	1·7	3·2	9·5	26·1	56·4	129·1	274·2	28·0	1·1	0·4	0·4	0·7	1·3	2·6	6·2	14·4	37·5	103·
1955	34·9	1·4	0·6	0·5	1·0	1·6	3·3	9·5	25·2	57·2	127·5	280·5	28·5	1·0	0·5	0·4	0·6	1·3	2·4	5·6	14·1	39·1	103·
1956	34·1	1·2	0·5	0·5	1·0	1·6	3·1	9·2	25·1	59·2	129·9	265·4	25·2	1·0	0·4	0·3	0·5	1·1	2·2	5·6	13·9	38·1	103·
1957	34·7	1·3	0·7	0·5	0·9	1·5	3·1	9·5	25·6	57·8	123·7	256·4	26·0	0·8	0·4	0·4	0·5	1·0	2·5	5·5	13·7	36·8	95·
1958	32·5	1·0	0·5	0·5	1·0	1·4	3·2	9·0	24·9	59·7	127·3	257·1	25·3	0·9	0·3	0·3	0·5	1·1	2·5	5·5	13·7	37·0	99·

The census of 1951† showed that no less than 67·9 per cent. of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7·6.

The infant mortality for 1958 in landward areas was 29 per 1,000 in the Central Industrial Belt, compared with 22 per 1,000 in the rest of landward Scotland.

*The Central Industrial Belt comprises:
EAST CENTRAL DIVISION: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.
WEST CENTRAL DIVISION: Counties of Lanark, Dunbarton, Renfrew and Ayr.
The counties lying to the north and west of the Central Industrial Belt are referred to as the NORTHERN DIVISION; those lying to the south and east of it as the SOUTHERN DIVISION.

†Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

The following table shows the infant mortality rates for the years 1957 and 1958 for the large burghs (including cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions.*

The rate for the large burghs is largely influenced by the rate in Glasgow which accounted for 41 per cent. of the births in the large burghs. The rates for Glasgow are therefore shown separately in the table.

	1958	1957		1958	1957
Scotland	**28**	**29**	Regions (Landward):		
Large burghs	30	30	Northern	20	23
Glasgow	35	35	East Central*	27	28
Other large burghs	26	28	West Central*	29	29
Small burghs	24	26	Southern	26	19
Landward	26	26			

The rate in the large burghs fell steadily from 64 in 1947 to 32 in 1953 and 1954, and has stood at 30 for the last three years. In Glasgow the rate fell from 77 in 1947 to 35 in 1954 and has remained around that level since. The areas are arranged in descending order of the infant mortality rate in the following table (which groups the two central, and the north and south, regional landward areas together):

	1958	1957		1958	1957
Glasgow	35	35	Small burghs	24	26
Landward (Central)	29	28	Landward (Northern and Southern)	22	22
Other large burghs	26	28			

In individual large burghs the rate ranged from 49 in Airdrie and Hamilton, 38 in Dumbarton and 36 in Greenock to 18 in Aberdeen and Inverness, 15 in Arbroath and 14 in Stirling. In the counties it ranged from 35 in Banff, 31 in Bute, Caithness and Kirkcudbright and 30 in Lanark to 12 in Selkirk, 9 in Roxburgh and 7 in Berwick.

International Rates. The following table shows infant mortality rates in other countries in 1958 so far as these are available:

Infant Mortality per 1,000 Births, 1958

Portugal	84	Belgium	31
Poland	73	Czechoslovakia	30
Hungary	58	**Scotland**	28
Italy	48	Northern Ireland	28
Spain	42	U.S.A.	27
Austria	41	Finland	24
Japan	36	England and Wales	23
Western Germany	36	Switzerland	22
Eire	35	New Zealand	19
Israel†	35	Netherlands	17
France	32	Sweden	16

† Jewish population only.

Mortality among Legitimate and Illegitimate Children. Among legitimate children the infant mortality rate was 27 per 1,000 live births, being 29 in the cities, 29 in the large burghs and 25 in the counties. These rates in 1957 were 28, 30, 30 and 26 respectively. Among illegitimate children the rate was 36, being 40 in the cities, 38 in the large burghs and 31 in the counties. In 1957 the rates were 40 for Scotland, 44 in the cities, 47 in the large burghs and 34 in the counties.

*See note * p. 20

Infant Mortality. Age at Death. Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 58 per cent. of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 18·7 per 1,000 births at ages under 28 days to 3·8 at 1-2 months. It is 0·7 at 9-11 months.

Infant death-rates at age under 28 days are highest in the cities. For the remainder of the infant deaths the rates for the cities and large burghs are also generally in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and according to month of registration. (See also page 39.)

Neo-natal Mortality. Deaths at ages under 28 days are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. Since then the post-natal rate has been lower than the neo-natal rate and the difference between the two rates has generally increased, reflecting the greater improvement in the post-natal rate. In 1958 the rate for ages between 28 days and one year (9·0) was less than half the neo-natal rate (18·7).

Neo-natal Mortality per 1,000 Births

	Deaths under 28 days*			Deaths between 28 days and 1 Year*		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911–15	43·0	—	—	69·8	—	—
1916–20	40·5	—	—	58·5	—	—
1921–25	38·2	—	—	53·6	—	—
1926–30	36·5	—	—	48·9	—	—
1931–35	36·8	—	—	44·0	—	—
1936–40	36·9	35·8	54·5	38·9	37·5	58·8
1941–45	33·8	32·3	53·0	33·9	32·1	55·6
1946–50	26·1	25·3	39·8	21·2	20·2	37·0
1951–55	20·7	20·1	32·4	12·2	11·9	18·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3
1956	19·1	18·7	27·0	9·5	9·4	13·3
1957	19·6	19·2	29·9	9·0	8·9	10·5
1958	18·7	18·4	27·0	9·0	9·0	8·8

*Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

The table also accounts for the infant deaths from 1936 according to whether the births were legitimate or illegitimate. The information is not available before 1936.

Although since 1942 the post-natal death-rate for legitimate births has been lower than the neo-natal rate it was not until 1948 that the post-natal rate similarly fell in the case of illegitimate births. In recent years the excess of the

illegitimate rates over the legitimate has been more pronounced for the neo-natal rate.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 39.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians. Twenty deaths of reputed centenarians were registered during the year the highest number in any year since records were kept. Four were males and 16 females. In 19 cases the age was verified as being at least 100 years, the verified age being 100 years in nine cases, 101 years in nine cases and 105 in one case. Since 1910, when enquiries regarding such cases were begun, 680 deaths have been registered as being of centenarians, 112 of males and 568 of females. The age has been verified as being at least 100 years in 428 cases (61 males and 367 females); in 106 the evidence was rather against the claim; while in 146 cases no satisfactory evidence of age could be found. The previous highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified was one of 109 years and 14 days in 1936.

Life Tables

The following abridged life table, based on the mortality experience of 1958, shows the further expectation of life at different stages in life. At each age point the expectation of life is the average future life a person of that age would have if the 1958 mortality rates had operated throughout the lifetime.

A table is also given showing how the expectation of life at birth has increased since 1861. The expectation of life at age 1 is also given as it reflects the continued improvement in infant mortality.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 25·9 years for males and by 27·5 years for females. The greatest improvement has taken place since the beginning of the century. In the thirty years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years and in females 3·5 years. From 1891-1900 to 1930-1932 the span had lengthened by 11·3 years for males and 12·1 years for females. Since 1930-32 it has increased further by 10·2 years and 11·9 years respectively.

In 1861-1870 if the child survived the first year of life, the expectation of life rose from 40·3 years at age 0 to 45·6 at age 1 for males and from 43·9 to 47·5 for females. Adding in the year elapsed since birth, the gain was 6·3 and 4·6 years for males and females respectively. By 1958 the improvement in child mortality had reduced these handicaps to 2·1 and 1·7 years respectively.

Abridged Life Table—Scotland
1958

Age x	Males		Females	
	l_x	$\mathring{e}_x$	l_x	$\mathring{e}_x$
0	10,000	66·22	10,000	71·35
1	9,689	67·34	9,755	72·13
2	9,674	66·44	9,740	71·24
3	9,666	65·50	9,729	70·32
4	9,656	64·56	9,723	69·37
5	9,649	63·61	9,718	68·40
10	9,623	58·78	9,701	63·52
15	9,602	53·90	9,687	58·61
20	9,558	49·13	9,668	53·72
25	9,507	44·38	9,640	48·86
30	9,456	39·61	9,598	44·07
35	9,376	34·93	9,538	39·33
40	9,261	30·33	9,448	34·68
45	9,079	25·89	9,304	30·18
50	8,794	21·65	9,113	25·76
55	8,287	17·82	8,802	21·58
60	7,515	14·39	8,361	17·59
65	6,398	11·47	7,653	13·98
70	4,979	9·02	6,652	10·71
75	3,449	6·91	5,213	7·97
80	1,992	5·14	3,472	5·72
85	829	3·85	1,722	3·99

This abridged life table is constructed from the estimated population in 1958 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1958 death records. Column $\mathring{e}_x$ is the "expectation of life", that is the average future lifetime which would be lived by a person aged exactly x, if likewise subject to these death probabilities.

Expectation of Life at Birth and Age One Year, 1861 to 1958, Scotland

Scottish Life Tables	Expectation of Life at Birth		Expectation of Life at Age one year	
	Male	Female	Male	Female
1861–70	40·3	43·9	45·6	47·5
1871–80	41·0	43·8	46·5	48·5
1881–90	43·9	46·3	49·7	51·2
1891–1900	44·7	47·4	51·1	52·7
1910–12	50·1	53·2	55·8	57·8
1920–22	53·1	56·4	58·4	60·4
1930–32	56·0	59·5	60·7	63·1
1942–44	59·8	64·6	63·6	67·6
1950–52	64·4	68·7	66·2	69·9
1947	61·7	65·8	64·7	68·0
1948	63·5	67·5	65·8	69·0
1949	63·7	67·5	65·7	68·9
1950	64·2	68·2	66·0	69·4
1951	64·2	68·4	65·9	69·6
1952	65·1	69·6	66·7	70·8
1953	65·7	70·7	67·0	71·6
1954	65·5	70·5	66·9	71·5
1955	65·8	70·6	67·0	71·6
1956	66·0	71·2	67·2	72·0
1957	66·0	71·4	67·2	72·2
1958	66·2	71·4	67·3	72·1

Causes of Death

Certification. The number of deaths registered in Scotland in 1958 was 62,065. The cause of death was specified in 61,813 cases or 99·6 per cent. of the total deaths registered. These figures include 558 deaths attributed to senility.

In 252 cases or 0·4 per cent. of the total registered deaths, the cause of death was either ill-defined or unknown. 42 deaths were ascribed to heart failure. In 18 cases no cause was specified and in 10 cases the death was described as syncope. 182 were assigned to various symptoms and ill-defined causes, including 33 from convulsions in children under 5 and 11 from unclassified uræmia.

Principal Epidemic Diseases. This group as now classified consists of typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections and measles. For comparison with previous years, deaths from influenza are also included. The total number of deaths in the group in 1958 was 177. The equivalent death-rate is 3 per 100,000 population which compares with 14 in 1957 and an average of 8 over the period 1953-57.

There were 4 deaths from whooping cough in 1958, 17 fewer than in the previous year. As in 1957 there were no deaths from diphtheria. Influenza accounted for 143 deaths in this group compared with 680 in 1957. The following Table J(1) shows the number of certified deaths in which influenza was mentioned not as a primary but as a contributory cause. Deaths from meningococcal infections numbered 25, four more than in 1957. There was one death from typhoid fever.

Table J(1). Deaths associated with Influenza but not classified as such, 1958

International abbreviated List 'B'	Causes of Death	Total	Males	Females	Ages: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84
1	Tuberculosis of respiratory system	3	1	2	–	–	–	–	–	–	1	1	1	–	–
3	Syphilis and its sequelæ	1	–	1	–	–	–	–	–	–	–	–	–	1	–
17	Other infectious and parasitic diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	1
18	Malignant neoplasms	2	2	–	–	–	–	–	–	–	–	–	1	1	–
20	Diabetes mellitus	1	–	1	–	–	–	–	–	–	–	–	1	–	–
46.1	Other general diseases	1	1	–	–	–	–	–	–	–	–	1	–	–	–
22	Vascular lesions affecting central nervous system	3	3	–	–	–	–	–	–	–	1	–	–	1	1
46.2	Other diseases of nervous system	3	2	1	–	–	–	–	–	–	1	–	–	1	1
25	Chronic rheumatic heart disease	2	2	–	–	–	–	–	–	1	–	–	–	1	–
26	Arteriosclerotic and degenerative heart disease	29	14	15	–	–	–	–	–	–	2	1	6	9	7
29	Hypertension without heart disease	1	1	–	–	–	–	–	–	–	–	–	–	1	–
46.3	Other circulatory disease	2	2	–	–	–	–	–	–	–	–	–	–	1	1
32	Bronchitis	3	2	1	–	–	–	–	–	–	–	–	1	1	1
46.4	Other respiratory diseases	3	–	3	–	–	–	–	1	1	–	1	–	–	–
	TOTAL	55	31	24	–	–	–	–	1	2	5	4	10	17	12

Measles accounted for 4 of the deaths from epidemic diseases, 12 fewer than in 1957. There were no deaths from scarlet fever or from streptococcal sore throat.

Deaths in the whole of this group of the main epidemic diseases accounted for 0·3 per cent. of all deaths in Scotland in 1958. (Tables 35-40.)

Tuberculosis. Deaths from all forms of tuberculosis numbered 687 compared with 723 in 1957 and an average of 995 over the years 1953-1957. The death-rate from tuberculosis was 13 per 100,000 of the population compared with 14 the previous year and an average of 19 for 1953-1957. (Tables 35, 37-40.)

Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947 the rate has fallen from 81 to 13.

On the 1958 statistics, death-rates from tuberculosis were heaviest at ages 55-74 in males and 25-44 in females. (Table 35.)

Deaths from tuberculosis were most numerous in February, December and January in that order. (Table 43.)

The rate in the cities was 19 per 100,000, in the large burghs 15, in the small burghs 7 and in the landward areas 9. In the cities and large burghs the highest rates were recorded in Glasgow (27), Coatbridge (26) and Hamilton (24) and the lowest in Arbroath (5), Dumfries and Dunfermline (4) and Kilmarnock (2). In the counties (excluding large burghs) the rates ranged from 31 in Sutherland, 28 in Kinross and 20 in Bute to 3 in Perth, 2 in Roxburgh and 1 in Aberdeen. There were no deaths from tuberculosis in the Counties of Berwick, Orkney and Peebles. (Table 4.)

Respiratory Tuberculosis. 93 per cent. of the deaths from tuberculosis in 1958 were due to the respiratory forms of the disease. They numbered 638 compared with 664 in 1957. The average over 1953-1957 was 882. The death-rate from respiratory tuberculosis in 1958 was 12 per 100,000 (males 17, females 8) compared with 13 in 1957 (males 18, females 8). The heaviest death-rates in males in 1958 were at ages 55-74, in females at 25-44. The lowest rates for males and females were recorded at ages under 25 years. (Tables 35, 37-40.)

In the years 1938-1948 the rate for males under 15 rose from 9 to 13 but thereafter it fell below the level of 1938 and has now fallen to a point where the numbers are too small to show a rate of as much as one per 100,000 of the population. So also in the age-groups 15-44 and 45-64 the rates rose after 1938 for a number of years. It was not until 1950 in the first group and 1952 in the second that the rate fell below that of 1938. The rate in the group 15-44 is a ninth of the pre-war rate and in the age-group 45-64 it is less than a half. At ages over 65 the rate after 1938 increased until 1951 when it reached a value of 77. Since then it has fluctuated and the rate of 56 for the year 1958 is still above that for 1938. Till 1949 the rate after age 65 was about half of that at ages 45-64, but it then rose in proportion to the other and from 1952 to 1955 the two rates were much the same. Since 1956 the rate for the older age-group has risen above that for the younger group.

In the female population the rates are very similar to those for males in the age-groups under 15 and 15-44. In the age-group 45 to 64, however, the rate was only 7 in 1958 compared with 39 in the corresponding age-group in the male population. So also the mortality from tuberculosis for females over the age of 65 is much lower than in the male population.

Death-rates per 100,000 from Respiratory Forms of Tuberculosis

	MALES				FEMALES			
Year	Under 15	15–44	45–64	65+	Under 15	15–44	45–64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9
1956	0	12	42	54	0	13	7	14
1957	0	11	39	56	1	12	8	10
1958	0	8	39	56	0	11	7	13

Deaths from respiratory tuberculosis were most numerous in February, December and January and fewest in June, September and July. The range of monthly incidence was from 27 in June to 85 in February. (Table 43.)

The rate in the cities was 18 per 100,000, in the large burghs 13, in the small burghs 7 and in the landward areas 8. It was highest in the large burghs of the west being 26 in Glasgow and Coatbridge, 22 in Hamilton and 21 in Greenock. In general the counties on the north, east and south perimeter of Scotland had the lowest death rates. (Table 4.)

Non-respiratory Tuberculosis. Deaths from non-respiratory forms of tuberculosis numbered 49 compared with 59 in 1957 and an average of 113 in the five years 1953-1957. The rates per 100,000 were 1 for males and 1 for females which are the same as those in the year 1957.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the last war, but the rate of one in 1957 and 1958 contrasts with a pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

Other Infective and Parasitic Diseases. Deaths from syphilitic and parasyphilitic diseases numbered 58, of which 16 are attributable to aortic aneurysm and 28 to the nervous affections, including locomotor ataxia and general paralysis of the insane.

There were 16 deaths from acute poliomyelitis and polioencephalitis (11 in 1957), 33 from infectious encephalitis and 26 from infectious hepatitis.

Other deaths in this group include 20 from septicæmia and 4 from tetanus.

Table J(2). Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1958 (Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855–1860	—	87	—	—	—
1861–1870	—	157	—	—	—
1871–1880	—	210	—	—	—
1881–1890	—	237	—	—	—
1891–1900	—	203	—	—	—
1901–1910	—	218	223	70	149*
1911–1920	—	202	248	76	136*
1921–1930	—	141	191	71	139*
1931–1940	—	88	116	56	128*
1941–1950	223	57	55	28	83‡
1950	170	35	33	21	81†
1951	149	36	28	15	70†
1952	110	31	22	12	45†
1953	96	28	27	14	27†
1954	109	41	27	14	27†
1955	97	40	21	10	26†
1956	88	33	20	10	25†
1957	94	34	17	11	32†
1958	58	16	19	7	16§

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡Excludes dissecting aneurysm unqualified in the year 1950.
§Excludes aneurysm of abdominal aorta and dissecting aneurysm unless specified as syphilitic.

Malignant Neoplasms. Deaths from this group numbered 10,831, equivalent to a death-rate of 210 per 100,000. This rate is one above that for the previous year and 5 above that for the five years 1953-57.

The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1958 are shown in the following table. In the meantime the population has aged appreciably and comparisons of crude death-rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, i.e., at the census of 1951.

The increase in the crude rate is substantial. It was accelerated during the recent war but this was mainly attributable to the withdrawal from the popula-

tion temporarily on war service of numbers of younger persons less vulnerable to diseases of this kind. Since 1931 the crude rate has increased by 42 per cent., but the standardised rate by only 9 per cent. The standardised rate provides the truer basis of comparison, allowing as it does for the ageing of the population.

The standardised rate for males rose from 186 in 1931 to 250 in 1958, an increase of 34 per cent., which is half of the increase of 68 per cent. in the crude rate. On the other hand the standardised rate for females decreased from 182 to 162, a reduction of 11 per cent. compared with an increase of 20 per cent. in the crude rate.

As Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can therefore be made for the years prior to 1950.

Of the 10,831 deaths in 1958 that were classified to malignant neoplasms 5,821 were of males and 5,010 of females.

In recent Scottish statistics of mortality from cancer the principal sites in males have been trachea, bronchus and lung, stomach, intestine, prostate and rectum, and for females, breast, stomach, intestine, cervix and other parts of the uterus, with cancer of the lung much less frequent than in males. In individual sites males show the greatest relative excess for lung, larynx and buccal cavity and in less degree, for bladder, rectum, Hodgkin's disease and kidney and females for thyroid gland, intestine and liver.

Over the years there have been decided changes in sites and sex trends, the standardised rate in females showing some improvement, in males a noteworthy increase. In separate sites, males have shown a substantial improvement in those within the buccal cavity. In the digestive system, changes are less notable but roughly similar in the sexes, the mortality from cancer of stomach and intestine being lower, that for rectum and pancreas higher, and there has been decided lowering in respect of liver and gall bladder and abdomen not otherwise specified (suggesting improvement rather in identification of the primary site in some cases). In the respiratory system, laryngeal cancer has shown little change, but for lung and bronchus there has been a decided increase in each sex but especially so in men. Breast cancer in women shows little change but there has been some decline in deaths from cancer of the uterus. There has been some increase in such sites as kidney, prostate and testis in males and bladder in both sexes, but a noteworthy fall in deaths from cancer of the skin.

Death-rate per 100,000 Population from Malignant Disease

Year	Crude	Standardised to Scotland 1951	Effect of Standardisation
1931	148	184	+36
1932	153	187	+34
1933	153	187	+34
1934	153	185	+32
1935	157	188	+31
1936	159	187	+28
1937	157	182	+25
1938	162	187	+25
1939	161	184	+23
1940	170	185	+15
1941	174	185	+11
1942	179	185	+ 6
1943	185	182	— 3
1944	186	181	— 5
1945	192	185	— 7
1946	180	180	—
1947	178	183	+ 5
1948	184	187	+ 3
1949	188	190	+ 2
1950 (5th Revision)	190	190	—
1950 (6th Revision)	196	197	+ 1
1951	192	192	—
1952	198	196	— 2
1953	198	195	— 3
1954	205	200	— 5
1955	206	200	— 6
1956	209	202	— 7
1957	209	199	—10
1958	210	200	—10

Year	*Male* Crude	*Male* Standardised	*Female* Crude	*Female* Standardised
1931	140	186	155	182
1932	145	190	160	186
1933	147	192	159	183
1934	148	191	158	181
1935	152	196	162	183
1936	155	196	163	182
1937	151	188	163	179
1938	152	189	170	185
1939	156	192	165	177
1940	175	196	165	175
1941	184	198	166	174
1942	193	201	168	172
1943	199	199	173	170
1944	205	201	171	166
1945	209	202	178	171
1946	190	201	171	162
1947	186	210	171	164
1948	190	212	178	169
1949	192	213	184	173
1950 (5th Revision)	197	218	183	169
1950 (6th Revision)	205	226	187	174
1951	201	221	184	171
1952	212	230	185	170
1953	217	235	180	164
1954	224	241	188	170
1955	222	240	191	171
1956	227	244	193	170
1957	228	242	191	167
1958	235	250	186	162

Diabetes. Deaths from this cause numbered 528 (155 males and 373 females), 23 more than in 1957 and 64 above the average. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias. Deaths from this cause numbered 239 of which 69 were of males and 170 of females. In 1957 the number was 214. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 161.

Other general diseases. In addition to the foregoing there were 168 deaths from asthma, a decrease of 33 compared with 1957, 24 deaths from thyrotoxicosis (34 in 1957) and from other diseases of thyroid 80 (47 in 1957).

Diseases of the Nervous System. In this group there were 10,767 deaths, of which the majority (9,982) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages (4,271) or cerebral embolism and thrombosis (4,873). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans (177), multiple sclerosis (169), epilepsy (90) and other cerebral paralysis (63). Nonmeningococcal meningitis deaths numbered 58 compared with 59 in 1957.

The vascular lesions of the central nervous system show a heavier crude death rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System. Deaths in this group numbered 23,696 of which 21,346 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of Classification in 1941 reduced this number slightly (about 1 per cent.) and in the two following years there was a substantial diminution in deaths from these causes. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only $\frac{1}{2}$ per cent. in deaths allocated to this group.

Of the total deaths from diseases of the heart the vast majority (18,507) are ascribed to the arteriosclerotic or degenerative categories. Of these 10,317 were arteriosclerotic heart disease (including coronary thrombosis), 7,875 other forms of myocardial degeneration and 315 chronic endocarditis not specified as rheumatic.

Mortality ascribed to coronary thrombosis shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females, although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In the group 45-49 the male rate is more than five times that of the female. After age 50 the male: female ratio declines progressively, but even in the oldest age groups male mortality is twice as heavy as that of females.

Deaths from chronic rheumatic heart disease numbered 815 compared with 907 in 1957. Acute rheumatic fever accounted for 17 deaths, a decrease of 28 from the previous year. Deaths from acute non-rheumatic conditions of the heart were 101. Functional and other and unspecified diseases of the heart

caused 685 deaths. Hypertension accounted for 1,875 of which 1,238 were associated with heart disease.

General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1958 there were 1,237 deaths ascribed to this cause, compared with 1,166 in 1957.

Diseases of the Respiratory System. Deaths from these causes accounted for 5,155 deaths, compared with 5,274 in 1957. Of these the principal individual causes were bronchitis (2,294), bronchopneumonia (1,551) and lobar pneumonia (371).

In 1958 deaths from pneumonia and bronchitis (4,216) were 420 above the five years average.

Diseases of the Digestive System. Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 1,912 compared with 2,023 in 1957. The principal conditions under this heading are ulcer of stomach (238) and duodenum (296), hernia and intestinal obstruction (353) and cirrhosis of the liver (221). There were only 60 deaths from diarrhœa of children between four weeks and under 2 years of age in which cause there has been a considerable reduction of mortality over recent years. In 1948 there were 547 deaths from this cause.

Diseases of Genito-urinary System. These collectively numbered 1,171 deaths. They are 68 fewer than in 1957 and 136 below the average of the past five years. The principal components of the group are chronic nephritis (298) and diseases of the prostate (392). Deaths from diseases of the prostate were 11 fewer than in 1957.

Diseases of Pregnancy and Childbirth. These numbered 53 and are 7 more than in 1957. They are 6 below the average of the past five years and roughly a third of what were so registered ten years ago. The most prominent constituents are sepsis (including post abortive sepsis), complications of delivery and toxæmias. The total deaths represent a rate of 0·5 per 1,000 live births. (Table K(1).)

In addition to the deaths classified as due to puerperal conditions, there were 24 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K(2). The number in 1958 is 10 fewer than in 1957.

ıble K(1). **Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1958**

	Births (Living Children)	Still-births	Deaths from all Puerperal Conditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Conditions	Death-rate per 1,000 Live Births			Death-rate (all Puerperal conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
:OTLAND .	99,481	2,324	53	15	38	0·53	0·15	0·38	0·52
Counties of Cities .	37,434	887	17	7	10	0·45	0·19	0·27	0·44
Large Burghs .	17,926	456	7	3	4	0·39	0·17	0·22	0·38
Counties (ex. Counties of Cities and Large Burghs)	44,121	981	29	5	24	0·66	0·11	0·54	0·64
Small Burghs .	16,016	358	6	1	5	0·37	0·06	0·31	0·37
Landward .	28,105	623	23	4	19	0·82	0·14	0·68	0·80

Table K (2). Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1958

ıternational ıbbreviated List 'B'	Cause of Death	All Ages	Ages						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over
1	Tuberculosis of respiratory system .	1	—	—	—	1	—	—	—
17	Other infectious and parasitic diseases	1	—	—	—	1	—	—	—
21	Anæmias	1	—	—	—	1	—	—	—
46·1	Other general diseases . .	1	—	—	1	—	—	—	—
22	Vascular lesions affecting central nervous system . . .	3	—	—	2	—	1	—	—
25	Chronic rheumatic heart disease .	5	—	—	—	2	1	2	—
26	Arteriosclerotic and degenerative heart disease . . .	2	—	—	—	1	1	—	—
27	Other diseases of heart . .	1	—	—	—	—	1	—	—
29	Hypertension without heart disease .	1	—	—	—	—	—	—	1
46·3	Other circulatory disease . .	1	—	1	—	—	—	—	—
31	Pneumonia	2	—	—	—	—	2	—	—
46·4	Other respiratory diseases . .	1	—	—	—	—	1	—	—
35	Intestinal obstruction and hernia .	1	—	—	—	1	—	—	—
46·6	Other digestive diseases . .	1	—	—	1	—	—	—	—
46·7	Other diseases of genito-urinary system	1	—	—	1	—	—	—	—
49	Suicide	1	—	—	—	—	—	1	—
	TOTAL . .	24	—	1	5	7	7	3	1

Diseases of Skin and Cellular Tissue. There were 46 deaths from these causes ›mpared with 48 in 1957. There were over 300 deaths in this group in 1936 and ›37 and since then the general trend has been downwards. The reduction is ainly in deaths from cellulitis.

Diseases of Bones and Organs of Movement. These causes accounted for 261 deaths during the year.

Malformations. There were 648 deaths from these compared with 718 in 1957. Congenital malformations of the heart were the most frequent (229). These were followed by spina bifida (134), hydrocephalus (78), genito-urinary system (56) and digestive system (54). The vast majority (77 per cent.) of these deaths took place in the first year of life.

Table L(1) shows these deaths distributed in age groups. Of the 648 who died from congenital malformations 496 died at ages under one year and of these 217 did not survive a week. Table L(2) shows for each of the principal causes in the group and also for certain diseases of early infancy, the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1954. The rate for congenital malformations was 6·51 in 1958 compared with 7·33 in 1957. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend.

Internal changes in classification of causes such as prematurity affect some of the rates when comparing 1950 onwards with earlier years.

Table L(1). Deaths from Congenital Malformations in 1958
(International Nos. Detailed List 750-759)

Causes of Death	Total	Males	Females	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 m'ths	3–5 months	6–8 months	9–11 months	1–4 years	5–9 years	10–14 years	15–24 years	25 years and over
Spina bifida and meningocele (751)	134	60	74	18	28	17	11	5	22	11	8	6	4	–	2	1	1
Congenital hydrocephalus (752) .	78	32	46	11	9	2	1	4	11	15	7	6	9	3	–	–	–
Congenital malformations of circulatory system (754) . .	229	116	113	12	46	15	5	4	29	26	14	5	24	4	12	7	26
Imperforate anus and other congenital malformations of digestive system (756.1.2) . .	49	23	26	5	16	5	3	2	2	2	5	1	4	–	–	1	3
Other congenital malformations (Residual) . . .	158	79	79	50	22	5	1	6	12	6	3	2	7	8	–	4	32
Total . .	648	310	338	96	121	44	21	21	76	60	37	20	48	15	14	13	62

Table L(2). Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy
(International Nos. Detailed List 750-776)

Causes of Death		1936–40	1941–45	1946–50	1951–55	1954	1955	1956	1957	1958
Congenital malformations .	750–759									
(All ages) . .		6·87	7·28	6·58	6·85	7·32	6·72	6·95	7·33	6·51
Do. (Under 1 Year) .		6·20	6·33	5·47	5·25	5·62	5·17	5·33	5·51	4·99
Spina bifida meningocele	751	1·89	1·93	1·38	1·54	1·73	1·64	1·50	1·47	1·35
Hydrocephalus . .	752	0·70	0·74	0·64	0·70	0·69	0·72	0·65	0·71	0·78
Congenital heart disease	754	2·26	2·26	2·11	2·24	2·37	2·26	2·37	2·45	2·30
Congenital pyloric stenosis	756·0			0·48	0·11	0·11	0·05	0·05	0·06	0·05
Other congenital defects	Residual	2·02	2·34	1·97	2·26	2·42	2·04	2·37	2·63	2·03
Diseases of early infancy .	760–776	30·61	27·74	20·24	17·24	16·78	16·24	15·44	15·60	15·17
Debility . .	773 OY & 5Y	7·09	5·22	1·93	0·74	0·67	0·45	0·39	0·24	0·17
Premature birth .	776	16·79	15·07	10·39	5·50	5·09	5·09	4·34	4·63	3·89
Injury at birth . .	760–761	3·22	3·19	2·94	2·78	2·62	2·54	2·63	2·54	2·46
Asphyxia at birth .	762			2·99	4·58	5·07	4·99	4·99	5·24	5·66
Other specified causes .	Residual	3·50	4·27	2·00	*3·65	*3·33	*3·17	*3·08	*2·94	*2·99
TOTAL (All ages) .		37·48	35·02	26·83	24·09	24·10	22·96	22·39	22·92	21·68

*Includes pneumonia of newborn and diarrhœa of newborn.

Diseases of early infancy. Deaths from this group of causes totalled 1,509 compared with 1,528 in 1957. The most important individual component of this group is postnatal asphyxia and atelectasis, deaths from which numbered 563, just over a third of the total. Prematurity unqualified, birth injury, pneumonia of newborn and haemorrhagic disease of newborn are next in order of importance. Out of the 1,509 deaths acsribed to certain diseases of early infancy 389 were classified to prematurity, but it is perhaps worth mentioning that of the other 1,120 deaths in this group 524 had a mention of prematurity on the death certificate. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate per 1,000 live births for 1958 was 2·46 compared with 2·54 in 1957.

Senility. Only 558 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence. 2,850 deaths from causes other than natural causes were registered in 1958. 2,356 were from accidents and 439 from suicide. Of the remainder, 51 were caused by homicide and 4 by late effects of war operations.

There were 710 transport accidents in 1958, 13 more than in 1957. The majority were motor vehicle accidents—598—an increase of 33 from the previous year. Of the remainder, 36 were from railway accidents, 34 from road transport fatalities other than with motor vehicles, 35 in water transport accidents and 7 in air transport accidents.

The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in the following table. The figures are given by sex and by five age groupings. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population. Mortality was in the earlier years notably heavy among young children and older people, but now only the oldest age group shows a marked excess.

Table M. Deaths from Road Transport Accidents, 1934-1958

		All Ages	0–4	5–14	15–34	35–64	65 and over
Males	1934-38 (average)	515	41	86	169	145	74
	1939-45 ,,	709	50	104	183	242	130
	1946-50 ,,	394	48	67	98	105	76
	1951-55 ,,	422	39	61	123	122	76
	1956	452	31	45	117	173	86
	1957	454	26	45	133	159	91
	1958	463	24	44	137	175	83
Females	1934-38 (average)	162	21	37	25	42	37
	1939-45 ,,	188	22	43	29	50	44
	1946-50 ,,	155	21	35	20	35	43
	1951-55 ,,	149	19	28	21	38	42
	1956	137	20	21	20	37	39
	1957	133	15	15	10	41	52
	1958	169	18	18	35	50	48

Table 41A shows other deaths by accident (International Detailed List Nos. E870-E936, E961, E962) classified by sex and age in cause groups, differen-

tiating as to whether they occurred in the home, residential institutions, mines and quarries, farms and forest and other places.

Deaths in the home in 1958 made up as usual the greatest individual group of fatal accidents. They numbered 1,108 or 47 per cent. of the total deaths from accidents. The number was 48 more than in 1957.

The causes of accidents in the home are shown in more detailed age groups in Table N(1) below.

Table N(1). Deaths from Accidents at Home, 1958

International Detailed List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
E870–E888	Accidental poisoning by solid and liquid substances	M.	20	1	3	–	–	1	1	6	4	3	1	–	–	–
		F.	33	–	1	–	–	–	3	2	12	11	2	2	–	–
E890–E895	Accidental poisoning by other gases and vapours	M.	105	–	–	–	1	5	7	14	14	23	21	18	2	–
		F.	131	2	1	–	1	2	6	7	14	12	33	38	15	–
E890*a*	Poisoning by utility (illuminating), gas, stated to be accidental	M.	37	–	–	–	1	–	3	4	2	9	9	8	2	–
		F.	69	2	1	–	1	–	–	3	8	7	18	24	6	–
E890*b*	Poisoning by utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.	67	–	–	–	–	5	4	10	11	14	12	10	–	–
		F.	62	–	–	–	–	2	6	4	6	5	15	14	9	–
E891–E895	Accidental poisoning by gases and vapours	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E900–E904	Accidental falls	M.	180	1	–	1	3	–	1	6	2	22	27	67	50	–
		F.	351	1	1	–	–	–	3	2	3	15	57	169	100	–
E916–E918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	29	1	4	1	–	–	–	–	5	3	6	5	4	–
		F.	72	3	6	5	2	2	1	4	6	9	10	16	8	–
E919	Accident caused by firearm	M.	3	–	–	–	1	–	–	–	–	1	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E921, E922, E924, E925	Accidental mechanical suffocation	M.	95	83	3	–	–	–	–	1	2	3	2	1	–	–
		F.	74	62	3	–	–	–	–	2	3	–	3	1	–	–
E926	Lack of care of infants under 1 year of age	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E910, E913, E914, E923, E933, E936, E961, E962	Other and unspecified accidents	M.	5	–	1	–	–	3	–	–	–	1	–	–	–	–
		F.	7	–	1	–	–	–	–	1	1	1	–	2	1	–
	TOTAL	M.	438	87	11	2	5	9	9	27	27	56	58	91	56	–
		F	670	69	13	5	3	4	14	18	39	48	105	228	124	–

Accidental falls were the main cause, accounting for 531 deaths or 48 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 351 or two-thirds of the total, and they took a very much heavier toll of older persons, as is seen from the fact that 89 per cent. of the deaths were of persons aged 65 and over (males 80 per cent., females 93 per cent.).

Gas poisoning was the second heaviest cause of deaths in the home, and it will be seen from the table that in 1958 there were 237 deaths (106 of males and 131 of females). Of these 106 were stated to be accidental whereas 131 were unspecified as to whether accidental or suicidal. 127 of the deaths from gas poisoning were among persons aged 65 and over (males 41, females 86).

The third heaviest cause was suffocation, which caused 169 accidental deaths in 1958. No less than 145 or 86 per cent. were deaths of children under one,

Annual Report of the Registrar General
for Scotland, 1958

CORRIGENDA

age 36. *for* second last paragraph *substitute:*

"Gas poisoning was the second heaviest cause of deaths in the home, and it will be seen from the table that in 1958 there were 236 deaths (105 of males and 131 of females). Of these 107 were stated to be accidental whereas 129 were unspecified as to whether accidental or suicidal. 127 of the deaths from gas poisoning were among persons aged 65 and over (males 41, females 86)".

and 6 of the remainder were of children between one and four. 88 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 57 deaths of children under one 47 were due to suffocation in bed or cradle.

Accidents caused by fire, etc., were the next heaviest contributor to deaths in the home in 1958. They caused 101 deaths. Among these were 14 children under five and 49 persons aged 65 and over.

Accidents in **residential institutions** accounted for 48 deaths, 7 more than in 1957. 45 of the deaths were due to falls and 43 of this cause group were aged 65 and over.

There were 36 deaths due to fatal accidents in **mines and quarries** compared with 82 in 1957. 17 deaths were caused by blows from falling objects, etc., (34 in 1957) and 8 by mine vehicles (6 in 1957). Whereas 26 deaths were caused by fire and explosion of combustible material in 1957 no deaths were registered from this cause in 1958.

Farm and forest accidents claimed 11 deaths, 3 more than in 1957. 4 were due to falls and 3 to accidents caused by animals.

It is perhaps worth mentioning in this context that 17 deaths were due to accidents in which farm tractors, etc., were involved. Of this number 13 were due to motor vehicle non-traffic accidents, 3 to motor vehicle traffic accidents and 1 to a non-motor road vehicle accident.

Four hundred and thirty-seven deaths were due to accidents in **other places**, 17 fewer than in 1957. Deaths due to drowning accounted for 196 (163 males, 33 females), falls were second in importance at 138 (111 males, 27 females) and 28 (25 males, 3 females) were caused by blows from falling objects, etc. These cause groups were also the most important in 1957 when the figures were 204, 113 and 35 respectively.

The following Table N(2) compares in broad age groups the death-rates of males and females from accidents at home and from accidents elsewhere (residential institutions, mines and quarries, farms and forest and other places). It shows for each group the death-rate per 100,000 of the population represented by the deaths from accident in that age group in Scotland in 1958.

Table N(2). Death-rate per 100,000 from Accidental Deaths (excluding Transport Accidents)

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	*Male*	18	43	2	4	14	95
	Female	25	37	2	3	13	142
Accidents elsewhere	*Male*	17	7	11	17	20	40
	Female	4	1	2	1	4	18
Total	*Male*	35	50	13	21	34	135
	Female	29	39	4	4	17	161

The over-all male rate is appreciably lower than for females as regards accidents at home; but it will be observed that the male rate is higher in each individual age group except for ages 5 to 14 (where it is the same as the female rate) and 65 and over where the rate for females is almost 50 per cent. higher.

The figures show that males are more vulnerable to accidents outside the home in the proportion of over four to one. The difference is even greater in the age groups between 15 and 64.

Suicide. Deaths from suicide numbered 439, 286 males and 153 females. This represents a death rate of 8 per 100,000 and is the same as that for 1957 and 1 above the average of the last five years. (Tables 41B and 42.)

A full list of deaths from accidental and suicidal poisoning and under anæsthetics will be found in Table 41B. (See page 182.)

Relative frequency of cause of death. As in recent years the commonest causes or cause groups of death are, in descending order, heart disease, malignant neoplasms, vascular lesions of the central nervous system, violence, bronchitis, congenital malformations and diseases of early infancy, pneumonia and tuberculosis. These together account for 84 per cent. of the total deaths in 1958. (See Table O below.)

Table O. Relative Frequency of Causes of Death

Causes of Death	1958		1957	
	Number	Per cent. of total	Number	Per cent. of tot
Heart disease	21,346	34·39	20,565	33·63
Malignant neoplasms	10,831	17·45	10,747	17·58
Vascular lesions of the central nervous system	9,982	16·08	9,566	15·65
Violence	2,850	4·59	2,801	4·58
Bronchitis	2,294	3·70	2,013	3·29
Congenital malformations and diseases of early infancy	2,157	3·48	2,246	3·67
Pneumonia (excluding pneumonia of newborn)	2,108	3·40	2,042	3·34
Tuberculosis (all forms)	687	1·11	723	1·18
TOTAL	52,255	84·19	50,703	82·93

Infant Deaths

Cause. Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under 28 days) will be found on page 22 for years and combinations of years back to 1911, but Table 29 shows for 1958 a closer analysis by age with classification according to cause of death. Of the 2,758 children who died before reaching one year of age, 881 died before they were a day old; 1,610 did not survive a week and no fewer than 1,862 or almost 68 per cent. of the total died before they were 4 weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 34). Compared with 1957, deaths from whooping cough decreased by 14, diarrhœa of newborn by 8 and meningitis by 4. Pneumonia (excluding newborn) increased by 19, bronchitis by 6, diarrhœa (excluding newborn) by 5 and pneumonia of newborn by 4.

Of all deaths under one year of age the most important causes numerically are asphyxia and atelectasis, congenital malformations, prematurity (unqualified), pneumonia (excluding newborn) and birth injuries in that order. (Tables 29 and 42.)

Month of registration. Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 20). These deaths were at a maximum in January and December and at a minimum in August and September. The incidence of individual causes throughout the year generally conforms to this pattern though the variation is considerable in deaths from pneumonia and bronchitis. (Tables 30 and 63.)

Age period. Table 31 shows for each large burgh and county the numbers of children who died in 1958 before reaching their first birthday. The duration of the lives of these children according to days, weeks or months is indicated in the headings to the table. The columns on the right-hand side of the table show the death-rates per 1,000 of the births in Scotland in 1958. Many of the rates are of course based on small numbers and are therefore of limited value. The figures show that children in the first four weeks of life were subject to much the heaviest mortality of the groups accounted for, and that the mortality was specially heavy on the first day of life and in the first week.

The neo-natal rates for Scotland as a whole have already been dealt with (see page 22), but in Table P there will be found for Scotland the death rates for certain age groups within the first year of life for 1958 and previous years.

Death-rates in Scotland compared with those in England and Wales and Northern Ireland. Precise comparisons between the death-rates in Scotland and those in England and Wales and Northern Ireland cannot be made from an examination of the crude death-rates in the three countries. By agreement between the Registrars General, death rates have been standardised to the age and sex distribution of the United Kingdom.

Table 48 gives the standardised mortality ratios for the three countries for all causes and for a specially selected list of causes for the year 1958. It also shows the age specific death-rates by sex so that a more detailed examination

of the rates can be made. It will be observed that while for all causes Scotland is materially in excess of England and Wales and somewhat below Northern Ireland, its position varies a great deal from cause to cause. The Scottish ratio is more favourable for syphilis, influenza and pneumonia. In the case of tuberculosis, malignant neoplasms, diabetes, cerebral hæmorrhage, some digestive causes and accidents in the home, the Scottish ratio shows a fairly marked excess.

Table P. Deaths under One Year per 1,000 Births in Scotland, 1922-1958

Year	Males						Females					
	Under 1 year	Under 7 days	*7–27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under12 months	Under 1 year	Under 7 days	*7–27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·3	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·9	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·5	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6
1952	39·3	20·1	4·1	5·6	6·2	3·3	30·8	15·7	3·2	4·1	4·3	3·5
1953	34·7	18·9	3·5	5·3	4·4	2·6	26·6	13·5	2·5	4·3	3·6	2·7
1954	34·9	20·2	3·4	4·3	4·1	2·9	26·9	15·2	2·3	4·2	3·1	2·0
1955	33·2	19·3	2·8	4·9	3·7	2·5	27·4	14·5	2·8	3·9	3·7	2·6
1951–55	36·8	19·8	3·7	5·4	4·9	3·0	28·8	14·9	2·9	4·3	3·9	2·9
1956	32·6	19·2	3·1	4·6	3·9	1·8	24·4	13·3	2·4	3·7	2·6	2·4
1957	32·6	19·2	3·4	4·1	3·5	2·3	24·4	14·0	2·4	3·1	3·0	2·0
1958	30·9	18·8	2·8	4·3	3·0	2·0	24·3	13·4	2·2	3·3	3·2	2·3

*Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months.

Central Clydeside Conurbation

The constitution of the Central Clydeside Conurbation, described in previous reports for reference purposes, was altered in 1958. The consequence of the formation of the burgh of Bearsden (see Appendix VI) was the abolition of New Kilpatrick District of County and the transfer of the area of the former District outwith the boundaries of Bearsden burgh to Old Kilpatrick District of County.

The Central Clydeside Conurbation now comprises:

Dunbarton County (part of)
- Clydebank Burgh
- Bearsden Burgh
- Kirkintilloch Burgh
- Milngavie Burgh

Lanark County (part of)
- Glasgow City
- Airdrie Burgh
- Coatbridge Burgh
- Hamilton Burgh
- Motherwell and Wishaw Burgh
- Rutherglen Burgh
- Lanark Fifth District of County
- Lanark Sixth District of County
- Lanark Eighth District of County
- Lanark Ninth District of County

Renfrew County (part of)
- Barrhead Burgh
- Johnstone Burgh
- Paisley Burgh
- Renfrew Burgh
- Renfrew First District of County
- Renfrew Second District of County

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year of 1958. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

Central Clydeside Conurbation

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births	37,235	37,992	21·2
Deaths	20,844	21,468	12·0
Deaths under 1 year	—	1,265	33·3 per 1,000 live Births
Marriages	15,828	—	8·8
Stillbirths	941	938	24.1 per 1,000 total Births (including stillbirths)

The population of Central Clydeside at 30th June, 1958 is estimated at 1,790,658, more than a third of the population of Scotland. The birth-rate of 21·2 is 3·0 higher than that of the rest of Scotland whereas the death-rate of 12·0 is the same. The stillbirth rate is 2·1 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 9·2 per 1,000 of the population against 6·2 in the remainder of Scotland. The excess of births over deaths in Scotland was 37,416, those in Central Clydeside accounting for no less than 16,524.

The infant mortality rate at 33·3 per 1,000 live births is appreciable higher than the rate of 24·3 for the rest of Scotland.

The over-all death-rate in the conurbation area is for males 1,328 per 100,000 of the population compared with 1,256 in the rest of Scotland. The female rates are 1,080 and 1,151 respectively. The accompanying table compares the rates by sex from the principal groups of causes of death.

Certain specified causes of death in the Central Clydeside Conurbation and the Rest of Scotland with their corresponding rates per 100,000 population—1958

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis, respiratory	256	128	175	79	30	14	11	4
2–5	Tuberculosis—other forms	17	9	11	12	2	1	1	1
6–10	Syphilis	10	6	30	12	1	1	2	1
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases	27	32	63	55	3	3	4	3
44–59	Malignant neoplasms	2,164	1,602	3,657	3,408	252	172	226	194
70	Vascular lesions of central nervous system	1,381	1,901	2,730	3,970	161	204	169	226
80–83	Heart disease	3,615	3,306	7,209	7,216	420	355	445	410
89–91	Pneumonia (excluding newborn)	455	374	641	638	53	40	40	36
92, 93	Bronchitis	814	363	796	321	95	39	49	18
99, 100	Ulcer of stomach and duodenum	141	46	248	99	16	5	15	6
104	Diarrhœa (excluding newborn)	48	63	64	99	6	7	4	6
108, 109	Nephritis	63	75	159	120	7	8	10	7
127–135	Congenital malformations and other diseases of early infancy	530	414	722	491	62	44	45	28
Residual of 1–137	All other natural causes	1,265	1,389	2,749	2,947	147	149	170	168
138, 139	Transport accidents	185	66	350	109	22	7	22	6
148	Suicide	101	57	185	96	12	6	11	5
Residual of 138–150	Other violence	345	220	559	577	40	24	35	33
	All causes	11,417	10,051	20,348	20,249	1,328	1,080	1,256	1,151

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for tuberculosis, bronchitis, pneumonia (excluding newborn) and the principal epidemic diseases separately for the conurbation area, Glasgow and the remainder of the conurbation area.

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	30	14	34	18	24	7
2–5	Tuberculosis—other forms	2	1	2	1	2	1
92, 93	Bronchitis	95	39	114	47	65	26
89–91	Pneumonia (excluding newborn)	53	40	63	49	37	27
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases*	3	3	4	4	2	2

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Appendix I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1958 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1958.

The crude birth-rate for the year is 19·2 compared with 19·0 in 1957. If current trends of birth and death rates are maintained, the number of female births is more than enough to ensure that the population of Scotland is reproducing itself. The net reproduction rate of 1·302 compares favourably with the rate of 1·281 in 1947 when the crude birth rate was as high as 22·3. This demonstrates the recent continuing improvement in the infant and child death rates.

The crude birth-rates and the gross and net reproduction rates for each year from 1939 are as follows:

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17·4	1·051	0·932
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·3	1·427	1·281
1948	19·7	1·265	1·158
1949	18·7	1·228	1·131
1950	18·0	1·187	1·107
1951	17·7	1·171	1·099
1952	17·7	1·180	1·114
1953	17·8	1·179	1·121
1954	18·0	1·212	1·156
1955	18·0	1·230	1·173
1956	18·5	1·279	1·228
1957	19·0	1·326	1·272
1958	19·2	1·355	1·302

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group, but the gap between the figures for this group and for mothers aged between 20–24 is becoming narrower. The single ages which contributed the greatest number of children were 23, 24 and 25 years (in that order), and when related to legitimate births the ages were also 23, 24 and 25 years. At age 30 the number was much smaller. The largest number of illegitimate births was to mothers aged 20, 21 and 19 in that order. (Table 9).

The number of births to mothers in the age-group 20–24 has steadily increased since 1939 when these figures were first available and, as the following table shows, they are now 56 per cent. above the 1939 figure.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939	81,669	18,605	25,661	19,267	100	100	100
1947	106,836	25,804	33,600	24,795	139	131	129
1948	94,568	24,117	30,001	20,255	130	117	105
1949	90,451	23,586	29,628	17,949	127	115	93
1950	87,693	23,168	27,964	18,193	125	109	94
1951	86,047	23,244	27,302	18,306	125	106	95
1952	86,116	23,616	27,078	18,808	127	106	98
1953	86,682	24,140	27,391	19,325	130	107	100
1954	88,138	25,437	27,374	19,673	137	107	102
1955	88,548	25,595	28,491	18,786	138	111	98
1956	91,244	26,637	29,151	18,895	143	114	98
1957	93,960	28,010	30,022	18,812	151	117	98
1958	95,408	29,059	30,416	18,688	156	119	97

Table 11 shows fertility by age of mother. The fertility rates for 1939 and 1947 to 1958 are summarised below.

Table F(a). Fertility Rates by Age of Mother

Legitimate Births per 1,000 Married Women

Year	All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1947	137·5	466·4	348·8	251·5	171·3	98·5	29·7
1948	120·4	458·0	320·8	213·4	145·2	84·7	26·9
1949	115·2	510·0	316·8	208·6	132·9	79·1	23·8
1950	111·7	478·8	312·5	202·1	133·5	74·6	22·8
1951	109·6	464·3	307·1	203·5	129·6	71·6	21·2
1952	109·4	456·9	302·3	206·2	128·8	71·0	20·3
1953	109·8	456·7	301·8	209·4	127·8	68·6	19·6
1954	111·2	451·8	310·9	208·0	128·2	68·0	19·9
1955	111·2	450·9	305·2	214·6	124·9	66·8	18·7
1956	113·7	454·4	308·4	215·6	129·2	68·4	18·1
1957	116·4	456·9	315·1	218·6	131·5	68·5	18·1
1958	117·8	466·8	318·0	218·4	131·8	66·1	17·9

Illegitimate Births per 1,000 Unmarried Women

Year	All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1947	11·2	4·7	17·5	26·5	19·5	12·6	4·1
1948	10·4	4·8	15·4	24·9	19·7	12·1	4·0
1949	9·6	4·3	14·1	21·5	21·1	11·3	3·7
1950	9·0	4·1	12·8	19·9	19·0	11·6	3·6
1951	8·6	3·7	12·4	18·6	18·9	12·5	3·0
1952	8·2	3·7	11·7	17·6	18·2	11·2	3·5
1953	8·3	3·8	12·1	16·7	18·1	12·1	3·4
1954	8·4	3·8	12·4	17·7	16·9	13·4	3·3
1955	8·2	3·6	12·5	17·3	18·1	11·9	3·8
1956	8·6	4·2	13·3	18·8	18·4	11·6	3·4
1957	8·8	4·2	14·1	19·9	17·6	12·2	3·6
1958	9·1	4·1	15·0	22·3	19·0	11·8	3·7

On comparing the legitimate rates for 1958 with those of 1957 it will be observed that there is generally an increase at younger ages and a decrease at the older ages of mothers. The increase in the illegitimate fertility rates is mainly between 25 and 34.

Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1958 according to the age of mother.

The following table gives a summary for the years 1939 and 1947 to 1958 of the percentage of first births occurring within eight months of marriage.

Table F(b). Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	All ages	Age of Mother Under 20	20–24	25–29	30–34
1939	28·8	70·1	40·3	17·0	10·0
1947	15·1	50·8	18·9	9·6	7·7
1948	19·1	56·6	23·7	11·6	8·4
1949	20·4	59·8	24·3	11·3	8·7
1950	20·2	60·0	24·6	10·0	8·1
1951	19·8	60·3	23·6	9·9	9·1
1952	19·2	59·4	22·5	9·3	8·6
1953	18·6	59·9	21·7	8·8	7·0
1954	18·2	59·8	20·7	7·3	6·4
1955	17·6	56·1	19·6	7·3	7·0
1956	17·7	56·1	18·8	7·2	6·8
1957	16·8	54·4	17·4	6·8	5·8
1958	16·9	54·1	16·8	6·4	6·5

There were 5,798 first births within eight months of marriage and they represent 16·9 per cent. of all first births, 0·1 higher than that for 1957. If these are added to the number of illegitimate births, the combined total of 9,871 is 3,712 below that for 1939 but 3 above that for last year.

In the Report for 1957 a summary of Table 13 was given for the year 1939, and 1949 to 1957 (Table F(c)). This Table is now repeated for the years 1939, and 1950 to 1958.

Table F(c). Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including stillborn and dead)	1939	1950	1951	1952	1953	1954	1955	1956	1957	1958
0	28,976	31,843	30,834	31,468	31,641	32,313	32,738	33,681	34,923	34,394
1	19,473	25,284	24,795	24,214	24,233	24,744	24,544	26,032	26,488	27,642
2	11,757	13,804	13,952	13,758	14,073	14,146	14,309	14,615	15,066	15,433
3	7,391	6,926	7,129	7,316	7,507	7,619	7,538	7,566	7,787	8,185
4	4,771	3,770	3,725	3,871	3,990	4,165	4,166	4,093	4,262	4,350
More than 4	9,301	5,886	5,478	5,356	5,159	5,125	5,186	5,223	5,388	5,381
Not stated	—	180	134	133	79	26	67	34	46	23
TOTAL	81,669	87,693	86,047	86,116	86,682	88,138	88,548	91,244	93,960	95,408

In 1958 there was a total increase of 1,448 legitimate births compared with 1957, but first births by present husband decreased by 529. While total legitimate births increased by 1·5 per cent., first births decreased by 1·5 per cent., second births increased by 4·4 per cent. and third births increased by 2·4 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F(c), it is found that the percentage was 35·5 in 1939. It was 36·3 in 1950, decreasing to 35·8 in 1951. Thereafter the rate generally increased from 36·5 in 1952 to 37·2 in 1957. The rate in 1958 is 36·0.

Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The following Table, covering the period 1939 and 1947 to 1958 and relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born was lower in post war years than in 1939. It recovered a little between 1947 and 1951, then gradually decreased until 1957. The figure for 1958 (2·40), however, shows a gain of ·01.

Duration of Marriage	Average number of children by present husband in family including stillborn and dead												
	1939	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
Under one year	1·03	1·03	1·03	1·03	1·03	1·03	1·03	1·02	1·02	1·02	1·02	1·02	1·02
1	1·29	1·17	1·23	1·23	1·24	1·27	1·22	1·22	1·22	1·22	1·22	1·22	1·22
2	1·77	1·56	1·69	1·71	1·73	1·71	1·69	1·66	1·67	1·68	1·69	1·69	1·71
3	2·14	1·82	1·96	2·01	2·06	2·04	2·03	2·03	1·98	1·99	2·00	2·00	2·02
4	2·48	2·00	2·22	2·25	2·30	2·33	2·35	2·29	2·29	2·30	2·27	2·29	2·29
5	2·77	2·17	2·38	2·49	2·53	2·56	2·60	2·58	2·58	2·57	2·55	2·53	2·57
6	3·17	2·39	2·54	2·65	2·76	2·78	2·83	2·88	2·85	2·86	2·84	2·81	2·83
7	3·50	2·67	2·74	2·81	2·94	3·00	2·99	3·08	3·11	3·11	3·10	3·12	3·10
8	3·83	3·06	3·02	3·02	3·08	3·20	3·28	3·27	3·34	3·39	3·34	3·36	3·37
9	4·10	3·34	3·40	3·37	3·26	3·35	3·44	3·52	3·54	3·63	3·63	3·62	3·68
10–14	5·06	4·22	4·32	4·29	4·18	4·13	4·06	4·05	4·12	4·17	4·14	4·16	4·20
15–19	6·93	5·98	6·08	6·15	6·13	5·97	5·90	5·76	5·63	5·49	5·42	5·25	5·26
20–24	8·94	7·93	7·93	7·78	7·91	7·90	7·81	7·74	7·59	7·40	7·28	7·20	7·00
25 and over	10·68	9·07	9·62	9·54	9·53	9·69	9·54	9·02	9·04	8·88	8·59	9·14	8·31
Total Present Husband	2·79	2·37	2·43	2·42	2·45	2·45	2·44	2·43	2·42	2·41	2·39	2·39	2·40

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F(d). It will be seen that the percentage of women who died childless gradually decreased from 15·7 in 1947 to 14·7 in 1952, but from then there was an upward trend to 15·7 in 1956. In the years 1957 and 1958 the rates were 15·3 and 15·5 respectively. The number of deaths among divorced women is too small to give a reliable rate for individual years. In 1958 12 per cent. of the married women who died childless were under 45 years of age, whereas 0·3 per cent. of widows died under that age.

Table F(d). Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958
Married	15·4	17·1	16·7	16·6	16·3	16·2	16·0	16·1	16·0	17·0	16·8	16·3	15·8
Widowed	13·8	14·5	14·6	14·2	14·3	14·0	13·7	14·1	14·7	14·7	14·9	14·6	15·1
Divorced	35·0	24·3	26·5	23·9	26·5	28·0	18·2	31·4	28·0	22·8	28·6	23·0	30·0
All women who had been married	14·6	15·7	15·6	15·3	15·2	15·0	14·7	15·0	15·2	15·6	15·7	15·3	15·5

Appendix II

REGISTRATION OF STILLBIRTHS

The total number of stillbirths registered during the year 1958 was 2,324 and with 99,481 live births registered during the same period these stillbirths are equivalent to a rate of 22·8 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, 24·8 in 1953, 24·6 in 1955, 23·9 in 1956 and 23·7 in 1957. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland.

Stillbirths and Neo-natal Deaths. The geographical distribution of these live and stillbirths (together with neo-natal deaths among live born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For local authority aggregates the stillbirth rate is 23·1 in the cities, 24·8 in the large burghs, 21·9 in the small burghs and 21·7 in the landward areas. The corresponding rates in the previous year were 23·4, 23·1, 23·4 and 24·6.

As in previous years, the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Kirkcaldy and Port Glasgow (33), Greenock (32) and Hamilton (31), the lowest in Arbroath and Motherwell and Wishaw (17), Aberdeen and Inverness (16) and Perth (15). In the counties the highest rates were in Zetland (35), Orkney, Peebles and Wigtown (33) and Clackmannan (31), the lowest in Berwick (10), Kinross (9) and Nairn (7). For the combined stillbirth and neo-natal rate, the lowest rates were in the burghs of Aberdeen (29), Inverness (28) and Arbroath (26), and in the counties of East Lothian (27), Kinross (19) and Berwick (17). The heaviest were in the large burghs of Airdrie and Hamilton (59), Port Glasgow (57) and Greenock (52) and in the counties of Zetland (57), Orkney (53) and Wigtown (51).

In Table SB (A1) will be found the stillbirth rates aggregated for the four geographical divisions of Scotland. The rate in the Southern group of counties is highest with that for the West Central division second, while the rate for the Northern district is lowest of all. From Table 18 it will be seen that for the more comprehensive rate for stillbirths and neo-natal deaths the higher rates are for the West Central and Southern County groups in that order and the lowest in the Northern Division and from table SB (A1) it will be seen that the stillbirth rate for large burghs is heavier than for the county districts in the West Central and Southern Divisions.

Table SB (A1). Stillbirth Rates per 1,000 Births (Live and Still) by Divisions, 1958

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern .	19·1	15·8	20·5
East Central .	22·3	22·0	22·7
West Central .	24·1	25·4	21·1
Southern .	25·9	27·2	25·7
SCOTLAND	22·8	23·7	21·8

*The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Table SB (A2). Stillbirths per 1,000 Births (Live and Still) by Areas, 1939 to 1958

Year	Scotland	Counties of Cities and Large Burghs	Counties (excluding counties of cities and large burghs)	Divisions			
				Northern	East Central	West Central	Southern
1939 .	42·2	42·1	42·5	39·3	42·4	43·2	42·0
1940 .	42·1	42·4	41·7	40·1	43·1	42·7	37·6
1941 .	39·6	41·9	36·8	32·1	38·7	43·1	35·9
1942 .	38·2	40·2	35·9	33·7	38·0	40·8	30·5
1943 .	35·6	37·0	33·9	32·6	35·9	36·5	35·8
1944 .	32·5	33·6	31·2	28·4	31·5	34·8	29·0
1945 .	32·8	33·1	32·5	29·9	32·4	34·4	29·1
1946 .	32·3	34·7	29·3	28·6	32·0	33·9	32·2
1947 .	30·5	29·8	31·5	27·6	29·2	32·3	31·6
1948 .	28·7	29·8	27·4	26·6	27·7	30·3	26·1
1949 .	27·1	27·7	26·4	22·6	27·4	28·6	21·4
1950 .	26·9	28·2	25·3	22·7	25·9	28·8	29·7
1951 .	26·6	27·1	26·0	23·5	26·4	28·0	25·7
1952 .	26·2	26·6	25·6	22·1	26·2	27·9	23·8
1953 .	24·8	25·5	23·9	21·5	25·0	25·9	23·9
1954 .	25·3	26·4	24·1	20·7	25·3	27·0	25·5
1955 .	24·6	24·7	24·4	18·4	26·1	25·8	25·5
1956 .	23·9	24·4	23·2	22·1	23·4	24·8	22·7
1957 .	23·7	23·3	24·2	19·9	22·7	25·4	24·7
1958 .	22·8	23·7	21·8	19·1	22·3	24·1	25·9

In Table SB (A2) stillbirth rates are given for Scotland, cities and large burghs, counties exclusive of large burghs, and the four geographical divisions for the years 1939 to 1958. Generally there has been a steady improvement each year in all the areas except the Southern Division where the rate has tended to fluctuate somewhat. Among the geographical divisions the Northern has shown the most improvement, the rate now being 51 per cent. below that of 1939, East Central comes next at 47 per cent. below the 1939 rate.

For Scotland as a whole in 1958, out of every 1,000 born alive or dead after the 28th week of pregnancy 41·1 died before or within 28 days of birth. This figure compares with 43·0 in 1955-1957 and with 77·3 in 1939. The rates for individual years since the beginning of stillbirth registrations are as follows:

Death rates per 1,000 Total Births—Live and Still—1939-1958

Year	Still-births	Neo-natal Deaths*	Total
1939	42·2	35·0	77·3
1940	42·1	35·7	77·8
1941	39·6	38·4	77·9
1942	38·2	33·7	71·9
1943	35·6	31·7	67·3
1944	32·5	31·7	64·2
1945	32·8	27·6	60·4
1946	32·3	28·9	61·2
1947	30·5	27·7	58·2
1948	28·7	24·4	53·1
1949	27·1	22·5	49·7
1950	26·9	22·4	49·3
1951	26·6	21·7	48·3
1952	26·2	21·1	47·3
1953	24·8	18·8	43·6
1954	25·3	20·1	45·5
1955	24·6	19·2	43·8
1956	23·9	18·6	42·5
1957	23·7	19·1	42·8
1958	22·8	18·3	41·1

* These neo-natal rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the stillbirth rate rather more regularly than the neo-natal rate but each is now not much more than half of the rate registered 19 years ago.

Age of Mother and Number of Previous Children. Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 22·8 per 1,000 total births, this rate being at its lowest when the mother was aged 20–24 years and rising thereafter with increasing age of the mother. For every age group except 40–44 the illegitimate stillbirth rates are higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz:—a fairly steady increase with increasing age of mother.

Stillbirth rates by age of mother are given in Table SB (C3) for the years 1939 to 1958. Throughout the twenty years under review it will be seen that the younger the mother in general, the less risk there is of stillbirth. A comparison of the 1939 and 1958 rates shows that there has been a steady improvement in each age-group and that most improvement has taken place in age-groups 30–34 which is now 48 per cent. below the 1939 rates, 35–39 (46 per cent.) and 25–29 (43 per cent.).

Table SB (B) has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous exceeds the rate for multiparous births at all ages of mother.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of stillbirth varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

Table SB (B). Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1958

Age of Mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	20	21	12
20—	18	20	15
25—	20	24	18
30—	24	33	22
35—	33	44	32
40 and over	52	69	50
ALL AGES	22	24	22

To examine separately the influence of parity and of age of mother, Table SB (C1) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1–3 previous children. This is further borne out by Table SB (C3) where rates are given of the number of previous children to mother for each year from 1939 to 1958. The stillbirth rate for first births is above the average rate for each maternal age-group.

Table SB (C1). Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1958

Number of previous children	Age of Mother						
	All Ages	—20	20—	25—	30—	35—	40 and over
None	24	21	20	24	33	44	69
1–3	20	12	15	18	20	29	41
4–6	30	—	27	20	27	34	50
7–9	47	—	—	—	33	43	83
10 and over	60	—	—	—	—	75	54
TOTAL	22	20	18	20	24	33	52

No rate has been calculated, where the number of births (live and still) is less than 50.

Table SB (C2). Stillbirths per 1,000 Births (Live and Still) by Number of Previous Children to Mother, 1939 to 1958

Year	All Legitimate Stillbirths	Number of previous children (present or any previous husband)											
		None	1	2	3	4	5	6	7	8	9	10 and over	Not Stated
1939*	41·9	48	29	33	42	44	45	53	63	67	72	88	—
1940*	41·6	46	28	35	41	42	51	52	69	78	82	101	—
1941*	38·9	42	28	31	38	44	56	51	57	56	74	61	—
1942*	37·6	41	26	31	37	41	46	52	55	63	82	88	—
1943*	35·1	37	23	30	36	42	53	49	59	78	54	97	—
1944*	31·8	36	21	25	31	37	52	48	65	50	53	75	—
1945*	32·4	35	23	29	33	37	40	56	48	77	79	74	—
1946	31·8	36	21	26	33	40	42	46	52	57	61	74	—
1947	29·8	33	21	26	31	38	39	42	53	48	47	76	—
1948	28·3	30	20	26	31	36	41	42	59	47	66	75	—
1949	26·7	28	17	24	31	32	43	54	64	42	61	80	—
1950	26·5	27	18	25	32	36	36	50	45	49	36	64	—
1951	26·0	27	18	23	30	36	41	60	56	41	67	78	—
1952	25·7	28	18	24	25	33	36	39	48	50	58	69	—
1953	24·3	26	17	23	26	31	34	39	56	50	35	53	—
1954	24·9	26	18	24	27	33	38	49	46	48	45	50	—
1955	24·1	24	18	23	26	30	40	41	49	65	56	76	—
1956	23·4	25	16	23	25	33	40	31	44	50	49	49	—
1957	23·4	25	17	20	27	36	34	39	38	75	43	76	—
1958	22·5	24	17	23	22	30	27	34	40	62	40	60	—

* Present husband only.

Table SB (C3). Stillbirths per 1,000 Births (Live and Still) by Age of Mother, 1939 to 1958

Year	Age of Mother									
	All Ages			Under 20	20–24	25–29	30–34	35–39	40–44	45–49
	Total	Leg.	Illeg.	Total	Total	Total	Total	Total	Total	Total
1939	42·2	41·9	47·6	30	31	35	46	63	74	132
1940	42·1	41·6	50·7	35	31	36	45	61	77	95
1941	39·6	38·9	49·2	27	30	35	43	56	65	67
1942	38·2	37·6	46·4	32	29	32	42	55	66	98
1943	35·6	35·1	41·6	25	25	31	38	49	71	66
1944	32·5	31·8	40·7	24	24	27	35	44	57	98
1945	32·8	32·4	37·2	25	25	27	34	46	67	61
1946	32·3	31·8	39·7	27	23	29	33	44	61	94
1947	30·5	29·8	42·0	24	23	26	33	41	60	77
1948	28·7	28·3	35·6	23	22	23	32	41	55	88
1949	27·1	26·7	34·7	21	21	20	31	40	63	104
1950	26·9	26·5	34·7	23	19	23	27	41	59	73
1951	26·6	26·0	37·3	23	19	22	28	40	64	87
1952	26·2	25·7	34·5	23	20	23	27	39	56	61
1953	24·8	24·3	34·0	17	20	22	27	36	51	58
1954	25·3	24·9	33·8	23	20	22	28	36	48	51
1955	24·6	24·1	33·7	20	20	19	28	38	49	90
1956	23·9	23·4	32·8	22	19	21	25	35	50	60
1957	23·7	23·4	30·2	21	18	21	25	37	51	94
1958	22·8	22·5	30·7	21	19	20	24	34	49	91

Illegitimate Stillbirths. Of the 2,324 stillbirths, 129 or 5·6 per cent. were illegitimate, this being an appreciably greater proportion than among living births 4·1 per cent. of which were illegitimate. The stillbirth rate was 30·7 per 1,000 total illegitimate births but it varied with age of mother, being 26 for young unmarried women in age groups under 20 years and the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 22·5 per 1,000 and this better experience is apparent in every age group. It will be seen from Table SB (C3) that while the 1958 general legitimate

rate is now 46 per cent. below that of 1939 the illegitimate rate has only improved by 36 per cent. in this same period.

The percentage of illegitimate stillbirths and live births are compared for individual years as follows:

Percentage of Illegitimate Stillbirths to Total Births, 1939-1958

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8
1953	6·5	4·7
1954	6·1	4·5
1955	6·0	4·3
1956	5·9	4·3
1957	5·3	4·1
1958	5·6	4·1

Multiple Births. In page 13 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when stillborn children are included it is found that there were 106 additional cases of the birth of twins in 78 of which one was stillborn (the others being included among the single births) and in 28 of which both were stillborn. (See page 139.)

Adding the number of stillbirths to the living births, it is found that the total number of children born was 101,805, of whom 99,481 were live born and 2,324 stillborn, the total number of confinements being 100,515. Of these confinements 99,232 resulted in a single birth, 1,277 in a twin birth and 5 in a triplet birth and 1 in a quadruplet birth. Of the 2,554 twin children 134 were stillborn—a rate of 52 per 1,000 twin children compared with 23 for all children and 22 for single births. The total confinements according to plurality or otherwise are summarised below.

The percentage of mothers who gave birth to two or more children was 1·28 compared with 1·44 in 1957. In Table 2 rates will be found from 1855 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1·27 and 1·45 but does not show any general trend.

Table SB (D). Multiple Births, 1958

Number of children born	Confinements	Living born children	Stillborn children
1 living	97,042	97,042	—
1 stillborn	2,190	—	2,190
2 living	1,171	2,342	—
1 living, 1 stillborn	78	78	78
2 stillborn	28	—	56
3 living	5	15	—
4 living	1	4	—
TOTAL	100,515	99,481	2,324

Certification. In the great majority of the 2,324 stillbirths registered, the cause of death was certified by a medical practitioner (2,305) and in 17 by a certified midwife. There was one case of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition, and one case in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 99·2 and 0·7 respectively. In 1957 the corresponding figures were 99·2 and 0·4 and in 1939 94·4 and 5·3 respectively.

Principal Causes of Stillbirth. The causes of stillbirth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E1) in summarised form. Of the 2,324 stillbirths, 538 were attributed to fœtal defects, 434 to other placental and cord conditions, 397 to ill-defined causes, 343 to antepartum hæmorrhage, 239 to difficult labour and 210 to toxæmias of pregnancy.

In group I (acute and chronic diseases of mother) only 49 cases are included, of which the chief individual components are diseases of the circulatory system (23) and diabetes (8). Deaths from toxæmia, of which 90 per cent. were from eclampsia, numbered 210 compared with 218 in 1957, and 256 in 1951. Fœtal deaths attributed to difficulties at birth numbered 239 of which 67 were certified as birth injury. There were 4 deaths from birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of fœtus (69 cases of which 10 were also stated to be immature), disproportion (42 with 9 immature) and abnormality of forces of labour (24 with 5 stated as immature). (The individual causes within this group are not readily comparable with these in the list in use prior to 1950.) Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little under five per cent. of this whole group being ascribed to placenta prævia. Of stillbirths ascribed to congenital defect, the most important individual defects were anencephalus (330) and hydrocephalus (114) these accounting for four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 434 deaths, roughly equal numbers being found for prolapse of cord, torsion of cord and for placental infarct. Ill-defined and unknown causes constitute 17 per cent. of stillbirths (15 per cent. in 1957) and compare favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E1). With the exception of acute and chronic disease in mother and other defined causes, the rates in the first age group (under 20 years) are higher than at 20–24 years and thereafter the general trend is for the rates to rise steadily with advance of maternal age. Table SB (E2) has been compiled to show rates for cause of death groups during the period 1939 to 1958. Toxæmias and antepartum hæmorrhage have fallen fairly regularly in the twenty years and are now respectively 45 per cent. and 38 per cent. below the 1939 rates. Other placental and cord conditions, fœtal defects and acute and chronic disease in mother have not shown any comparable improvement; indeed the 1958 rates are much the same as they were in 1939. Difficult labour and ill-defined or unknown causes have shown the most improvement being now 69 per cent. and 73 per cent. respectively below the 1939 rates. The improvement in the ill-defined or unknown causes rates should be looked at somewhat cautiously as the discussion on the results of inquiries to certifying doctors will

show, see page 56. The other defined causes rate has increased from 0·7 in 1939 to 1·1 in 1958; the increase is partly due to an improvement in certification.

Table SB (E1). Stillbirths per 1,000 Births (Live and Still) by Age and Disease Groups, 1958.

Age of mother	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	21	—	2·4	2·9	3·8	5·6	2·4	—	3·5
20—	19	0·3	1·7	2·7	3·4	5·2	1·5	0·7	3·2
25—	20	0·5	2·0	2·9	3·8	4·5	2·2	1·0	3·2
30—	24	0·5	2·0	3·6	4·4	5·3	2·3	1·8	4·2
35—	34	0·7	2·7	5·5	6·9	5·5	4·4	2·0	6·5
40 and over	52	2·5	4·2	7·7	9·1	13·0	6·0	1·4	7·7
ALL AGES	23	0·5	2·1	3·4	4·3	5·3	2·3	1·1	3·9

Table SB (E2). Stillbirths per 1,000 Births (Live and Still) by cause of Death Groups, 1939 to 1958.

Year	All causes	Acute and chronic diseases in mother (Y30.0-5 Y31.0-4)	Toxæmias (Y32.1, 3-5 Y33)	Antepartum hæmorrhage (Y32.2 Y36.1-4)	Other placental and cord conditions (Y36.0,5, 6)	Fœtal defects (Y38.0-7)	Difficult labour (Y34.0-6 Y37)	Other defined causes (Y32.0, Y35.0-3 Y39.0-3)	Ill-defined or unknown causes (Y39.4-6)
1939	42	0·8	3·8	5·5	4·1	5·4	7·5	0·7	14·4
1940	42	0·9	4·4	5·0	4·3	5·6	6·9	0·7	14·3
1941	40	1·3	4·0	5·1	4·9	6·1	8·5	1·1	8·4
1942	38	1·2	4·2	5·2	5·1	6·4	8·5	0·9	6·7
1943	36	1·2	3·4	4·3	4·6	5·6	8·0	0·9	7·4
1944	32	1·0	2·8	3·9	4·8	5·5	7·6	1·0	5·9
1945	33	1·0	3·0	3·7	4·6	6·0	7·0	1·2	6·2
1946	32	1·1	2·7	3·7	4·9	5·6	6·8	1·0	6·4
1947	31	1·1	2·7	3·5	5·2	4·8	6·9	1·2	5·2
1948	29	0·9	2·1	3·9	4·4	5·0	6·2	1·1	5·1
1949	27	0·8	2·4	3·8	4·3	4·8	5·3	1·1	4·5
1950	27	0·8	2·3	3·9	4·1	4·8	5·4	0·9	4·7
1951	27	0·8	2·7	3·8	3·9	5·1	4·8	1·1	4·2
1952	26	0·8	2·1	3·8	4·8	5·6	3·9	1·1	3·9
1953	25	0·7	2·3	3·4	4·8	5·1	3·5	1·2	3·7
1954	25	0·5	2·5	3·9	4·4	5·1	4·0	1·3	3·7
1955	25	0·8	1·8	3·8	4·5	5·3	3·4	0·9	4·1
1956	24	0·8	2·1	3·5	4·5	5·2	3·3	1·1	3·5
1957	24	0·7	2·2	4·0	4·3	5·1	2·8	1·0	3·4
1958	23	0·5	2·1	3·4	4·3	5·3	2·3	1·1	3·9

Rates for years 1939 to 1949 conform as far as is possible to the 1948 and 1955 International Classification of Causes of Stillbirth (Y30-Y39)

Table 21A is a new table and has been compiled to show the number of fœtal deaths, by sex, for each of the years 1950 to 1958. (See page 143.)

Sex Ratios. The ratio of male to female stillbirths for groups of causes is given below.

	1958	1957
Acute and chronic disease in mother	1·45	0·87
Toxæmias	1·10	1·08
Antepartum hæmorrhage	1·43	1·36
Other placental and cord conditions	1·19	1·09
Fœtal defects	0·50	0·50
Difficult labour	1·69	1·76
Other defined causes	1·11	1·15
Ill-defined or unknown causes	1·13	1·10
ALL CAUSES	1·03	1·01

For 1958 the ratio of male: female stillbirths was 1·03, the corresponding ratio for live births being 1·05. This ratio throughout the years from 1939 has fluctuated between 1·01 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is more pronounced for the cause groups, difficult labour and acute and chronic disease in mother and antepartum hæmorrhage, but for fœtal defects there is a decided female excess.

Causes of Stillbirth by Parity. Table SB(F) shows the stillbirth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to toxæmias, other placental and cord conditions and fœtal defects. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage, and other defined causes.

Table SB (F). Stillbirth Rates per 1,000 Births (Live and Still) among Married Mothers, 1958.

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·5	0·6	0·4
Toxæmias	2·0	3·1	1·4
Antepartum hæmorrhage	3·4	3·0	3·6
Other placental and cord conditions	4·2	4·5	4·0
Fœtal defects	5·3	5·6	5·1
Difficult labour	2·2	2·5	2·1
Other defined causes	1·1	0·3	1·6
Ill-defined or unknown causes	3·8	4·1	3·7
ALL CAUSES	22·5	23·7	21·8

Illegitimate Stillbirths by Cause. The number of illegitimate stillbirths analysed by cause is shown in the last column of Table 22. There were in all 129 stillbirths from unmarried mothers, the rate being 30·7 per 1,000 compared with 22·5 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in difficult labour, toxæmias, and other placental and cord conditions.

Month of Registration. Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 20 in May and 26 in December. The quarterly rates showed no marked or regular seasonal fluctuation either for all or for individual cause groups of stillbirths. (Tables 63 and SB (G).)

Table SB (G). Stillbirth Rates per 1,000 Births (Live and Still), 1958.

	All causes	Acute and chronic diseases in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
1st Quarter	24	0·5	2·3	3·3	4·9	5·6	2·3	1·1	3·8
2nd Quarter	22	0·4	2·2	3·5	4·3	4·3	2·1	1·1	3·9
3rd Quarter	22	0·5	1·8	3·3	4·3	5·2	2·0	0·9	3·9
4th Quarter	24	0·5	2·0	3·3	3·6	6·1	2·9	1·4	4·0
YEAR	23	0·5	2·1	3·4	4·3	5·3	2·3	1·1	3·9

Stillbirths by Cause and Place of Occurrence. Table 23A shows the stillbirths by cause subdivided by place of occurrence. Of the total 2,324 stillbirths, 1,957 or 84·2 per cent. occurred in institutions. The highest proportions are, as expected, found for acute, serious illness peculiar to pregnancy such as eclampsia, and accidental hæmorrhage or general illness such as diabetes and heart disease, and anencephalus, erythroblastosis, asphyxia and difficult labour without mention of condition. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for malposition of fœtus, placental infarct, spina bifida, premature birth (cause not stated) and unknown causes. These figures naturally afford no information on the relative safety to the fœtus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the later, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour preclude any inference on these lines on the basis of such data as those in Table 23A.

Stillbirths by Cause and Local Authority Area. In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 47.

Cause of Stillbirth—further enquiry. The following table is included to afford some idea of the frequency of the inquiries felt desirable to elucidate the real cause of stillbirth, and to permit of more accurate allocation in the cause list.

Over the years 1956-8 there were 1,106 inquiries, representing 15·7 per cent. of all stillbirth registrations. In 132, or 11·9 per cent., no reply was received to the request for further information. Of those where a reply was received 359, or 36·9 per cent., resulted in no change in classification, a proportion which differs quite appreciably in the numerically most frequent groups of ill-defined causes. Thus for toxæmia, type unstated, and asphyxia the unchanged proportions were only 17·1 and 26·1 per cent. respectively, whereas for postmaturity, maceration and premature births of unstated cause in close on half the causes no more definite information could be given.

While it is clear from inspection of the details of the reallocation that some are still allotted to not so well defined cause groups, there can be no doubt that further inquiry in most of these cases has resulted in useful additional information, and that there is still a value in impressing on certifiers the need for accurate and comprehensive recording of the cause of stillbirth on the certificate.

Stillbirths. Results of Inquiries to Certifying Doctors during 1956-1958.

Provisional Category Number Y List	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classifications.		
					Number	Additional Information	New Category Number Y List
30.3	Heart failure of mother . .	—	1	1	—		
31.2	Intra-uterine pneumonia . .	—	1	1	—		
32.3c	Toxæmia, type not stated . .	6	82	14	68		
					6	Chronic disease of circulatory system	30.3
					51	Eclampsia	32.3a
					3	Nephritic toxæmia . . .	32.3b
					2	Influenza	31.1
					6	Others	31.2 {31.0, 31.4} 32.2, 32.4a, 34.2b, 35.3
34.1a	Premature—twin birth . . .	—	1	1	—		
34.1b	Cause unknown—twin birth . .	—	5	1	4		
					2	Placental infarct . . .	36.5
					2	Erythroblastosis . . .	39.2
34.3b	Asphyxia due to obstructed labour .	—	1	—	1	Abnormality of organs of pelvis without immaturity . . .	34.5b
34.4b	Delayed labour and forceps delivery .	—	1	—	1	Abnormality of forces of labour, without immaturity . . .	34.3b
34.6b	Postmaturity	11	65	31	34		
					10	Abnormality of forces of labour without immaturity . . .	34.3b
					8	Others of placenta and cord . .	36.6
					3	Disproportion without immaturity .	34.1b
					3	Birth injury without immaturity .	37b
					2	Prolapse of cord . . .	36.0a
					2	Torsion of cord . . .	36.0b
					6	Others	30.0, 34.0b, 34.4b, 34.5b, 35.2, 39.5d
32.2	Hæmorrhage into uterine channel .	—	1	1	—		
36.6	Postmaturity. Calcification of placenta .	—	2	1	1	Chronic disease of circulatory system .	30.3
37b	(*i*)Craniotomy (*ii*) Extra dural hæmorrhage (death occurred about 3 days before labour and delivery) . . .	1	1	1	—		

Stillbirths. Results of Inquiries to Certifying Doctors during 1956-1958—*continued*

Provisional Category Number Y List	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classifications.		
					Number	Additional Information	New Category Number Y List
38.7	Malformation, type unspecified	—	7	1	6		
					2	Anencephalus	38.0
					2	Hydrocephalus	38.1
					2	Malformation of other specified system	38.5
39.3	Disease of fœtus	—	1	1	—		
3.94	Maceration	28	192	89	103		
					32	Placental infarct	36.5
					15	Eclampsia	32.3a
					8	Chronic disease of circulatory system	30.3
					8	Others of placenta and cord	36.6
					6	Accidental and other haemorrhages	32.2, 36.2, 36.4
					4	Other and ill-defined causes in mother	35.3
					4	Torsion of cord	36.0b
					4	Erythroblastosis	39.2
					3	Disproportion without immaturity	34.1b
					3	Malformation of other specified system	38.5
					2	Toxæmia, type not stated	32.3c
					2	Other malformation of central nervous system	38.3
					2	Other ill-defined	39.5e
					10	Others	30.0, 30.4, 30.5, 32.3b, 32.5b, 34.6b, {32.0, 35.1} 38.0, 38.2, 38.4
39.5a	Premature birth, cause not stated	21	147	65	82		
					11	Eclampsia	32.3a
					7	Disproportion with immaturity	34.1a
					6	Placental infarct	36.5
					6	Accidental and other hæmorrhages	32.2, 36.2, 36.4
					5	Toxæmia, type not stated	32.3c
					5	Maceration	39.4
					4	Other and ill-defined causes in mother	35.3
					4	Asphyxia and atelectasis	39.5c(2), 39.5d(2)
					3	Other chronic disease in mother	30.5
					3	Placenta praevia	36.1, 36.3
					3	Others of placenta and cord	36.6
					3	Other ill-defined	39.5e
					2	Chronic disease of circulatory system	30.3
					2	Influenza	31.1
					2	Malposition of fœtus with immaturity	34.2a
					2	Fall	35.0
					2	Other malformation of central nervous system	38.3

for "atlecetasis" *read* "atelectasis".

EDINBURGH: HER MAJESTY'S STATIONERY OFFICE
1960

					26	Accidental and other hæmorrhages	32.2, 36.2, 36.4
					19	Prolapse of cord	36.0a
					18	Eclampsia	32.3a
					17	Malposition of fœtus, without immaturity	34.2b
					12	Torsion of cord	36.0b
					12	Others of placenta and cord	36.6
					11	Difficult labour without mention of condition, and without immaturity	34.6b
					10	Placental infarct	36.5
					7	Maceration	39.4
					5	Disproportion without immaturity	34.1b
					5	Operative delivery, without immaturity	34.4b
					5	Birth injury without immaturity	37b
					4	Toxæmia, type not stated	32.3c
					4	Abnormality of forces of labour, without immaturity	34.3b
					4	Chronic disease of circulatory system	30.3
					3	Abnormality of forces of labour, with immaturity	34.3a
					3	Placenta praevia	36.1, 36.3
					3	Other ill-defined	39.5e
					2	Other chronic disease in mother	30.5
					2	Disproportion with immaturity	34.1a
					2	Anencephalus	38.0
					2	Erythroblastosis	39.2
					8	Others	30.1, 30.4, 34.0b, 34.2a, 34.5b, 35.3, 38.1, 38.5
39.6	Cause unknown	30	217	86	131		
					17	Maceration	39.4
					13	Eclampsia	32.3a
					13	Others of placenta and cord	36.6
					10	Prematurity	39.5a
					9	Accidental and other hæmorrhages	32.2, 36.2, 36.4
					5	Chronic disease of circulatory system	30.3
					5	Malposition of fœtus, without immaturity	34.2b
					5	Prolapse of cord	36.0a
					5	Asphyxia and atlecetasis	39.5c and d
					4	Other chronic disease in mother	30.5
					4	Difficult labour without mention of condition and without immaturity	34.6b
					4	Torsion of cord	36.0b
					4	Placental infarct	36.5
					4	Malformation of other specified system	38.5
					4	Erythroblastosis	39.2
					3	Other and ill-defined causes in mother	35.3
					3	Other ill-defined	39.5e
					2	Disproportion without immaturity	34.1b
					2	Birth injury without immaturity	37b
					2	Other and unspecified malformation	38.7
					13	Others	30.1, 31.1, 31.0, 32.4b, 34.1a, 34.3b, 34.4b, 35.0, {32.0, 35.1} 36.1, 38.1, 38.3, 39.5b
	Total Number of Inquiries	132	974	359	615		

CAUSES OF STILLBIRTH

Changes in International Classification as adapted for use in Scotland

Causes of stillbirth were classified during 1939 to 1949 according to a Scottish Cause List, and commencing with 1950 the International Classification of Causes of Stillbirth (1948 and 1955) had been adapted for use in Scotland. Minor changes in classification made in 1958 were as follows:

Atelectasis. During the period 1950 to 1957 atelectasis (unqualified) was classified as "other ill-defined", but in 1958 a new title "Atelectasis (Y39.5d)" was introduced.

Death in utero. During the period 1950 to 1957 this cause was classified as "other ill-defined", but as from 1958 it has been allocated to "Cause unknown (Y39.6)".

To ascertain the effects of the changes in classification, stillbirths in 1958 have been classified according to the "new" and "old" revisions. The results are tabulated below:

		"New"	"Old"
Y39.5c Asphyxia	M.	61	73
	F.	54	70
Y39.5d Atelectasis*	M.	31	—
	F.	27	—
Y39.5e Other ill-defined	M.	8	64
	F.	6	39
Y.39.6 Cause unknown†	M.	53	16
	F.	29	7

*Under the "old" revision 12M and 16F would have been classified as asphyxia and 19M and 11F as other ill-defined.
†Under the "old" revision 37M and 22F would have been classified as other ill-defined.

Appendix III

BIRTHS, STILLBIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS, 1958

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

Stillbirths and Infant Mortality according to Social Class, 1958.

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Stillbirths per 1,000 Total Births (Live and Still)	Neo-Natal Deaths per 1,000 Live Births	Post-Natal Deaths per 1,000 Live Births	Total Infant Mortality per 1,000 Live Births
			Under 28 days	28 days-11 months				
SCOTLAND								
I.	3,871	65	58	8	16·5	15·0	2·1	17·0
II.	10,636	225	151	61	20·7	14·2	5·7	19·9
III.	54,931	1,232	1,009	459	21·9	18·4	8·4	26·7
IV.	15,312	387	281	162	24·7	18·4	10·6	28·9
V.	13,114	365	318	184	27·1	24·2	14·0	38·3
NOT STATED	1,617	50	45	22	—	—	—	—
TOTAL	99,481	2,324	1,862	896	22·8	18·7	9·0	27·7
COUNTIES OF CITIES								
I.	1,481	28	22	1	18·6	14·9	0·7	15·5
II.	3,265	63	53	22	18·9	16·2	6·7	23·0
III.	21.920	503	425	200	22·4	19·4	9·1	28.5
IV.	4,378	98	85	51	21·9	19·4	11·6	31·1
V.	5,557	171	143	83	29·9	25·7	14·9	40·7
NOT STATED	833	24	26	10	—	—	—	—
TOTAL	37,434	887	754	367	23·1	20·1	9·8	29·9
LARGE BURGHS								
I.	570	8	6	2	13·8	10·5	3·5	14·0
II.	1,512	38	19	12	24·5	12·6	7·9	20·5
III.	10,585	261	187	105	24·1	17·7	9·9	27·6
IV.	2,101	57	45	25	26·4	21·4	11·9	33·3
V.	2,897	87	70	40	29·2	24·2	13·8	38·0
NOT STATED	261	5	5	4	—	—	—	—
TOTAL	17,926	456	332	188	24·8	18·5	10·5	29·0
COUNTIES (EX. COS. OF CITIES & LARGE BURGHS)								
I.	1,820	29	30	5	15·7	16·5	2·7	19·2
II.	5,859	124	79	27	20·7	13·5	4·6	18·1
III.	22,426	468	397	154	20·4	17·7	6·9	24·6
IV.	8,833	232	151	86	25·6	17·1	9·7	26·8
V.	4,660	107	105	61	22·4	22·5	13·1	35·6
NOT STATED	523	21	14	8	—	—	—	—
TOTAL	44,121	981	776	341	21·8	17·6	7·7	25·3

Numbers and rates are shown in the foregoing table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1958 confirms the conclusions to which that of previous years has pointed, viz:—that social class has a much more marked effect on infant mortality than on the incidence of stillbirths, and that it is more important in post-natal than in neo-natal deaths. These conclusions are generally borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

The Scottish infant mortality rate for 1958 is 27·7, and this is 0·9 below that for 1957. In the individual classes however it is found that, compared with the previous year, Class V shows an increase and each of the remaining four classes show a decrease. The post-natal mortality rate is 9·0 and is the same as that for 1957, but compared with the previous year Classes II and III show increases and each of the remaining three classes show a decrease. The neo-natal rate decreased from 19·6 in 1957 to 18·7 in 1958, the decrease affecting Classes II, III and IV. While such annual differences are evident, the general trend over the post-war years shows a fairly uniform rate of change in each of the five social classes for stillbirths as well as the two important sections of the infant mortality rate. (See page 67).

Age and Parity Distribution of Births in Different Social Classes. Since age of mother and previous parity each have an influence on the outcome as regards stillbirth frequency, and since explanation of the differences of stillbirth rates in the social classes is of importance, there are incorporated in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude stillbirth rates. Tables 27 and 28 show live births and stillbirths separately subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in Class I compared with Classes IV or V and the progressive and regular change in this respect throughout the social classes from I to V. Such differences of distribution would tend to produce favourable rates in Classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude stillbirth rates. In the first two classes the proportion of births to mothers in earlier age groups are lower and at older ages correspondingly higher than in the remaining classes. These differences would, other things being equal, tend to produce heavier stillbirth rates in the upper classes. Moreover for specific previous parities, the tendency is for the average age to be higher in Classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the stillbirth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude stillbirth rates did not give a distorted view of social class differences of mortality in this period.

Causes of Stillbirths in Different Social Classes. Since 1950 the registered causes of stillbirth, in respect of legitimate stillbirths only, have been tabulated (Table 25) for each of the five social classes. The relative importance of the several broad cause groups of fœtal death has been noted in Appendix II and in the following table, covering the period 1950-58, the rates for these cause groups according to social class have been calculated in three three-year periods. This has been done in order to provide something more reliable than the experience of one year only, and the table thus offers some indication of the causes to which general social class differences in the total stillbirth rates are attributable. In the period 1950-58 the social class distribution of total legitimate births, live and still, was as follows: Classes I and II 14·9 per cent., Class III 55·4 per cent. and Classes IV and V 29·7 per cent.; the figures for 1958 were respectively 15·0 per cent., 56·4 per cent. and 28·5 per cent.

Legitimate Stillbirths per 10,000 Births (Live and Still) by Cause of Death and Social Class—1950 to 1958.

Cause of Death	1950-1952			1953-1955			1956-1958		
	I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
Acute and chronic disease in mother	6	7	10	7	6	8	6	6	8
Toxæmias	20	25	24	19	21	26	20	21	21
Antepartum hæmorrhage	33	36	45	27	35	42	27	33	46
Other placental and cord conditions	39	40	49	37	44	52	41	41	47
Fœtal defects	37	52	57	33	50	63	38	50	61
Difficult labour	41	44	52	27	34	41	22	26	32
Other defined causes	6	11	11	9	11	12	12	10	13
Ill-defined or unknown causes	33	39	48	30	35	43	30	33	44
ALL CAUSES	216	254	295	188	236	289	195	220	271

A comparison of the total rates for 1950-52 and 1956-58 shows that while there was an improvement among all classes it was least marked, relatively, in Classes IV and V (8 per cent.), followed by Classes I and II (10 per cent.) and Class III (13 per cent.) Among individual cause groups the greatest improvement, relatively and absolutely, was in difficult labour; indeed it accounted for more than half of the absolute improvement of each of the three social class groupings. There was also improvement in ill-defined or unknown causes, antepartum hæmorrhage and toxæmias, but fœtal death from other defined causes and fœtal defects increased a little.

In the period 1956-58 the relative excess of Classes IV and V over Classes I and II was greatest in antepartum hæmorrhage (70 per cent.), with fœtal defects (61 per cent.), ill-defined or unknown (47 per cent.) and difficult labour (45 per cent.) next in importance. These four cause groups account for more than four-fifths of the absolute difference between the extremes of social class.

Causes of Infant Mortality in Different Social Classes. The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of Classes IV and V is 71 per cent. higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole (which for this purpose comprise congenital malformations and certain diseases of early infancy) and for other causes the rates per 10,000 are these:

	I and II	III	IV and V
Neo-natal . . .	157	199	222
Other causes . .	34	70	105

Relatively and absolutely the difference in infant mortality between social classes I and II and social classes IV and V is greater for the later death date of infancy, neo-natal causes being 41 per cent. higher in Classes IV and V than in I and II, other causes being three times as high, and of the total absolute difference between the rate for class extremes a smaller contribution to this is made by the earlier causes (65 as compared with 71 per 10,000 for other causes).

The following table shows the experience over the last nine years of infant mortality from individual diseases or groups. The rates have been taken in three-year periods to provide more stable rates.

An examination of the rates shows that mortality in infancy is consistently heaviest in Classes IV and V throughout the listed causes. In 1956-58 the relative excess over Classes I and II was greatest in pneumonia, suffocation and diarrhœa, and least in congenital malformations and other infantile diseases. The greatest contributions to the absolute difference in the total rate was made by pneumonia, asphyxia and atelectasis, other infantile diseases and suffocation which jointly contributed more than half of the excess.

Over the period covered by the table, relatively the greatest improvement in the total infant mortality was in Class III closely followed by Classes IV and V and the least in Classes I and II. For individual causes, the improvement was more than average in the case of tuberculosis, epidemic diseases, pneumonia, diarrhœa and other infantile diseases. There was no improvement in congenital malformations or suffocation and an increase in the rate for asphyxia and atelectasis.

Infant Mortality per 10,000 Live Births by Cause in Social Class.

International No.	Cause of Death	1950-52			1953-55			1956-58		
		I and II	III	IV and V	I and II	III	IV and V	I and II	III	IV and V
001-019	Tuberculosis	1	3	4	—	1	1	0	0	0
020-029	Syphilis	—	0	1	—	0	0	—	—	—
055-057, 085	Epidemic diseases	3	7	10	2	4	5	1	2	4
340	Meningitis (not meningococcal or tuberculous)	1	2	4	1	1	3	2	2	3
490-493	Pneumonia (excluding newborn)	15	38	56	10	24	42	9	22	41
500-502	Bronchitis	3	5	7	2	4	4	2	3	5
470-483, 510-527	Other respiratory diseases	3	4	4	2	3	4	1	2	2
543, 571-572	Diarrhoea (excluding newborn) gastritis and duodenitis*	7	19	30	4	10	16	3	6	10
530-542, 544-570, 573-587	Other digestive diseases	2	4	4	3	5	5	3	5	4
750-759	Congenital malformations	38	51	57	37	53	57	43	53	57
760-761	Birth injuries	28	31	31	19	25	27	20	25	27
762	Asphyxia and atelectasis	27	37	43	39	47	54	33	54	58
763	Pneumonia of newborn	7	14	18	7	11	14	7	10	12
764	Diarrhœa of newborn	2	2	5	1	1	1	1	1	2
765-776	Other infantile diseases	67	93	110	63	70	83	53	59	71
780a	Convulsions	2	5	12	0	5	7	1	3	5
Remainder	All other natural causes	9	12	15	7	7	12	8	7	11
E921, E922 E924, E925	Accidental mechanical suffocation, etc.	7	14	19	5	15	24	5	13	22
E800-E920, E923, E926-E999	Other violence	—	1	2	1	1	1	1	1	2
	All Causes	222	343	430	204	287	361	192	268	337

*Diarrhœa only in 1950-1953.

A new text table is introduced showing the stillbirth, neo-natal and post-natal mortality rates by social class for 1939 and each year 1946 to 1958.

It will be observed that for each social class, the post-natal rate has shown a greater improvement over the period covered by the table than the other two rates. Indeed in 1939 the neo-natal rate was almost as high as that for Class IV and higher for Class V. The figures for recent years show that, relatively speaking, there is more room for improvement in the post-natal rate for these classes.

An examination of the social class distinctions in the three infant death rates shows that the improvement experienced over the period has tended to increase the disparity between social class rates, especially so for the stillbirth rate and to a less degree for the neo-natal rate.

Year	Stillbirths per 1,000 births (live and still)					Neo-natal deaths per 1,000 live births					Post-natal deaths per 1,000 live births				
	I	II	III	IV	V	I	II	III	IV	V	I	II	III	IV	V
1939	34·1	38·1	44·9	38·3	42·7	25·9	25·1	38·6	34·8	39·9	7·6	14·8	30·2	33·4	44·9
1946	18·8	26·0	31·7	35·6	38·3	16·7	25·0	29·3	31·1	36·9	5·5	12·8	22·0	29·3	36·1
1947	17·8	30·2	29·5	31·1	38·4	17·8	19·3	27·2	29·7	42·1	9·1	15·7	24·1	31·4	46·5
1948	19·8	26·7	26·0	31·6	38·9	15·0	16·4	24·6	28·7	30·5	9·8	9·9	18·2	21·8	32·2
1949	17·3	21·4	26·5	28·7	35·0	13·7	17·9	22·6	24·4	31·3	4·9	9·1	16·2	22·9	30·8
1950	16·3	22·6	26·4	29·1	32·3	20·0	16·5	22·7	24·9	28·5	5·9	7·7	14·3	18·9	25·1
1951	14·7	23·0	25·2	31·2	32·4	14·6	15·2	22·1	23·3	29·7	3·8	7·6	14·3	17·7	24·3
1952	20·0	24·1	25·4	28·1	30·1	12·9	18·2	21·8	23·2	24·2	5·3	6·6	12·7	15·9	22·1
1953	13.2	21·2	24·1	27·7	29·9	14·8	16·2	19·0	21·4	22·0	4·0	5·5	10·6	13·0	20·4
1954	17·6	22·1	24·3	28·5	30·2	13·4	16·0	20·8	20·7	25·6	2·2	6·1	10·1	10·9	16·4
1955	16·6	17·5	23·4	29·8	30·9	16·1	16·8	18·5	22·6	24·5	4·2	5·9	9·6	12·7	18·0
1956	17·6	20·1	23·0	25·6	29·9	11·1	13·6	19·1	22·2	22·2	5·8	5·7	8·4	10·9	16·5
1957	17·1	20·8	21·5	29·2	29·7	14·1	16·4	19·5	20·1	22·2	4·3	5·3	7·9	11·6	14·3
1958	16·5	20·7	21·9	24·7	27·1	15·0	14·2	18·4	18·4	24·2	2·1	5·7	8·4	10·6	14·0

Appendix IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1957

A preliminary statement regarding marriages registered in Scotland durin the year 1957 was incorporated in the Hundred and Third Annual Report, bu as full details were not available at the time when the report was prepared th statement was necessarily restricted. It is now supplemented by this detaile report on these marriages, which includes figures according to the kind o marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage the church of celebration and the ages and conjugal condition of those marrying

In the Hundred and Third Annual Report it was stated that the number o marriages registered in Scotland in 1957 was 42,676, but after complete examina tion of the registers the corrected number is found to be 42,661. This is 1,30 fewer than in 1956 but is much above the average numbers registered annuall prior to 1939.

During the seven years 1939-1945 the number of marriages was in the regio of 319,000. In the next seven years (1946-1952) the number had fallen to abou 299,000. Even so, this was considerably higher than the 257,000 registered in th period 1932-38. From 1953 however there was an upward trend from 40,90 to the 1956 figure of 43,963 which was the highest since 1947. The greates number of marriages ever registered in any one year in Scotland was in 194 when the total was 53,522.

The marriages in 1957 represent a rate of 8·28 per 1,000 population as agains 8·55 in 1956.

Ecclesiastical, Civil and Irregular Marriages. Of the 42,661 marriage registered, 35,231 or 82·58 per cent. were solemnised by a minister of religio after proclamation of banns, publication of notice or Sheriff's licence, 7,424 o 17·40 per cent. were civil marriages under the Act of 1939, and 6 or 0·01 pe cent. were irregular. Percentages in 1956 were 82·08, 17·90 and 0·02 respectively

Civil marriages accounted for 24·8 per cent. of marriages in the cities 17·4 in the large burghs and 9·1 per cent. in the counties, as against 25·4, 18· and 8·9 respectively in 1956. This percentage ranged in the cities and large burgh from 31·9 in Kirkcaldy, 31·8 in Edinburgh and 31·1 in Dunfermline to 7·2 i Coatbridge, 6·7 in Airdrie and Rutherglen, and 3·0 in Port Glasgow. In Glasgo it was 21·1. In the counties it ranged from 36·9 in Dumfries, 15·9 in Peebles an 15·7 in Selkirk to 4·6 in Argyll, 4·3 in Stirling and 3·8 in Zetland.

Table Q. Ecclesiastical Marriages in Scotland in 1957 following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

hurch of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
urch of Scotland .	24,325	22,765	627	879	54	93·6	2·6	3·6	0·2	69·0
ited Free Church .	367	283	69	15	—	77·1	18·8	4·1	—	1·0
e Church . .	216	121	85	10	—	56·0	39·4	4·6	—	0·6
man Catholic Church . .	7,093	432	6,466	122	73	6·1	91·2	1·7	1·0	20·1
ottish Episcopal Church . .	939	475	388	69	7	50·6	41·3	7·3	0·7	2·7
ngregational Church . .	1,016	709	274	32	1	69·8	27·0	3·1	0·1	2·9
ptist Church .	408	234	153	17	4	57·4	37·5	4·2	1·0	1·2
ethodist Church .	305	163	126	12	4	53·4	41·3	3·9	1·3	0·9
ristian Brethren .	153	32	115	6	—	20·9	75·2	3·9	—	0·4
ws . . .	60	2	57	—	1	3·3	95·0	—	1·7	0·2
l other Ecclesiastical Marriages ..	349	135	190	24	—	38·7	54·4	6·9	—	1·0
l Ecclesiastical Marriages . .	35,231	25,351	8,550	1,186	144	72·0	24·3	3·4	0·4	100·0

All the 6 irregular marriages were registered on the authority of Decrees of Declarator granted in the Court of Session.

Method of Publication. Of the 35,231 ecclesiastical marriages (i.e. those with a religious ceremony) 72·0 per cent. were solemnised after proclamation of banns, 24·3 per cent. after publication of notice, 3·4 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·4 per cent. were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 65·3, 30·8, 3·3 and 0·5 while in the counties they were 81·2, 15·1, 3·4 and 0·3.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (93·6 per cent. of all Church of Scotland marriages). In the United Free Church 77·1 per cent. of the marriages celebrated were preceded by banns and in the Congregational Church 69·8 per cent. On the other hand 91·2 per cent. of Roman Catholic marriages and 95·0 per cent. of Jewish marriages were preceded by publication of notice.

Of the 7,424 civil marriages registered 7,087 were preceded by publication of notice at the office of the Registrar, while 337 were after Sheriff's licence. (Tables R, 49, and 50.)

Church of Celebration. Of the 35,231 ecclesiastical marriages those solemnised according to the forms of the Church of Scotland numbered 24,325 or 69·0 per cent., and those according to the forms of the Roman Catholic Church 7,093 or 20·1 per cent. (Tables Q and S.)

Table R. Ecclesiastical, Civil and Irregular Marriages in 1957.

	Number				Percentage of Total Marriages			
	Scotland	Counties of Cities	Large Burghs	Other Districts	Scotland	Counties of Cities	Large Burghs	Ot Dist
Ecclesiastical Marriages								
Church of Scotland	24,325	8,603	4,230	11,492	57·0	46·9	52·2	7
United Free Church	367	120	56	191	0·9	0·7	0·7	
Free Church	216	62	49	105	0·5	0·3	0·6	
Roman Catholic Church	7,093	3,537	1,614	1,942	16·6	19·3	19·9	1
Scottish Episcopal Church	939	426	195	318	2·2	2·3	2·4	
Congregational Church	1,016	488	231	297	2·4	2·7	2·9	
Baptist Church	408	156	103	149	1·0	0·9	1·3	
Methodist Church	305	137	88	80	0·7	0·7	1·1	
Christian Brethren	153	38	45	70	0·4	0·2	0·6	
Jews	60	50	1	9	0·1	0·3	0·0	
All other Ecclesiastical Marriages	349	169	77	103	0·8	0·9	1·0	
Irregular Marriages	6	2	—	4	0·0	0·0	—	
Civil Marriages	7,424	4,538	1,413	1,473	17·4	24·8	17·4	
Total Marriages	42,661	18,326	8,102	16,233	100·0	100·0	100·0	10

Table S. Marriages in Scotland in 1957 by Denominations, etc., in Order of Frequenc

1. Church of Scotland	24,325	16. Fellowship of Independent Evangelical Churches	
2. Roman Catholic Church	7,093	17. Church of God Community of God's Son	
3. Congregational Church	1,016	18. Church of England	
4. Scottish Episcopal Church	939	19. Elim Foursquare Gospel	
5. Baptist Church	408	20. Other Religious Forms	
6. United Free Church	367	All Religious Forms	35,2
7. Methodist Church	305	Irregular Marriages	
8. Free Church	216	Civil Marriages	7,4
9. Christian Brethren	153	All Marriages	42,6
10. Salvation Army	83		
11. Jews	60		
12. Free Presbyterian Church	47		
13. Church of Christ	31		
14. Church of the Nazarene	27		
15. International Bible Students' Association (Jehovah's Witnesses)	17		

From Table 49 it will be seen that there has not been any marked chan from year to year in the proportions of those married according to the forms the principal churches. Compared with 1956 the percentage of marriag celebrated according to the forms of the Church of Scotland increased by 0 and that of the Roman Catholic Church by 0·2. Civil marriages decreased 0·5 per cent. compared with 1956. The local distribution according to ecclesia tical forms, and the numbers and proportion of non-ecclesiastical marriag are set out in Table 51. Church of Scotland marriages constituted 57·0 per cer of all marriages in Scotland. The proportion was 46·9 in the cities, 52·2 in t large burghs and 70·8 in the counties. In individual large burghs the highe percentages were 71·3 in Rutherglen, 64·4 in Kilmarnock and 62·8 in Arbroat In the counties the highest were in Kincardine 88·5, Nairn 86·4 and Berwi 85·8. Roman Catholic marriages made up 16·6 per cent. of all Scottish marriag the percentage being 19·3 in the cities, 19·9 in the large burghs and 12·0 in t counties. In the individual cities and large burghs the highest were 40·9

Coatbridge, 38·6 in Port Glasgow and 38·0 in Dumbarton, and in the counties 26·3 in Lanark, 25·5 in Dunbarton and 22·0 in Renfrew. (Table 51.)

Conjugal Conditions of those Marrying. Of the 42,661 males marrying during the year, 39,749 or 93·2 per cent. were bachelors, 1,676 or 3·9 per cent. were widowers and 1,236 or 2·9 per cent. had been divorced. Of the same number of females, 40,128 or 94·1 per cent. were spinsters, 1,240 or 2·9 per cent. were widows, and 1,293 or 3·0 per cent. had been divorced. Compared with the previous year there is a decrease in the percentage of widows, widowers and divorced women and men, and an increase in the percentage of spinsters and bachelors. The following Table shows the marriages registered during 1957 arranged according to the conjugal condition of the contracting parties:

	Spinsters	Widows	Divorced Women	All Women
Bachelors . .	38,424	519	806	39,749
Widowers . .	868	577	231	1,676
Divorced men .	836	144	256	1,236
All men . .	40,128	1,240	1,293	42,661

From the above it will be seen that of the bachelors who married during the year 97 per cent. married spinsters and 1 per cent. married widows, while of widowers 52 per cent. married spinsters and 34 per cent. married widows. Of divorced men 68 per cent. married spinsters, 12 per cent. married widows and 21 per cent. married divorced women. Some 96 per cent. of the spinsters marrying during 1957 married bachelors, of the widows 42 per cent. married bachelors and 47 per cent. married widowers, and of the divorced women who remarried 62 per cent. married bachelors, 18 per cent. married widowers and 20 per cent. married men who had also been divorced. These proportions do not differ materially from those observed in 1956. In the post-war period the marriages in which both parties had been divorced rose considerably above pre-war figures. In 1938 the number was 28, in the ten year period 1947-1956 the figure never fell below 211, and the maximum figure recorded was 307 in 1952. The number in 1957 was 256. (Tables 52, 54A and 54B.)

The Table below shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced*	
1855–1860	100·0	84·3	11·2	—	90·1	5·4	—	4·5
1861–1870	100·0	87·3	11·5	—	93·6	5·2	—	1·2
1871–1880	100·0	87·8	12·0	—	93·5	6·3	—	0·2
1881–1890	100·0	88·6	11·4	—	94·2	5·8	—	0·0
1891–1900	100·0	90·1	9·9	—	94·6	5·3	—	0·0
1901–1910	100·0	91·4	8·5	—	95·0	4·9	—	0·0
1911–1920	100·0	91·7	8·3	—	93·4	6·6	—	0·0
1921–1930	100·0	92·6	7·4	—	95·2	4·8	—	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1941–1950	100·0	91·7	5·7	2·6	93·3	4·3	2·4	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0
1942	100·0	93·6	5·3	1·1	95·4	3·5	1·1	0·0
1943	100·0	91·9	6·3	1·7	94·2	4·3	1·5	0·0
1944	100·0	91·5	6·5	2·0	93·5	4·6	1·9	0·0
1945	100·0	92·5	5·5	2·0	93·8	4·2	2·0	0·0
1946	100·0	90·7	6·1	3·1	92·1	5·3	2·7	0·0
1947	100·0	90·2	5·7	4·1	91·2	5·3	3·5	0·0
1948	100·0	90·9	5·4	3·7	92·0	4·6	3·3	0·0
1949	100·0	90·8	5·5	3·7	92·4	4·2	3·4	0·0
1950	100·0	90·8	5·3	3·9	92·4	4·1	3·6	0·0
1951	100·0	91·6	5·1	3·3	93·1	3·7	3·2	0·0
1952	100·0	91·2	5·0	3·8	92·3	3·8	3·9	0·0
1953	100·0	91·8	4·9	3·3	92·9	3·5	3·6	0·0
1954	100·0	92·0	4·7	3·3	92·6	3·6	3·8	0·0
1955	100·0	92·5	4·4	3·2	93·3	3·1	3·5	0·0
1956	100·0	93·0	4·0	3·0	93·8	3·0	3·2	—
1957	100·0	93·2	3·9	2·9	94·1	2·9	3·0	—

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

From the decennium 1871-1880 to that of 1931-40, apart from the first war period 1911-20, the percentage of widows remarrying showed a progressive decline. It rose again during the second war in the period 1941-50 but from 1951 onwards it again decreased. The percentage of 2·9 in 1957 is 0·1 below the rate for the previous year and the 1931-40 average. The percentage of widowers remarrying has always been higher than that of widows, being approximately twice as much in the second half of last century, but the percentage has fallen so steadily that it is now just under one-third higher than widows.

Marriages of divorced persons were first tabulated separately in 1933. From then the proportion increased for each sex up to the year 1947 when the percentage for males was 4·1 and that of females 3·5. Since then both males and females have declined to 2·9 and 3·0 respectively.

The following Table shows the number of divorces notified in each year and some detail regarding re-marriages of divorced persons. From 1934 until 1945 the annual number of divorced men and women who remarried was roughly equal, but in the five years 1946-1950 there was a substantial excess of males. In 1951 they were again roughly equal but since then the position has been reversed and the females have exceeded the males. In the year 1957 the females exceeded the males by 57.

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933–35				*47·8*	*50·1*
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1936–40				*57·8*	*56·5*
1941	762	531	471	68·1	60·4
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1945	2,223	959	956	55·4	55·2
1941–45				*60·9*	*57·6*
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1
1950	2,196	1,558	1,446	63·9	59·3
1946–50				*65·5*	*58·5*
1951	1,944	1,357	1,338	61·8	60·9
1952	2,718	1,549	1,611	79·7	82·9
1953	2,365	1,368	1,480	50·3	54·5
1954	2,216	1,378	1,586	58·3	67·1
1955	2,073	1,368	1,526	61·7	68·9
1951–55				*61·4*	*65·9*
1956	1,883	1,329	1,426	64·1	68·8
1957	1,739	1,236	1,293	65·6	68·7

*Including nullities.

Ages of those Marrying. The average age of all men marrying in 1957 was 27·5 and of all women 24·8. In 1938 the average age for males who married was 29·7 and for females 26·7. In 1947 these figures were 29·3 and 26·3. In the cities the average was 27·8 for men and 25·2 for women, in the large burghs it was 27·5 and 24·9 and in the counties 27·1 and 24·3 (Tables 53, 54, 54A and 54B.)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:

	Spinsters	Widows	Divorced Women	All Women
Average ages of				
Bachelors marrying	25·7	40·1	32·8	26·1
Widowers marrying	51·5	58·4	49·7	53·6
Divorced men marrying	37·1	45·1	40·8	38·8
All men marrying	26·5	49·2	37·4	27·5

	Bachelors	Widowers	Divorced Men	All Men
Average ages of				
Spinsters marrying	23·2	41·7	30·5	23·8
Widows marrying	41·0	53·0	44·4	47·0
Divorced women marrying	32·8	42·2	37·1	35·4
All women marrying	23·6	45·7	33·5	24·8

These do not show any marked differences compared with 1956. The average ages of widowers and widows increased slightly.

For all marriages the average age of the bridegrooms was 2·7 years greater than that of the brides and is 0·1 below that of 1956. The figure which scarcely varies from year to year was 3·0 in 1943 and 1944, and until 1956 the average age fluctuated between 2·8 and 3·0. In the case of bachelors and spinsters this excess was 2·5 (2·6 in 1956), of widowers and spinsters, 9·8 (9·3) and of widowers marrying widows 5·4 (5·2). In cases where either party had been divorced the average age of the bridegroom was always higher than that of the bride.

The youngest bridegrooms of the year were 26 bachelors aged 16 who all married spinsters and 233 aged 17 of whom 232 married spinsters and one who married a widow. The youngest brides were 419 spinsters aged 16. Of these 415 married bachelors, 2 married widowers and 2 married divorced men. There were 1,394 brides aged 17, all spinsters, of whom 1,381 married bachelors, 2 married a widower and 11 married divorced men. (Tables 55-59B.)

The oldest man who married during the year was a bachelor aged 87 who married a widow aged 76 years. The oldest bride was a spinster aged 81 years who married a bachelor aged 78 years. (Tables 55-59B.)

In the counties of cities and large burghs the average age at marriage among males ranged from 29·4 in Inverness and Perth, 28·5 in Edinburgh, Ayr, Falkirk and Stirling and 27·9 in Rutherglen and Arbroath, to 26·2 in Coatbridge, 26·0 in Hamilton and 25·7 in Port Glasgow. In the counties it ranged from 31·1 in Inverness, 30·2 in Sutherland and 30·1 in Kincardine to 26·2 in East Lothian and Fife, 26·1 in West Lothian and 25·5 in Dumfries. Among females the average age in the counties of cities and large burghs ranged from 26·4 in Perth, 25·9 in Inverness and 25·8 in Falkirk to 24·1 in Dumfries, 23·9 in Hamilton and 23·1 in Port Glasgow. In the counties the range was from 27·2 in Sutherland, 26·7 in Inverness, and 26·1 in Kincardine to 23·4 in West Lothian, 23·3 in Orkney and 22·5 in Dumfries.

The following table shows in age groups the number of persons married in each year from 1938 to 1957. During the intervening years a considerable alteration has taken place in the ages of those marrying. The number under 25 has increased since 1938 by no less than 97 per cent. in the case of males and 56 per cent. in that of females. From ages 25-44 the proportion has fallen considerably but at ages 45 and over more marriages now take place, especially among females where the percentage is 39 above that of 1938. But for the excess of those marrying at 45 and over, the average age would have declined still further. Compared with 1956 the numbers of both males and females show an increase in the age group under 21.

Age at Marriage, 1938-57

	Year	All Ages	Under 21	21–24	25–29	30–34	35–44	45 and over
MALES	1938	38,716	1,648	9,192	14,292	7,215	4,205	2,164
	1939	46,236	2,554	11,161	16,996	8,419	4,782	2,324
	1940	53,522	3,379	13,453	19,694	9,226	5,412	2,358
	1941	47,620	3,786	12,550	15,747	7,883	5,134	2,520
	1942	47,402	4,127	14,340	14,323	6,997	5,164	2,451
	1943	38,177	3,529	12,180	10,228	5,442	4,458	2,340
	1944	37,017	3,318	12,676	9,443	5,031	4,220	2,329
	1945	48,642	3,560	15,789	14,775	6,872	4,992	2,654
	1946	45,785	2,754	12,771	14,901	7,239	5,348	2,772
	1947	44,360	2,288	12,989	14,881	6,685	4,911	2,606
	1948	43,718	2,261	13,564	14,774	5,861	4,716	2,542
	1949	41,708	2,319	13,508	13,857	5,251	4,288	2,485
	1950	40,459	2,377	13,274	13,055	5,288	4,129	2,336
	1951	41,361	2,682	14,123	13,152	5,272	3,755	2,377
	1952	41,154	2,754	13,989	12,940	5,153	3,847	2,471
	1953	40,902	2,922	14,567	12,511	5,027	3,478	2,397
	1954	41,974	3,523	15,207	12,536	4,906	3,300	2,502
	1955	43,199	4,087	15,814	12,795	4,804	3,216	2,483
	1956	43,963	4,610	16,551	12,634	4,539	3,204	2,425
	1957	42,661	5,154	16,246	11,909	4,119	2,833	2,400
1957 per cent. of 1938		110·2	312·7	176·7	83·3	57·1	67·4	110·9

	Year	All Ages	Under 21	21–24	25–29	30–34	35–44	45 and over
FEMALES	1938	38,716	7,138	11,927	10,927	4,804	2,819	1,101
	1939	46,236	9,295	13,957	13,197	5,365	3,260	1,162
	1940	53,522	11,857	16,344	14,526	5,886	3,666	1,243
	1941	47,620	11,124	15,129	11,652	4,956	3,460	1,299
	1942	47,402	11,786	16,437	9,889	4,466	3,526	1,298
	1943	38,177	9,764	13,145	7,216	3,686	3,087	1,279
	1944	37,017	9,302	13,273	6,729	3,412	2,988	1,313
	1945	48,642	11,152	17,814	10,154	4,486	3,589	1,447
	1946	45,785	9,440	15,702	10,698	4,715	3,667	1,563
	1947	44,360	9,182	15,599	10,370	4,191	3,521	1,497
	1948	43,718	9,621	15,554	10,027	3,668	3,339	1,509
	1949	41,708	9,804	14,882	9,387	3,154	3,061	1,420
	1950	40,459	9,667	14,770	8,660	3,100	2,818	1,444
	1951	41,361	10,133	15,455	8,590	3,120	2,605	1,458
	1952	41,154	10,225	15,288	8,279	3,157	2,662	1,543
	1953	40,902	10,569	15,597	7,757	3,040	2,378	1,561
	1954	41,974	11,594	15,698	7,721	2,998	2,355	1,608
	1955	43,199	12,815	15,897	7,693	2,890	2,295	1,609
	1956	43,963	13,756	16,216	7,416	2,705	2,283	1,587
	1957	42,661	14,042	15,614	6,899	2,449	2,123	1,534
1957 per cent. of 1938		110·2	196·7	130·9	63·1	51·0	75·3	139·3

The accompanying table shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1957. This comparative table indicates that both as regards males and females there are now more marriages in the younger age groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas today the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is roughly three times that of 1938. The highest percentage of females now marrying is in the age-group 21-24 years. In 1938 this group also showed the highest percentage, being slightly in excess of those at ages 25-29, but in 1957 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute almost a third of all marriages.

Percentage Married in each Age Group, 1938-57

	Year	All Ages	Under 21	21-24	25-29	30-34	35-44	45 and over
MALES	1938	100	4·26	23·74	36·91	18·64	10·86	5·59
	1948	100	5·17	31·03	33·79	13·41	10·79	5·81
	1957	100	12·08	38·08	27·92	9·66	6·64	5·63
FEMALES	1938	100	18·44	30·81	28·22	12·41	7·28	2·84
	1948	100	22·01	35·58	22·94	8·39	7·64	3·45
	1957	100	32·92	36·60	16·17	5·74	4·98	3·60

Appendix V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1958

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February, 1958 with reference to the qualifying date, the 10th October, 1957.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were three by-elections held on the basis of the February 1958 register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1958.

Appendix VI

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS

REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1958

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
BURGHS							
rbroath	Extension within Civil Parishes of Arbroath and St. Vigeans and Arbirlot	19,511	8,848	10,663	19,521	8,852	10,669
earsden*	New Burgh formed within Civil Parish of New Kilpatrick	—	—	—	12,264	5,363	6,901
unfermline	Extension within Civil Parish of Dunfermline	44,719	22,628	22,091	44,719	22,628	22,091
reenock	Extension within Civil Parish of Greenock	77,174	37,351	39,823	77,177	37,353	39,824
irkintilloch	Extension within Civil Parish of Kirkintilloch	14,962	7,109	7,853	15,084	7,171	7,913
eslie	Extension within Civil Parish of Leslie	2,612	1,256	1,356	3,269	1,560	1,709
usselburgh	Extension within Civil Parish of Inveresk	17,065	8,212	8,853	17,065	8,212	8,853
erth	Extension within Civil Parish of Tibbermore	40,487	18,744	21,743	40,504	18,753	21,751
hurso	Extension within Civil Parish of Thurso	3,203	1,512	1,691	3,249	1,536	1,713
LANDWARD AREAS							
ngus County	Extension of Burgh of Arbroath	37,832	19,001	18,831	37,822	18,997	18,825
aithness County	Extension of Burgh of Thurso	12,346	6,110	6,236	12,300	6,086	6,214
unbarton County	Formation of Burgh of Bearsden and extension of Burgh of Kirkintilloch	63,426	31,222	32,204	51,040	25,797	25,243
Fife County	Extensions of Burghs of Leslie and Dunfermline	108,496	54,472	54,024	107,839	54,168	53,671
Midlothian County	Extension of Burgh of Musselburgh	57,765	29,482	28,283	57,765	29,482	28,283
Perth County	Extension of Burgh of Perth	59,839	29,412	30,427	59,822	29,403	30,419
Renfrew County	Extension of Burgh of Greenock	77,328	35,805	41,523	77,325	35,803	41,522
COUNTIES	None	—	—	—	—	—	—
CIVIL PARISHES	None	—	—	—	—	—	—
REGISTRATION DISTRICTS							
6 Ladykirk	United under the name of "Ladykirk and Swinton" 755	261	128	133	—	—	—
5 Swinton		571	267	304	—	—	—
5 Ladykirk and Swinton	See above	—	—	—	832	395	437
9 Ochiltree	Divided to form Ochiltree Registration District (No. 609(1) and Drongan Registration District (No. 609(2))	2,794	1,424	1,370	—	—	—
9(1) Ochiltree	See above	—	—	—	1,274	646	628
9(2 Drongan	See above	—	—	—	1,520	778	742
1b(3) Polmont	United under the name of "Polmont and Muiravonside" 486	8,657	4,374	4,283	—	—	—
6 Muiravonside		4,813	2,444	2,369	—	—	—
6 Polmont and Muiravonside	See above	—	—	—	13,470	6,818	6,652
7 Forres	United under the name of "Forres" 137	6,860	3,343	3,517	—	—	—
8 Kinloss		2,742	1,932	810	—	—	—
7 Forres	See above	—	—	—	9,602	5,275	4,327
8 Gladsmuir	Areas in the Registration District of Gladsmuir transferred to the Registration District of Haddington and the Registration District of Prestonpans and Cockenzie	2,029	1,023	1,006	1,010	537	473
9 Haddington		5,731	2,695	3,036	5,800	2,736	3,064
8 Prestonpans and Cockenzie		11,076	5,523	5,553	12,026	5,968	6,058
2a(2) Fort Augustus	An area in the Registration District of Fort Augustus and an area in the Registration District of Urquhart transferred to the Registration District of Glenmoriston	804	420	384	724	375	349
07(1) Urquhart		1,163	558	605	1,154	553	601
07(2) Glenmoriston		274	160	114	363	210	153
82(4) Broughty Ferry	An area in Registration District of Broughty Ferry transferred to Registration District of Murroes	12,219	5,399	6,820	12,219	5,399	6,820
13 Murroes		721	358	363	721	358	363

*As a result of the formation of the burgh of Bearsden, New Kilpatrick District of County was abolished. The area of the former district (with a population of 244 comprising 117 males and 127 females) outwith the burgh of Bearsden was transferred to Old Kilpatrick District of County.

Appendix VII

REGISTRATION OF BIRTHS

Re-registration of Births. The Registrar-General may authorise the re-registration of certain births under the provisions of the Registration of Births, etc. (Scotland) Amendment Act, 1934. This Act which became operative on the 1st January, 1935, allows for the re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons the entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:

Year	*No.*	*Year*	*No.*
1935	1,259	1947	717
1936	1,063	1948	648
1937	1,048	1949	534
1938	979	1950	552
1939	1,069	1951	507
1940	1,191	1952	507
1941	716	1953	469
1942	742	1954	449
1943	687	1955	401
1944	737	1956	511
1945	719	1957	382
1946	729	1958	317

Adopted Children Register. The Adoption of Children (Scotland) Act, 1930, which came into operation on 1st October, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. Various amending Acts followed, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1958. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry.

The following Table shows the number of adoptions recorded in each year:

Year	*No.*	*Year*	*No.*
1930	3	1944	1,681
1931	347	1945	1,876
1932	492	1946	2,292
1933	437	1947	1,890
1934	602	1948	2,073
1935	683	1949	1,764
1936	704	1950	1,289
1937	820	1951	1,562
1938	812	1952	1,523
1939	1,100	1953	1,486
1940	1,424	1954	1,343
1941	1,222	1955	1,352
1942	1,563	1956	1,358
1943	1,747	1957	1,405
		1958	1,365

Registers in General Registry Office. These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to make searches in the alphabetical indexes

and to have extracts made from the registers on the payment of prescribed fees. The pre-1855 Church of Scotland registers of births, baptisms, proclamations of banns, etc., are also kept in the General Registry Office and extracts from these may also be obtained. The earlier census records are also open for search or extract.

Searches and Extracts

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	*s.*	*d.*
1937 . .	37,107	21,338	15,769	10,929	2,184	11	5
1938 . .	39,360	22,432	16,928	12,419	2,348	17	8
1939 . .	40,064	24,964	15,100	13,048	2,179	11	7
1940 . .	67,233	53,355	13,878	13,044	2,099	14	2
1941 . .	47,275	35,090	12,185	11,656	1,861	5	6
1942 . .	46,636	33,454	13,182	12,734	2,006	19	8
1943 . .	43,567	30,070	13,497	12,395	2,009	3	10
1944 . .	49,986	35,534	14,452	13,408	2,167	16	7
1945 . .	59,405	42,460	16,945	16,430	2,543	4	6
1946 . .	118,861	95,838	23,023	22,889	3,485	12	4
1947 . .	89,732	65,694	24,038	23,911	3,677	18	4
1948 . .	88,208	64,609	23,599	26,658	3,640	16	2
1949 . .	83,516	59,727	23,789	25,063	3,592	4	1
1950 . .	73,832	50,691	23,141	25,136	3,453	9	7
1951 . .	103,436	77,816	25,620	28,595	3,927	18	4
1952 . .	88,436	63,624	24,812	27,030	3,863	13	10
1953 . .	82,710	57,876	24,834	25,902	3,811	10	10
1954 . .	82,958	55,870	27,088	28,085	4,090	1	3
1955 . .	60,671	32,663	28,008	27,672	4,116	8	7
1956 . .	60,705	31,975	28,730	28,744	4,219	15	1
1957 . .	53,416	22,701	30,715	30,313	4,476	10	8
1958 . .	49,893	21,212	28,681	27,618	4,198	16	3

Among the 21,212 official searches made in 1958, 295 related to claims for family allowances, and 17,943 to claims for contributory, non-contributory and service pensions.

Appendix VIII

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1954 to 1958.

The table has been compiled from statements received from Town Clerks and County Clerks.

Appendix IX

CLASSIFICATION OF CAUSES OF DEATH ACCORDING TO THE SIXTH AND SEVENTH INTERNATIONAL REVISIONS

The Seventh Revision of the International Classification of Causes of Death (1955) came into operation on 1st January, 1958, and has been used throughout this Report.

In accordance with what was done in the Annual Report for 1951 (page 68), after the Sixth Revision (1948) came into operation, a table is appended indicating the changes that have been made. The table gives the titles of the diseases affected, the reference numbers under the Sixth and Seventh Revisions as adapted for Scotland, and the number of deaths for 1958 according to the Sixth Revision. The figures for deaths thus give an indication of the extent of the changes, and at the same time provide in this Report for the classification of the deaths in 1958 under both the Sixth and the Seventh Revisions.

Deaths in Scotland in 1958 according to the 7th International Revision (1955) where there is an alteration of classification from the 6th International Revision (1948)

International 7th Revision as adapted for Scotland	Title (Abbreviated)	Whole groups of 6th Revision as adapted for Scotland	Portions of Groups of 6th Revision	Number of Deaths	
				Males	Females
022	Aneurysm of aorta		022	9	7
151	Malignant neoplasm of stomach		151	887	774
152.0	Duodenum		152a	6	4
152. 7–9	Other specified, multiple and unspecified parts of small intestine		152a	—	—
		152b		11	8
153.0	Caecum, appendix and ascending colon		153a	110	179
			153b	3	6
153.1	Transverse colon, including hepatic and splenic flexures		153a	94	130
			153b	2	3
153.2	Descending colon		153a	77	83
			153b	2	3
153.3	Sigmoid colon		153a	156	196
			153b	2	9
153.7	Multiple parts of large intestine		153a	—	2
153.8	Large intestine (including colon), part unspecified		153a	54	64
153.9	Intestinal tract, part unspecified		153b	18	20
155.0	Liver		155a	41	30
155.1a	Gallbladder		155b	25	53
155.1b	Bile ducts		155c	18	17
155.8	Multiple sites		155a	—	—
			155b	—	—
			155c	1	—
158	Peritoneum		158	15	15
162.0	Trachea		162a	1	1
162.1	Bronchus and lung		162b	1,085	164
			162c	794	171
162.2	Pleura		162d	5	2
162.8	Multiple sites		162a	1	1
			162b	1	—
			162c	—	—
			162d	—	—
175.0	Ovary		175	—	278
175.1	Fallopian tube and broad ligament		175	—	—
175. 8–9	Multiple and unspecified sites of ovary, etc.		175	—	1
179.0	Penis		179a	3	—
179.1	Scrotum		179b	7	—
179. 7–9	Other specified, multiple and unspecified sites		179a	—	—
			179b	—	—
		179c		—	—

International 7th Revision as adapted for Scotland	Title (Abbreviated)	Whole groups of 6th Revision as adapted for Scotland	Portions of Groups of 6th Revision	Number of Deaths	
				Males	Females
181.0	Bladder		181a	191	90
181.7	Other urinary organs		181b	—	—
181.8	Multiple sites		181a	—	—
			181b	—	—
191. 0–3	Face		191a	26	10
			191c	8	2
191. 4–9	Other specified, multiple and unspecified sites		191a	—	1
		191b		3	5
			191c	13	23
193.0	Brain		193a	91	63
193. 1–2	Spinal cord and meninges		193b	3	1
			193c	1	—
193. 3–9	Other specified, multiple and unspecified sites of nervous system		193a	7	5
			193b	—	—
			193c	7	6
196.a	Skull and face (excluding maxilla superior)		196a	3	2
			196c	2	2
196.b	Jaw		196a	10	5
196.2	Vertebral column (excluding sacrum and coccyx)		196b	5	9
196. 3–9	Other specified, multiple and unspecified sites		196a	—	—
			196b	—	—
			196c	36	25
199a	Other sites		199a	18	19
199b	Unspecified sites		151	1	—
			153a	1	—
			158	1	6
			191c	—	1
			193a	1	3
			196b	6	—
			196c	—	6
			199a	—	3
		199b		16	16
204.0	Lymphatic leukæmia		204.0	34	23
204.1	Myeloid leukæmia		204.1	26	29
204.2	Monocytic leukæmia		204.4	13	5
204.3	Acute leukæmia		204.0	16	15
			204.1	11	11
			204.4	23	19
204.4	Other and unspecified leukæmia		204.4	14	20
241	Asthma		241	93	75
292.4	Aplastic anæmia		292	10	12
292. 0–3, 5–7	Other anæmias included under 292		292	6	11
331	Cerebral hæmorrhage		331	1,595	2,403
332	Cerebral embolism and thromobsis		332	2,039	2,834
334	Other and ill-defined vascular lesions		334	369	469
401	Rheumatic fever with heart involvement		401	7	10
416	Other heart disease specified as rheumatic		401	—	1
		416		29	64
420.0	Arteriosclerotic heart disease		420.0	183	211
420. 1–2	Coronary thrombosis		420.0	10	6
		420.1–2		6,135	3,720
			421	1	—
			422.1	2	—
			422.2	27	19
			443	1	2
421	Chronic endocarditis		421	140	175
422.1	Myocardial degeneration		422.1	1,840	2,741
422.2	Other myocardial degeneration		422.2	1,397	1,870
433	Functional disease of heart		332	1	3
			334	1	—
			422.1	19	18
			422.2	33	50
			433	104	161
			434	1	2
			450	17	21
434.0	Kyphoscoliotic heart disease		434	10	3
434.1	Congestive heart failure		434	40	48
434.2	Left ventricular failure		434	47	43
434.3	Other disease of heart		434	8	8
434.4	Unspecified disease of heart		434	32	15
443	Other and unspecified hypertensive heart disease		332	1	3
			422.1	1	—
			433	1	4
			443	442	696
			444	5	4
444	Essential benign hypertension		444	113	144
			447	50	67
445	Essential malignant hypertension		331	3	1
			332	1	—
		445		61	49

International 7th Revision as adapted for Scotland	Title (Abbreviated)	Whole groups of 6th Revision as adapted for Scotland	Portions of Groups of 6th Revision	Number of Deaths	
				Males	Females
447	Other hypertensive disease		447	—	2
450	General arteriosclerosis		450	573	663
			455	1	—
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm		022	—	8
		451		76	46
455	Gangrene of unspecified cause		455	14	8
500	Acute bronchitis		241	2	—
		500		114	130
501a	Bronchitis, unqualified		241	2	3
		501a		26	23
501b	Bronchitis unqualified, with heart disease		241	1	4
			501b	48	39
502a	Chronic bronchitis		241	5	3
			502a	502	178
502b	Chronic bronchitis, with heart disease		241	10	2
			502b	900	302
526	Bronchiectasis		501b	1	1
			502a	4	5
			502b	6	—
		526		71	52
760.0	Intracranial and spinal injury, without immaturity		760	86	45
760.5	Intracranial and spinal injury, with immaturity		760	44	21
761.0	Other birth injury, without immaturity		761	18	8
761.5	Other birth injury, with immaturity		761	18	5
762.0	Postnatal asphyxia and atelectasis, without immaturity		762	140	79
762.5	Postnatal asphyxia and atelectasis, with immaturity		762	205	139
763.0	Pneumonia of newborn, without immaturity		763	49	28
763.5	Pneumonia of newborn, with immaturity		763	10	12
764.0	Diarrhoea of newborn, without immaturity		764	4	4
764.5	Diarrhoea of newborn, with immaturity		764	—	2
765.0	Ophthalmia neonatorum, without immaturity		765	—	—
765.5	Ophthalmia neonatorum, with immaturity		765	—	—
766.0	Pemphigus neonatorum, without immaturity		766	—	1
766.5	Pemphigus neonatorum, with immaturity		766	—	—
767.0	Umbilical sepsis, without immaturity		767	—	1
767.5	Umbilical sepsis, with immaturity		767	—	—
768.0	Other sepsis, without immaturity		768	8	5
768.5	Other sepsis, with immaturity		768	2	—
769. 0–4	Neonatal disorders, without immaturity		769	5	2
769. 5–9	Neonatal disorders, with immaturity		769	11	6
770. 0–2	Hæmolytic disease (erythroblastosis) without immaturity		770	26	15
770. 5–7	Hæmolytic disease (erythroblastosis) with immaturity		770	10	2
771.0	Hæmorrhagic disease, without immaturity		771	30	15
771.5	Hæmorrhagic disease, with immaturity		771	13	7
772.0	Nutritional maladjustment, without immaturity		772	—	—
772.5	Nutritional maladjustment, with immaturity		772	—	—
773.0Y	Congenital debility, without immaturity	773a		5	1
773.5Y	Congenital debility, with immaturity	773b		7	4
773.0Y	Other ill-defined diseases, without immaturity		773c	14	7
773.5Y	Other ill-defined diseases, with immaturity		773c	5	1

Appendix X

?ERINATAL DEATHS CLASSIFIED TO STILLBIRTH CAUSES

The trend of infant mortality by cause and age at death emphasises the need ›r a perinatal death rate. With the present differences in classification of ıuses of stillbirths and of deaths in early life of live-born infants, investigation worthwhile of the best cause list to use for the combined mortalities. The illbirth cause list has been in the main satisfactory, and any new combined st of causes should, as far as possible, interfere little with this. With the known milarities in causes (though with expected differences in frequency distribu-ons) in stillbirths and neonatal deaths, an obvious course is to see how far ıe early deaths among the live-born can be classified to the subdivisions of the xisting stillbirth list. The results of an experiment of this nature are shown for ıe 1958 deaths in the following table.

For the whole of the first month of life over 90 per cent. of the causes can e allocated satisfactorily to the existing stillbirth list, and in the more important eriod of the first week in only 5·3 per cent. of the cases can no comparable ıbric be found. In deaths on the first day of life satisfactory allocation can be ıade in 98·1 per cent., at 1-6 days 90·5 per cent., in the second week 76·7 per ent., at 2-3 weeks 62·3 and in the fourth week 55·2 per cent. If the perinatal rate ere restricted to stillbirths and deaths in the first week of life, the useful ddition to our present statistics of a perinatal rate by cause can immediately e made on the basis of the existing stillbirth list with only minor additions, and ven if the time period were extended to the first month, the necessary additions › this list are few in number and due to causes (e.g. diarrhœa and pneumonia f the newborn, overlaying, etc.) which cannot operate antenatally.

Most of the important individual causes operate in each part of the combined eath rate, but it is clear that for the stillbirths, diseases peculiar to pregnancy ıd childbearing, placental and cord conditions and, in less degree, congenital ıalformation, operate relatively more markedly than in deaths 0-1 weeks, hereas among the latter birth injury and the ill-defined causes, prematurity, sphyxia and atelectasis, are relatively much more important.

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death: Under 1 day	1–6 days	7–13 days	14–20 days	21–2 day
	ALL CAUSES—BOTH SEXES		**4,186**	**2,324**	**881**	**729**	**133**	**61**	5
	Males		**2,281**	**1,176**	**523**	**437**	**66**	**34**	4
	Females		**1,904**	**1,147**	**358**	**292**	**67**	**27**	1
	Sex unknown		**1**	**1**	–	–	–	–	
	Chronic Disease in Mother	M.	**26**	**22**	**4**	–	–	–	
		F.	**19**	**18**	–	**1**	–	–	
30.0	Syphilis	M.	–	–	–	–	–	–	
		F.	1	1	–	–	–	–	
30.1	Tuberculosis	M.	2	–	2	–	–	–	
		F.	–	–	–	–	–	–	
30.2	Diabetes	M.	5	4	1	–	–	–	
		F.	4	4	–	–	–	–	
30.3	Chronic disease of circulatory system	M.	12	11	1	–	–	–	
		F.	12	12	–	–	–	–	
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	
		F.	1	1	–	–	–	–	
30.5	Other chronic disease	M.	7	7	–	–	–	–	
		F.	1	–	–	1	–	–	
	Acute Disease in Mother	M.	7	7	–	–	–	–	
		F.	**3**	**2**	**1**	–	–	–	
31.1	Influenza	M.	3	3	–	–	–	–	
		F.	–	–	–	–	–	–	
31.2	Pneumonia	M.	1	1	–	–	–	–	
		F.	–	–	–	–	–	–	
31.3	Other acute respiratory disease	M.	–	–	–	–	–	–	
		F.	1	1	–	–	–	–	
31.0, 31.4	Other acute disease or condition	M.	3	3	–	–	–	–	
		F.	2	1	1	–	–	–	
	Diseases and Conditions of Pregnancy and Childbirth	M.	**130**	**110**	**11**	**9**	–	–	
		F.	**110**	**100**	**3**	**7**	–	–	
32.1	Ectopic gestation	M.	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	
32.3a	Eclampsia	M.	107	97	4	6	–	–	
		F.	99	93	3	3	–	–	
32.3b	Nephritic toxæmia	M.	2	2	–	–	–	–	
		F.	2	2	–	–	–	–	
32.3c	Toxæmia not stated	M.	17	8	6	3	–	–	
		F.	9	5	–	4	–	–	
32.4a	Acute yellow atrophy of liver	M.	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	
32.4b	Hyperemesis gravidarum	M.	1	1	–	–	–	–	
		F.	–	–	–	–	–	–	
32.5a	Pyelitis	M.	1	1	–	–	–	–	
		F.	–	–	–	–	–	–	
32.5b	Infection	M.	2	1	1	–	–	–	
		F.	–	–	–	–	–	–	
33	**Absorption of Toxic Substance from Mother**	M.	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	
	Difficult Labour	M.	**110**	**99**	**9**	**2**	–	–	
		F.	**80**	**73**	**5**	**2**	–	–	
34.0a	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (a, b, c, etc.) apply to the Scottish List only.

Inter-ational Nos. 30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days
	Difficult Labour—*continued.*								
34.0b	Abnormality of bones of pelvis without immaturity	M.	–	–	–	–	–	–	–
		F.	5	4	1	–	–	–	–
34.1a	Disproportion with immaturity	M.	8	4	4	–	–	–	–
		F.	9	5	3	1	–	–	–
34.1b	Disproportion without immaturity	M.	16	16	–	–	–	–	–
		F.	17	17	–	–	–	–	–
34.2a	Malposition of fœtus, with immaturity	M.	5	4	1	–	–	–	–
		F.	6	6	–	–	–	–	–
34.2b	Malposition of fœtus, without immaturity	M.	39	38	1	–	–	–	–
		F.	21	21	–	–	–	–	–
34.3a	Abnormality of forces of labour, with immaturity	M.	4	3	–	1	–	–	–
		F.	3	2	1	–	–	–	–
34.3b	Abnormality of forces of labour, without immaturity	M.	16	15	1	–	–	–	–
		F.	5	4	–	1	–	–	–
34.4a	Operative delivery, with immaturity	M.	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.4b	Operative delivery, without immaturity	M.	1	1	–	–	–	–	–
		F.	2	2	–	–	–	–	–
34.5a	Abnormality of organs or tissues of pelvis with immaturity	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.5b	Abnormality of organs or tissues of pelvis without immaturity	M.	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–
34.6a	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
34.6b	Difficult labour without mention of condition, and without immaturity	M.	20	17	2	1	–	–	–
		F.	11	11	–	–	–	–	–
	Other Causes in Mother	M.	3	3	–	–	–	–	–
		F.	13	11	1	1	–	–	–
35.0	Fall	M.	1	1	–	–	–	–	–
		F.	4	4	–	–	–	–	–
.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	2	2	–	–	–	–	–
		F.	7	5	1	1	–	–	–
	Placental and Cord Conditions	M.	467	438	22	7	–	–	–
		F.	350	339	10	1	–	–	–
36.0a	Prolapse of cord	M.	66	60	5	1	–	–	–
		F.	42	41	1	–	–	–	–
36.0b	Torsion of cord	M.	59	55	3	1	–	–	–
		F.	52	52	–	–	–	–	–
.1, 36.3	Placenta prævia	M.	15	12	3	–	–	–	–
		F.	5	3	2	–	–	–	–
32.2	Accidental hæmorrhage	M.	189	176	9	4	–	–	–
		F.	127	119	7	1	–	–	–
.2, 36.4	Other hæmorrhage	M.	14	14	–	–	–	–	–
		F.	19	19	–	–	–	–	–
36.5	Placental infarct	M.	57	55	1	1	–	–	–
		F.	47	47	–	–	–	–	–
36.6	Others of placenta and cord	M.	67	66	1	–	–	–	–
		F.	58	58	–	–	–	–	–

International Nos. (Y30-Y39)	Cause of Death	Sex	Total	Stillbirths	Age at Death: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days
	Birth Injury	M.	192	51	60	72	6	1	2
		F.	88	16	35	31	4	2	–
37a	Birth injury with immaturity	M.	50	2	21	24	2	–	1
		F.	26	2	14	8	1	1	–
37b	Birth injury without immaturity	M.	142	49	39	48	4	1	1
		F.	62	14	21	23	3	1	–
	Congenital Malformation of Fœtus	M.	332	178	38	63	23	13	17
		F.	533	359	64	69	26	10	5
	Sex unknown		1	1	–	–	–	–	–
38.0	Anencephalus	M.	96	93	1	2	–	–	–
		F.	253	237	13	3	–	–	–
38.1	Hydrocephalus	M.	54	43	5	2	–	1	[illegible]
		F.	90	71	7	9	2	–	[illegible]
38.2	Spina bifida	M.	41	6	5	13	7	6	[illegible]
		F.	63	19	12	16	10	5	[illegible]
38.3	Other malformations of the central nervous system	M.	9	4	1	3	–	1	–
		F.	15	9	2	2	2	–	–
38.4	Malformation of the cardiovascular system	M.	45	3	4	26	7	2	[illegible]
		F.	39	2	7	17	8	3	[illegible]
38.5	Malformation of other specified system	M.	62	16	17	14	7	2	[illegible]
		F.	43	5	13	19	3	2	[illegible]
38.6	Monster	M.	3	2	1	–	–	–	–
		F.	1	1	–	–	–	–	–
38.7	Other and unspecified malformations	M.	22	11	4	3	2	1	[illegible]
		F.	29	15	10	3	1	–	–
	Sex unknown		1	1	–	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes	M.	1,014	268	379	284	37	20	26
		F.	708	229	239	180	37	15	[illegible]
39.2	Erythroblastosis (Rhesus Factor)	M.	93	57	20	11	4	1	[illegible]
		F.	59	43	10	4	1	–	[illegible]
39.0 39.1, 39.3	Other diseases of fœtus	M.	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–
39.4	Maceration	M.	35	35	–	–	–	–	[illegible]
		F.	42	42	–	–	–	–	–
39.5a	Premature Birth (cause not stated)	M.	273	22	139	88	16	5	[illegible]
		F.	197	25	90	70	9	1	[illegible]
39.5b	Debility	M.	13	1	9	1	1	1	[illegible]
		F.	8	3	4	1	–	–	[illegible]
39.5c	Asphyxia	M.	190	61	81	45	1	1	[illegible]
		F.	120	54	40	25	1	–	[illegible]
39.5d	Atelectasis	M.	247	31	118	92	3	2	[illegible]
		F.	175	27	86	54	7	1	[illegible]
39.5e	Other ill-defined	M.	12	8	3	1	–	–	[illegible]
		F.	10	6	1	3	–	–	[illegible]
39.6	Cause unknown	M.	53	53	–	–	–	–	[illegible]
		F.	29	29	–	–	–	–	–
—	No comparable stillbirth cause	M.	98	–	9	46	12	10	21
		F.	68	–	8	23	19	13	5

Appendix XI

RESULTS OF INQUIRIES INTO ILL-DEFINED CAUSES OF DEATH REGISTERED IN SCOTLAND DURING 1958

The following table is inserted to show the results of inquiry into ill-defined causes of death in 1958. Of the 2,828 inquiries, no reply was received from the certifier in 208 or 7·4 per cent. of cases. Of the 2,620 replies, in 1,861 or 71·0 per cent. change in classification resulted. This represents 3·0 per cent. of all deaths registered.

The principal (originally) certified causes leading to further inquiry were, as expected, malignant neoplasms, cardiovascular and respiratory conditions, the individual causes predominating being malignant disease of the large intestine, congestive heart failure, pneumoconiosis unspecified, carcinoma unspecified, neoplasm of brain, pulmonary embolism, intestinal obstruction and natural causes. The frequency and nature of the successful reallocation in these and other causes indicate the continuing need for such additional inquiries and the room for improvement that still exists in respect of the original certification of cause of death.

Results of Inquiries into Ill-defined Causes of Death Registered in Scotland during 1958.

Provisional Category Number	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classification		
					Number of cases	Additional Information	New Category Number
002	"Certificate"*	2	7	3	1	Malignant neoplasm of stomach	151
					1	Malignant neoplasm of lung	162.1
					1	Asthma	241
					1	Myocarditis	422.2
012.0	Shown with other tuberculous condition, unspecified duration of disease	—	2	1	1	Pulmonary tuberculosis	002
016	Shown with other tuberculous condition, unspecified duration of disease	—	1	1	—	—	—
019	Disseminated tuberculosis	1	4	—	4	Pulmonary tuberculosis	002
022	Aortic aneurysm	3	25	6	1	Malignant neoplasm of lung	162.1
					1	Endocarditis	421
					16	Non-syphilitic and dissecting	451
					1	Other aneurysm	452
053	Septicæmia, unqualified	1	15	9	6	Other	475, 491, 541, 590, 651, 715
054	Bacterial toxæmia	—	2	—	2	Other	460, 540
061	Tetanus	—	4	4	—	—	—
083	"Certificate"	—	3	2	1	Myocardial degeneration	422.2
088	Herpes conjunctiva	—	1	—	1	Simplex	096
140.9	Malignant neoplasm of lip	—	2	1	1	Upper lip	140.1
144b	Malignant neoplasm of mouth, unspecified	1	17	5	8	Floor of mouth	143
					4	Palate upper alveoli	144a
151	"Certificate"	—	1	—	1	Congestive heart failure	434.1
153.8	Malignant neoplasm of large intestine, part unspecified	38	555	49	102	Cæcum, etc.	153.0
					128	Transverse colon, etc.	153.1
					89	Descending colon	153.2
					144	Sigmoid colon	153.3
					2	Multiple parts of large intestine	153.7
					32	Rectum	154
					9	Other	156, 174, 181.0, 200.1, 289, 331, 491, 571, 581
153.9	Malignant neoplasm of intestinal tract, part unspecified	17	82	9	13	Cæcum, etc.	153.0
					12	Transverse colon, etc.	153.1
					13	Descending colon	153.2
					20	Sigmoid colon	153.3

					3	Gallbladder	[illegible]
					3	Pancreas	157
					2	Breast	170
					3	Other	153.8, 159, 175.0
162.1	"Certificate"	2	3	2	1	Pulmonary tuberculosis	002
170	"Certificate"	—	2	1	1	Auricular fibrillation	433
177	"Certificate"	1	2	1	1	Bronchopneumonia	491
191.9	Malignant neoplasm of skin, site unspecified	1	3	—	3	Other	191.0, 191.5, 434.4
197.2	Sarcoma of upper limb	—	1	—	1	Long bones of upper limb	196.4
197.3	Sarcoma of lower limb	—	1	—	1	Lower limb, long bone	196.7
198.0	Malignant neoplasm of glands of neck, unspecified	—	7	4	2	Other primary of lymphoid tissue	200.2
					1	Lower lip	140.1
198.9	Malignant neoplasm of lymph nodes, unspecified site	—	1	—	1	Large intestine, unspecified	153.8
199a	Malignant neoplasm of abdomen and other ill-defined sites	3	33	11	5	Liver, unspecified	156
					4	Stomach	151
					2	Large intestine, unspecified	153.8
					2	Ovary	175.0
					9	Other	152.7, 153.3, 153.9, 154, 162.1, 170, 191.2, 199b, 200.2
199b	Carcinoma; Carcinomatosis etc.	9	97	17	15	Liver, unspecified	156
					10	Thoracic organs, secondary	165
					5	Other sites	199a
					4	Stomach	151
					4	Bronchus and lung	162.1
					4	Ovary	175.0
					4	Kidney	180
					3	Cæcum, etc.	153.0
					3	Pancreas	157
					3	Breast	170
					3	Lymph nodes, secondary	198.0
					2	Large intestine, unspecified	153.8
					2	Gallbladder	155.1
					2	Peritoneum	158
					2	Digestive organs, unspecified	159
					2	Prostate	177
					2	Ribs, etc.	196.3
					10	Other	150, 153.1, 153.3, 154, 155.0, 181.0, 196.2, 196.6, 196.7, 730

*"Certificate" indicates that a query was made because of the sequence of diseases given on the death certificate.

Results of Inquiries into Ill-defined Causes of Death Registered in Scotland during 1958—*continued*

Provisional Category Number	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classification		
					Number of cases	Additional Information	New Category Number
224	Pituitary tumour	—	1	—	1	Adenoma	272
230	Neoplasm of unspecified nature of digestive organs	1	2	—	2	Other	154, 180
236a	Neoplasm of unspecified nature of bladder	—	2	—	2	Other	181.0, 219a
237	Neoplasm of unspecified nature of brain	6	78	11	47 9 11	Malignant neoplasm of brain Benign neoplasm of brain Other	193.0 223 002, 153.0, 162.1, 195.3, 224, 228, 331, 340, 342, 420.1, 452
238	Neoplasm of unspecified nature of skin etc.	—	2	—	2	Other	151, 223
239	Neoplasm of unspecified nature	—	1	—	1	Malignant neoplasm of uterus	174
253	"Certificate"	—	1	—	1	Cardiovascular renal disease	442
260	"Certificate"	1	2	—	2	Other	420.1, 540
274	Addison's Disease	—	3	1	2	Other	017, 446
286	"Certificate"	—	2	1	1	Coronary thrombosis	420.1
304	"Certificate"	—	2	—	2	Other	586, 592
330	Subarachnoid hæmorrhage in pregnancy	—	2	2	—	—	—
331	Cerebral hæmorrhage in pregnancy	—	1	—	1	Cerebral haemorrhage in the puerperium	687
331	Cerebral hæmorrhage, with violence secondary	1	7	5	2	Primary cause: violence	E824, E936
332	"Certificate"	—	8	4	4	Other	422.2, 446, 540, 600
334	"Certificate"	—	3	1	2	Enlargement of prostate	610
340	"Certificate"	—	1	—	1	Septicæmia	053
343	Encephalitis	3	10	5	2 3	Acute infectious encephalitis Other	082 083 193.0, 332
344	Post encephalitis	1	1	—	1	Late effects acute infectious encephalitis	083
350	Parkinsonism—with violence secondary	1	2	—	2	Primary cause: violence	E900, E916
414	Rheumatic endocarditis at ages 15-44	2	8	7	1	Rheumatic fever with heart involvement	401

420.1	"Certificate"	3	9	4	2	Chronic nephritis	592
					3	Other	540, 610, 816
421	Aortic stenosis, male aged 14 years	—	1	—	1	Congenital heart condition	754.5
422.1	"Certificate"	1	9	6	3	Other	420.1, 442. 610
422.2	"Certificate"	2	15	7	3	Chronic nephritis	592
					5	Other	201, 241, 540, 611, E904
431	"Certificate"	—	1	—	1	Pulmonary tuberculosis	002
433	"Certificate"	1	6	1	5	Other	151, 420.1, 442, 572, 754.5
434.1	Congestive heart failure	29	448	33	179	Myocarditis, etc.	422.2
					53	Cardiovascular degeneration, etc.	422.1
					47	Coronary thrombosis	420.1
					34	Hypertensive heart disease	443
					18	Chronic bronchitis with heart disease	502b
					10	Rheumatic mitral disease	410
					10	Arteriosclerotic heart disease	420.0
					8	Chronic endocarditis	421
					8	Functional disease of heart	433
					6	Fatty degeneration of heart	422.0
					5	Acute myocarditis not specified as rheumatic	431
					5	Arteriosclerosis	450
					3	Rheumatic endocarditis	414
					3	Rheumatic myocarditis	415
					3	Left ventricular failure	434.2
					3	Chronic nephritis	592
					2	Diabetes mellitus	260
					2	Other avitaminosis and deficiency states	286
					2	Pernicious anæmia	290a
					14	Other	002, 081, 241, 252, 331, 411, 434.4, 444, 446, 451, 501b, 523, 527, E904
434.2	Left ventricular failure	1	2	—	2	Myocardial degeneration	422.2
434.3	"Certificate"	—	5	1	2	Bronchial carcinoma	162.1
					2	Other	204.0, 416
434.4	Cardiac disease	—	4	—	3	Myocardial degeneration	422.2
					1	Bronchopneumonia	491
443	"Certificate"	—	2	—	2	Other	442, 592
444	"Certificate"	1	35	11	17	Hypertension with arteriolar nephrosclerosis	446
					3	Essential malignant hypertension	445
					4	Other	572, 592, 593, 610
446	"Certificate"	—	1	—	1	Nephritis	593
450	"Certificate"	2	43	8	23	Hypertension with arteriolar nephrosclerosis	466
					4	Cardiovascular degeneration	422.1
					8	Other	141.9, 332, 442, 593, 600, 605, 610, 611
451	Aneurysm of abdominal aorta	—	5	5	—	—	—

Results of Inquiries into Ill-defined Causes of Death Registered in Scotland during 1958—*continued*

Provisional Category Number	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classification		
					Number of cases	Additional Information	New Category Number
463	"Certificate"	—	1	—	1	Ulcer of stomach	540
465	Pulmonary embolism	5	91	17	33	Other venous embolism and thrombosis	466
					5	Phlebitis and thrombophlebitis of lower extremities	463
					4	Coronary thrombosis	420.1
					4	Functional disease of heart	433
					4	Hypertensive heart disease	443
					3	Uterovaginal prolapse	631
					2	Myocardial degeneration	422.2
					2	Varicose veins of lower extremities	460
					2	Hyperplasia of prostate	610
					2	Fall	E904
					13	Other	002, 216, 386, 421, 422.1, 434.1, 453, 461, 490, 540, 541, 625, 784
466	"Certificate"	—	3	1	2	Other	542, E816
467	"Certificate"	—	2	—	2	Other	541, E800
490	"Certificate"	—	4	2	2	Other	433, 466
491	"Certificate"	3	25	10	3	Duodenal ulcer	541
					2	Hyperplasia of prostate	610
					10	Other	002, 153.2, 154, 177, 200.1, 450, 466, 467, 540, E871
491	Bronchopneumonia in pregnancy	—	1	1	—	—	—
493	"Certificate"	—	6	3	2	Lobarpneumonia	490
					1	Myocardial degeneration	422.2
500	"Certificate"	—	4	2	2	Other	481a, 502a
501a	"Certificate"	—	1	—	1	Enlargement of prostate	610
502a	"Certificate"	—	12	11	1	Pulmonary tuberculosis	002
502b	"Certificate"	1	14	10	2	Pulmonary tuberculosis	002
					2	Other	422.2, 631
518	Pyopneumothorax	—	2	1	1	Violence, unspecified	E936
519	Pleural effusion	1	12	7	2	Carcinoma of bronchus and lung	162.1
					3	Other	162.2, 434.2, 490
520	Spontaneous pneumothorax	—	1	1	—	—	—

					2	Other	591, 422.2
524	Other specified pneumoconiosis	—	2	2	—		
525	Pulmonary fibrosis	1	23	12	2	Carcinoma of bronchus and lung	162.1
					2	Chronic bronchitis without heart disease	502.a
					2	Pneumoconiosis (occupational)	523
					2	Bronchiectasis	526
					3	Other	002, 490, E952
526	"Certificate"	—	3	3	—		
527	Pulmonary collapse	—	4	1	3	Other	204.0, 502b, 610
539	Obstruction or stricture œsophagus	—	6	3	3	Other	150, 151, 541
540	"Certificate"	—	1	—	1	Hernia without obstruction	560
541	"Certificate"	—	3	2	1	Pulmonary embolism	465
545	Gastrectomy	2	18	—	11	Ulcer of stomach	540
					4	Ulcer of duodenum	541
					3	Other	011, 151, 445
560	"Certificate"	1	2	2	—	—	—
561	"Certificate"	—	1	1	—	—	—
570	Intestinal obstruction	5	71	45	10	Hernia with intestinal obstruction	561
					3	Carcinoma of intestine	153.9
					13	Other	011, 152.9, 153.8, 154, 325, 465, 540, 541, 545, 578, 626, 692, 756.2
572	"Certificate"	—	2	—	2	Other	420.1, E870
576	Peritonitis	2	17	3	3	Ulcer of duodenum	541
					11	Other	002, 034, 157, 234, 542, 550, 570, 572, 578, 586, E936
578	Perforation of intestine	—	16	6	4	Diverticulitis	572
					6	Other	153.0, 200.1, 539, 541, 570, E904
581	"Certificate"	1	3	2	1	Hernia without obstruction	560
583	Hepatic failure	—	5	2	3	Other	450, 580, 584
584	"Certificate"	—	2	2	—	—	
585	"Certificate"	—	2	1	1	Cholelithiasis	584
586	Obstructive jaundice	2	19	3	8	Cholelithiasis	584
					3	Cholecystitis	585
					2	Carcinoma of pancreas	157
					3	Other	153.9, 156, 580
587.2	"Certificate"	—	1	1	—	—	—
591	"Certificate"	—	1	1	—	—	—
592	"Certificate"	—	2	2	—	—	—

Results of Inquiries into Ill-defined Causes of Death Registered in Scotland during 1958—*continued*

Provisional Category Number	Description concerning which inquiry was made	Number of cases where no reply was received	Number of replies to inquiry	Number of cases with no change in classification	Cases with Changes in Classification		
					Number of cases	Additional Information	New Category Number
593	Renal failure, disease	1	38	11	6	Hypertension with arteriolar nephrosclerosis	446
					5	Hyperplasia of prostate	610
					3	Essential malignant hypertension	445
					3	Infections of kidney	600
					10	Other	016, 181.0, 260, 444, 456, 570, 590, 603, 608, 609
600	"Certificate"	—	2	2	—	—	—
603	"Certificate"	—	1	—	1	Nephritis	593
606	"Certificate"	—	2	—	2	Enlargement of prostate	610
609	"Certificate"	—	1	—	1	Stricture of urethra	608
610	"Certificate"	1	1	—	1	Cerebral hæmorrhage	331
621	Mastectomy	—	1	—	1	Carcinoma of breast	170
633	Hysterectomy	—	2	—	2	Other	631, 634
635	"Certificate"	—	1	—	1	Uterine fibromyoma	214
640	"Certificate"	—	1	1	—	—	—
641	Pelvic cellulitis	—	1	—	1	Postpartum	681
642.2(3)	Eclampsia	—	3	3	—	—	—
642.5	Toxæmia of pregnancy	—	1	1	—	—	—
644	Accidental hæmorrhage	—	1	1	—	—	—
648	Rupture of uterus	—	1	—	1	Complication of labour	677
678	Cæsarean section	1	2	1	1	Fœtal distress	675
722	"Certificate"	—	6	4	2	Other	446, 591
723	"Certificate"	—	1	—	1	Coronary thrombosis	420.1
727	"Certificate"	—	1	—	1	Bronchopneumonia	491
730	"Certificate"	—	1	1	—	—	—
731	Paget's disease	—	1	1	—	—	—
752	Hydrocephalus—unspecified	—	1	1	—	Congenital	—

780b	Convulsions—over 2 years	—	2	—	2	Other	581, 193.0
781	"Certificate"	—	1	1	—	—	—
782.4	Heart failure	3	64	10	22	Myocardial degeneration	422.2
					4	Coronary thrombosis	420.1
					3	Cardiovascular degeneration	422.1
					3	Functional disease of heart	433
					3	Essential benign hypertension	444
					2	Acute myocarditis	431
					2	Congestive cardiac failure	434.1
					2	Arteriosclerosis	450
					13	Other	422.0, 434.4, 442, 443, 470, 491, 502a, 544, 570, 754.5, 785, 794, E872
782.5	Syncope	—	3	3	—	—	—
782.9 {0-3, 6-8}	Lymphadenopathy, etc.	—	3	—	3	Other	180, 325, 575
783	Hæmoptysis	—	2	1	1	Unspecified neoplasm of skin	238
784	Haematemesis	—	8	2	4	Ulcer of stomach	540
					2	Other	150, 151
785	Jaundice	1	2	—	2	Other	063, 541
788	Hypothermia	—	2	—	2	Other	420.1, 466
792	Uraemia, unspecified	6	26	3	7	Chronic nephritis	592
					5	Hyperplasia of prostate	610
					2	Hypertension with arteriolar nephrosclerosis	446
					2	Nephritis with œdema	591
					7	Other	092, 420,1, 467, 591, 601, 602, 608
794	"Certificate"	1	9	4	2	Enlargement of prostate	610
					3	Other	355, 422.2, 592
795.1	Natural causes	7	43	12	12	Coronary thrombosis	420.1
					4	Cerebral hæmorrhage	331
					3	Bronchopneumonia	491
					2	Myocardial degeneration	422.2
					10	Other	291, 332, 422.1, 434.1, 434.4, 443, 788, E921, E924, E925
795.5	Cause unknown	1	3	—	3	Other	474, E913, E921
E800-E999	Injury incompletely specified	3	81	36	45	Other	More specific
	TOTAL INQUIRIES	208	2,620	759	1,861		

Appendix XII

PRIMARY AND SECONDARY CAUSES OF DEATH, 1956

This appendix contains a special study, made for the first time, of the statistical relation between the primary and secondary causes of death as given in medical certificates. The study relates to the year 1956.

The following tables show, for that year, for males and females, without distinction of age, the total deaths in short list form, together with, in similar short list form, the number of cases in which at least one secondary cause of death was given. Irrespective of cause roughly 30 per cent. of all deaths registered during that year showed a secondary cause—28·8 per cent. in males and 30·2 per cent. in females. The proportions vary widely in the separate cause groups. The lowest proportions (under 20 per cent.) are observed in respect of malignant disease, arteriosclerotic heart disease including coronary thrombosis, other diseases of early infancy, other violence, pulmonary congestion and hypostasis, senility, uræmia and causes ill-defined and unknown. (In the latter four cause groups such a finding is to be anticipated, and in the small proportions showing secondary causes, these are almost entirely equally ill-defined conditions.) At the other extreme the cause groups showing secondary causes in 60-70 per cent. of instances are asthma, anæmia, other general diseases (in females), bronchiectasis and other diseases of skin and organs of locomotion; and with over 70 per cent. of secondary causes accidental falls (in females), rheumatism, bronchitis and diabetes. Comparison of the sexes by cause groups in this respect shows that there is a rather higher proportion with secondary causes for males in respect of respiratory and other forms of tuberculosis, bronchiectasis and, in less measure, pneumonia, bronchitis and other respiratory diseases, whereas females show the higher proportions for benign neoplasms, other general diseases, chronic rheumatic heart disease, other disease of arteries, influenza, diseases of the liver and, most so, for accidental falls and other forms of violence.

The numerically most frequent cause groups registered as secondary are, for males, pneumonia, other myocardial degeneration, other diseases of the heart, bronchitis, vascular lesions of the central nervous system, pulmonary congestion and arteriosclerotic heart disease; and, in females, pneumonia, other myocardial degeneration, vascular lesions of the central nervous system, pulmonary congestion and hypostasis, other diseases of the heart, bronchitis, diabetes and senility. These specified account in each sex for over half of the total secondary causes.

Although only less than one-third of all deaths have secondary causes, there are for certain cause groups appreciably more cases recorded as secondary than primary. This is seen in males, e.g. in respect of other diseases of the heart, pneumonia, pulmonary congestion, arthritis and rheumatism, diseases of skin and organs of locomotion and senility; and for females in other diseases of the heart, pneumonia, pulmonary congestion, other respiratory diseases, arthritis and rheumatism, uræmia and senility. Proportionately more cases are found as secondary than primary additionally in asthma, diabetes, anæmia and other general diseases and bronchiectasis. Relatively infrequent as secondary causes in both sexes are such conditions as malignant disease, vascular lesions of the

central nervous system, rheumatic heart diseases, arteriosclerotic heart disease including coronary thrombosis, hypertension with heart disease and violence. The relative frequency of the different causes of death therefore differs according to whether judgement is based upon primary or combined primary and secondary causes, but in view of the numerical predominance of a few cause groups in both series, little fundamental alteration is effected.

From the tables given it is possible to indicate possible associations between diseases and disease groups, but interpretation is difficult without at least further dissection by age, which clearly is an important intervening factor from inspection of the causes with the greatest frequency of secondary causes. It is of interest, however, to note some of the extreme instances. Diseases of early infancy, e.g., where other conditions are present, are those with congenital malformations of some kind; violence, other than accidental falls are mainly associated with pneumonia or chronic heart disease and malignant disease shows a substantially lower proportion of cases associated with bronchitis and myocardial degeneration. In deaths primarily ascribed to asthma higher than average proportions of secondary cases are seen for bronchitis and chronic myocardial diseases, and in anæmias in addition to myocardial degeneration there is a surprisingly high proportion of cases with malignant disease recorded as secondary. Bronchiectasis shows an over-average proportion of cases with chronic myocarditis as secondary. In accidental falls in females, 79 per cent. show secondary causes compared with only 39 per cent. in males from this cause. This pronounced sex difference of frequency is probably in part at least due to differences in age at death and is reflected in the higher female proportion of secondary cases of respiratory and chronic heart conditions and especially of senility. In diabetes there are outstandingly high proportions of secondary causes of vascular lesions of the central nervous system, nephritis and nephrosis, arteriosclerosis and arteriosclerotic heart disease.

Deaths in Scotland by Primary and Secondary Causes, Males, 1956*

	Secondary Cause of Death	Primary Cause of Death: Total	001-008 Tuberculosis of respiratory system	010-019 Tuberculosis—other forms	020-029 Syphilis and its sequelæ	030-138 Other infectious and parasitic diseases	140-205 Malignant neoplasms	210-239 Benign and unspecified neoplasms	241 Asthma	260 Diabetes mellitus	290-293 Anæmias	Rem. 240-299 Other general diseases	330-334 Vascular lesions affecting central nervous system	Rem. 300-398 Other diseases of nervous system	410-416 Chronic rheumatic heart disease	420 Arteriosclerotic heart disease	421 Chronic endocarditis not specified as rheumatic	422 Other myocardial degeneration	430-434 Other diseases of heart	440-443 Hypertension with heart disease	444-447 Hypertension without heart disease	450 General arteriosclerosis	451-456 Other diseases of arteries	Rem. 400-468 Other circulatory disease
001-008	Tuberculosis of respiratory system	138	–	2	–	–	44	–	2	4	–	2	11	2	–	28	–	5	3	2	–	1	1	–
010-019	Tuberculosis—other forms	23	15	–	–	–	3	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
020-029	Syphilis and its sequelæ	10	1	1	–	–	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
030-138	Other infectious and parasitic diseases	21	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	4	–	1	2	1	–	1
151	Malignant neoplasm of stomach	16	1	–	–	–	–	–	–	–	2	–	4	–	–	3	–	3	1	–	–	–	–	1
152, 153	Malignant neoplasm of intestines, except rectum	22	–	–	–	–	–	–	–	–	–	–	5	–	–	8	–	5	–	1	–	–	–	–
154	Malignant neoplasm of rectum	12	–	–	–	–	–	–	–	–	1	–	3	–	–	2	–	3	1	–	–	–	–	–
162, 163	Malignant neoplasm of trachea, bronchus and lung	32	4	–	1	–	–	–	–	–	2	–	3	1	–	6	–	4	–	–	–	–	–	–
177	Malignant neoplasm of prostate	43	1	–	–	–	–	–	–	–	–	–	12	–	–	13	–	10	–	1	1	–	–	–
Rem. 140-199	Malignant neoplasm of other and unspecified sites	69	2	–	–	–	–	–	–	–	2	–	13	–	–	13	2	16	–	1	–	2	1	2
200-205	Neoplasm of lymphatic and hæmotopoietic tissues	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–
210-239	Benign and unspecified neoplasms	11	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	2	–	–	–	–	–	2
241	Asthma	107	5	–	–	–	7	–	–	–	–	–	2	1	–	20	–	9	3	1	–	–	–	–
260	Diabetes mellitus	169	9	–	–	–	14	–	–	–	–	–	42	5	1	41	–	13	1	5	3	4	1	1
290-293	Anæmias	95	1	–	–	–	11	–	–	3	–	2	7	1	1	25	1	11	4	5	–	5	–	1
Rem. 240-299	Other general diseases	48	–	–	–	–	1	–	1	1	–	–	3	2	1	11	–	9	3	–	–	2	–	1

410-416	Chronic and rheumatic heart disease*	331	9	2	1	2	52	1	1	17	3	1	55	11	–	–	–	–	–	–	–	–	–	4	2	2
420	Arteriosclerotic heart disease	42	–	–	–	1	3	–	–	1	1	–	5	–	–	–	–	–	–	–	5	6	1	–		
421	Chronic endocarditis not specified as rheumatic	1115	28	1	5	2	116	–	12	13	14	1	231	25	–	–	–	–	–	–	–	–	3	2		
422	Other myocardial degeneration	952	32	3	2	1	60	1	8	4	6	4	54	6	–	–	–	–	–	1	10	95	10	5		
430-434	Other diseases of heart	71	–	–	1	–	7	–	–	1	1	2	10	1	–	–	–	–	–	–	–	–	1	1		
440-443	Hyptertension with heart disease	91	1	–	1	1	10	–	–	2	–	–	1	3	5	1	3	–	4	–	–	–	7	3		
444-447	Hypertension without heart disease	142	2	–	–	–	26	1	1	10	2	–	–	3	3	1	5	1	13	1	–	–	–	2		
450	General arteriosclerosis	54	1	–	–	1	2	–	–	1	–	–	6	1	2	20	–	8	1	1	2	–	–	–		
451-456	Other diseases of arteries	138	–	–	–	–	21	–	–	–	–	–	7	1	11	43	3	12	6	8	1	1	–	–		
465	Pulmonary embolism and infarction	82	–	–	–	1	11	1	–	1	–	2	8	–	–	14	–	5	1	2	1	8	–	–		
Rem. 400-468	Other circulatory disease	50	2	–	–	–	1	1	1	–	–	–	3	3	–	13	1	14	2	–	1	–	1	1		
480-483	Influenza	1256	–	2	5	7	225	1	4	7	8	2	260	76	4	73	6	112	9	17	21	42	6	4		
490-493	Pneumonia (except of newborn)	768	9	–	2	1	43	1	34	1	2	–	21	9	8	156	10	256	17	25	12	21	1	3		
500-502	Bronchitis	509	–	1	–	2	82	–	1	4	1	–	51	30	8	32	5	131	8	17	14	26	–	1		
522	Pulmonary congestion and hypostasis	118	–	–	–	1	24	–	–	–	–	–	7	1	–	41	–	15	2	7	–	–	–	1		
523	Pneumoconiosis	64	–	1	–	1	7	–	1	–	–	–	–	–	1	2	–	8	–	1	–	1	–	–		
526	Bronchiectasis	214	–	–	1	–	25	–	11	1	–	1	1	2	3	33	3	39	12	13	4	5	2	2		
Rem. 470-527	Other respiratory diseases	119	4	1	3	–	9	–	–	1	–	–	7	–	3	37	–	13	1	5	3	4	–	–		
540, 541	Ulcer of stomach and duodenum	52	1	–	–	–	6	–	–	–	–	–	–	1	3	9	–	7	3	3	1	5	1	–		
560, 561, 570	Intestinal obstruction and hernia	27	1	–	–	–	–	–	–	–	–	2	–	1	–	4	–	5	1	–	–	1	–	–		
571, 572	Gastro-enteritis and ulcerative colitis	59	1	–	–	–	5	–	–	–	–	2	1	1	1	14	2	11	–	1	2	2	–	3		
580-586	Diseases of liver	45	–	–	–	–	8	–	–	2	–	2	1	4	–	7	–	3	–	–	2	4	–	–		
Rem. 530-587	Other diseases of digestive system	76	5	–	–	–	3	1	1	8	–	–	5	1	3	10	–	12	3	5	1	–	1	–		
590-594	Nephritis and nephrosis	150	–	–	–	–	10	–	–	–	–	–	27	4	1	26	1	29	2	6	–	4	1	3		
610	Hyperplasia of prostate	196	2	–	1	–	17	2	–	–	1	–	19	6	1	21	1	23	2	7	3	8	–	2		
Rem. 600-637	Other diseases of genito-urinary system	71	–	–	–	–	5	–	–	–	–	1	8	2	4	14	–	20	1	3	–	1	–	–		
720-727	Arthritis and rheumatism, except rheumatic fever	63	–	–	–	–	5	–	–	4	–	–	6	9	–	5	–	13	1	2	–	2	–	–		
Rem. 690-749	Other diseases of skin and organs of locomotion	29	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–		
750-759	Congenital malformations	41	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–		
760-776	Diseases peculiar to early infancy	142	–	–	1	–	3	–	–	1	–	–	26	4	2	14	–	44	4	8	14	8	1	–		
792	Uræmia	186	2	–	–	1	26	–	–	1	3	5	29	1	1	5	1	2	5	6	13	1	1	1		
794	Senility	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–		
Rem. 780-795	Causes ill-defined and unknown	68	1	–	–	1	3	–	–	–	–	–	21	1	–	7	–	15	1	2	1	3	–	–		
E900-E904	Accidental falls	25	–	–	–	–	3	–	–	–	–	–	4	1	1	4	–	4	1	–	–	2	–	–		
Rem. E800-E999	Other violence																									
	Number of cases with mention of a secondary cause of death	9130	146	14	26	24	982	12	80	108	56	40	1027	237	90	931	53	1154	140	202	126	272	48	54		
	Number of cases without mention of a secondary cause of death	22521	332	33	45	67	4609	43	36	21	32	32	3049	195	202	4888	103	2557	152	343	214	336	95	68		
	Total number of cases	31651	478	47	71	91	5591	55	116	129	88	72	4076	432	292	5819	156	3711	292	545	340	608	143	221		

*Classified in accordance with the Sixth Revision, 1948

Deaths in Scotland by Primary and Secondary Causes, Males, 1956—*continued*

	Secondary Cause of Death	Primary Cause of Death																						
		480-483 Influenza	490-493 Pneumonia (except of newborn)	500-502 Bronchitis	522 Pulmonary congestion and hypostasis	523 Pneumoconiosis	526 Bronchiectasis	Rem. 470-527 Other respiratory diseases	540, 541 Ulcer of stomach and duodenum	571, 572 Diarrhœa (except of newborn)	580-586 Diseases of liver	Rem. 530-587 Other digestive diseases	590-594 Nephritis and nephrosis	610 Hyperplasia of prostate	Rem. 600-637 Other diseases of genito-urinary system	720-727 Arthritis and rheumatism, except rheumatic fever	Rem. 690-749 Other diseases of skin and organs of locomotion	750-759 Congenital malformations	760-776 Diseases peculiar to early infancy	792 Uræmia	794 Senility	Rem. 780-795 Causes ill-defined and unknown	E900-E904 Accidental falls	Rem. E800-E999 Other violence
001-008	Tuberculosis of respiratory system	–	8	7	–	–	2	–	2	–	2	3	3	1	1	1	–	1	–	–	–	–	–	–
010-019	Tuberculosis—other forms	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	Syphilis and its sequelæ	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
030-138	Other infectious and parasitic diseases	–	4	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
151	Malignant neoplasm of stomach	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
152, 153	Malignant neoplasm of intestines, except rectum	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
154	Malignant neoplasm of rectum	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
162, 163	Malignant neoplasm of trachea, bronchus and lung	–	–	–	–	–	–	–	5	–	1	3	–	1	–	–	–	–	–	–	–	–	1	–
177	Malignant neoplasm of prostate	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Rem. 140-199	Malignant neoplasm of other and unspecified sites	–	1	1	–	3	1	2	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	1
200-205	Neoplasm of lymphatic and hæmotopoietic tissues	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
210-239	Benign and unspecified neoplasms	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
241	Asthma	2	2	53	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
260	Diabetes mellitus	–	9	1	–	–	–	–	6	–	3	2	3	3	–	–	2	–	–	–	–	–	–	–
290-293	Anæmias	–	5	5	–	–	–	–	1	–	1	–	2	1	–	1	–	–	–	–	–	–	–	1
Rem. 240-299	Other general diseases	–	5	–	–	–	1	–	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–

Rem. 340-398		–	3	6	–	–	–	–	2	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
410-416	Chronic and rheumatic heart disease	7	32	54	–	11	1	5	17	2	2	7	5	15	4	2	–	–	–	–	–	–	4	4
420	Arteriosclerotic heart disease	–	3	11	–	–	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
421	Chronic endocarditis not specified as rheumatic	23	103	372	–	41	18	17	9	2	6	16	12	19	1	13	1	1	–	–	–	–	5	3
422	Other myocardial degeneration	3	58	422	–	52	15	23	12	1	2	9	18	14	9	–	3	1	–	–	–	–	5	3
430-434	Other diseases of heart	–	6	16	–	3	2	1	–	–	–	1	4	5	4	–	1	–	–	–	–	–	–	3
440-443	Hypertension with heart disease	–	6	12	–	3	–	–	4	–	1	4	3	8	3	–	–	4	–	–	–	–	1	–
444-447	Hypertension without heart disease	–	22	11	–	2	–	1	8	–	3	5	–	7	5	–	–	2	–	–	–	–	3	2
450	General arteriosclerosis	–	2	2	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
451-456	Other diseases of arteries	–	5	1	–	–	1	–	2	1	–	3	–	4	–	–	–	1	–	–	–	–	5	1
465	Pulmonary embolism and infarction	1	6	2	–	–	–	–	1	2	3	1	–	4	5	–	–	–	–	–	–	–	2	–
Rem. 400-468	Other circulatory disease	–	–	1	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
480-483	Influenza	–	–	90	–	5	4	14	40	19	15	36	12	32	19	3	8	17	–	–	–	–	37	14
490-493	Pneumonia (except of newborn)	–	57	–	–	22	–	4	9	3	1	9	8	7	3	2	5	2	–	–	–	–	2	2
500-502	Bronchitis	–	–	3	–	3	–	–	9	1	4	11	7	5	5	–	2	–	–	–	29	–	14	2
522	Pulmonary congestion and hypostasis	2	3	11	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
523	Pneumoconiosis	–	6	29	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	2
526	Bronchiectasis	1	21	12	–	–	1	–	5	–	3	3	2	3	–	–	1	–	–	–	–	–	2	2
Rem. 470-527	Other respiratory diseases	–	4	6	–	3	–	–	–	1	4	2	–	1	–	–	1	3	–	–	–	–	–	3
540, 541	Ulcer of stomach and duodenum	–	5	–	–	–	–	–	–	–	–	2	–	1	3	–	–	–	1	–	–	–	–	–
560, 561, 570	Intestinal obstruction and hernia	1	6	1	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
571, 572	Gastro-enteritis and ulcerative colitis	1	3	–	–	–	–	1	4	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
580-586	Diseases of liver	–	6	–	–	–	–	1	3	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Rem. 530-587	Other diseases of digestive system	1	2	–	–	2	2	–	1	–	1	1	–	3	–	–	2	–	–	–	–	–	–	2
590-594	Nephritis and nephrosis	–	10	7	–	–	1	–	1	–	1	2	4	–	6	1	–	–	–	–	–	–	2	1
610	Hyperplasia of prostate	–	8	4	–	–	–	1	1	2	–	3	–	54	–	1	1	1	–	–	–	–	2	2
Rem. 600-637	Other diseases of genito-urinary system	–	3	2	–	–	1	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1
720-727	Arthritis and rheumatism, except rheumatic fever	–	3	1	–	–	–	–	–	2	–	–	2	3	–	3	–	1	–	–	–	–	–	1
Rem. 690-749	Other diseases of skin and organs of locomotion	–	7	2	–	–	–	1	1	1	1	1	–	–	–	–	–	–	12	–	–	–	–	1
750-759	Congenital malformations	–	3	–	–	–	–	1	–	3	–	4	–	–	–	–	–	27	–	–	–	–	–	–
760-776	Diseases peculiar to early infancy	–	4	1	–	–	–	–	2	1	1	1	–	–	–	–	1	–	–	–	–	–	1	–
792	Uræmia	4	31	24	–	–	1	1	2	1	–	–	2	5	4	–	2	–	–	–	–	–	5	–
794	Senility	–	3	2	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rem. 780-795	Causes ill-defined and unknown	–	7	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
E900-E904	Accidental falls	–	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rem. E800-E999	Other violence																							
	Number of cases with mention of a secondary cause of death	51	555	1196	–	164	53	84	174	49	62	149	110	225	81	35	35	71	15	–	29	–	104	66
	Number of cases without mention of secondary cause of death	55	418	227	15	80	22	51	259	87	139	218	154	196	96	9	17	274	878	2	241	156	165	1310
	Total number of cases	106	973	1423	15	244	75	135	433	136	201	367	264	421	177	44	52	345	893	2	270	156	269	1376

Deaths in Scotland by Primary and Secondary Causes, Females, 1956*

Secondary Cause of Death		Primary Cause of Death: Total	001-008 Tuberculosis of respiratory system	010-019 Tuberculosis—other forms.	020-029 Syphilis and its sequelæ	030-138 Other infectious and parasitic diseases	140-205 Malignant neoplasms	210-239 Benign and unspecified neoplasms	241 Asthma	260 Diabetes mellitus	290-293 Anæmias	Rem. 240-299 Other general diseases	330-334 Vascular lesions affecting central nervous system	Rem. 300-398 Other diseases of nervous system	410-416 Chronic rheumatic heart disease	420 Arteriosclerotic heart disease	421 Chronic endocarditis not specified as rheumatic	422 Other myocardial degeneration	430-434 Other diseases of heart	440-443 Hypertension with heart disease	444-447 Hypertension without heart disease	450 General arteriosclerosis	451-456 Other diseases of arteries
001-008	Tuberculosis of respiratory system	42	–	3	–	–	8	–	–	1	–	–	5	–	1	5	2	6	–	2	–	–	–
010-019	Tuberculosis—other forms	17	7	–	–	–	4	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–
020-029	Syphilis and its sequelæ	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-138	Other infectious and parasitic diseases	16	–	1	–	–	2	–	–	–	–	–	4	1	–	1	–	1	–	–	–	3	–
151	Malignant neoplasm of stomach	9	–	–	–	–	–	–	–	1	–	–	5	–	–	3	–	–	–	–	–	–	–
152, 153	Malignant neoplasm of large intestine (except rectum)	15	–	–	–	–	–	–	–	1	1	–	6	–	–	4	–	–	–	–	–	–	–
154	Malignant neoplasm of rectum	3	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
162, 163	Malignant neoplasm of trachea, bronchus and lung	6	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–
170	Malignant neoplasm of breast	52	–	–	–	–	–	–	–	2	–	–	15	–	3	8	1	10	1	1	1	3	–
171-176	Malignant neoplasm of female genital organs	20	–	–	–	–	–	–	–	1	–	–	5	1	–	4	–	4	–	–	1	1	–
Rem. 140-199	Other and unspecified neoplasms	27	–	–	–	–	–	–	1	–	–	–	8	1	–	–	–	3	–	2	1	2	–
200-205	Malignant neoplasms of lymphatic and hæmotopoietic tissues	5	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
210-239	Benign and unspecified neoplasms	16	–	–	–	–	–	–	–	1	–	1	2	–	1	3	–	2	–	–	–	1	1
241	Asthma	92	1	–	–	–	3	–	–	–	–	–	5	–	1	14	–	21	4	3	5	1	–
260	Diabetes mellitus	383	3	–	–	1	35	–	1	–	–	1	28	–	2	102	–	69	4	24	8	10	–

330-334	Vascular lesions affecting central nervous system	113	1	1	–	1	11	1	1	5	1	2	30	–	5	13	–	8	1	–	–	3	–
Rem. 340-398	Other diseases of nervous system	81	1	–	–	1	6	–	–	–	2	1	25	1	–	–	–	–	–	–	–	3	1
410-416	Chronic rheumatic heart disease	239	1	–	–	–	32	2	6	45	5	8	59	4	–	–	–	–	–	–	–	–	1
420	Arteriosclerotic heart disease	46	–	–	–	–	2	–	1	2	1	–	10	1	–	–	–	–	–	–	5	6	1
421	Chronic endocarditis not specified as rheumatic	1120	14	–	–	2	127	3	27	47	26	16	325	35	–	–	–	–	–	–	–	–	9
422	Other myocardial degeneration	646	15	2	–	1	60	3	12	18	6	12	95	10	–	–	–	–	–	1	21	71	8
430-434	Other diseases of heart	85	–	1	1	1	7	1	–	5	1	3	25	2	–	–	–	–	–	–	–	–	2
440-443	Hypertension with heart disease	121	–	–	–	–	19	1	2	8	2	1	2	3	12	–	5	–	9	–	–	–	3
444-447	Hypertension without heart disease	99	–	–	–	1	24	1	–	17	4	1	3	3	4	–	–	–	–	–	–	–	–
450	General arteriosclerosis	35	–	–	–	–	5	–	–	–	–	–	8	3	7	7	–	–	–	–	–	–	–
451-456	Other diseases of arteries	149	–	–	–	–	32	1	–	3	2	2	9	3	17	27	–	13	5	4	1	–	–
465	Pulmonary embolism and infarction	94	1	–	–	–	21	1	–	4	1	1	9	1	8	11	–	8	1	3	4	–	–
Rem. 400-468	Other circulatory disease	69	–	–	–	–	–	–	2	1	1	1	5	3	3	9	–	27	2	4	2	2	–
480-483	Influenza	1180	–	–	3	8	173	6	2	17	6	6	293	60	12	51	1	152	11	25	25	64	6
490-493	Pneumonia (except of newborn)	410	–	–	–	2	16	2	18	4	1	–	42	6	11	56	7	133	10	21	7	16	1
500-502	Bronchitis	793	–	–	–	2	57	–	–	3	3	1	199	36	9	45	11	195	15	22	13	35	3
522	Pulmonary congestion and hypostasis	35	–	–	–	–	1	–	2	1	–	–	3	–	–	1	–	6	1	–	–	1	–
526	Bronchiectasis	163	–	–	–	1	14	1	4	2	2	1	7	4	7	17	2	31	9	10	7	3	–
Rem. 470-527	Other respiratory diseases	46	–	–	–	–	3	–	–	1	–	1	5	1	1	13	–	4	–	–	2	2	–
540, 541	Ulcer of stomach and duodenum	58	–	–	–	–	2	–	–	1	–	–	7	1	9	10	2	8	1	2	–	4	1
560, 561, 570	Intestinal obstruction and hernia	46	–	–	–	–	1	–	–	2	4	2	3	1	–	2	–	9	1	1	–	1	–
571, 572	Diarrhœa (except of newborn)	106	–	–	–	2	3	–	–	1	1	1	6	–	3	30	1	22	1	4	3	3	–
580-586	Diseases of liver	65	1	–	–	–	3	2	–	3	1	–	11	3	1	4	–	12	–	1	2	4	–
Rem. 530-587	Other digestive diseases	100	3	–	–	2	2	1	–	12	2	2	11	–	2	9	2	21	3	3	1	–	2
590-594	Nephritis and nephrosis	147	–	–	–	–	22	6	–	9	–	1	17	11	1	10	–	17	2	3	7	3	1
600-637	Other diseases of genito-urinary system	4	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–
640-689	Complications of pregnancy, childbirth and puerperium	202	2	–	–	1	10	–	–	–	4	3	31	3	8	21	1	70	3	7	1	12	1
720-727	Arthritis and rheumatism	67	1	–	–	–	3	–	–	3	–	1	10	8	–	3	–	13	–	–	2	4	–
Rem. 690-749	Diseases of skin and organs of locomotion	24	–	–	–	–	1	–	1	–	–	–	3	2	–	–	–	–	–	–	–	–	–
750-759	Congenital malformations	38	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
760-776	Diseases of early infancy	121	1	–	–	–	2	–	–	2	1	1	26	2	4	4	4	44	–	4	10	5	1
792	Uræmia	368	–	–	–	–	37	1	1	5	13	2	59	12	1	5	2	3	11	4	18	–	2
794	Senility	10	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	3	–	–
Rem. 780-795	Cause ill-defined and unknown	158	–	–	–	–	7	–	–	3	2	–	35	4	1	11	–	45	3	5	2	12	–
E900-E904	Accidental falls	26	–	–	–	–	2	–	–	–	–	–	4	1	–	3	–	7	2	–	–	4	–
Rem. E800-E999	Other violence																						
	Number of cases with mention of a secondary cause of death	9098	56	8	6	32	840	34	83	291	105	79	1569	253	219	656	58	1408	141	223	164	288	51
	Number of cases without mention of a secondary cause of death	21043	181	31	11	52	4323	57	48	53	52	36	4035	218	308	2955	133	3546	175	514	205	416	54
	Total number of cases	30141	237	39	17	84	5163	91	131	344	157	115	5604	471	527	3611	191	4954	316	737	369	704	105

*Classified in accordance with the Sixth Revision—1948

Deaths in Scotland by Primary and Secondary Causes, Females, 1956—*continued*

	Secondary Cause of Death	Primary Cause of Death																						
		Rem. 400-468 Other circulatory disease	480-483 Influenza	490-493 Pneumonia (except of newborn)	500-502 Bronchitis	522 Pulmonary congestion and hypostasis	526 Bronchiectasis	Rem. 470-527 Other respiratory diseases	540, 541 Ulcer of stomach and duodenum	571, 572 Diarrhœa (except of newborn)	580-586 Diseases of liver	Rem. 530-587 Other digestive diseases	590-594 Nephritis and nephrosis	600-637 Other diseases of genito-urinary system	640-689 Complications of pregnancy, childbirth and puerperium	720-727 Arthritis and rheumatism except rheumatic fever	Rem. 690-749 Diseases of skin and organs of locomotion	750-759 Congenital malformations	760, 776 Diseases of early infancy	792 Uræmia	794 Senility	Rem. 780-795 Cause ill-defined and unknown	E900-E904 Accidental falls.	Rem. E800-E999 Other violence
001-008	Tuberculosis of respiratory system	1	–	3	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1
010-019	Tuberculosis—other forms	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	Syphilis and its sequelæ	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
030-138	Other infectious and parasitic diseases	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
151	Malignant neoplasm of stomach	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
152, 153	Malignant neoplasm of large intestine (except rectum)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
154	Malignant neoplasm of rectum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
162, 163	Malignant neoplasm of trachea, bronchus and lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
170	Malignant neoplasm of breast	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–
171-176	Malignant neoplasm of female genital organs	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–
Rem. 140-199	Other and unspecified neoplasms	1	–	2	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	2
200-205	Malignant neoplasms of lymphatic and hæmotopoietic tissues	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
210-239	Benign and unspecified neoplasms	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–
241	Asthma	–	2	1	30	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	Diabetes mellitus	4	1	10	–	–	–	–	4	1	–	4	6	4	–	–	1	–	–	–	–	–	8	–

330-334	Vascular lesions affecting central nervous system	2	–	5	–	–	–	–	3	1	1	2	3	3	–	1	1	2	–	–	–	–	3	2
Rem. 340-398	Other diseases of nervous system	1	1	9	4	–	–	1	2	1	–	12	5	1	–	2	–	–	–	–	–	–	–	1
410-416	Chronic rheumatic heart disease	5	6	7	11	–	–	2	4	3	8	6	6	2	–	3	1	1	–	–	–	–	7	4
420	Arteriosclerotic heart disease	–	2	4	4	–	–	1	–	–	–	–	2	1	–	2	–	–	–	–	–	–	1	–
421	Chronic endocarditis not specified as rheumatic	3	30	100	170	–	4	8	9	7	27	20	21	4	–	45	6	–	–	–	–	–	28	7
422	Other myocardial degeneration	9	7	60	149	–	8	11	2	3	6	17	12	6	2	7	1	1	–	–	–	–	9	1
430-434	Other diseases of heart	–	2	9	7	–	–	–	2	1	3	2	6	2	–	1	–	–	–	–	–	–	1	–
440-443	Hypertension with heart disease	2	5	8	6	–	1	–	4	–	2	4	–	13	–	1	–	2	–	–	–	–	4	2
444-447	Hypertension without heart disease	–	–	6	8	–	1	–	3	–	4	–	–	5	–	4	–	–	–	–	–	–	10	–
450	General arteriosclerosis	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1
451-456	Other diseases of arteries	–	–	2	1	–	–	–	3	–	1	4	1	3	–	–	–	1	–	–	–	–	12	2
465	Pulmonary embolism and infarction	–	–	2	1	–	–	–	1	3	5	5	1	–	–	1	–	–	–	–	–	–	–	1
Rem. 400-468	Other circulatory disease	–	–	–	3	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
480-483	Influenza	10	–	–	42	–	4	5	7	14	17	24	3	10	4	10	4	20	1	1	–	–	67	16
490-493	Pneumonia (except of newborn)	2	–	24	–	–	–	2	–	–	3	6	2	2	–	5	–	4	–	–	–	–	3	4
500-502	Bronchitis	2	–	1	6	–	–	2	3	3	2	9	3	7	–	10	5	2	–	–	33	–	52	4
522	Pulmonary congestion and hypostasis	–	–	4	9	–	–	–	2	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–
526	Bronchiectasis	1	1	19	4	–	–	–	2	1	–	1	2	2	–	2	2	2	–	–	–	–	2	–
Rem. 470-527	Other respiratory diseases	1	–	1	2	–	–	1	–	1	–	4	1	–	–	–	–	1	–	–	–	1	–	–
540, 541	Ulcer of stomach and duodenum	1	–	2	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–
560, 561, 570	Intestinal obstruction and hernia	–	–	10	–	–	–	–	–	–	–	3	2	–	–	–	2	1	–	–	–	–	–	1
571, 572	Diarrhœa (except of newborn)	3	–	7	1	–	–	–	7	2	–	5	–	–	–	–	–	–	–	–	–	–	–	–
580-586	Diseases of liver	–	–	1	1	–	–	1	2	1	4	–	2	–	–	–	–	3	–	–	–	–	2	–
Rem. 530-587	Other digestive diseases	1	–	3	3	–	–	–	2	2	3	1	–	4	–	2	–	–	–	–	–	–	1	–
590-594	Nephritis and nephrosis	2	1	9	–	–	1	–	–	2	6	3	2	–	–	1	1	1	–	–	–	–	6	2
600-637	Other diseases of genito-urinary system	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640-689	Complications of pregnancy, childbirth and puerperium	–	–	7	1	–	–	1	3	1	–	2	4	2	–	–	1	–	–	–	–	–	1	1
720-727	Arthritis and rheumatism	–	–	4	2	–	1	–	–	2	–	–	3	–	–	2	–	–	–	–	2	–	3	–
Rem. 690-749	Diseases of skin and organs of locomotion	–	–	1	1	–	1	1	–	2	–	–	–	–	–	–	–	–	10	–	–	–	–	1
750-759	Congenital malformations	–	–	5	1	–	–	–	–	1	–	3	–	–	–	–	–	25	–	–	–	1	–	–
760-776	Diseases of early infancy	–	–	2	1	–	–	–	–	–	1	–	1	–	–	2	1	–	–	–	–	–	2	–
792	Uræmia	1	20	56	34	1	–	2	3	3	5	9	8	2	–	11	3	–	–	–	–	–	33	1
794	Senility	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rem. 780-795	Cause ill-defined and unknown	2	–	14	1	–	–	–	1	–	1	–	–	4	–	2	–	–	–	–	2	–	–	1
E900-E904	Accidental falls	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rem. E800-E999	Other violence																							
	Number of cases with mention of a secondary cause of death	67	87	488	521	1	23	42	84	66	113	167	118	91	9	143	35	76	13	1	38	2	285	64
	Number of cases without mention of a secondary cause of death	94	69	455	133	15	15	29	91	92	145	174	146	111	42	26	20	241	566	1	439	88	78	570
	Total number of cases	161	156	943	654	16	38	71	175	158	258	341	264	202	51	169	55	317	579	2	477	90	363	634

Appendix XIII

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31ST DECEMBER, 1958

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes", a descriptive account of the weather is given in the "Quarterly Returns" published by the authority of the Registrar-General, and the Notes are accompanied by statistics for some of the Principal Towns.

The present report, for the year 1958, is of a general character as to text and to it are appended tables summarising the statistics for the various stations (pages 482-489).

General. The outstanding features of the year are indicated in the course of the Report. The most notable are:

(*a*) Heavy snowfalls in winter.

(*b*) A dry spring followed by a wet summer (except in the Northwest) and a dry autumn.

(*c*) An unusually high frequency of easterly winds resulting in more than average rainfall in East Scotland and less than average in most other areas.

(*d*) A high frequency of fog but only slightly more than the average occurrence of gales and thunderstorms.

Gales. Winds reached gale force at exposed places on 136 days, an appreciably higher incidence than in 1957. High winds caused considerable damage in January; in gusts wind speeds rose to 82 knots at Grimsetter, Orkney. Gusts exceeding 70 knots were recorded at Stornoway on February 1st, at Tiree on October 16th and at Benbecula and Tiree on December 28th/29th.

Temperature. Mean temperature for the year, based on records from the main centres of population, was about average. Temperature on the whole was appreciably below the average until the end of July, March being the coldest one in Scotland since 1947. In the late months, mildness predominated, especially in September which was one of the mildest for a hundred years. The lowest readings for the year were an air minimum of minus 9 (41 degrees of frost) at Logie Coldstone on March 14th—a new low "record" for the month of March —and minus 10 on the grass at Braemar, Balcladaich (Inverness-shire) and Glenmore Lodge on March 12th or 14th. The thermometer reached its highest (85°) at Paisley on July 4th and 5th.

Both January and February were mild at the beginning and end, with intervening periods of northerly winds which brought severe frost and heavy snowfall. In March the weather was mild at first but it became very cold with heavy snow which paralysed traffic in the northern counties. The easterly winds which had predominated in March continued until mid-April with wintry showers but it

ecame milder in the second half of the month, temperatures reaching 67°-68° ı some Moray Firth districts on April 30th. Equally high readings were recorded ırly in May but rather cool and unsettled weather followed. Temperature in une was appreciably below the seasonal level; there were a few mild periods ut also spells of cool east winds.

In July and August temperature was mainly moderate, but the highest eadings of the year occurred during a very mild period in the first week of July. ı September the mild southerly winds of the first half gave place to cooler eather and, taken as a whole, it was the first really mild month of 1958, mean emperature being about $3\frac{1}{2}°$ above average. The general mildness continued for ıe most part in October and November. Though December was mild at the tart, frost and snow came in the second week and, on the whole, the month was ather cold and unsettled.

Rainfall. Total precipitation in 1958 ranged from a deficiency of about 15 ıer cent. over much of the west to an excess of about the same order over a large ıart of East Scotland. The excess in the eastern part of the country was largely lue to the frequent occurrence of easterly winds. The most notable features were he dry weather in spring, excessive rainfall in summer and a return to dry veather in autumn. Except in northwest Scotland the wet summer marred the ıoliday season and the unsettled weather made harvest operations difficult.

The northwest and northeast were wet in January but Fife and East Lothian ıad only half the average in places. The counties of Inverness, Argyll and Perth ınd also the Central Lowlands were dry in February. East Scotland, because of easterly winds, was wet in March and to some extent also in April in contrast o dry weather in the west in both these months. There was an excess in most parts of the country in May. From June to August the west and northwest were comparatively dry whereas a moderate to large excess occurred in many eastern districts. In Edinburgh, July was one of the wettest ones in records going back to 1836. The northwest and parts of the east were dry in September. October brought more than average rainfall to the northwest but many areas lying to the south of the Great Glen had only about one half of the seasonal rainfall. November, with only about one half of average was a remarkably dry month practically everywhere. At Balmoral and Braemar it was the driest November since 1867 and 1882 respectively. December was largely unsettled and rainfall rather variable, East Scotland being very wet in parts and the northwest having a moderate deficiency.

Amongst heavy falls of rain in 24 hours—some of them causing damage by flooding—were 3·13 inches at Cabrach Manse, 3·12 at Drummuir Castle and 3·08 at Keith, all in Banffshire on July 28th. Heavy rains on December 12-14th led to flooding in Fife and in areas adjacent to the Earn near Perth. On the last date, 3·51 inches fell in Strathyre, 2·38 at Kippen House, near Dunning, and 2·35 in Milnathort.

Snowfall. There was more snow in 1958 than in either of the two preceding years. In January, blizzards between the 18th and 25th isolated farms and villages in the northeast. Heavy snowfalls on February 7th-9th affected most of the country and further falls occurred on February 23rd-24th, when, in Central and South Scotland, many roads were blocked and some rural districts completely cut-off. A good deal of snow fell also in March, a blizzard on the 8th

paralysing traffic in the North. At Braemar snow lay continuously from March 6th until the end of the month. There were mainly local showers in November between the 8th and 13th but in December moderate to heavy falls affected a fairly wide area of East Scotland between the 12th and 15th. Deep snow drifts blocked some roads and others were covered with ice and frozen snow.

Thunder. There was slightly more than the normal occurrence of thunder. It was heard at one place or other on 14 days in January, 18 in May and 16 in August. Storms on July 15th caused flooding in Greenock and Edinburgh and more flooding occurred in places following widespread outbreaks on August 20th. September 6th was another thundery day when flooding and structural damage occurred. Storms were fairly widely reported on December 28th/29th.

Sunshine. Records of bright sunshine for the year were less than average except at some stations in north and northwest Scotland. Quite large deficiencies occurred at some places in East Scotland. Stornoway's total of 1,267 hours was 51 hours above average, whereas Craibstone (Aberdeenshire), Edinburgh and Dumfries had each a shortage of over 100 hours. The highest annual aggregates were returned from Dunbar (1,511 hours), Benbecula (1,445), Prestwick Airport (1,429), Arbroath (1,428), Tiree (1,423) and Leuchars (1,412).

January was sunny except in the Moray Firth. February was rather dull on the whole and the north and northwest were about the only sunny areas in March. South Scotland had the best records in April but May, despite being rather unsettled, was surprisingly bright, a few stations registering over 200 hours for the month. June was a sunny month in the Hebrides in contrast to fairly poor records on the mainland.

July was the sunniest one in places since 1955 but it was dull locally on the East coast. August, in complete contrast, was exceedingly wet and dull. Records in September were mainly up to the seasonal average but practically all areas except east Scotland were dull in October. Leuchars and Dyce returned their highest August totals for over 30 years. Some northern districts and also the Moray Firth area had good records in November but in many other places sunshine was restricted by fog and cloud. Sunshine was rather variable in December, coastal areas having considerably more than inland districts.

Fog. The year was an abnormally foggy one, there being fog at one place or other on 238 days. December had it on 30 days, November on 28 and June on 26. The worst fogs occurred on January 24th in Clyde districts and both the Clyde and Forth areas had dense fog on November 13th, 16th and 27th. The Glasgow area had it on December 1st and 6th and also around Christmas. On December 1st many motorists abandoned their vehicles in the centre of Glasgow because of poor visibility.

Aurora. The Aurora Borealis was seen, mainly at northern stations, on 179 nights, the highest frequency of occurrence since at least 1934. The months with the highest number of reports were February (21 nights), April (20) and December (22).

(*For statistical tables see pages* 482-489.)

Table 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Bir Stillbirths, Deaths and Marriages registered in each year, 1855-1958

Year	Estimated Mid-Year Population	Live-Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Un 1 Y
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,
1856	2,995,771	101,821	52.239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	†16	21,369	61,906	30,937	30,969	12,
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,
1855-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	—	*1,282*	*†16*	*20,645*	*62,644*	*31,139*	*31,505*	*12,*
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,
1861-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	—	*1,298*	*13*	*22,013*	*69,265*	*34,380*	*34,885*	*13,*
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	†13	22,618	69,068	34,363	34,705	13,
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,
1869	3,305,889	113,354	58,321	55,033	11,066	—	1,407	15	22,144	75,875	37,868	38,007	14,
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,
1866-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	—	*1,393*	*†13*	*22,832*	*71,974*	*35,823*	*36,151*	*13,*
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	75,794	37,939	37,855	14,
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,
1871-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	—	*1,416*	*13*	*25,754*	*77,988*	*38,961*	*39,027*	*15,*
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	13,
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,
1876-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	—	*1,430*	*14*	*24, 956*	*74,801*	*37,463*	*37,338*	*14,*
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,004	72,325	36,097	36,228	14,
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,
1881-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	—	*1,417*	*14*	*26,176*	*74,396*	*37,041*	*37,355*	*14,*
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,
1886-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	—	*1,378*	*13*	*25,702*	*74,320*	*36,729*	*37,591*	*14,*
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,
1891-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	—	*1,420*	*13*	*27,962*	*78,350*	*38,797*	*39,553*	*15,*
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,
1896-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	—	*1,465*	*16*	*31,771*	*78,021*	*39,070*	*38,951*	*16,*

* Live births only prior to 1939
† Including one case of quadruplets

Table 1—*continued*

r	Estimated Mid-Year Population	Live-Births				Still-Births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,104
2	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,004
3	4,535,513	133,525	68,087	65,438	8,295	—	1,604	†13	32,351	76,002	38,136	37,866	15,693
4	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,329
5	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,275
05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	—	*1,599*	*†17*	*31,838*	*77,313*	*38,716*	*38,597*	*15,881*
6	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,174
7	4,650,478	128,840	65,901	62,939	8,791	—	1,676	†14	33,298	77,296	38,240	39,056	14,140
8	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,900
9	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,856
0	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,436
10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	—	*1,609*	*†14*	*31,811*	*75,534*	*37,596*	*37,938*	*14,501*
1	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,707
2	4,741,077	122,790	62,931	59,859	8,989	—	1,524	13	32,506	72,340	36,072	36,268	12,949
3	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,214
4	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,710
5	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	—	*1,538*	*15*	*33,857*	*74,466*	*37,253*	*37,213*	*13 604*
6	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
7	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
8	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836
9	4,820,077	106,268	54,771	51,497	8,424	—	1,584	†14	44,060	75,149	37,500	37,649	10,795
0	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,565
20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	—	*1,491*	*†10*	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
2	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
3	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
4	4,862,200	106,900	54,919	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
5	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	—	*1,459*	*10*	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
6	4,864,300	102,449	52,362	50,087	7,046	—	1,279	†12	31,244	63,780	32,021	31,759	8,514
7	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
8	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
9	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
0	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	—	*1,228*	*†11*	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1	4,843,000	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
2	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
3	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019
4	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
5	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	—	*1,076*	*12*	*34,986*	*64,839*	*32,498*	*32,341*	*7,212*
6	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315
7	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
8	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
9	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
0‡	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
40	*4,956,800*	*87,734*	*44,945*	*42,789*	*5,397*	—	*1,116*	*8*	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1‡	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
2‡	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
3‡	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
4‡	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,323	31,280	6,237
5‡	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*3,393*	*1,253*	*†13*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
6‡	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
7	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
8	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
9	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
0	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
50	*5,063,800*	*101,222*	*52,146*	*49,076*	*5,819*	*3,047*	*1,416*	*17*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*
1	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
2	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,154	61,510	31,401	30,109	3,181
3	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800
4	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
5	5,133,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,199	61,645	31,329	30,316	2,811
55	*5,120,700*	*91,366*	*46,952*	*44,414*	*4,259*	*2,390*	*1,272*	*†13*	*41,721*	*61,838*	*31,533*	*30,305*	*3,009*
6	5,144,600	95,313	48,951	46,362	4,069	2,329	1,295	†10	43,963	61,792	31,651	30,141	2,727
7	5,150,000	97,977	50,350	47,627	4,017	2,378	1,408	12	42,661	61,143	31,622	29,521	2,802
8	5,169,000	99,481	51,018	48,463	4,073	2,324	1,277	†6	41,201	62,065	31,765	30,300	2,758

* Live Births only prior to 1939
† Including one case of quadruplets (two cases in 1944)
‡ Mean civilian population for year

Table 1A. Estimated Population, Total, De Facto, and Civilian by sex and age, as at 30th June, 1958.

Total population comprises the civilian population, all members of H.M. Forces of Scottish domicile and Merchant Navy at home and at sea, but excludes Forces stationed in Scotland who are not of Scottish domicile.

De facto population comprises the population, of all types, actually in Scotland.

Civilian population comprises all civilians but excludes Merchant Navy at home and abroad.

(Figures in thousands)

Age	Total Population			*De facto* Population			Civilian Population		
	Both Sexes	Males	Females	Both Sexes	Males	Females	Both Sexes	Males	Females
0	95·3	48·6	46·7	95·3	48·6	46·7	95·3	48·6	46·7
1–4	354·5	181·4	173·0	354·5	181·4	173·0	354·5	181·4	173·0
5–9	425·8	218·4	207·5	425·8	218·4	207·5	425·8	218·4	207·5
10–14	431·1	219·8	211·2	431·1	219·8	211·2	431·1	219·8	211·2
15–19	378·0	191·6	186·5	366·4	180·2	186·2	360·2	174·3	185·9
20–24	364·3	185·0	179·3	340·8	161·9	178·9	328·0	149·4	178·6
25–29	358·5	180·5	178·0	351·4	173·4	177·9	347·3	169·4	177·8
30–34	352·8	175·7	177·0	348·9	171·9	177·0	346·6	169·7	176·9
35–39	361·9	178·4	183·5	358·3	174·8	183·5	356·2	172·7	183·5
40–44	325·6	157·4	168·3	323·2	154·9	168·2	321·8	153·6	168·2
45–49	357·9	174·7	183·2	356·6	173·5	183·2	355·9	172·7	183·2
50–54	336.5	162·0	174·5	335·8	161·4	174·5	335·4	161·0	174·5
55–59	303·9	141·3	162·6	303·7	141·1	162·6	303·6	141·0	162·6
60–64	241·1	103·2	137·8	241·1	103·2	137·8	241·1	103·2	137·8
65–69	197·1	81·6	115·5	197·1	81·6	115·5	197·1	81·6	115·5
70–74	153·0	61·5	91·5	153·0	61·5	91·5	153·0	61·5	91·5
75–79	104·5	41·3	63·2	104·5	41·3	63·2	104·5	41·3	63·2
80–84	57·5	22·2	35·3	57·5	22·2	35·3	57·5	22·2	35·3
85 and over	24·0	8·5	15·5	24·0	8·5	15·5	24·0	8·5	15·5
All Ages	5,223·4	2,533·4	2,690·1	5,169·0	2,479·8	2,689·1	5,138·8	2,450·4	2,688·4

Table 1B. Estimated Total Population, by Sex, Age and Marital Condition, as at 30th June, 1958.

(Figures in thousands)

Age	Males				Females			
	Total	Single	Married	Widowed and Divorced	Total	Single	Married	Widowed and Divorced
0–14	668·3	668·3	—	—	638·4	638·4	—	—
15–19	191·6	189·2	2·3	—	186·5	176·4	10·0	0·0
20–24	185·0	133·7	51·2	0·1	179·3	87·4	91·4	0·6
25–29	180·5	61·8	118·1	0·6	178·0	37·4	139·3	1·3
30–34	175·7	39·5	134·8	1·4	177·0	32·9	141·9	2·3
35–39	178·4	29·5	146·1	2·8	183·5	27·8	151·1	4·6
40–44	157·4	21·5	132·7	3·1	168·3	24·6	135·5	8·1
45–49	174·7	22·1	147·8	4·8	183·2	29·4	140·4	13·4
50–54	162·0	19·3	136·6	6·1	174·5	31·9	122·1	20·5
55–59	141·3	17·0	116·0	8·4	162·6	32·1	101·9	28·6
60–64	103·2	11·3	81·9	10·0	137·8	27·8	73·3	36·7
65–69	81·6	8·8	60·2	12·6	115·5	24·1	48·0	43·4
70–74	61·5	7·0	40·0	14·5	91·5	19·8	27·7	44·0
75 and over	72·1	8·6	30·8	32·7	113·9	24·8	16·4	72·8
All Ages	2,533·4	1,237·6	1,198·6	97·1	2,690·1	1,214·8	1,198·9	276·4

Table 2. Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1958

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	—
1856	33·988	6·923	19·537	20·65	18·50	14·45	8·54	1053	1·27	118·4	—
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	—
1858	34·356	6·492	20·986	22·02	20·05	13·37	8·99	1066	1·25	121·3	—
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	—
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	—
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	—
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	—
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	—
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	—
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	—
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	—
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	—
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	—
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	—
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	—
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	—
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	—
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	—
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	—
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	—
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	—
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	—
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	—
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	—
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	—
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	—
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	—
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	—
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	—
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	—
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	—
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	—
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	—
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	—
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	—
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	—
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	—
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	—
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	—
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	—
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	—
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	—
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	—
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	—
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	—
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	—
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	—
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	—
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	—
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	—
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	—
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	—
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	—
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	—
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	—
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	—
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	—
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	—
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	—
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	—

Table 2—*continued*

Year	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Total	Death-rate: Males	Death-rate: Fem.	Natural Increase (excess of Births over Deaths)	Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	—
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	—
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	—
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	—
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	—
1906-10	*27·569*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	—
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	—
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	—
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	—
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	—
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	—
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	—
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	—
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	—
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	—
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	—
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	—
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	—
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	—
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	—
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	—
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	—
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	—
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	—
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	—
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	—
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	—
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	—
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	—
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	—
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	—
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	—
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	—
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	—
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	—
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	—
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	—
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	—
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	—
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·39	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·36	78·3	42·1
1936-40	*17·557*	*8·586*	*13·526*	*14·45*	*12·70*	*4·03*	*6·15*	*1050*	*1·27*	*75·8*	—
1941*	17·501	9·284	14·741	16·75	13·11	2·76	6·63	1056	1·33	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·27	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·36	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·39	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·42	56·2	32·8
1941-45	*17·766*	*8·493*	*13·767*	*15·14*	*12·20*	*4·00*	*7·61*	*1056*	*1·35*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·40	53·8	32·3
1947	22·254	8·725	13·021	13·86	12·25	9·14	5·58	1052	1·38	55·8	30·5
1948	19·687	8·577	11·964	12·64	11·34	7·62	5·76	1070	1·35	44·7	28·7
1949	18·720	8·161	12·422	12·99	11·90	6·22	5·46	1058	1·39	41·4	27·1
1950	18·050	7·892	12·484	13·09	11·93	5·51	5·23	1070	1·45	38·6	26·9
1946-50	*19·806*	*8·454*	*12·610*	*13·37*	*11·91*	*7·24*	*5·75*	*1063*	*1·39*	*47·3*	*29·2*
1951	17·722	8·087	12·861	13·55	12·23	4·86	5·07	1063	1·42	37·4	26·6
1952	17·679	8·046	12·026	12·86	11·26	5·65	4·76	1048	1·41	35·2	26·2
1953	17·765	7·992	11·505	12·41	10·68	6·26	4·65	1063	1·33	30·8	24·8
1954	18·019	8·193	11·980	12·87	11·17	6·04	4·52	1056	1·42	31·0	25·3
1955	18·027	8·418	12·009	12·76	11·32	6·02	4·31	1056	1·37	30·4	24·6
1951-55	*17·843*	*8·148*	*12·076*	*12·89*	*11·33*	*5·77*	*4·66*	*1057*	*1·39*	*32·9*	*25·5*
1956	18·527	8·547	12·011	12·85	11·24	6·52	4·27	1056	1·35	28·6	23·9
1957	19·025	8·284	11·872	12·83	11·00	7·15	4·10	1057	1·44	28·6	23·7
1958	19·246	7·971	12·007	12·81	11·27	7·24	4·09	1053	1·28	27·7	22·8

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths
† Stillbirths not available prior to 1939

Table 3. Births, Stillbirths, Deaths and Marriages in Scotland, 1948-1958

	Numbers							Rates						
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl. Stillbirths
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children.)	Marriages	Deaths				
arter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	20·0	7·9	13·3	5·6	51	26	29
,, ,,	26,561	1,642	775	10,490	14,698	1,144	680	21·0	8·3	11·6	6·2	43	26	28
,, ,,	24,389	1,392	711	13,509	13,652	972	592	19·0	10·5	10·7	5·7	40	24	28
,, ,,	24,070	1,325	720	9,760	15,804	1,067	596	18·8	7·6	12·3	5·5	44	25	29
ear 1948	**100,344**	**5,776**	**2,966**	**43,718**	**60,979**	**4,486**	**2,521**	**19·7**	**8·6**	**12·0**	**5·8**	**45**	**25**	**29**
arter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19·2	8·4	15·3	5·7	51	26	28
,, ,,	25,424	1,442	710	9,209	15,274	913	545	20·0	7·2	12·0	5·7	36	21	27
,, ,,	23,324	1,274	642	12,786	13,119	823	496	18·1	9·9	10·2	5·5	35	21	27
,, ,,	22,696	1,126	607	9,075	15,873	1,000	544	17·6	7·0	12·3	5·0	44	24	26
ear 1949	**95,674**	**5,223**	**2,666**	**41,708**	**63,488**	**3,961**	**2,217**	**18·7**	**8·2**	**12·4**	**5·5**	**41**	**23**	**27**
arter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18·6	8·8	14·8	5·0	46	25	28
,, ,,	24,646	1,359	659	8,680	14,986	841	521	19·3	6·8	11·7	5·5	34	21	26
,, ,,	22,498	1,195	627	11,847	13,341	737	487	17·4	9·2	10·3	5·3	33	22	27
,, ,,	21,844	1,098	598	8,821	17,022	911	543	16·9	6·8	13·2	5·0	42	25	27
ear 1950	**92,530**	**4,837**	**2,557**	**40,459**	**63,996**	**3,569**	**2,131**	**18·0**	**7·9**	**12·5**	**5·2**	**39**	**23**	**27**
arter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18·7	9·2	17·8	5·1	46	25	27
,, ,,	24,310	1,289	658	8,958	15,442	850	530	19·1	7·0	12·1	5·3	35	22	26
,, ,,	21,932	1,126	575	12,048	13,104	698	461	17·0	9·3	10·2	5·1	32	21	26
,, ,,	20,772	982	589	8,795	14,804	755	445	16·1	6·8	11·5	4·7	36	21	28
ear 1951	**90,639**	**4,592**	**2,479**	**41,361**	**65,778**	**3,391**	**2,019**	**17·7**	**8·1**	**12·9**	**5·1**	**37**	**22**	**27**
arter, 1952	22,892	1,069	677	12,420	18,394	872	516	18·0	9·8	14·5	4·7	38	23	29
,, ,,	23,531	1,126	598	8,156	14,270	801	518	18·5	6·4	11·2	4·8	34	22	25
,, ,,	22,161	1,126	541	11,894	12,813	663	459	17·2	9·3	10·0	5·1	30	21	24
,, ,,	21,838	985	614	8,684	16,033	845	465	17·0	6·8	12·5	4·5	39	21	27
ear 1952	**90,422**	**4,306**	**2,430**	**41,154**	**61,510**	**3,181**	**1,958**	**17·7**	**8·0**	**12·0**	**4·8**	**35**	**22**	**26**
uarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18·1	9·6	13·7	4·5	34	20	26
,, ,,	23,791	1,175	586	8,212	14,345	696	444	18·6	6·4	11·2	4·9	29	19	24
,, ,,	22,166	1,022	561	12,069	12,722	614	426	17·2	9·4	9·9	4·6	28	19	25
,, ,,	22,096	1,004	559	8,536	14,547	714	427	17·1	6·6	11·3	4·5	32	19	25
Year 1953	**90,913**	**4,231**	**2,308**	**40,902**	**58,878**	**2,800**	**1,756**	**17·8**	**8·0**	**11·5**	**4·7**	**31**	**19**	**25**
uarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18·6	9·8	14·3	4·5	38	24	25
,, ,,	24,097	1,086	628	8,553	14,638	728	491	18·9	6·7	11·5	4·5	30	20	25
,, ,,	22,823	1,077	601	12,489	13,327	555	375	17·7	9·7	10·3	4·7	24	16	26
,, ,,	21,939	965	560	8,561	15,412	686	478	17·0	6·6	11·9	4·4	31	22	25
Year 1954	**92,315**	**4,177**	**2,401**	**41,974**	**61,380**	**2,861**	**1,904**	**18·0**	**8·2**	**12·0**	**4·5**	**31**	**21**	**25**
uarter, 1955	23,111	988	598	12,420	19,078	829	517	18·3	9·8	15·1	4·3	36	22	25
,, ,,	23,942	1,046	566	8,662	14,998	692	462	18·7	6·8	11·7	4·4	29	19	23
,, ,,	22,734	1,037	597	12,966	12,733	588	417	17·6	10·0	9·8	4·6	26	18	26
,, ,,	22,752	920	569	9,151	14,836	702	430	17·6	7·1	11·5	4·0	31	19	24
Year 1955	**92,539**	**3,991**	**2,330**	**43,199**	**61,645**	**2,811**	**1,826**	**18·0**	**8·4**	**12·0**	**4·3**	**30**	**20**	**25**
uarter, 1956	24,594	1,007	617	11,742	19,156	764	496	19·2	9·2	15·0	4·1	31	20	24
,, ,,	24,889	1,099	613	9,843	14,562	656	430	19·5	7·7	11·4	4·4	26	17	24
,, ,,	22,654	1,068	536	12,958	13,088	602	430	17·5	10·0	10·1	4·7	27	19	23
,, ,,	23,176	895	563	9·420	14,986	705	463	17·9	7·3	11·6	3·9	30	20	24
Year 1956	**95,313**	**4,069**	**2,329**	**43,963**	**61,792**	**2,727**	**1,819**	**18·5**	**8·5**	**12·0**	**4·3**	**29**	**19**	**24**
uarter, 1957	24,759	948	632	11,277	16,175	782	475	19·5	8·9	12·7	3·8	32	19	25
,, ,,	24,974	1,049	602	9,088	14,426	668	489	19·5	7·1	11·2	4·2	27	20	24
,, ,,	24,100	1,047	569	12,972	13,537	653	474	18·6	10·0	10·4	4·3	27	20	23
,, ,,	24,144	973	575	9,324	17,005	699	482	18·6	7·2	13·1	4·0	29	20	23
Year 1957	**97,977**	**4,017**	**2,378**	**42,661**	**61,143**	**2,802**	**1,920**	**19·0**	**8·3**	**11·9**	**4·1**	**29**	**20**	**24**
Quarter, 1958	25,100	1,032	614	10,881	18,622	794	479	19·7	8·5	14·6	4·1	32	19	24
,, ,,	25,588	1,093	568	8,385	15,189	692	486	19·9	6·5	11·8	4·3	27	19	22
,,	23,535	934	530	12,466	12,667	578	422	18·1	9·6	9·7	4·0	25	18	22
,, ,,	25,258	1,014	612	9,469	15,587	694	475	19·4	7·3	12·0	4·0	27	19	24
Year 1958	**99,481**	**4,073**	**2,324**	**41,201**	**62,065**	**2,758**	**1,862**	**19·2**	**8·0**	**12·0**	**4·1**	**28**	**19**	**23**

Table 4. Birth-, Death- and Marriage-rates in Scotland, its Counties, Counties of Cities and Large Burghs in 1958

Counties, Counties of Cities and Large Burghs	Estimated Population 1958	Rates per 1,000 of Population															
		Birth-rate		Marriage Rate	Death-rate									Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Crude (Corrected for Transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND	**5,168,992**	**19·2**	**19·2**	**8·0**	**12·0**	**12·0**	**0·13**	**0·12**	**0·03**	**2·10**	**0·85**	**0·55**	**0·12**	**4·1**	**28**	**19**	**23**
COUNTIES OF CITIES	1,912,884	19·6	19·5	9·2	12·4	12·9	0·19	0·18	0·04	2·33	1·15	0·60	0·11	4·9	30	20	23
LARGE BURGHS	867,844	20·7	19·6	9·0	11·3	12·1	0·15	0·13	0·02	1·93	0·78	0·50	0·11	3·6	29	19	25
COUNTIES (EX. COUNTIES OF CITIES AND LARGE BURGHS)	2,388,264	18·5	19·0	6·6	11·9	11·3	0·08	0·08	0·04	1·97	0·64	0·53	0·13	3·6	25	18	22
SMALL BURGHS	867,691	18·5	18·4	8·6	13·0	11·7	0·07	0·07	0·03	2·29	0·69	0·50	0·08	3·4	24	16	22
LANDWARD	1,520,573	18·5	19·4	5·5	11·3	11·0	0·09	0·08	0·04	1·78	0·61	0·55	0·16	3·8	26	18	22
ABERDEEN COUNTY	325,931	17·6	17·2	8·4	11·3	10·8	0·04	0·04	0·02	2·15	0·68	0·55	0·10	4·9	18	13	16
Aberdeen C. of C.	186,350	17·4	16·4	9·9	11·3	11·3	0·08	0·07	0·01	2·31	0·77	0·60	0·08	4·5	18	14	16
Remainder of C.	139,581	17·8	18·3	6·5	11·3	10·2	0·01	0·01	0·03	1·94	0·57	0·49	0·13	5·4	19	13	16
ANGUS COUNTY	277,290	18·4	18·1	8·2	12·3	11·3	0·13	0·12	0·03	2·37	0·92	0·56	0·13	4·9	20	15	21
Dundee C. of C.	180,166	19·8	19·0	8·8	12·1	11·8	0·11	0·10	0·03	2·44	1·03	0·55	0·08	5·3	20	15	23
Arbroath Burgh	19,942	16·9	15·1	7·5	11·8	10·2	0·05	0·05	—	2·46	0·75	0·75	0·30	4·2	15	9	17
Remainder of Co.	77,182	15·4	16·5	6·8	12·8	10·6	0·18	0·17	0·04	2·19	0·70	0·54	0·18	3·7	23	14	16
ARGYLL COUNTY	56,381	15·0	19·4	5·5	17·2	12·8	0·11	0·11	0·14	2·77	0·64	0·64	0·18	5·2	20	17	29
AYR COUNTY	338,444	19·7	18·9	7·6	11·5	11·9	0·05	0·05	0·02	1·90	0·64	0·49	0·09	3·7	28	20	23
Ayr Burgh	43,952	19·2	19·2	10·1	13·1	12·7	0·09	0·09	0·02	2·48	0·96	0·57	0·11	4·0	23	14	22
Kilmarnock Burgh	45,139	22·7	21·0	9·1	11·2	12·2	0·02	0·02	—	1·77	0·73	0·51	0·11	4·0	29	20	28
Remainder of Co.	249,353	19·2	18·4	6·9	11·3	11·7	0·05	0·04	0·03	1·82	0·57	0·48	0·08	3·5	28	20	22
BANFF COUNTY	49,039	18·1	20·8	6·6	12·0	10·4	0·08	0·08	0·10	2·22	0·37	0·37	0·06	4·9	35	21	27
BERWICK COUNTY	23,461	12·4	14·0	4·0	14·3	11·7	—	—	—	2·51	0·68	0·30	0·09	3·8	7	7	10

Clackmannan Co.	40,578	19·8	17·1	7·8	10·8	11·5	0·10	0·10	0·02	1·87	0·67	0·54	0·12	4·2	22	16	31
Dumfries County	89,439	17·3	17·3	10·3	11·6	10·9	0·06	0·04	0·01	1·81	1·03	0·53	0·16	4·9	27	16	28
Dumfries Burgh	27,640	18·1	16·6	12·3	11·7	12·0	0·04	0·04	—	1·95	1·30	0·58	0·14	6·6	22	10	27
Remainder of Co.	61,799	16·9	17·7	9·4	11·5	10·5	0·06	0·05	0·02	1·75	0·91	0·50	0·16	4·1	29	19	29
Dunbarton County	177,368	20·6	19·8	6·5	11·0	11·7	0·12	0·12	0·03	1·87	0·71	0·54	0·16	2·9	28	18	22
Clydebank Burgh	50,714	22·7	18·1	6·8	9·5	11·5	0·20	0·18	—	1·38	0·71	0·59	0·22	3·2	29	17	25
Dumbarton Burgh	26,726	24·8	24·3	7·0	10·1	11·1	0·11	0·11	0·04	1·27	0·60	0·45	0·04	2·6	38	23	22
Remainder of Co.	99,928	18·5	19·5	6·2	11·9	11·8	0·09	0·09	0·05	2·27	0·74	0·53	0·16	2·8	25	16	21
East Lothian Co.	51,840	18·2	17·6	6·4	11·7	11·8	0·08	0·08	0·04	2·14	0·60	0·54	0·14	3·4	23	15	13
Fife County	322,195	19·3	17·5	7·2	11·2	11·4	0·06	0·06	0·04	1·78	0·60	0·60	0·09	3·6	26	17	22
Dunfermline Burgh	46,200	18·3	17·7	8·5	10·6	11·4	0·04	0·04	0·02	1·54	0·84	0·61	0·15	4·3	31	19	25
Kirkcaldy Burgh	52,061	19·5	17·1	8·2	10·1	10·4	0·08	0·04	0·06	1·86	0·50	0·50	0·06	3·2	20	13	33
Remainder of Co.	223,934	19·4	17·5	6·7	11·6	11·7	0·06	0·06	0·04	1·82	0·57	0·62	0·08	3·5	26	17	18
Inverness County	82,895	17·2	22·1	7·8	12·4	10·2	0·13	0·12	0·12	2·05	0·48	0·74	0·22	4·8	21	17	16
Inverness Burgh	28,309	19·6	19·5	16·3	11·0	10·5	0·18	0·18	0·07	2·05	0·39	0·39	0·04	5·8	18	13	16
Remainder of Co.	54,586	15·9	23·7	3·3	13·2	10·1	0·11	0·09	0·15	2·05	0·53	0·92	0·31	4·3	23	20	16
Kincardine County	26,859	16·0	17·4	5·9	12·4	10·5	0·04	0·04	—	2·01	0·67	0·26	0·07	3·5	23	19	23
Kinross County	7,160	14·8	15·9	8·5	13·8	12·0	0·28	0·28	—	2·93	0·84	0·28	0·28	3·8	19	9	9
Kirkcudbright County	30,403	17·9	19·4	6·9	12·8	11·4	0·10	0·10	—	2·11	0·86	0·56	0·20	4·0	31	24	13
Lanark County	1,627,977	21·1	20·7	8·8	12·0	13·6	0·24	0·23	0·04	2·07	1·14	0·54	0·13	4·2	34	22	24
Glasgow C. of C.	1,078,958	21·1	20·8	9·2	12·5	14·1	0·27	0·26	0·04	2·25	1·35	0·58	0·13	4·9	35	23	26
Airdrie Burgh	32,800	21·6	20·5	10·1	10·9	13·0	0·09	0·06	—	1·68	0·64	0·43	0·09	2·7	49	31	29
Coatbridge Burgh	52,918	25·9	24·6	7·9	10·6	12·9	0·26	0·26	0·02	1·81	0·59	0·28	0·04	2·9	23	16	23
Hamilton Burgh	41,330	20·9	20·2	10·3	12·0	14·4	0·24	0·22	—	1·89	0·85	0·46	0·12	3·5	49	29	31
Motherwell and Wishaw Burgh	72,153	21·2	20·5	8·6	10·7	12·3	0·18	0·14	0·03	1·58	0·85	0·43	0·07	2·3	28	17	17
Rutherglen Burgh	24,397	18·3	18·8	10·6	12·5	12·1	0·12	0·12	0·04	2·09	0·70	0·61	0·08	3·1	25	18	18
Remainder of Co.	325,421	20·7	20·4	6·9	11·1	12·5	0·18	0·16	0·03	1·65	0·74	0·52	0·16	2·9	30	20	22
Midlothian County	575,142	17·5	17·9	8·8	12·5	11·8	0·07	0·06	0·03	2·36	0·86	0·66	0·10	4·3	25	17	21
Edinburgh C. of C.	467,410	16·8	17·7	9·2	12·9	11·9	0·07	0·06	0·03	2·48	0·87	0·67	0·10	4·7	25	17	19
Remainder of Co.	107,732	20·6	18·8	7·3	10·8	11·8	0·07	0·07	0·01	1·85	0·82	0·58	0·14	3·1	27	20	26
Moray County	49,160	20·4	20·8	7·5	10·9	10·5	0·04	0·04	0·10	1·61	0·45	0·65	0·16	4·0	21	13	16

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infection, measles, and influenza

Table 4. *continued.*

Counties, Counties of Cities and Large Burghs	Estimated Population 1958	Rates per 1,000 of Population												Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate		Marri-age Rate	Death-rate												
		Crude (Corrected for Transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
NAIRN COUNTY	8,278	16·8	19·9	6·2	15·1	11·8	0·12	0·12	—	3·14	0·24	0·72	0·36	4·3	22	22	7
ORKNEY COUNTY	19,533	14·9	15·2	6·9	15·1	11·1	—	—	0·05	2·00	0·61	0·77	0·10	5·1	21	21	33
PEEBLES COUNTY	14,211	14·5	16·7	7·0	15·1	11·6	—	—	—	1·48	0·99	0·84	0·42	3·9	29	15	33
PERTH COUNTY	126,999	16·9	18·9	7·1	13·0	10·6	0·06	0·06	0·02	2·40	0·69	0·61	0·21	5·1	22	18	19
Perth Burgh	40,964	17·5	16·9	10·5	12·9	11·7	0·12	0·12	0·02	2·27	0·95	0·83	0·15	4·7	33	25	15
Remainder of Co.	86,035	16·6	20·1	5·5	13·0	10·1	0·03	0·03	0·02	2·46	0·56	0·51	0·24	5·3	16	14	21
RENFREW COUNTY	335,171	19·9	19·8	7·2	11·8	12·4	0·14	0·13	0·03	2·12	0·80	0·50	0·13	3·2	30	20	24
Greenock Burgh	77,968	20·5	19·7	7·6	11·3	12·5	0·21	0·21	0·01	2·09	0·80	0·49	0·12	4·2	36	21	32
Paisley Burgh	96,540	21·1	20·2	8·2	12·3	13·2	0·16	0·16	—	2·18	0·89	0·45	0·11	3·7	29	18	24
Port Glasgow Burgh	23,506	22·4	19·2	8·6	9·0	11·8	0·21	0·17	0·04	1·40	0·60	0·51	0·21	3·4	30	25	33
Remainder of Co.	137,157	18·3	19·5	6·1	12·2	12·0	0·09	0·07	0·05	2·22	0·77	0·55	0·12	2·1	28	19	18
ROSS AND CROMARTY CO.	59,823	16·2	23·6	3·3	13·3	9·3	0·07	0·07	0·07	2·04	0·38	0·38	0·18	4·4	15	13	24
ROXBURGH COUNTY	44,766	14·8	16·5	6·8	13·2	10·6	0·02	0·02	—	2·28	0·56	0·36	0·07	3·6	9	8	26
SELKIRK CO.	20,964	15·6	16·7	7·0	14·9	11·8	0·05	0·05	—	2·91	0·62	0·48	0·05	2·7	12	12	30
STIRLING COUNTY	192,782	18·6	18·0	7·6	10·9	11·8	0·11	0·10	0·01	1·96	0·65	0·49	0·09	2·8	23	17	28
Falkirk Burgh	37,271	18·0	17·9	9·2	12·4	12·7	0·16	0·16	0·03	2·55	0·91	0·46	0·03	2·1	21	21	22
Stirling Burgh	27,314	18·9	19·6	8·1	11·7	11·5	0·22	0·18	—	2·31	0·92	0·51	0·11	4·8	14	6	26
Remainder of Co.	128,197	18·7	17·7	7·1	10·3	11·6	0·07	0·07	0·01	1·72	0·52	0·49	0·10	2·6	26	19	30
SUTHERLAND COUNTY	13,055	18·0	25·3	6·4	15·2	9·8	0·31	0·31	—	1·99	0·77	0·54	0·08	5·5	26	17	25
WEST LOTHIAN CO.	93,028	20·6	18·6	7·2	9·9	11·5	0·05	0·04	0·04	1·64	0·85	0·35	0·06	2·6	25	17	21
WIGTOWN CO.	30,090	20·1	21·4	6·8	12·9	12·9	0·07	0·03	0·03	2·03	0·50	0·43	0·07	8·6	25	18	33
ZETLAND COUNTY	18,373	14·9	18·9	4·7	15·0	9·8	0·05	0·05	0·05	2·23	0·44	0·54	—	4·4	29	22	35

Table 5. Birth-, Death- and Marriage-rates in the Small Burghs of Scotland in 1958.

Small Burghs	Estimated Population 1958	Rates per 1,000 of Population: Birth-Rate: Crude (Corrected for transfer)	Birth-Rate: Standardised for Age and Sex	Marriage Rate	Death-Rate: Crude (Corrected for transfer)	Death-Rate: Standardised for Age and Sex	Death-Rate: All Tuberculosis	Death-Rate: Tuberculosis of Respiratory System	Death-Rate: Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
Aberdeen County—												
Ballater	1,135	12·3	17·3	7·0	24·7	15·6	—	—	—	7·1	—	—
Ellon	1,449	20·0	24·3	31·1	18·6	13·8	—	—	—	—	—	—
Fraserburgh	10,376	18·3	16·2	10·6	8·7	9·8	—	—	—	3·2	32	21
Huntly	3,939	16·2	18·0	10·9	12·9	10·4	—	—	—	—	16	15
Inverurie	4,993	16·0	16·8	13·8	14·4	13·1	—	—	—	2·5	13	12
Kintore	849	27·1	27·1	9·4	21·2	15·1	—	—	—	4·3	87	—
Old Meldrum	1,081	12·0	12·8	15·7	21·3	14·2	—	—	—	7·7	—	—
Peterhead	12,629	21·0	18·7	8·7	10·9	11·9	—	—	—	6·0	19	11
Rosehearty	1,180	20·3	16·6	7·6	6·8	6·9	—	—	—	4·2	—	—
Turriff	2,798	16·1	14·4	11·1	13·2	11·2	—	—	—	—	22	22
Angus County—												
Brechin	7,401	15·9	15·7	10·8	12·3	9·7	—	—	—	3·4	8	17
Carnoustie	5,202	13·6	14·8	4·0	16·9	11·1	—	—	—	2·8	—	14
Forfar	10,086	15·3	15·7	11·9	12·8	10·5	0·30	0·30	—	1·3	26	19
Kirriemuir	3,514	13·1	16·8	11·1	20·5	13·1	0·28	0·28	—	4·3	43	—
Monifieth	3,362	13·7	14·1	6·2	17·5	12·1	0·30	0·30	0·30	—	22	—
Montrose	10,741	17·2	16·5	9·4	14·5	10·8	0·47	0·47	—	3·8	22	16
Argyll County—												
Campbeltown	6,959	15·7	15·1	7·3	12·5	12·9	0·14	0·14	0·14	3·7	28	9
Dunoon	8,811	14·4	16·8	6·5	18·6	12·6	0·23	0·23	—	4·7	16	38
Inveraray	519	21·2	21·3	13·5	15·4	13·6	—	—	—	27·3	—	83
Lochgilphead	1,184	27·0	30·5	5·1	27·0	20·0	—	—	—	6·3	31	—
Oban	6,082	18·9	23·9	9·4	17·1	14·5	0·33	0·33	0·16	6·1	43	50
Tobermory	663	10·6	11·0	4·5	34·7	21·8	—	—	—	28·6	—	—
Ayr County—												
Ardrossan	9,667	20·2	19·8	6·4	10·3	12·0	0·10	0·10	—	5·6	21	30
Cumnock and Holmhead	5,278	25·4	23·2	20·5	8·7	9·9	—	—	—	5·2	45	22
Darvel	3,338	15·9	16·9	9·3	13·8	11·4	—	—	—	—	38	—
Galston	4,548	16·3	16·8	10·8	12·5	12·2	—	—	—	2·7	54	26
Girvan	6,003	19·2	19·0	7·8	12·8	11·0	—	—	—	2·6	26	17
Irvine	16,122	22·8	19·4	7·6	11·4	14·3	0·06	0·06	—	4·6	25	16
Kilwinning	7,274	22·7	18·3	10·7	9·6	11·7	0·14	0·14	—	2·4	36	6
Largs	7,822	12·4	16·7	7·2	20·6	12·2	0·13	0·13	0·13	7·2	21	30
Maybole	4,978	15·5	14·1	6·4	9·8	10·6	0·20	0·20	—	3·9	—	25
Newmilns and Greenholm	4,023	9·2	8·0	5·7	13·2	11·7	—	—	0·25	—	27	26
Prestwick	11,625	18·6	19·3	7·3	11·7	9·2	—	—	—	3·2	23	14
Saltcoats	13,969	24·0	20·7	7·9	13·2	14·1	—	—	—	3·0	30	26
Stevenston	9,974	20·5	21·7	8·1	10·0	11·7	—	—	—	3·9	15	14
Stewarton	3,456	16·8	16·4	6·4	12·7	12·8	0·29	0·29	—	1·7	52	17
Troon	10,028	13·7	14·5	6·0	13·7	11·8	—	—	—	2·9	7	35
Banff County—												
Aberchirder	780	26·9	28·8	7·7	17·9	10·7	—	—	—	—	95	—
Aberlour	1,124	12·5	20·1	9·8	8·9	9·1	—	—	—	—	—	—
Banff	3,340	16·2	17·4	7·2	12·6	10·1	0·30	0·30	—	9·3	19	36
Buckie	7,997	19·8	22·7	10·3	11·0	10·0	—	—	—	6·3	13	31
Cullen	1,490	9·4	12·4	8·7	16·1	11·1	0·67	0·67	—	7·1	71	67
Dufftown	1,445	19·4	19·9	3·5	13·8	10·6	—	—	—	7·1	—	34
Findochty	1,459	14·4	15·8	5·5	11·0	9·0	—	—	0·69	—	143	—
Keith	4,413	23·1	25·5	7·9	16·1	13·6	—	—	0·45	2·9	108	29
Macduff	3,351	22·7	24·9	2·7	15·5	11·8	0·30	0·30	—	—	53	13
Portnockie	1,444	15·2	18·7	4·2	18·0	15·8	—	—	—	4·5	—	—
Portsoy	1,696	18·3	21·9	11·8	19·5	13·4	0·59	0·59	—	3·2	—	—

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—*continued.*

Small Burghs	Estimated Population 1958	Rates per 1,000 of Population: Birth-Rate: Crude (Corrected for transfer)	Birth-Rate: Standardised for Age and Sex	Marriage Rate	Death-Rate: Crude (Corrected for transfer)	Death-Rate: Standardised for Age and Sex	Death-Rate: All Tuberculosis	Death-Rate: Tuberculosis of Respiratory System	Death-Rate: Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
Berwick County—												
Coldstream	1,289	27·9	31·3	3·9	14·7	11·2	—	—	—	5·6	—	—
Duns	1,937	16·0	16·0	7·7	17·0	14·2	—	—	—	3·2	—	—
Eyemouth	2,145	4·7	5·0	5·1	15·4	12·7	—	—	—	—	—	—
Lauder	578	19·0	19·3	5·2	15·6	9·9	—	—	—	—	—	—
Bute County—												
Millport	1,660	6·6	9·1	3·6	19·3	10·6	0·60	—	—	—	—	83
Rothesay	7,234	15·1	16·8	7·9	18·5	14·7	0·14	0·14	—	4·6	9	18
Caithness County—												
Thurso	4,343	38·0	24·7	7·6	11·5	11·9	0·46	0·23	0·23	2·4	30	18
Wick	7,691	21·8	22·1	12·6	12·0	13·5	—	—	—	6·0	24	34
Clackmannan Co.—												
Alloa	14,141	20·1	18·6	11·1	11·2	11·8	0·14	0·14	0·07	4·6	28	44
Alva	4,068	19·7	18·2	7·4	17·5	15·3	—	—	—	2·5	—	36
Dollar	1,628	9·8	12·7	4·3	14·1	11·4	—	—	—	—	—	—
Tillicoultry	4,105	21·7	17·3	9·7	11·7	11·4	0·24	0·24	—	5·6	34	22
Dumfries County—												
Annan	5,142	24·5	26·1	12·3	12·3	10·8	—	—	—	3·2	16	38
Langholm	2,338	10·7	12·1	8·1	11·5	7·9	—	—	—	—	40	—
Lochmaben	1,220	14·8	15·9	11·5	11·5	8·9	—	—	—	—	—	53
Lockerbie	2,663	12·4	14·4	8·6	15·4	12·5	—	—	—	6·1	—	57
Moffat	2,050	11·2	14·4	8·8	22·4	13·9	—	—	—	8·7	—	42
Sanquhar	2,514	14·3	11·8	8·4	8·4	9·1	—	—	—	2·8	—	27
Dunbarton County—												
Bearsden	13,539	16·4	21·3	3·5	12·3	10·1	—	—	—	0·9	14	18
Cove and Kilcreggan	808	9·9	13·2	5·0	27·2	12·9	—	—	—	12·5	—	—
Helensburgh	8,621	17·5	20·7	7·9	16·1	11·9	—	—	—	4·6	33	26
Kirkintilloch	16,307	22·1	21·6	8·2	10·4	12·6	—	—	—	1·9	19	19
Milngavie	8,270	17·3	16·8	4·2	11·6	10·6	0·12	0·12	—	2·8	21	14
East Lothian Co.—												
Cockenzie and Port Seton	3,357	19·4	15·1	6·3	12·2	12·8	—	—	—	1·5	46	15
Dunbar	4,170	14·1	14·5	10·3	11·0	9·2	—	—	—	1·7	—	33
East Linton	938	19·2	22·9	2·1	18·1	10·7	—	—	—	—	—	—
Haddington	4,677	15·4	16·2	10·3	15·6	12·7	—	—	—	5·6	—	27
North Berwick	3,706	14·0	16·7	5·4	14·8	10·7	0·54	0·54	—	1·9	19	—
Prestonpans	3,147	28·0	24·1	14·9	10·2	13·2	—	—	—	3·4	34	22
Tranent	6,268	23·9	20·2	8·0	9·4	11·7	—	—	0·16	3·3	20	13
Fife County—												
Auchtermuchty	1,350	21·5	22·0	3·7	11·9	7·7	—	—	—	6·9	34	—
Buckhaven and Methil	21,803	21·1	17·1	7·7	12·4	14·5	0·05	0·05	—	3·5	24	9
Burntisland	6,048	16·9	17·0	5·8	11·9	10·4	—	—	0·17	3·9	49	38
Cowdenbeath	13,638	19·7	16·7	10·8	10·7	12·3	0·07	0·07	0·07	3·3	30	15
Crail	1,182	20·3	26·8	5·1	19·5	12·4	—	—	—	8·3	42	—
Culross	595	18·5	13·2	37·0	10·1	10·5	—	—	—	—	91	—
Cupar	5,696	16·5	17·1	13·0	12·8	11·1	—	—	—	1·1	32	31
Elie and Earlsferry	921	4·3	8·0	10·9	32·6	16·6	—	—	—	—	—	—
Falkland	1,074	14·0	14·7	7·4	12·1	9·3	0·93	0·93	—	6·7	—	—
Inverkeithing	4,090	24·4	20·3	9·5	13·2	14·6	0·49	0·49	—	3·0	10	20
Kilrenny etc.	2,970	16·8	22·4	8·4	13·5	8·5	—	—	—	—	—	57
Kinghorn	2,351	6·8	6·3	8·5	12·8	12·0	0·43	0·43	—	6·3	—	59
Ladybank	1,185	21·1	21·3	3·4	16·0	10·5	—	—	—	4·0	40	—
Leslie	3,500	18·9	16·1	6·3	14·0	14·1	—	—	—	3·0	—	29
Leven	8,934	15·9	14·9	8·1	11·1	10·5	—	—	—	2·1	14	34
Lochgelly	9,503	19·8	18·2	7·6	11·7	12·8	—	—	—	2·1	27	21

*Typhoid fever, scarlet fever. diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—*continued.*

Small Burghs	Estimated Population 1958	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Markinch	2,461	15·4	15·3	20·7	17·5	15·5	0·41	0·41	—	2·6	26	—
Newburgh	2,484	16·1	17·1	6·0	10·5	9·0	—	—	—	5·0	25	24
Newport-on-Tay	3,313	13·9	16·5	6·9	20·2	11·9	—	—	—	2·2	—	—
Pittenweem	1,572	12·7	14·7	4·5	17·2	11·8	0·64	0·64	—	5·0	—	—
St. Andrews	9,683	10·9	13·3	8·4	14·5	12·4	—	—	—	5·7	19	19
St. Monance	1,473	12·9	16·6	6·1	15·6	12·0	—	—	—	5·3	—	—
Tayport	3,312	20·2	21·6	5·7	14·2	11·1	—	—	—	3·0	60	—
INVERNESS COUNTY—												
Fort William	2,851	17·9	20·8	11·2	14·0	14·4	—	—	0·70	—	20	19
Kingussie	1,034	9·7	10·3	6·8	17·4	12·4	—	—	—	—	—	—
KINCARDINE COUNTY—												
Banchory	1,889	21·7	26·0	17·5	19·1	12·9	—	—	—	—	49	—
Inverbervie	918	15·3	17·3	16·3	14·2	10·8	—	—	—	—	—	67
Laurencekirk	1,418	14·8	15·3	11·3	19·0	12·7	—	—	—	9·5	—	160
Stonehaven	4,439	15·3	17·8	6·5	16·4	11·4	—	—	—	1·5	29	68
KINROSS COUNTY—												
Kinross	2,533	15·4	15·8	15·0	17·8	15·5	—	—	—	5·1	—	25
KIRKCUDBRIGHT CO.—												
Castle Douglas	3,326	19·5	19·9	8·4	15·0	13·4	—	—	—	1·5	—	15
Dalbeattie	3,428	12·8	11·9	9·3	12·8	11·7	—	—	—	2·3	68	22
Gatehouse-of-Fleet	886	16·9	19·1	7·9	13·5	8·9	—	—	—	—	67	—
Kirkcudbright	2,513	22·3	24·1	11·5	14·3	12·4	—	—	—	—	18	—
New Galloway	282	3·5	6·3	—	10·6	5·1	—	—	—	—	—	—
LANARK COUNTY—												
Biggar	1,441	20·1	20·4	14·6	13·2	9·1	—	—	0·69	3·4	69	33
Lanark	8,275	19·0	18·8	8·9	11·8	16·8	0·24	0·24	0·12	5·1	25	13
MIDLOTHIAN CO.—												
Bonnyrigg and Lasswade	5,989	19·5	19·3	9·9	11·7	12·0	—	—	—	4·3	9	64
Dalkeith	9,146	16·8	14·8	10·5	12·2	12·8	0·11	0·11	0·11	3·2	26	19
Loanhead	5,225	16·5	14·9	5·9	11·1	12·2	—	—	—	3·5	58	44
Musselburgh	18,128	16·9	16·0	8·9	12·1	12·6	0·22	0·22	—	2·0	26	10
Penicuik	5,847	19·8	16·8	8·9	9·2	9·3	0·17	0·17	—	3·4	9	25
MORAY COUNTY—												
Burghead	1,385	15·2	12·6	5·8	20·2	16·6	—	—	—	4·8	48	45
Elgin	11,528	23·9	22·7	13·8	12·4	10·8	—	—	0·17	4·0	18	18
Forres	4,974	15·9	14·2	8·4	13·1	11·5	—	—	0·20	2·5	25	25
Grantown-on-Spey	1,543	16·2	25·1	6·5	9·1	7·1	—	—	—	8·0	—	—
Lossiemouth and Branderburgh	5,225	26·4	21·1	10·5	9·6	9·5	—	—	0·19	0·7	22	21
Rothes	1,205	13·3	15·8	13·3	12·4	10·4	—	—	0·83	6·3	63	—
NAIRN COUNTY—												
Nairn	4,668	18·4	20·3	9·9	17·8	13·2	0·21	0·21	—	2·3	35	11
ORKNEY COUNTY—												
Kirkwall	4,242	13·7	11·7	10·6	13·0	11·5	—	—	—	5·2	17	17
Stromness	1,465	15·7	16·7	10·2	15·0	10·6	—	—	—	8·7	43	—
PEEBLES COUNTY—												
Innerleithen	2,388	15·9	16·7	9·6	18·0	13·3	—	—	—	5·3	53	—
Peebles	5,600	12·3	14·0	7·9	15·9	11·3	—	—	—	2·9	29	42

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the ratio are based will be found in Table 47.

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 5—*continued.*

Small Burghs	Estimated Population 1958	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate			Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex	Marriage Rate	Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
PERTH COUNTY—												
Aberfeldy	1,483	18·2	22·4	4·7	18·9	14·1	—	—	0·67	3·7	—	36
Abernethy	649	12·3	14·6	9·2	12·3	9·8	—	—	—	—	—	—
Alyth	1,998	11·0	12·0	10·0	19·5	15·5	—	—	—	4·5	—	43
Auchterarder	2,388	25·5	30·2	7·5	21·8	14·7	—	—	—	13·1	16	16
Blairgowrie and Rattray	5,285	19·3	22·9	8·5	18·0	12·4	—	—	0·19	6·9	10	—
Callander	1,624	20·9	26·2	8·6	17·2	12·4	—	—	—	8·8	—	—
Coupar Angus	2,128	16·9	19·5	6·6	16·4	11·5	—	—	—	2·8	—	53
Crieff	5,378	17·7	24·3	6·1	16·4	10·8	—	—	—	1·1	42	31
Doune	844	19·0	19·1	21·3	24·9	19·0	—	—	—	6·3	63	—
Dunblane	2,839	23·6	29·7	10·6	14·4	9·5	—	—	—	4·5	15	29
Pitlochry	2,311	16·4	16·9	7·4	10·0	7·2	—	—	—	10·5	26	26
RENFREW COUNTY—												
Barrhead	14,029	22·9	21·7	6·1	11·8	13·1	0·21	0·14	—	0·6	25	12
Gourock	9,175	16·5	16·8	6·0	16·2	13·7	—	—	0·11	0·7	13	26
Johnstone	16,612	21·1	18·2	8·9	9·9	12·2	0·06	0·06	—	2·0	48	6
Renfrew	17,958	21·4	19·7	5·3	11·8	13·0	0·06	—	—	3·4	26	25
ROSS AND CROMARTY COUNTY—												
Cromarty	681	13·2	15·6	4·4	25·0	15·3	—	—	—	11·1	—	—
Dingwall	3,593	19·5	19·0	7·0	9·7	9·5	—	—	—	4·3	14	28
Fortrose	857	17·5	25·2	3·5	18·7	11·9	—	—	—	6·7	—	—
Invergordon	1,597	15·0	17·3	3·8	11·9	8·8	—	—	—	4·2	—	40
Stornoway	5,294	17·8	26·4	6·4	10·0	8·5	0·19	0·19	—	2·1	21	31
Tain	1,659	18·1	18·4	13·9	9·0	6·5	—	—	—	10·0	67	—
ROXBURGH COUNTY—												
Hawick	16,599	14·4	16·1	8·7	13·1	10·8	0·06	0·06	—	4·6	4	28
Jedburgh	3,954	11·9	11·5	8·1	11·9	10·8	—	—	—	4·3	—	78
Kelso	4,159	14·9	15·2	11·5	17·3	13·3	—	—	—	—	—	—
Melrose	2,144	11·2	17·6	4·7	22·4	13·1	—	—	—	—	42	—
SELKIRK COUNTY—												
Galashiels	12,154	17·1	18·6	7·0	15·1	11·9	0·08	0·08	—	3·4	14	28
Selkirk	5,739	12·4	12·5	8·2	16·7	12·9	—	—	—	2·8	—	53
STIRLING COUNTY—												
Bridge of Allan	3,254	17·2	20·3	6·8	11·1	8·1	—	—	—	5·4	—	18
Denny and Dunipace	7,505	20·5	18·7	8·3	9·2	11·5	—	—	—	4·5	6	19
Grangemouth	17,043	23·4	21·8	7·8	9·0	11·0	—	—	—	1·3	20	22
Kilsyth	10,380	17·1	16·8	7·8	8·7	10·5	—	—	—	2·3	17	27
SUTHERLAND CO.—												
Dornoch	848	4·7	5·6	22·4	13·0	10·3	—	—	—	—	—	200
WEST LOTHIAN CO.—												
Armadale	6,255	21·9	17·2	9·4	9·8	13·1	—	—	—	2·9	44	28
Bathgate	12,084	21·8	20·3	9·1	11·5	12·9	—	—	—	3·4	23	19
Bo'ness	10,380	19·6	18·1	7·7	13·3	14·3	—	—	0·10	2·0	34	24
Linlithgow	4,220	17·1	14·7	10·4	8·8	9·5	—	—	—	2·8	14	14
Queensferry	2,751	25·4	20·2	7·3	11·6	13·3	—	—	—	1·4	29	41
Whitburn	5,871	25·4	18·4	7·0	5·5	8·5	—	—	—	2·7	27	20
WIGTOWN COUNTY—												
Newton Stewart	2,027	14·3	15·5	7·9	17·3	16·0	—	—	—	—	—	—
Stranraer	8,933	19·8	18·8	11·3	12·0	13·0	0·11	—	—	7·9	40	43
Whithorn	1,014	18·7	18·0	11·8	12·8	9·9	—	—	—	15·8	—	50
Wigtown	1,330	17·3	17·0	8·3	15·8	11·9	—	—	—	13·0	—	42
ZETLAND COUNTY—												
Lerwick	5,585	17·7	18·5	9·5	12·7	10·5	0·18	0·18	—	4·0	40	29

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 6. Birth-, Death- and Marriage-rates in the Landward Areas of Scotland in 1958.

County Landward Areas	Estimated Population 1958	Rates per 1,000 of Population								Illegitimate Births per cent of Live Births	Infant Mortality rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including stillbirths)
		Birth-Rate		Marriage Rate	Death-Rate							
		Crude (Corrected for transfer)	Standardised for Age and Sex		Crude (Corrected for transfer)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen	99,152	17·5	18·7	4·7	11·0	9·7	0·01	0·01	0·03	6·2	18	17
Angus	36,876	15·4	17·3	3·9	10·6	10·0	0·11	0·08	0·05	4·8	26	17
Argyll	32,163	13·7	19·9	4·0	17·2	12·3	0·03	0·03	0·19	4·5	14	26
Ayr	131,248	19·3	18·4	5·7	10·4	11·6	0·05	0·04	0·04	3·4	30	23
Banff	20,500	17·0	19·7	5·2	9·5	8·9	—	—	0·10	6·0	20	33
Berwick	17,512	11·6	13·4	3·4	13·8	11·5	—	—	—	3·9	10	15
Bute	6,076	11·7	16·1	4·3	17·0	10·7	0·16	0·16	—	4·2	70	—
Caithness	13,353	18·0	22·4	4·6	13·0	11·3	—	—	0·22	7·9	37	24
Clackmannan	16,636	20·2	15·9	4·9	8·3	10·0	0·06	0·06	—	4·2	21	23
Dumfries	45,872	17·1	17·8	9·2	10·9	10·4	0·09	0·07	0·02	4·3	34	26
Dunbarton	52,383	18·4	18·8	6·4	11·4	12·5	0·15	0·15	0·10	3·2	29	22
East Lothian	25,577	17·3	17·0	4·0	11·0	12·1	0·08	0·08	0·03	3·8	27	7
Fife	114,796	21·1	18·1	5·0	10·3	11·3	0·05	0·05	0·05	3·8	28	18
Inverness	50,701	16·0	24·4	2·8	13·0	9·9	0·12	0·10	1·12	4·6	23	16
Kincardine	18,195	15·8	16·8	3·6	10·1	9·5	0·05	0·05	—	4·2	21	—
Kinross	4,627	14·5	15·9	5·0	11·7	10·2	0·43	0·43	—	3·0	30	—
Kirkcudbright	19,968	18·2	20·4	5·7	12·3	11·2	0·15	0·15	—	5·5	33	14
Lanark	315,705	20·8	20·5	6·8	11·1	12·6	0·17	0·16	0·03	2·8	30	22
Midlothian	63,397	22·6	20·5	6·1	10·3	11·7	0·03	0·03	—	3·1	29	26
Moray	23,300	19·3	21·8	3·3	9·4	10·0	0·09	0·09	—	4·9	20	11
Nairn	3,610	14·7	19·2	1·4	11·6	9·7	—	—	—	7·5	—	—
Orkney	13,826	15·3	16·5	5·4	15·7	11·0	—	—	0·07	4·7	19	41
Peebles	6,223	15·9	19·1	5·1	13·2	11·2	—	—	—	4·0	20	39
Perth	59,108	15·6	19·0	4·2	11·1	9·1	0·05	0·05	—	4·9	15	20
Renfrew	79,383	16·5	19·8	5·7	12·3	11·3	0·09	0·08	0·08	2·2	25	19
Ross and Cromarty	46,142	15·8	24·5	2·3	13·9	9·4	0·07	0·07	0·09	4·4	14	24
Roxburgh	17,910	16·2	18·5	3·9	11·4	9·2	—	—	—	3·8	14	24
Selkirk	3,071	16·0	18·2	4·9	10·4	9·2	—	—	—	—	20	—
Stirling	90,015	17·8	16·7	6·8	10·8	12·0	0·10	0·10	0·01	2·7	31	34
Sutherland	12,207	18·9	26·9	5·2	15·3	9·8	0·33	0·33	—	5·6	26	21
West Lothian	51,467	19·8	18·7	6·2	9·4	10·9	0·10	0·08	0·06	2·6	22	20
Wigtown	16,786	21·3	24·2	3·8	12·6	12·7	0·06	0·06	0·06	8·9	22	30
Zetland	12,788	13·6	18·9	2·7	16·0	9·6	—	—	0·08	4·6	23	39

*Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

Table 7. General Registration Summary.
Events registered in 1958. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Stillbirths, Deaths and Marriages, 1958				
			Live Births		Still-births	Deaths	Mar-riages
	1951	1931	Total	Illegi-timate			
SCOTLAND	5,096,415	4,842,980	99,481	4,073	2,324	62,065	41,201
COUNTIES OF CITIES	1,916,833	1,879,620	41,451	2,185	1,066	25,648	17,673
LARGE BURGHS	829,696	774,749	22,896	765	505	10,505	7,786
COUNTIES (ex Counties of Cities and Large Burghs)	2,349,886	2,188,611	35,134	1,123	753	25,912	15,742
SMALL BURGHS	845,538	759,833	14,207	452	225	8,921	7,425
LANDWARD	1,504,348	1,428,778	20,927	671	528	16,991	8,317
COUNTIES (ex Large Burghs)							
Aberdeen	144,746	143,611	1,948	91	20	1,226	913
Angus	78,015	75,304	851	22	11	1,046	527
Argyll	63,361	63,050	709	30	20	886	311
Ayr	236,720	207,619	4,824	174	138	2,555	1,721
Banff	50,148	54,907	853	39	16	505	326
Berwick	25,068	26,612	200	8	1	226	94
Bute	19,283	18,823	168	6	2	242	89
Caithness	22,710	25,656	499	23	8	292	191
Clackmannan	37,532	31,948	289	12	4	326	316
Dumfries	59,338	77,926	281	7	8	626	582
Dunbarton	95,923	58,010	1,391	42	41	1,220	622
East Lothian	52,258	47,338	581	22	3	575	334
Fife	213,009	196,565	2,694	79	38	2,062	1,503
Inverness	56,823	58,558	363	10	5	670	181
Kincardine	27,882	26,780	155	2	4	231	159
Kinross	7,418	7,454	30	—	—	81	61
Kirkcudbright	30,725	30,341	153	5	1	326	210
Lanark	313,178	293,502	7,016	181	195	3,829	2,247
Midlothian	98,792	87,102	896	12	8	838	785
Moray	48,218	40,806	881	26	9	494	367
Nairn	8,719	8,294	125	5	1	95	51
Orkney	21,255	22,077	278	12	9	277	135
Peebles	15,232	15,051	152	6	1	148	99
Perth	87,525	85,706	632	24	6	1,103	471
Renfrew	132,154	100,758	2,110	54	65	1,346	838
Ross and Cromarty	60,508	62,799	822	27	17	667	200
Roxburgh	45,557	45,788	513	17	10	520	304
Selkirk	21,729	22,608	417	8	8	449	147
Stirling	122,841	105,334	2,699	87	40	1,261	910
Sutherland	13,670	16,101	141	7	4	160	83
West Lothian	88,577	81,431	1,741	38	42	1,025	674
Wigtown	31,620	29,331	453	37	8	333	204
Zetland	19,352	21,421	269	10	10	272	87
COUNTIES OF CITIES							
Glasgow	1,089,767	1,093,337	22,922	1,211	627	14,020	9,965
Edinburgh	466,943	439,194	10,083	466	240	6,657	4,283
Aberdeen	182,783	169,910	4,164	214	91	2,657	1,841
Dundee	177,340	177,179	4,282	294	108	2,314	1,584
LARGE BURGHS							
Paisley	93,711	88,384	3,290	170	37	1,368	792
Greenock	77,177	79,023	1,855	63	62	1,000	590
Motherwell and Wishaw	68,806	66,559	1,405	29	23	609	622
Kirkcaldy	49,050	44,745	1,551	43	53	601	426
Coatbridge	47,541	43,513	497	14	4	523	419
Dunfermline	44,719	35,058	1,768	62	41	562	393
Clydebank	44,638	47,033	394	10	4	386	343
Ayr	42,377	38,905	738	19	4	654	443
Kilmarnock	42,140	38,693	1,049	31	11	571	412
Perth	40,504	35,087	1,215	49	25	600	430
Hamilton	40,174	38,112	1,117	16	11	309	424
Falkirk	37,535	36,566	1,603	30	49	650	343
Airdrie	30,666	27,442	634	19	9	266	330
Inverness	28,107	23,550	1,313	53	35	581	462
Stirling	27,151	24,547	1,097	41	59	541	221
Dumfries	26,322	23,031	1,799	84	54	527	339
Rutherglen	24,231	25,198	119	6	2	156	258
Dumbarton	23,708	21,770	877	16	15	232	187
Port Glasgow	21,618	19,826	246	6	6	134	202
Arbroath	19,521	17,707	329	4	1	235	150

*Adjusted for alteration of boundary.

Table 8. Birth-rate among Married and Unmarried Women in Scotland in 1958.

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND	1,071,700	669,100	402,600	99,481	95,408	4,073	92·8	142·6	10·1
COUNTIES OF CITIES	409,700	250,200	159,500	37,434	35,614	1,820	91·4	142·4	11·4
LARGE BURGHS	184,400	117,400	67,000	17,926	17,276	650	97·2	147·1	9·7
COUNTIES (excluding Counties of Cities and Large Burghs)	477,600	301,500	176,100	44,121	42,518	1,603	92·4	141·0	9·1
SMALL BURGHS	178,900	114,100	64,800	16,016	15,469	547	89·5	135·5	8·4
LANDWARD	298,700	187,400	111,300	28,105	27,049	1,056	94·1	144·3	9·5
ABERDEEN COUNTY									
Aberdeen C. of C.	41,300	25,300	16,000	3,243	3,098	145	78·5	122·6	9·0
Remainder of Co.	27,200	17,100	10,100	2,483	2,348	135	91·3	137·3	13·4
ANGUS COUNTY									
Dundee C. of C.	38,100	23,800	14,200	3,567	3,378	189	93·7	141·8	13·3
Arbroath Burgh	4,200	2,800	1,400	337	323	14	80·4	116·8	9·8
Remainder of Co.	15,300	9,500	5,800	1,187	1,143	44	77·6	120·6	7·6
ARGYLL COUNTY	10,100	6,000	4,100	843	799	44	83·6	132·6	10·8
AYR COUNTY									
Ayr Burgh	9,500	5,800	3,700	842	808	34	88·7	138·5	9·3
Kilmarnock Burgh	9,800	6,500	3,400	1,025	984	41	104·3	152·3	12·2
Remainder of Co.	51,700	33,100	18,600	4,799	4,630	169	92·8	140·0	9·1
BANFF COUNTY	9,200	5,600	3,700	890	846	44	96·3	151·6	12·0
BERWICK COUNTY	4,300	2,800	1,500	291	280	11	67·4	98·5	7·5
BUTE COUNTY	2,700	1,600	1,100	191	183	8	71·1	113·7	7·4
CAITHNESS COUNTY	5,100	3,300	1,800	574	541	33	112·5	163·9	18·3
CLACKMANNAN CO.	8,500	5,800	2,700	805	771	34	94·6	133·0	12·5
DUMFRIES COUNTY									
Dumfries Burgh	5,900	3,800	2,200	500	467	33	84·1	123·7	15·2
Remainder of Co.	11,900	7,500	4,400	1,045	1,002	43	88·2	133·7	9·9
DUNBARTON COUNTY									
Clydebank Burgh	11,300	7,700	3,600	1,150	1,113	37	101·8	144·8	10·2
Dumbarton Burgh	5,600	3,500	2,100	663	646	17	117·8	184·9	8·0
Remainder of Co.	20,200	12,700	7,500	1,846	1,794	52	91·5	141·0	7·0
EAST LOTHIAN CO.	10,500	6,900	3,600	946	914	32	90·0	132·0	8·9
FIFE COUNTY									
Dunfermline Burgh	9,100	6,300	2,900	847	811	36	92·9	129·6	12·6
Kirkcaldy Burgh	11,100	7,500	3,600	1,017	984	33	92·0	131·4	9·3
Remainder of Co.	45,800	30,600	15,300	4,347	4,193	154	94·8	137·1	10·1
INVERNESS COUNTY									
Inverness Burgh	6,000	3,600	2,400	555	523	32	91·8	145·1	13·1
Remainder of Co.	9,000	5,200	3,900	870	833	37	96·3	161·5	9·5

Table 8—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Un-married Women and Widows aged 15-44	Total	Legiti-mate	Illegiti-mate	Total per 1,000 Women aged 15-44	Legiti-mate Births per 1,000 Married Women aged 16-44	Illegiti-mate Births per 1,000 Un-married Women aged 15-44
KINCARDINE COUNTY	5,000	3,200	1,800	431	416	15	85·4	129·7	8·2
KINROSS COUNTY	1,400	900	500	106	102	4	74·8	115·5	7·5
KIRKCUDBRIGHT CO.	5,800	3,600	2,100	544	522	22	94·6	143·4	10·4
LANARK COUNTY									
Glasgow C. of C.	231,900	141,300	90,500	22,760	21,643	1,117	98·2	153·2	12·3
Airdrie Burgh	7,100	4,500	2,600	709	690	19	100·4	154·7	7·3
Coatbridge Burgh	11,300	7,000	4,300	1,372	1,332	40	121·4	190·9	9·3
Hamilton Burgh	8,900	5,500	3,400	865	835	30	96·7	152·0	8·7
Motherwell and Wishaw Burgh	15,400	9,700	5,700	1,532	1,496	36	99·5	153·7	6·4
Rutherglen Burgh	5,100	3,200	2,000	446	432	14	86·7	136·7	7·1
Remainder of Co.	68,400	42,200	26,200	6,744	6,551	193	98·6	155·2	7·4
MIDLOTHIAN COUNTY									
Edinburgh C. of C.	98,500	59,800	38,700	7,864	7,495	369	79·9	125·4	9·5
Remainder of Co.	22,400	14,800	7,600	2,214	2,146	68	99·0	145·3	9·0
MORAY COUNTY	9,400	5,900	3,500	1,004	964	40	107·0	164·3	11·4
NAIRN COUNTY	1,600	1,000	600	139	133	6	88·1	136·1	10·0
ORKNEY COUNTY	3,500	2,300	1,200	292	277	15	83·3	119·1	12·7
PEEBLES COUNTY	2,700	1,700	1,000	206	198	8	75·9	116·3	7·9
PERTH COUNTY									
Perth Burgh	8,600	5,500	3,100	718	684	34	83·6	124·8	11·0
Remainder of Co.	16,500	9,800	6,700	1,428	1,353	75	86·5	138·4	11·1
RENFREW COUNTY									
Greenock Burgh	16,400	10,100	6,300	1,601	1,534	67	97·9	151·9	10·7
Paisley Burgh	20,500	13,000	7,500	2,034	1,958	76	99·3	151·1	10·1
Port Glasgow Burgh	5,000	3,300	1,800	527	509	18	104·6	156·2	10·1
Remainder of Co.	28,300	17,600	10,700	2,516	2,464	52	88·9	140·2	4·8
ROSS AND CROMARTY CO.	10,400	5,900	4,600	972	929	43	93·0	157·8	9·4
ROXBURGH COUNTY	8,600	5,400	3,200	662	638	24	76·9	117·3	7·6
SELKIRK COUNTY	4,200	2,600	1,600	328	319	9	78·2	122·3	5·7
STIRLING COUNTY									
Falkirk Burgh	7,800	5,000	2,800	670	656	14	85·9	132·3	4·9
Stirling Burgh	5,700	3,500	2,200	516	491	25	90·6	140·6	11·3
Remainder of Co.	27,100	17,300	9,800	2,391	2,329	62	88·2	134·9	6·3
SUTHERLAND COUNTY	2,200	1,300	900	235	222	13	105·5	165·9	14·6
WEST LOTHIAN CO.	19,500	12,800	6,700	1,913	1,863	50	98·0	145·4	7·5
WIGTOWN COUNTY	5,700	3,600	2,100	606	554	52	106·5	153·6	25·0
ZETLAND COUNTY	3,300	2,000	1,400	273	261	12	82·1	132·5	8·9

Table 9. Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1958.

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
12	1	—	1	—	—	—	1	—	1
13	—	—	—	—	—	—	—	—	—
14	8	6	2	—	—	—	8	6	2
15	21	11	10	—	—	—	21	11	10
16	165	81	84	100	44	56	65	37	28
17	643	338	305	517	276	241	126	62	64
18	1,628	844	784	1,410	734	676	218	110	108
19	2,907	1,488	1,419	2,627	1,335	1,292	280	153	127
nder 20	5,373	2,768	2,605	4,654	2,389	2,265	719	379	340
20	4,218	2,139	2,079	3,919	1,983	1,936	299	156	143
21	5,755	2,990	2,765	5,460	2,831	2,629	295	159	136
22	6,301	3,202	3,099	6,047	3,075	2,972	254	127	127
23	7,052	3,618	3,434	6,817	3,492	3,325	235	126	109
24	7,044	3,631	3,413	6,816	3,511	3,305	228	120	108
20–24	30,370	15,580	14,790	29,059	14,892	14,167	1,311	688	623
25	6,876	3,497	3,379	6,681	3,395	3,286	195	102	93
26	6,730	3,481	3,249	6,556	3,386	3,170	174	95	79
27	6,273	3,204	3,069	6,090	3,111	2,979	183	93	90
28	6,027	3,083	2,944	5,872	3,005	2,867	155	78	77
29	5,370	2,766	2,604	5,217	2,671	2,546	153	95	58
25–29	31,276	16,031	15,245	30,416	15,568	14,848	860	463	397
30	4,877	2,493	2,384	4,724	2,416	2,308	153	77	76
31	4,099	2,089	2,010	3,946	2,012	1,934	153	77	76
32	4,040	2,097	1,943	3,916	2,036	1,880	124	61	63
33	3,264	1,659	1,605	3,151	1,604	1,547	113	55	58
34	3,073	1,566	1,507	2,951	1,499	1,452	122	67	55
30–34	19,353	9,904	9,449	18,688	9,567	9,121	665	337	328
35	2,591	1,336	1,255	2,505	1,297	1,208	86	39	47
36	2,475	1,271	1,204	2,400	1,229	1,171	75	42	33
37	2,195	1,123	1,072	2,107	1,075	1,032	88	48	40
38	1,934	1,015	919	1,855	969	886	79	46	33
39	1,178	576	602	1,125	548	577	53	28	25
35–39	10,373	5,321	5,052	9,992	5,118	4,874	381	203	178
40	930	473	457	886	447	439	44	26	18
41	617	322	295	578	303	275	39	19	20
42	510	282	228	496	277	219	14	5	9
43	309	152	157	296	143	153	13	9	4
44	177	87	90	167	81	86	10	6	4
40–44	2,543	1,316	1,227	2,423	1,251	1,172	120	65	55
45	87	42	45	83	40	43	4	2	2
46	51	29	22	49	27	22	2	2	—
47	16	10	6	15	10	5	1	—	1
48	4	3	1	3	2	1	1	1	—
49	1	—	1	1	—	1	—	—	—
45–59	159	84	75	151	79	72	8	5	3
50	2	—	2	2	—	2	—	—	—
Not stated	32	14	18	23	9	14	9	5	4
Total	99,481	51,018	48,463	95,408	48,873	46,535	4,073	2,145	1,928

Table 10. Births by Age of Mother and Duration of Marriage, Scotland, 1958.

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Under one year	13,134	—	100	451	1,042	1,490	1,665	1,706	1,478	1,161	903	2,142	680	269	44	2	—	1
1	13,516	—	—	66	312	833	1,338	1,810	1,806	1,619	1,272	3,161	892	349	56	1	—	1
2	11,310	—	—	—	56	259	653	1,154	1,310	1,520	1,263	3,687	1,010	337	57	1	—	3
3	9,697	—	—	—	—	45	217	584	882	1,173	1,301	3,930	1,153	343	64	1	—	4
4	8,524	—	—	—	—	—	46	178	398	829	1,027	4,313	1,304	365	61	1	—	2
5	7,045	—	—	—	—	—	—	28	147	373	635	3,934	1,433	417	72	1	—	5
6	5,717	—	—	—	—	—	—	—	26	118	287	3,243	1,572	411	57	2	—	1
7	4,815	—	—	—	—	—	—	—	—	24	108	2,494	1,669	453	66	1	—	—
8	4,122	—	—	—	—	—	—	—	—	—	20	1,717	1,758	553	68	4	—	2
9	3,459	—	—	—	—	—	—	—	—	—	—	969	1,820	593	73	2	—	2
10–14	9,635	—	—	—	—	—	—	—	—	—	—	826	5,030	3,285	462	32	—	—
15–19	3,657	—	—	—	—	—	—	—	—	—	—	—	365	2,428	824	38	—	2
20–24	719	—	—	—	—	—	—	—	—	—	—	—	*2	189	487	40	1	—
25 and over	58	—	—	—	—	—	—	—	—	—	—	—	—	—	32	25	1	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Births	95,408	—	100	517	1,410	2,627	3,919	5,460	6,047	6,817	6,816	30,416	18,688	9,992	2,423	151	2	23
Male	48,873	—	44	276	734	1,335	1,983	2,831	3,075	3,492	3,511	15,568	9,567	5,118	1,251	79	—	9
Female	46,535	—	56	241	676	1,292	1,936	2,629	2,972	3,325	3,305	14,848	9,121	4,874	1,172	72	2	14
Illegitimate Births	4,073	30	65	126	218	280	299	295	254	235	228	860	665	381	120	8	—	9
Male	2,145	17	37	62	110	153	156	159	127	126	120	463	337	203	65	5	—	5
Female	1,928	13	28	64	108	127	143	136	127	109	108	397	328	178	55	3	—	4
All Births	99,481	30	165	643	1,628	2,907	4,218	5,755	6,301	7,052	7,044	31,276	19,353	10,373	2,543	159	2	32
Male	51,018	17	81	338	844	1,488	2,139	2,990	3,202	3,618	3,631	16,031	9,904	5,321	1,316	84	—	14
Female	48,463	13	84	305	784	1,419	2,079	2,765	3,099	3,434	3,413	15,245	9,449	5,052	1,227	75	2	18

* Married in India.

Table 11. Fertility by Age of Mother, Scotland, 1958.

	Age of Mother									
	All Ages	15-19*	20-24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Births, 1958:										
Total	99,481	5,373	30,370	31,276	19,353	10,373	2,543	159	2	32
Legitimate	95,408	4,654	29,059	30,416	18,688	9,992	2,423	151	2	23
Illegitimate	4,073	719	1,311	860	665	381	120	8	—	9
Rates per annum per 1,000 females:										
All Births	79·28†	28·87	169·77	175·85	109·40	56·55	15·12	0·87	0·00	—
Legitimate Births (per 1,000 married females)	117·85†	466·85	318·01	218·39	131·77	66·13	17·89	1·08	0·01	—
Illegitimate Births (per 1,000 unmarried females including widowed and divorced)	9·15†	4·09	15·01	22·33	19·00	11·80	3·66	0·19	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.
* 1 aged 12 and 8 aged 14.

Table 12. Interval between Present Marriage and Birth of First Child, Scotland, 1958.

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
Months.																	
Under One	133	6	6	12	12	21	17	6	5	9	19	13	7	—	—	—	—
1	146	10	13	14	24	13	18	9	5	4	20	8	6	2	—	—	—
2	294	4	21	34	45	33	30	30	17	13	33	22	9	2	1	—	—
Under 3	*573*	*20*	*40*	*60*	*81*	*67*	*65*	*45*	*27*	*26*	*72*	*43*	*22*	*4*	*1*	—	—
3	489	12	39	54	82	55	56	44	33	22	51	24	13	4	—	—	—
4	795	19	49	121	140	103	84	58	52	35	77	32	22	2	1	—	—
5	1,173	13	88	164	183	178	122	107	85	52	121	41	15	4	—	—	—
3–5	*2,457*	*44*	*176*	*339*	*405*	*336*	*262*	*209*	*170*	*109*	*249*	*97*	*50*	*10*	*1*	—	—
6	1,483	17	74	196	253	214	219	160	90	65	122	51	19	3	—	—	—
7	1,285	8	69	158	186	205	171	120	93	71	147	33	18	6	—	—	—
8	800	5	28	79	107	104	99	87	69	48	120	36	16	2	—	—	—
6–8	*3,568*	*30*	*171*	*433*	*546*	*523*	*489*	*367*	*252*	*184*	*389*	*120*	*53*	*11*	—	—	—
9	1,540	2	30	57	117	201	202	168	165	132	329	101	31	5	—	—	—
10	2,654	3	17	84	185	294	362	375	295	241	587	168	37	6	—	—	—
11	2,145	1	16	64	146	234	311	302	238	188	454	128	56	7	—	—	—
9–11	*6,339*	*6*	*63*	*205*	*448*	*729*	*875*	*845*	*698*	*561*	*1,370*	*397*	*124*	*18*	—	—	—
12–14	4,478	—	29	118	295	437	649	591	564	406	965	281	124	19	—	—	—
15–17	2,687	—	7	38	134	253	351	395	330	255	656	188	71	8	1	—	—
18–20	1,962	—	6	26	82	176	225	263	242	206	515	152	59	10	—	—	—
21–23	1,616	—	3	8	53	104	180	212	217	183	478	119	45	14	—	—	—
Years.																	
Under One	12,937	100	450	1,037	1,480	1,655	1,691	1,466	1,147	880	2,080	657	249	43	2	—	—
1	10,743	—	45	190	564	970	1,405	1,461	1,353	1,050	2,614	740	299	51	1	—	—
2	4,234	—	—	11	48	148	332	440	575	504	1,567	456	124	28	1	—	—
3	2,198	—	—	—	2	34	86	139	226	312	990	291	95	23	—	—	—
4	1,422	—	—	—	—	3	11	25	97	122	810	258	76	20	—	—	—
5	848	—	—	—	—	—	—	4	19	51	490	211	60	13	—	—	—
6	609	—	—	—	—	—	—	3	7	13	313	210	57	6	—	—	—
7	366	—	—	—	—	—	—	—	2	6	157	148	46	7	—	—	—
8	292	—	—	—	—	—	—	—	—	1	90	138	58	3	2	—	—
9	178	—	—	—	—	—	—	—	—	—	33	100	38	7	—	—	—
10–14	437	—	—	—	—	—	—	—	—	—	30	211	172	22	2	—	—
15–19	118	—	—	—	—	—	—	—	—	—	—	19	77	22	—	—	—
20 and over	11	—	—	—	—	—	—	—	—	—	—	—	5	6	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—

Table 13. Legitimate Births by Age of Mother and Number of Previous

Number of Previous Children (including Stillborn and Dead)	All Ages	Age of Mother															
		16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	50 and over	Not stated
By All Husbands.																	
None	33,910	100	495	1,238	2,094	2,809	3,523	3,534	3,422	2,920	9,060	3,294	1,220	197	4	—	—
1	27,583	—	21	165	483	919	1,530	1,832	2,275	2,388	10,663	5,129	1,860	303	14	1	—
2	15,545	—	1	7	47	172	355	529	828	1,019	5,867	4,204	2,078	424	14	—	—
3	8,329	—	—	—	3	19	47	132	233	356	2,721	2,713	1,712	369	24	—	—
4	4,445	—	—	—	—	—	3	18	51	101	1,253	1,513	1,156	322	28	—	—
5	2,536	—	—	—	—	—	2	1	8	28	569	904	759	245	20	—	—
6	1,345	—	—	—	—	—	—	1	—	4	196	489	476	165	14	—	—
7	752	—	—	—	—	—	—	—	—	—	55	250	308	131	7	1	—
8	422	—	—	—	—	—	—	—	—	—	26	120	178	90	8	—	—
9	237	—	—	—	—	—	—	—	—	—	3	40	121	66	7	—	—
10–14	271	—	—	—	—	—	—	—	—	—	3	32	122	104	10	—	—
15–19	10	—	—	—	—	—	—	—	—	—	—	—	2	7	1	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
TOTAL	95,408	100	517	1,410	2,627	3,919	5,460	6,047	6,817	6,816	30,416	18,688	9,992	2,423	151	2	23
By Present Husband.																	
None	34,394	100	495	1,238	2,094	2,810	3,525	3,538	3,426	2,939	9,174	3,439	1,356	252	8	—	—
1	27,642	—	21	165	483	919	1,530	1,833	2,274	2,382	10,650	5,145	1,915	311	13	1	—
2	15,433	—	1	7	47	171	354	527	827	1,010	5,839	4,166	2,048	422	14	—	—
3	8,185	—	—	—	3	19	46	130	232	353	2,687	2,668	1,665	357	25	—	—
4	4,350	—	—	—	—	—	3	17	50	100	1,227	1,490	1,125	311	27	—	—
5	2,464	—	—	—	—	—	2	1	8	28	560	881	733	231	20	—	—
6	1,294	—	—	—	—	—	—	1	—	4	193	473	452	157	14	—	—
7	716	—	—	—	—	—	—	—	—	—	54	239	294	123	5	1	—
8	410	—	—	—	—	—	—	—	—	—	26	117	170	89	8	—	—
9	232	—	—	—	—	—	—	—	—	—	3	41	116	66	6	—	—
10–14	256	—	—	—	—	—	—	—	—	—	3	29	116	98	10	—	—
15–19	9	—	—	—	—	—	—	—	—	—	—	—	2	6	1	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
TOTAL	95,408	100	517	1,410	2,627	3,919	5,460	6,047	6,817	6,816	30,416	18,688	9,992	2,423	151	2	23

Table 14. Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1958.

Number of Previous Children (Including Stillborn and Dead)	Total Births	Duration of Present Marriage—Years															Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over	Not stated	
By All Husbands—None	33,910	12,705	10,626	4,178	2,171	1,407	835	600	363	288	177	430	118	11	1	—	33,910
1	27,583	248	2,636	6,215	5,342	4,057	2,849	1,864	1,356	915	642	1,201	241	16	1	—	55,166
2	15,545	87	160	774	1,857	2,261	2 150	1,786	1,484	1,244	943	2,186	571	41	1	—	46,635
3	8,329	52	52	87	254	651	901	928	913	828	774	2,134	669	83	3	—	33,316
4	4,445	28	23	30	39	92	227	402	454	458	438	1,555	580	112	7	—	22,225
5	2,536	7	8	11	13	34	60	107	186	256	280	974	498	93	9	—	15,216
6	1,345	3	4	4	9	7	13	23	50	88	128	590	334	85	7	—	9,415
7	752	1	2	5	5	7	4	4	6	31	57	309	241	78	2	—	6,016
8	422	2	2	—	1	1	1	1	1	7	13	159	167	60	7	—	3,798
9	237	—	1	2	2	1	—	—	1	3	2	60	115	45	5	—	2,370
10	117	—	—	—	—	3	—	—	—	1	2	26	58	26	1	—	1,287
11	72	—	1	—	—	—	—	—	1	—	1	6	35	24	4	—	864
12	47	—	—	1	—	1	—	—	—	1	—	3	15	20	6	—	611
13	27	—	—	—	—	—	—	—	—	—	—	1	10	14	2	—	378
14	8	—	—	—	—	—	—	—	—	—	—	1	3	3	1	—	120
15 and over	*10	—	—	—	—	—	—	1	—	—	—	—	—	8	1	—	167
Not stated	23	1	1	3	4	2	5	1	—	2	2	—	2	—	—	—	23
TOTAL	95,408	13,134	13,516	11,310	9,697	8,524	7,045	5,717	4,815	4,122	3,459	9,635	3,657	719	58	—	231,517
TOTAL NUMBER OF CHILDREN (Including Present Birth)	231,517	13,900	16,834	19,598	19,851	19,744	18,219	16,269	14,994	13,971	12,781	40,604	19,236	5,034	482	—	—
By Present Husband—None	34,394	12,937	10,743	4,234	2,198	1,422	848	609	366	292	178	437	118	11	1	—	34,394
1	27,642	155	2,614	6,260	5,383	4,092	2,868	1,872	1,362	921	647	1,209	242	16	1	—	55,284
2	15,433	24	127	738	1,839	2,261	2,159	1,788	1,491	1,243	949	2,201	571	41	1	—	46,299
3	8,185	9	23	56	236	644	882	933	909	828	769	2,142	668	83	3	—	32,740
4	4,350	3	6	12	28	81	220	400	452	460	442	1,546	581	112	7	—	21,750
5	2,464	3	2	4	4	15	52	94	187	255	279	967	499	94	9	—	14,784
6	1,294	1	—	1	5	3	9	17	42	90	123	578	334	84	7	—	9,058
7	716	1	—	2	—	—	2	2	4	23	53	307	242	78	2	—	5,728
8	410	—	—	—	—	—	—	1	1	6	12	159	164	60	7	—	3,690
9	232	—	—	—	—	1	—	—	—	2	4	57	118	45	5	—	2,320
10	108	—	—	—	—	2	—	—	—	—	1	22	56	26	1	—	1,188
11	71	—	—	—	—	—	—	—	1	—	—	7	35	24	4	—	852
12	44	—	—	—	—	1	—	—	—	—	—	2	15	20	6	—	572
13	25	—	—	—	—	—	—	—	—	—	—	—	9	14	2	—	350
14	8	—	—	—	—	—	—	—	—	—	—	1	3	3	1	—	120
15 and over	*9	—	—	—	—	—	—	—	—	—	—	—	—	8	1	—	151
Not stated	23	1	1	3	4	2	5	1	—	2	2	—	2	—	—	—	23
TOTAL	95,408	13,134	13,516	11,310	9,697	8,524	7,045	5,717	4,815	4,122	3,459	9,635	3,657	719	58	—	229,303
TOTAL CHILDREN BY PRESENT HUSBAND (including Present Birth)	229,303	13,404	16,487	19,302	19,628	19,528	18,085	16,158	14,928	13,895	12,725	40,428	19,220	5,033	482	—	—
Average Number of Children to Present Husband	2·40	1·02	1·22	1·71	2·02	2·29	2·57	2·83	3·10	3·37	3·68	4·20	5·26	7·00	8·31	—	—

NOTE.—The above numbers indicate that in some cases children born before marriage have been included by informant.
* DURATION OF PRESENT MARRIAGE

Table 15. Deaths, by Age-Groups, of Women who had been married, and number returned at time of death as having had no children, Scotland, 1958.

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60-69	70 and over	Not stated
All women*—												
Married	8,701	4	39	108	161	257	368	542	1,813	2,501	2,908	—
Widowed	13,530	—	1	1	2	5	21	65	446	1,979	11,010	—
Divorced	100	—	—	1	3	7	9	6	19	25	30	—
Women stated to have had no children—												
Married	1,378	2	17	20	32	39	55	87	302	397	427	—
Widowed	2,044	—	1	—	—	—	5	11	65	311	1,651	—
Divorced	30	—	—	1	—	3	4	1	2	10	9	—
No statement as to children—												
Married	25	—	—	—	1	—	—	3	5	9	7	—
Widowed	86	—	—	—	—	—	—	—	4	6	76	—
Divorced	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	2	—	—	—	—	—	—	—	—	—	2	—
Percentage of women* in each group stated to have had no children—												
Married	15·8	50·0	43·6	18·5	19·9	15·2	14·9	16·1	16·7	15·9	14·7	—
Widowed	15·1	—	100·0	—	—	—	23·8	16·9	14·6	15·7	15·0	—
Divorced†	30·0	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Numbers in age columns too small for the calculation of significant rates.

Table 16. Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1958.

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No statement as to Children					Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	73	33	40	—	42	21	21	—	—	—	—	—	—	57·5	63·6	52·5	—
1	91	42	48	1	37	12	25	—	—	—	—	—	—	40·7	28·6	52·1	—
2	142	45	97	—	50	16	34	—	—	—	—	—	—	35·2	35·6	35·1	—
3	170	64	102	4	57	25	31	1	—	—	—	—	—	33·5	39·1	30·4	—
4	139	44	92	3	43	15	26	2	—	—	—	—	—	30·9	34·1	28·3	—
5	164	50	107	7	61	17	42	2	—	—	—	—	—	37·2	34·0	39·3	—
6	157	58	95	4	60	24	35	1	—	—	—	—	—	38·2	41·4	36·8	—
7	187	63	122	2	60	26	33	1	—	—	—	—	—	32·1	41·3	27·0	—
8	187	74	111	2	66	28	38	—	—	—	—	—	—	35·3	37·8	34·2	—
9	218	80	136	2	54	22	31	1	—	—	—	—	—	24·8	27·5	22·8	—
10–14	1,146	390	736	20	316	119	186	11	—	—	—	—	—	27·6	·30·5	25·3	—
15–19	1,435	551	869	15	372	147	223	2	—	—	—	—	—	25·9	26·7	25·7	—
20–29	3,943	1,498	2,424	21	808	338	465	5	—	—	—	—	—	20·5	22·6	19·2	—
30–39	5,649	2,257	3,380	12	734	314	418	2	—	—	—	—	—	13·0	13·9	12·4	—
40–49	5,297	2,059	3,238	—	450	191	259	—	—	—	—	—	—	8·5	9·3	8·0	—
50–59	2,801	1,262	1,538	1	124	54	70	—	—	—	—	—	—	4·4	4·3	4·6	—
60–69	305	113	192	—	10	3	7	—	—	—	—	—	—	3·3	2·7	3·6	—
70 and over	6	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	221	16	199	6	108	6	100	2	113	25	86	—	2	48·9	37·5	50·3	—
TOTAL	22,331	8,701	13,530	100	3,452	1,378	2,044	30	113	25	86	—	2	15·5	15·8	15·1	30·0

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married—Scotland, 1958.

	Cause of Death	Women who had Children								Women who had no Children							
		Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019	Tuberculosis	114	1	21	30	16	13	21	12	23	—	9	7	4	2	—	1
020-029	Syphilis	12	—	—	—	2	6	4	—	2	—	—	—	—	1	1	—
170	Malignant neoplasm of breast	515	—	10	48	130	119	110	98	127	—	1	9	25	39	34	19
171-174	Malignant neoplasm of uterus	296	—	5	38	68	87	62	36	49	1	2	5	8	14	15	4
175-176	Malignant neoplasm of other and unspecified female genital organs	191	—	2	18	43	56	41	31	58	—	1	6	12	17	16	6
140-165, 180-205	Malignant neoplasm of all other and unspecified sites	2,194	4	31	80	256	467	683	673	425	3	3	6	49	99	129	136
214-217	Benign neoplasm of female genital organs	12	—	—	4	—	2	2	4	1	—	—	—	—	1	—	—
241	Asthma	47	—	4	6	7	15	14	1	8	2	1	—	2	2	—	1
252	Thyrotoxicosis, with or without goitre	13	—	1	1	3	5	1	2	4	—	—	—	1	—	2	1
260	Diabetes mellitus	287	—	—	5	8	59	125	90	33	—	—	1	4	7	12	9
290-293	Anæmias	109	—	1	2	3	9	30	64	23	—	—	3	—	1	8	11
300-326	Mental, psychoneurotic and personality disorders	34	—	—	1	—	5	12	16	9	—	—	—	1	2	2	4
330-334	Vascular lesions affecting central nervous system	3,903	3	16	45	205	466	1,134	2,034	676	—	2	13	29	87	206	339
353	Epilepsy	13	—	2	2	1	4	1	3	5	—	—	2	1	1	—	1
410-416	Chronic rheumatic heart disease	374	—	23	57	71	99	70	54	83	2	9	16	20	16	13	7
420-422	Arteriosclerotic and degenerative heart disease	5,823	—	4	36	173	670	1,556	3,384	1,008	—	1	11	25	103	283	585
430-434	Other diseases of heart	270	—	1	6	13	35	74	141	53	—	—	4	1	5	14	29
440-447	Hypertensive disease	738	—	2	7	47	95	244	343	139	—	1	—	4	22	48	64
460-466	Diseases of veins	84	—	1	3	7	16	28	29	21	1	—	1	1	5	2	11
490-493	Pneumonia	531	1	—	11	21	45	142	311	93	—	—	—	5	13	20	55
500-502	Bronchitis	460	—	6	10	22	81	132	209	73	—	—	1	10	13	22	27
560, 561, 570	Intestinal obstruction and hernia	105	—	3	4	8	10	32	48	24	—	—	—	1	6	5	12
581-586	Diseases of the liver	215	2	1	4	20	47	77	64	25	—	1	1	5	8	4	6
590-609	Diseases of the urinary and genito-urinary system	249	—	12	16	20	61	71	69	38	2	4	1	4	10	9	8
620-637	Diseases of female genital organs	27	—	2	5	2	6	10	2	2	—	1	—	—	—	1	—
640-689	Deliveries and complications of pregnancy and the puerperium	42	5	18	17	2	—	—	—	7	1	6	—	—	—	—	—
	All other natural causes	1,654	6	34	56	102	183	347	926	309	4	7	10	24	42	60	162
E800-E999	Violence	567	2	23	49	71	71	100	251	134	4	4	9	18	14	27	58
	TOTAL	18,879	24	223	561	1,321	2,732	5,123	8,895	3,452	20	53	106	254	530	933	1,556

Table 18. Number of Stillbirths and Neo-Natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland 1958.

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Stillbirths	Neo-natal Deaths	Combined Rates
SCOTLAND	99,481	2,324	129	1,862	22·8	18·3	41·1
COUNTIES OF CITIES	37,434	887	59	754	23·1	19·7	42·8
LARGE BURGHS	17,926	456	18	332	24·8	18·1	42·9
COUNTIES (ex. Counties of Cities and Large Burghs)	44,121	981	52	776	21·8	17·2	39·0
SMALL BURGHS	16,016	358	15	257	21·9	15·7	37·6
LANDWARD	28,105	623	37	519	21·7	18·1	39·8
NORTHERN DIVISION	16,771	327	20	258	19·1	15·1	34·2
EAST CENTRAL DIVISION	27,097	618	35	453	22·3	16·3	38·6
WEST CENTRAL DIVISION	51,431	1,268	63	1,088	24·1	20·6	44·7
SOUTHERN DIVISION	4,182	111	11	63	25·9	14·7	40·5
ABERDEEN COUNTY	5,726	92	7	76	16	13	29
Aberdeen County of City	3,243	52	3	44	16	13	29
Remainder of County	2,483	40	4	32	16	13	29
ANGUS COUNTY	5,091	109	5	74	21	14	35
Dundee County of City	3,567	84	5	54	23	15	38
Arbroath Burgh	337	6	—	3	17	9	26
Remainder of County	1,187	19	—	17	16	14	30
ARGYLL COUNTY	843	25	2	14	29	16	45
AYR COUNTY	6,666	155	5	129	23	19	42
Ayr Burgh	842	19	—	12	22	14	36
Kilmarnock Burgh	1,025	29	—	20	28	19	46
Remainder of County	4,799	107	5	97	22	20	42
BANFF COUNTY	890	25	2	19	27	21	48
BERWICK COUNTY	291	3	1	2	10	7	17
BUTE COUNTY	191	3	—	4	15	21	36
CAITHNESS COUNTY	574	15	1	9	25	15	41
CLACKMANNAN COUNTY	805	26	1	13	31	16	47
DUMFRIES COUNTY	1,545	45	6	25	28	16	44
Dumfries Burgh	500	14	1	5	27	10	37
Remainder of County	1,045	31	5	20	29	19	47
DUNBARTON COUNTY	3,659	83	3	65	22	17	40
Clydebank Burgh	1,150	29	2	20	25	17	42
Dumbarton Burgh	663	15	1	15	22	22	44
Remainder of County	1,846	39	—	30	21	16	37
EAST LOTHIAN COUNTY	946	12	1	14	13	15	27

Table 18. Number of Stillbirths and Neo-Natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland 1958—*continued.*

Counties of Cities Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Stillbirths	Neo-natal Deaths	Combined Rates
FIFE COUNTY	6,211	137	10	103	22	16	38
Dunfermline Burgh	847	22	—	16	25	18	44
Kirkcaldy Burgh	1,017	35	6	13	33	12	46
Remainder of County	4,347	80	4	74	18	17	35
INVERNESS COUNTY	1,425	23	1	24	16	17	32
Inverness Burgh	555	9	—	7	16	12	28
Remainder of County	870	14	1	17	16	19	35
KINCARDINE COUNTY	431	10	—	8	23	18	41
KINROSS COUNTY	106	1	—	1	9	9	19
KIRKCUDBRIGHT COUNTY	544	7	—	13	13	24	36
LANARK COUNTY	34,428	864	48	762	24	22	46
Glasgow County of City	22,760	596	40	525	26	22	48
Airdrie Burgh	709	21	—	22	29	30	59
Coatbridge Burgh	1,372	33	—	22	23	16	39
Hamilton Burgh	865	28	1	25	31	28	59
Motherwell etc. Burgh	1,532	27	1	26	17	17	34
Rutherglen Burgh	446	8	1	8	18	18	35
Remainder of County	6,744	151	5	134	22	19	41
MIDLOTHIAN COUNTY	10,078	214	12	175	21	17	38
Edinburgh County of City	7,864	155	11	131	19	16	36
Remainder of County	2,214	59	1	44	26	19	45
MORAY COUNTY	1,004	16	—	13	16	13	28
NAIRN COUNTY	139	1	—	3	7	21	29
ORKNEY COUNTY	292	10	1	6	33	20	53
PEEBLES COUNTY	206	7	—	3	33	14	47
PERTH COUNTY	2,146	41	4	38	19	17	36
Perth Burgh	718	11	—	18	15	25	40
Remainder of County	1,428	30	4	20	21	14	34
RENFREW COUNTY	6,678	166	7	132	24	19	44
Greenock Burgh	1,601	53	3	33	32	20	52
Paisley Burgh	2,034	50	2	37	24	18	42
Port Glasgow Burgh	527	18	—	13	33	24	57
Remainder of County	2,516	45	2	49	18	19	37
ROSS AND CROMARTY CO.	972	24	—	13	24	13	37
ROXBURGH COUNTY	662	18	2	5	26	7	34
SELKIRK COUNTY	328	10	—	4	30	12	41
STIRLING COUNTY	3,577	103	4	62	28	17	45
Falkirk Burgh	670	15	—	14	22	20	42
Stirling Burgh	516	14	—	3	26	6	32
Remainder of County	2,391	74	4	45	30	18	48
SUTHERLAND COUNTY	235	6	—	4	25	17	41
WEST LOTHIAN COUNTY	1,913	42	2	32	21	16	38
WIGTOWN COUNTY	606	21	2	11	33	18	51
ZETLAND COUNTY	273	10	2	6	35	21	57

Table 19. Stillbirths by Age of Mother and Number of Previous Children, Scotland, 1958.

Number of Previous Children (Present or any Previous Husband)	All Ages	Rate per 1,000 Births	Age of Mother								
			Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
None	824	24	85	338	219	111	56	13	2	—	—
1	477	17	9	133	177	96	55	7	—	—	—
2	366	23	—	49	133	106	58	20	—	—	—
3	187	22	—	14	51	47	53	17	5	—	—
4	136	30	—	5	24	40	50	17	—	—	—
5	71	27	—	1	13	25	19	13	—	—	—
6	47	34	—	—	4	15	16	10	2	—	—
7	31	40	—	—	—	5	13	13	—	—	—
8	28	62	—	—	—	8	9	9	2	—	—
9	10	40	—	—	—	1	5	3	1	—	—
10 and over	18	60	—	—	—	1	10	4	3	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—
All Legitimate Stillbirths	2,195	22·5	94	540	621	455	344	126	15	—	—
All Illegitimate Stillbirths	129	30·7	*19	38	18	23	24	5	1	—	1
ALL STILLBIRTHS	2,324	22·8	113	578	639	478	368	131	16	—	1
Stillbirths per 1,000 Total Births (including Stillbirths)—											
Legitimate	22·5	—	20	18	20	24	33	49	90	—	—
Illegitimate	30·7	—	26	28	21	33	59	40	111	—	—
All Births	22·8	—	21	19	20	24	34	49	91	—	—

*Including 1 aged 15.

Table 20. Multiple Confinements by Age of Mother (all Births, live and still), Scotland, 1958.

	Live Births		Stillbirths		Total	Legitimate	Illegitimate	Age of Mother								
	Male	Female	Male	Female				Under 20	20—24	25—29	30—34	35—39	40—44	45—49	50 and over	Not stated
Twin Births	2	–	–	–	374	360	14	10 (1)	73 (2)	121 (2)	95 (3)	66 (3)	9 (3)	–	–	–
	1	1	–	–	439	426	13	9	92 (5)	138 (4)	124 (3)	69 (1)	7	–	–	–
	–	2	–	–	358	341	17	8 (1)	77 (4)	122 (3)	80 (2)	57 (4)	13 (2)	–	–	1 (1)
	1	–	1	–	32	30	2	3	5 (1)	8	10 (1)	5	1	–	–	–
	1	–	–	1	7	7	–	–	1	1	4	1	–	–	–	–
	–	1	1	–	5	5	–	–	–	2	3	–	–	–	–	–
	–	1	–	1	34	33	1	3	5	13	6	6 (1)	1	–	–	–
	–	–	2	–	13	12	1	1 (1)	1	5	3	2	1	–	–	–
	–	–	1	1	5	4	1	–	–	–	3	1 (1)	1	–	–	–
	–	–	–	2	10	9	1	–	1	2	2	5 (1)	–	–	–	–
Triplet Births	3	–	–	–	3	3	–	–	–	1	–	2	–	–	–	–
	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	–	3	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Quadruplet Births	2	2	–	–	1	1	–	–	–	–	–	–	1	–	–	–
Twin Confinements					1,277	1,227	50	34	255	412	330	212	33	–	–	1
Triplet Confinements					5	5	–	–	–	1	2	2	–	–	–	–
Quadruplet Confinements					1	1	–	–	–	–	–	–	1	–	–	–
All Multiple Confinements					1,283	1,233	50	34	255	413	332	214	34	–	–	1
Illegitimate only					50	–	50	3	12	9	9	11	5	–	–	1
All mothers					100,515	96,363	4,152	5,452	30,693	31,501	19,497	10,525	2,638	175	2	32
Percentage of mothers who had multiple births					1·28	1·28	1·20	0·62	0·83	1·31	1·70	2·03	1·29	–	–	–

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets.

Table 21. Stillbirths, 1958—Cause, with Age of Mother.

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	ALL CAUSES	B.S.	2,324	113	578	639	478	368	131	16	–	1
		M.	1,176	61	277	299	247	213	69	9	–	1
		F.	1,147	52	300	340	231	155	62	7	–	–
	Sex not stated		1	–	1	–	–	–	–	–	–	–
	Chronic Disease in mother	M.	22	–	1	6	6	6	3	–	–	–
		F.	18	–	5	5	2	2	2	2	–	–
30.0	Syphilis	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
30.1	Tuberculosis	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	M.	4	–	1	1	1	1	–	–	–	–
		F.	4	–	2	2	–	–	–	–	–	–
30.3	Chronic diseases of circulatory system	M.	11	–	–	4	3	2	2	–	–	–
		F.	12	–	3	2	1	2	2	2	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
30.5	Other chronic disease	M.	7	–	–	1	2	3	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Acute disease in mother	M.	7	–	3	4	–	–	–	–	–	–
		F.	2	–	–	–	2	–	–	–	–	–
31.1	Influenza	M.	3	–	2	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	M.	3	–	–	3	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
	Diseases and conditions of pregnancy and childbirth	M.	110	5	30	31	21	17	4	2	–	–
		F.	100	8	23	33	18	12	6	–	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	M.	97	4	28	27	20	12	4	2	–	–
		F.	93	7	22	31	17	11	5	–	–	–
32.3*b*	Nephritic toxæmia	M.	2	–	–	1	–	1	–	–	–	–
		F.	2	1	–	–	–	1	–	–	–	–
32.3*c*	Toxæmia not stated	M.	8	1	2	3	–	2	–	–	–	–
		F.	5	–	1	2	1	–	1	–	–	–
32.4*a*	Acute yellow atrophy of liver	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	M.	1	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from mother**	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	99	5	22	28	18	20	5	1	–	–
		F.	73	3	15	23	13	13	6	–	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 21—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Difficult Labour—*continued*											
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	1	2	1	–	–	–	–
34.1*a*	Disproportion with immaturity	M.	4	–	1	2	1	–	–	–	–	–
		F.	5	–	2	1	–	1	1	–	–	–
34.1*b*	Disproportion without immaturity	M.	16	1	2	6	4	3	–	–	–	–
		F.	17	–	2	6	3	4	2	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	M.	4	–	–	3	1	–	–	–	–	–
		F.	6	–	2	3	1	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	M.	38	2	8	10	6	10	1	1	–	–
		F.	21	–	3	6	4	6	2	–	–	–
34.3*a*	Abnormality of forces of labour, with immaturity	M.	3	1	–	–	2	–	–	–	–	–
		F.	2	–	–	1	1	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	M.	15	–	5	3	3	3	1	–	–	–
		F.	4	1	–	1	1	1	–	–	–	–
34.4*a*	Operative delivery, with immaturity	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	M.	1	–	–	1	–	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	17	1	6	2	1	4	3	–	–	–
		F.	11	1	5	3	1	–	1	–	–	–
	Other causes in Mother	M.	3	–	2	–	1	–	–	–	–	–
		F.	11	–	1	7	2	1	–	–	–	–
35.0	Fall	M.	1	–	–	–	1	–	–	–	–	–
		F.	4	–	–	4	–	–	–	–	–	–
2.0, 35.1	Other accident or violence	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	2	–	2	–	–	–	–	–	–	–
		F.	5	–	1	3	1	–	–	–	–	–
	Placental and cord conditions	M.	438	23	102	118	91	76	25	3	–	–
		F.	339	14	86	94	68	57	19	1	–	–
36.0*a*	Prolapse of cord	M.	60	1	19	11	13	12	3	1	–	–
		F.	41	3	6	17	6	7	2	–	–	–
36.0*b*	Torsion of cord	M.	55	2	13	14	12	13	1	–	–	–
		F.	52	–	16	15	11	6	3	1	–	–
6.1, 36.3	Placenta prævia	M.	12	–	–	5	6	1	–	–	–	–
		F.	3	–	1	–	–	1	1	–	–	–
32.2	Accidental hæmorrhage	M.	176	10	46	48	34	26	12	–	–	–
		F.	119	5	30	25	22	28	9	–	–	–
6.2, 36.4	Other hæmorrhage	M.	14	1	2	7	4	–	–	–	–	–
		F.	19	–	5	6	5	3	–	–	–	–
36.5	Placental infarct	M.	55	4	9	18	10	6	7	1	–	–
		F.	47	3	12	15	8	7	2	–	–	–
36.6	Others of placenta and cord	M.	66	5	13	15	12	18	2	1	–	–
		F.	58	3	16	16	16	5	2	–	–	–

Table 21—*continued.*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Birth injury	M.	51	5	7	13	10	12	4	–	–	–
		F.	16	–	3	5	5	2	1	–	–	–
37*a*	Birth injury with immaturity	M.	2	–	–	–	1	1	–	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–
37*b*	Birth injury without immaturity	M.	49	5	7	13	9	11	4	–	–	–
		F.	14	–	2	5	4	2	1	–	–	–
	Congenital malformation of fœtus	M.	178	11	44	41	37	27	16	2	–	–
		F.	359	20	115	104	69	32	16	3	–	–
	Sex not stated		1	–	1	–	–	–	–	–	–	–
38.0	Anencephalus	M.	93	5	20	26	23	10	9	–	–	–
		F.	237	14	77	69	46	19	11	1	–	–
38.1	Hydrocephalus	M.	43	5	12	8	8	6	3	1	–	–
		F.	71	4	23	22	11	7	2	2	–	–
38.2	Spina bifida	M.	6	1	2	–	–	3	–	–	–	–
		F.	19	1	4	4	7	2	1	–	–	–
38.3	Other malformations of the central nervous system	M.	4	–	2	–	1	1	–	–	–	–
		F.	9	–	4	2	2	1	–	–	–	–
38.4	Malformation of the cardiovascular system	M.	3	–	–	1	1	–	–	1	–	–
		F.	2	–	–	2	–	–	–	–	–	–
38.5	Malformation of other specified system	M.	16	–	2	4	3	4	3	–	–	–
		F.	5	–	1	1	1	1	1	–	–	–
38.6	Monster	M.	2	–	1	–	1	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	M.	11	–	5	2	–	3	1	–	–	–
		F.	15	–	6	4	2	2	1	–	–	–
	Sex not stated		1	–	1	–	–	–	–	–	–	–
	Diseases of fœtus and ill-defined causes	M.	268	12	66	58	63	55	12	1	–	1
		F.	229	7	52	69	52	36	12	1	–	–
39.2	Erythroblastosis (Rhesus Factor)	M.	57	–	11	12	17	15	2	–	–	–
		F.	43	–	7	13	15	6	2	–	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	M.	35	4	11	7	7	4	2	–	–	–
		F.	42	2	14	11	6	8	1	–	–	–
39.5*a*	Premature birth (cause not stated)	M.	22	4	5	3	5	4	1	–	–	–
		F.	25	1	7	4	8	5	–	–	–	–
39.5*b*	Debility	M.	1	–	–	–	1	–	–	–	–	–
		F.	3	–	–	2	1	–	–	–	–	–
39.5*c*	Asphyxia	M.	61	2	12	18	15	10	3	1	–	–
		F.	54	2	11	14	16	7	4	–	–	–
39.5*d*	Atelectasis	M.	31	1	10	7	6	7	–	–	–	–
		F.	27	1	7	9	5	3	2	–	–	–
39.5*e*	Other ill-defined	M.	8	–	3	3	–	2	–	–	–	–
		F.	6	–	–	4	–	2	–	–	–	–
39.6	Cause unknown	M.	53	1	14	8	12	13	4	–	–	1
		F.	29	1	6	12	1	5	3	1	–	–

Table 21A. Stillbirths by Cause of Death and Sex, 1950 to 1958—Scotland.

...ial '39)	Cause of Death.	Sex	1958	1957	1956	1955	1954	1953	1952	1951	1950
	ALL CAUSES	B.S.	2,324	2,378	2,329	2,330	2,401	2,308	2,430	2,479	2,557
		M.	1,176	1,195	1,170	1,229	1,243	1,197	1,249	1,292	1,319
		F.	1,147	1,183	1,156	1,098	1,157	1,107	1,180	1,186	1,237
	Sex not stated		1	–	3	3	1	4	1	1	1
	Chronic disease in mother	M.	22	29	27	41	28	26	35	45	29
		F.	18	27	29	23	16	20	30	19	28
	Syphilis	M.	–	–	–	2	2	2	5	5	10
		F.	1	–	1	–	1	–	3	1	5
	Tuberculosis	M.	–	–	1	2	–	2	–	–	2
		F.	–	3	1	–	1	2	–	2	1
	Diabetes	M.	4	4	6	12	6	7	6	5	3
		F.	4	5	5	4	3	5	7	2	5
	Chronic disease of circulatory system	M.	11	20	16	18	12	9	17	19	7
		F.	12	15	15	14	10	8	7	9	7
	Chronic disease of genito-urinary system	M.	–	–	–	–	2	5	2	5	1
		F.	1	1	1	1	–	1	4	4	2
	Other chronic disease	M.	7	5	4	7	6	1	5	11	6
		F.	–	3	6	4	1	4	9	1	8
	Acute disease in mother	M.	7	5	9	7	7	12	5	11	13
		F.	2	12	9	4	–	10	7	4	9
	Influenza	M.	3	2	4	2	–	4	1	2	6
		F.	–	5	1	1	–	4	2	3	4
2	Pneumonia	M.	1	–	–	2	4	1	2	4	6
		F.	–	4	5	–	–	3	2	–	1
3	Other acute respiratory disease	M.	–	1	–	–	–	1	1	2	1
		F.	1	1	–	1	–	1	–	–	1
31.4	Other acute disease or condition	M.	3	2	5	3	3	6	1	3	–
		F.	1	2	3	2	–	2	3	1	3
	Diseases and conditions of pregnancy and childbirth	M.	110	113	100	88	116	122	109	143	124
		F.	100	105	107	85	118	96	90	113	94
1	Ectopic gestation	M.	–	–	–	–	–	–	–	1	–
		F.	–	1	–	–	–	1	–	1	–
3a	Eclampsia	M.	97	102	86	75	106	96	100	118	96
		F.	93	87	93	69	99	80	73	94	80
3b	Nephritic toxæmia	M.	2	2	–	2	1	8	2	7	5
		F.	2	2	4	5	6	6	7	5	1
3c	Toxæmia not stated	M.	8	4	6	7	6	10	7	10	18
		F.	5	11	3	4	7	6	4	8	11
4a	Acute yellow atrophy of liver	M.	–	–	1	2	–	2	–	–	1
		F.	–	–	–	1	1	2	1	–	1
4b	Hyperemesis gravidarum	M.	1	1	1	–	–	–	–	–	1
		F.	–	–	–	1	–	–	1	2	1
5a	Pyelitis	M.	1	1	–	–	2	1	–	–	2
		F.	–	4	1	1	2	–	3	2	–
5b	Infection	M.	1	3	6	1	1	4	–	6	1
		F.	–	–	6	2	1	1	1	1	–
	Absorption of toxic substance from mother	M.	–	–	–	1	–	1	–	1	–
		F.	–	–	–	2	2	–	–	–	–
	Difficult Labour	M.	99	134	127	136	169	140	158	203	225
		F.	73	85	100	93	110	108	130	141	178
		N.S.	–	–	–	–	–	1	–	–	–
0a	Abnormality of bones of pelvis with immaturity	M.	–	–	–	1	1	1	–	–	–
		F.	–	–	–	–	–	–	1	–	2

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 21A—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex	1958	1957	1956	1955	1954	1953	1952	1951	1950
	Difficult Labour—*continued*										
34.0*b*	Abnormality of bones of pelvis without immaturity	M.	–	1	4	5	8	9	4	3	7
		F.	4	3	2	3	4	6	1	2	4
		N.S.	–	–	–	–	–	1	–	–	–
34.1*a*	Disproportion with immaturity	M.	4	15	10	10	12	2	4	9	11
		F.	5	9	13	5	7	4	7	5	11
34.1*b*	Disproportion without immaturity	M.	16	20	24	21	30	17	19	29	38
		F.	17	8	7	20	18	16	10	16	10
34.2*a*	Malposition of fœtus, with immaturity	M.	4	5	6	8	10	7	6	10	15
		F.	6	1	9	7	9	7	10	3	11
34.2*b*	Malposition of fœtus, without immaturity	M.	38	50	39	46	53	54	68	79	78
		F.	21	36	38	27	44	38	51	53	72
34.3*a*	Abnormality of forces of labour, with immaturity	M.	3	–	1	1	1	–	6	2	8
		F.	2	4	1	–	1	1	5	2	1
34.3*b*	Abnormality of forces of labour, without immaturity	M.	15	13	14	9	24	22	33	36	48
		F.	4	9	12	7	8	23	35	31	42
34.4*a*	Operative delivery, with immaturity	M.	1	–	–	–	1	–	–	1	–
		F.	–	–	–	–	1	–	1	–	–
34.4*b*	Operative delivery, without immaturity	M.	1	2	4	9	1	5	3	13	6
		F.	2	3	1	7	5	2	2	10	7
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	M.	–	–	–	–	–	–	1	–	2
		F.	–	–	–	1	1	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	M.	–	2	2	7	5	3	5	5	2
		F.	1	1	2	1	–	–	3	5	8
34.6*a*	Difficult labour without mention of condition, but with immaturity	M.	–	–	–	–	1	2	1	–	2
		F.	–	1	–	–	–	1	–	4	3
34.6*b*	Difficult labour without mention of condition, and without immaturity	M.	17	26	23	19	22	18	8	16	8
		F.	11	10	15	15	12	10	4	10	7
	Other Causes in Mother	M.	3	7	12	13	16	25	9	12	8
		F.	11	8	6	7	16	6	10	16	16
		N.S.	–	–	1	–	–	–	–	–	–
35.0	Fall	M.	1	2	2	3	2	7	2	3	1
		F.	4	1	2	–	4	–	1	4	6
32.0, 35.1	Other accident or violence	M.	–	1	2	–	3	3	–	1	–
		F.	1	1	–	–	2	1	1	1	2
35.2	Over-exertion	M.	–	–	–	3	1	–	–	1	3
		F.	1	–	1	1	3	–	2	1	4
35.3	Other and ill-defined causes in mother	M.	2	4	8	7	10	15	7	7	4
		F.	5	6	3	6	7	5	6	10	4
		N.S.	–	–	1	–	–	–	–	–	–
	Placental and cord conditions	M.	438	452	421	463	451	411	442	409	423
		F.	339	374	353	328	332	350	358	314	331
36.0*a*	Prolapse of cord	M.	60	55	58	71	71	74	79	65	69
		F.	41	39	49	51	43	53	51	45	50
36.0*b*	Torsion of cord	M.	55	56	49	65	63	65	73	62	57
		F.	52	62	59	56	53	62	62	46	46
36.1, 36.3	Placenta prævia	M.	12	11	4	18	19	17	33	38	40
		F.	3	8	14	19	13	14	29	34	36
32.2	Accidental hæmorrhage	M.	176	M218	192	203	197	158	161	169	168
		F.	119								
36.2, 36.4	Other hæmorrhage	M.	14	F 161	129	120	141	124	130	117	124
		F.	19								
36.5	Placental infarct	M.	55	53	57	52	61	69	66	47	57
		F.	47	48	57	46	46	58	57	43	53
36.6	Others of placenta and cord	M.	66	59	61	54	40	28	30	28	32
		F	58	56	45	36	36	39	29	29	22

Table 21A—*continued*

Cause of Death	Sex	1958	1957	1956	1955	1954	1953	1952	1951	1950
Birth injury	M.	**51**	**47**	**55**	**55**	**57**	**43**	**47**	**62**	**61**
	F.	**16**	**18**	**38**	**34**	**39**	**30**	**31**	**42**	**48**
Birth injury with immaturity	M.	2	2	3	3	1	–	5	4	6
	F.	2	2	2	2	6	–	1	3	4
Birth injury without immaturity	M.	49	45	52	52	56	43	42	58	55
	F.	14	16	36	32	33	30	30	39	44
Congenital malformation of fœtus	M.	**178**	**171**	**170**	**193**	**172**	**181**	**191**	**167**	**174**
	F.	**359**	**342**	**331**	**306**	**309**	**295**	**327**	**309**	**286**
	N.S.	**1**	–	**2**	**3**	**1**	**3**	**1**	–	**1**
Anencephalus	M.	93	70	71	77	69	70	68	61	63
	F.	237	219	205	189	207	181	193	181	161
Hydrocephalus	M.	43	63	55	72	52	70	73	71	64
	F.	71	61	71	69	54	64	60	66	71
	N.S.	–	–	–	1	–	–	–	–	–
Spina bifida	M.	6	9	7	9	11	8	7	10	10
	F.	19	26	18	15	11	17	28	22	17
	N.S.	–	–	–	–	–	1	–	–	–
Other malformations of the central nervous system	M.	4	8	11	6	7	9	12	6	5
	F.	9	10	12	10	9	8	12	7	8
Malformation of the cardiovascular system	M.	3	–	5	3	5	6	3	3	7
	F.	2	4	1	1	4	1	4	2	5
Malformation of other specified system	M.	16	7	9	10	11	7	8	8	10
	F.	5	11	9	8	11	3	13	11	8
	N.S.	–	–	–	1	–	–	–	–	1
Monster	M.	2	1	–	1	1	1	2	–	1
	F.	1	1	1	–	4	4	1	2	–
	N.K.	–	–	2	–	–	1	–	–	–
Other and unspecified malformations	M.	11	13	12	15	16	10	18	8	14
	F.	15	10	14	14	9	17	16	18	16
	N.S.	1	–	–	1	1	1	1	–	–
Diseases of fœtus and ill-defined causes	M.	**268**	**237**	**249**	**233**	**227**	**237**	**253**	**240**	**262**
	F.	**229**	**212**	**183**	**218**	**217**	**192**	**197**	**228**	**247**
	N.S.	–	–	–	–	–	–	–	1	–
Erythroblastosis (Rhesus factor)	M.	57	48	54	35	46	44	40	38	35
	F.	43	38	34	31	45	37	36	38	27
Other diseases of fœtus	M.	–	–	1	–	2	1	2	2	3
	F.	–	2	–	–	1	1	6	1	–
Maceration	M.	35	63	37	53	41	47	38	42	61
	F.	42	34	42	58	50	45	39	48	44
	N.S.	–	–	–	–	–	–	–	1	–
Premature birth (cause not stated)	M.	22	15	30	21	22	24	35	16	35
	F.	25	19	14	21	17	17	16	25	30
Debility	M.	1	1	2	4	1	9	7	11	6
	F.	3	1	1	2	3	5	8	4	2
Asphyxia	M.	61	47	24	36	24	40	50	38	39
	F.	54	58	18	22	15	21	31	45	62
Atelectasis*	M.	31	–	–	–	–	–	–	–	–
	F.	27	–	–	–	–	–	–	–	–
Other ill-defined†	M.	8	53	90	77	71	53	40	46	31
	F.	6	45	68	75	73	53	38	40	35
Cause unknown	M.	53	10	11	7	20	19	41	47	52
	F.	29	15	6	9	13	13	23	27	47

*During the period 1950-1957 "Atelectasis" (unqualified) was classified to "Other ill-defined".
†During the period 1950-1957 "Death in utero" was classified to "Other ill-defined", but is now allocated to "Cause unknown." (see page 60)

Table 22. Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1958.

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated
			None	1	2	3	4	5	6	7	8	9	10 and over	
	ALL CAUSES	2,195	824	477	366	187	136	71	47	31	28	10	18	–
	Chronic Disease in Mother	39	18	6	3	3	4	1	3	–	1	–	–	–
30.0	Syphilis	1	–	–	–	–	1	–	–	–	–	–	–	–
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	5	1	1	–	1	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	22	11	5	1	2	–	1	1	–	1	–	–	–
30.4	Chronic disease of genito-urinary system	1	–	–	–	1	–	–	–	–	–	–	–	–
30.5	Other chronic disease	7	2	–	1	–	2	–	2	–	–	–	–	–
	Acute Disease in Mother	8	4	2	2	–	–	–	–	–	–	–	–	–
31.1	Influenza	3	1	1	1	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	1	–	1	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	4	3	–	1	–	–	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	194	107	34	21	11	5	4	3	2	1	3	3	–
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	177	100	34	17	7	4	4	2	2	1	3	3	–
32.3*b*	Nephritic toxaemia	4	2	–	–	1	–	–	1	–	–	–	–	–
32.3*c*	Toxaemia not stated	10	5	–	3	2	–	–	–	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	1	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	1	–	–	–	–	–	–	–
32.5*b*	Infection	1	–	–	1	–	–	–	–	–	–	–	–	–
33	**Absorption of Toxic Substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	153	59	32	19	14	9	7	4	4	3	1	1	–
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	4	1	1	1	–	–	1	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity	8	5	–	1	1	–	–	1	–	–	–	–	–
34.1*b*	Disproportion without immaturity	27	11	6	3	5	–	1	–	1	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	10	4	–	3	2	–	–	1	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	52	14	16	6	4	4	1	2	2	1	1	1	–
34.3*a*	Abnormality of forces of labour, with immaturity	5	–	4	–	–	–	1	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	18	5	2	4	2	4	1	–	–	–	–	–	–
34.4*a*	Operative delivery, with immaturity	1	1	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	3	3	–	–	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 22—*continued.*

al 39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—*continued*														
b	Abnormality of organs or tissues of pelvis, without immaturity	1	1	–	–	–	–	–	–	–	–	–	–	–	–
a	Difficult labour without mention of condition, but with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
b	Difficult labour without mention of condition, and without immaturity	24	14	3	1	–	1	2	–	1	2	–	–	–	4
	Other Causes in Mother	**14**	**5**	**4**	**3**	**1**	**1**	–	–	–	–	–	–	–	–
	Fall	5	1	1	1	1	1	–	–	–	–	–	–	–	–
.1	Other accident or violence	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Over-exertion	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Other and ill-defined causes in mother	7	4	2	1	–	–	–	–	–	–	–	–	–	–
	Placental and Cord Conditions	**736**	**261**	**160**	**124**	**72**	**47**	**27**	**21**	**12**	**6**	**2**	**4**	–	**41**
a	Prolapse of cord	92	30	14	16	16	8	2	2	1	2	–	1	–	9
b	Torsion of cord	100	44	21	17	5	5	3	2	1	1	1	–	–	7
.3	Placenta prævia	14	1	4	4	–	2	1	–	1	1	–	–	–	1
	Accidental hæmorrhage	284	93	61	46	30	20	12	10	9	1	1	1	–	11
.4	Other hæmorrhage	32	10	10	6	2	–	2	1	–	–	–	1	–	1
	Placental infarct	95	30	23	20	8	6	4	4	–	–	–	–	–	7
	Others of placenta and cord	119	53	27	15	11	6	3	2	–	1	–	1	–	5
	Birth injury	**65**	**28**	**11**	**7**	**4**	**2**	**2**	**3**	**3**	**3**	–	**2**	–	**2**
	Birth injury with immaturity	4	3	–	–	–	–	–	1	–	–	–	–	–	–
	Birth injury without immaturity	61	25	11	7	4	2	2	2	3	3	–	2	–	2
	Congenital Malformation of Fœtus	**514**	**194**	**112**	**90**	**46**	**38**	**14**	**5**	**4**	**7**	**1**	**3**	–	**24**
0	Anencephalus	316	115	68	56	32	26	7	4	3	2	1	2	–	14
1	Hydrocephalus	109	41	24	21	10	7	–	1	1	3	–	1	–	5
2	Spina bifida	25	11	3	4	–	3	3	–	–	1	–	–	–	–
3	Other malformations of the central nervous system	11	7	3	–	–	1	–	–	–	–	–	–	–	2
4	Malformation of the cardiovascular system	5	1	–	2	–	–	1	–	–	1	–	–	–	–
5	Malformation of other specified system	19	5	5	4	3	1	1	–	–	–	–	–	–	2
6	Monster	3	3	–	–	–	–	–	–	–	–	–	–	–	–
7	Other and unspecified malformations	26	11	9	3	1	–	2	–	–	–	–	–	–	1
	Diseases of Fœtus and Ill-Defined Causes	**472**	**148**	**116**	**97**	**36**	**30**	**16**	**8**	**6**	**7**	**3**	**5**	–	**25**
.2	Erythroblastosis (Rhesus factor)	97	5	26	32	12	11	4	3	3	–	1	–	–	3
.0	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.3	Maceration	72	25	20	12	6	5	1	1	1	–	1	–	–	5
.4	Premature birth (cause not stated)	45	20	12	5	3	2	2	–	–	–	–	1	–	2
.5a	Debility	3	1	–	1	1	–	–	–	–	–	–	–	–	1
.5b	Asphyxia	108	39	28	25	4	6	3	–	–	1	1	1	–	7
.5c	Atelectasis	57	24	11	6	7	3	1	2	–	1	–	2	–	1
.5d	Other ill-defined	13	4	7	2	–	–	–	–	–	–	–	–	–	1
.5e	Cause unknown	77	30	12	14	3	3	5	2	2	5	–	1	–	5
.6															

Table 23. Stillbirths—Cause by Month of Registration, Scotland, 1958

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov
	ALL CAUSES	**2,324**	**224**	**182**	**208**	**188**	**187**	**193**	**184**	**178**	**168**	**199**	**181**
	Legitimate	2,195	210	171	200	179	170	189	175	166	162	180	172
	Illegitimate	129	14	11	8	9	17	4	9	12	6	19	9
	Rates per 1,000 total births	23	25	23	23	21	20	24	23	23	21	22	23
	Chronic Disease in Mother	**40**	**4**	**3**	**4**	**3**	**3**	**3**	**2**	**3**	**3**	**3**	**4**
30.0	Syphilis	1	–	–	–	–	1	–	–	–	–	–	–
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	1	1	1	1	–	–	1	–	1	1	–
30.3	Chronic disease of circulatory system	23	1	2	3	2	1	2	–	1	2	2	3
30.4	Chronic disease of genito-urinary system	1	–	–	–	–	–	–	–	1	–	–	–
30.5	Other chronic disease	7	2	–	–	–	1	1	1	1	–	–	1
	Acute Disease in Mother	**9**	**1**	**2**	**–**	**2**	**–**	**–**	**2**	**1**	**–**	**–**	**–**
31.1	Influenza	3	–	1	–	1	–	–	–	–	–	–	–
31.2	Pneumonia	1	–	–	–	1	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	1	1	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	4	–	1	–	–	–	–	2	1	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	**210**	**20**	**21**	**17**	**18**	**16**	**23**	**16**	**16**	**12**	**14**	**12**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	190	20	21	17	13	11	21	15	13	11	12	11
32.3*b*	Nephritic toxaemia	4	–	–	–	2	1	–	–	–	–	–	1
32.3*c*	Toxaemia not stated	13	–	–	–	3	2	2	1	3	1	1	–
32.4*a*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	–	1	–	–	–	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	1	–	–	–	–	–	–
32.5*b*	Infection	1	–	–	–	–	–	–	–	–	–	1	–
33	**Absorption of toxic substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**172**	**13**	**15**	**11**	**14**	**9**	**19**	**12**	**11**	**13**	**21**	**14**
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	4	–	1	–	–	–	1	–	–	–	–	–
34.1*a*	Disproportion with immaturity	9	–	2	–	–	–	2	1	1	–	3	–
34.1*b*	Disproportion without immaturity	33	3	3	1	2	1	6	1	2	4	1	4
34.2*a*	Malposition of fœtus, with immaturity	10	4	1	–	–	–	1	–	–	1	2	–
34.2*b*	Malposition of fœtus, without immaturity	59	3	1	6	3	4	6	7	5	5	7	5
34.3*a*	Abnormality of forces of labour, with immaturity	5	–	–	–	1	–	–	–	1	–	2	–
34.3*b*	Abnormality of forces of labour, without immaturity	19	2	5	3	4	1	–	2	–	–	–	–
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	1	–	–
34.4*b*	Operative delivery, without immaturity	3	–	–	–	1	–	–	1	–	–	1	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	–	–	–	1	–	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	28	1	2	1	2	3	3	–	2	2	5	5

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 23—*continued*

ter-ional os. -Y39)	Cause of Death.	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	**14**	**2**	**–**	**3**	**–**	**1**	**1**	**1**	**–**	**3**	**1**	**1**	**1**
5.0	Fall	5	–	–	1	–	–	–	1	–	1	–	1	1
35.1	Other accident or violence	1	–	–	1	–	–	–	–	–	–	–	–	–
5.2	Over-exertion	1	–	–	1	–	–	–	–	–	–	–	–	–
5.3	Other and ill-defined causes in mother	7	2	–	–	–	1	1	–	–	2	1	–	–
	Placental and Cord Conditions	**777**	**71**	**60**	**81**	**76**	**69**	**58**	**64**	**58**	**62**	**59**	**60**	**59**
6.0*a*	Prolapse of cord	101	10	10	10	12	10	6	7	7	9	10	7	3
6.0*b*	Torsion of cord	107	12	8	11	9	5	10	10	6	7	10	6	13
, 36.3	Placenta prævia	15	1	1	1	1	4	–	2	–	2	1	–	2
2.2	Accidental hæmorrhage	295	29	22	25	28	24	21	27	23	21	23	26	26
, 36.4	Other hæmorrhage	33	2	1	4	7	3	3	2	–	3	2	5	1
6.5	Placental infarct	102	9	9	15	9	11	7	6	9	7	6	8	6
6.6	Others of placenta and cord	124	8	9	15	10	12	11	10	13	13	7	8	8
	Birth Injury	**67**	**5**	**10**	**6**	**6**	**3**	**4**	**6**	**1**	**6**	**8**	**1**	**11**
37*a*	Birth injury with immaturity	4	–	–	1	–	1	–	–	–	2	–	–	–
37*b*	Birth injury without immaturity	63	5	10	5	6	2	4	6	1	4	8	1	11
	Congenital Malformation of Fœtus	**538**	**59**	**42**	**43**	**24**	**38**	**50**	**42**	**47**	**36**	**50**	**48**	**59**
38.0	Anencephalus	330	31	27	18	19	30	32	21	33	24	34	26	35
38.1	Hydrocephalus	114	15	11	16	3	2	12	9	6	7	9	8	16
38.2	Spina bifida	25	5	1	1	1	1	2	2	2	1	4	4	1
38.3	Other malformations of the central nervous system	13	–	1	1	–	3	1	3	1	1	–	1	1
38.4	Malformation of the cardiovascular system	5	–	–	2	–	–	1	1	–	–	1	–	–
38.5	Malformation of other specified system	21	1	1	3	1	2	1	3	3	–	–	3	3
38.6	Monster	3	1	1	–	–	–	–	1	–	–	–	–	–
38.7	Other and unspecified malformations	27	6	–	2	–	–	1	2	2	3	2	6	3
	Diseases of Fœtus and Ill-Defined Causes	**497**	**49**	**29**	**43**	**45**	**48**	**35**	**39**	**41**	**33**	**43**	**41**	**51**
39.2	Erythroblastosis (Rhesus factor)	100	7	9	8	10	10	6	6	8	4	12	13	7
39.0 } 1, 39.3 }	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	77	6	3	8	5	10	6	6	8	8	7	3	7
39.5*a*	Premature birth (cause not stated)	47	3	–	4	7	3	5	5	5	2	4	3	6
39.5*b*	Debility	4	–	–	1	–	–	–	1	–	1	–	–	1
39.5*c*	Asphyxia	115	15	5	10	10	9	3	11	9	5	11	13	14
39.5*d*	Atelectasis	58	5	3	4	10	6	6	2	4	4	2	3	9
39.5*e*	Other ill-defined	14	1	3	1	–	–	3	–	–	1	2	2	1
39.6	Cause unknown	82	12	6	7	3	10	6	8	7	8	5	4	6

Table 23A. Place of occurrence of Stillbirths by Cause, Scotland, 1958.

International Nos. (Y30-Y39)	Cause of Death	Total	At Home	In Institutions
	ALL CAUSES	2,324	367	1,957
	Chronic Disease in Mother	40	3	37
30.0	Syphilis	1	1	—
30.1	Tuberculosis	—	—	—
30.2	Diabetes	8	—	8
30.3	Chronic disease of circulatory system	23	1	22
30.4	Chronic disease of genito-urinary system	1	—	1
30.5	Other chronic disease	7	1	6
	Acute Disease in Mother	9	2	7
31.1	Influenza	3	—	3
31.2	Pneumonia	1	—	1
31.3	Other acute respiratory disease	1	1	—
31.0, 31.4	Other acute disease or condition	4	1	3
	Diseases and Conditions of Pregnancy and Childbirth	210	12	198
32.1	Ectopic gestation	—	—	—
32.3*a*	Eclampsia	190	10	180
32.3*b*	Nephritic toxaemia	4	—	4
32.3*c*	Toxaemia not stated	13	1	12
32.4*a*	Acute yellow atrophy of liver	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	1
32.5*a*	Pyelitis	1	1	—
32.5*b*	Infection	1	—	1
33	**Absorption of Toxic Substance from Mother**	—	—	—
	Difficult Labour	172	41	131
34.0*a*	Abnormality of bones of pelvis with immaturity	—	—	—
34.0*b*	Abnormality of bones of pelvis without immaturity	4	—	4
34.1*a*	Disproportion with immaturity	9	3	6
34.1*b*	Disproportion without immaturity	33	3	30
34.2*a*	Malposition of fœtus, with immaturity	10	4	6
34.2*b*	Malposition of fœtus, without immaturity	59	20	39
34.3*a*	Abnormality of forces of labour, with immaturity	5	1	4
34.3*b*	Abnormality of forces of labour, without immaturity	19	9	10
34.4*a*	Operative delivery, with immaturity	1	—	1
34.4*b*	Operative delivery, without immaturity	3	—	3
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	—	1
34.6*a*	Difficult labour without mention of condition, but with immaturity	—	—	—
34.6*b*	Difficult labour without mention of condition, and without immaturity	28	1	27
	Other Causes in Mother	14	8	6
35.0	Fall	5	5	—
32.0, 35.1	Other accident or violence	1	—	1
35.2	Over-exertion	1	1	—
35.3	Other and ill-defined causes in mother	7	2	5
	Placental and Cord Conditions	777	117	660
36.0*a*	Prolapse of cord	101	16	85
36.0*b*	Torsion of cord	107	22	85
36.1, 36.3	Placenta prævia	15	2	13
32.2	Accidental hæmorrhage	295	19	276
36.2, 36.4	Other hæmorrhage	33	10	23
36.5	Placental infarct	102	32	70
36.6	Others of placenta and cord	124	16	108
	Birth Injury	67	14	53
37*a*	Birth injury with immaturity	4	1	3
37*b*	Birth injury without immaturity	63	13	50
	Congenital Malformation of Fœtus	538	86	452
38.0	Anencephalus	330	43	287
38.1	Hydrocephalus	114	25	89
38.2	Spina bifida	25	5	20
38.3	Other malformations of the central nervous system	13	3	10
38.4	Malformation of the cardiovascular system	5	1	4
38.5	Malformation of other specified system	21	2	19
38.6	Monster	3	2	1
38.7	Other and unspecified malformations	27	5	22
	Diseases of Foetus and Ill-Defined Causes	497	84	413
39.2	Erythroblastosis (Rhesus factor)	100	10	90
39.0,39.1,39.3	Other diseases of fœtus	—	—	—
39.4	Maceration	77	10	67
39.5*a*	Premature birth (cause not stated)	47	16	31
39.5*b*	Debility	4	3	1
39.5*c*	Asphyxia	115	15	100
39.5*d*	Atelectasis	58	9	49
39.5*e*	Other ill-defined	14	—	14
39.6	Cause unknown	82	21	61

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder Co. Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder Co. Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder Fife Co.	Inverness Burgh	Remainder Inverness	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	ALL CAUSES	2,324	52	40	84	6	19	25	19	29	107	25	3	3	15	26	14	31	29	15	39	12	22	35	80	9	14	10	1	7
	Chronic Disease in Mother	40	1	–	1	–	–	1	–	2	1	1	–	–	–	2	–	2	–	1	–	–	–	–	2	–	1	–	–	–
30.0	Syphilis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–	–	–
30.3	Chronic disease of circulatory system	23	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Acute Disease in Mother	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.1	Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	210	6	5	6	2	1	4	2	3	12	5	1	–	2	5	1	2	3	1	4	–	2	5	8	2	2	–	–	1
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	190	6	4	6	2	1	3	2	3	10	5	1	–	2	5	–	1	3	–	4	–	2	5	8	2	2	–	–	1
32.3*b*	Nephritic toxaemia	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxaemia not stated	13	–	1	–	–	–	1	–	–	2	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	172	3	5	8	–	1	3	1	–	7	3	–	–	2	–	3	3	–	1	3	2	1	1	4	1	2	1	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
34.1*b*	Disproportion without immaturity	33	–	5	3	–	–	–	–	–	1	2	–	–	–	–	–	3	–	–	1	1	–	1	–	–	1	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	10	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	59	–	–	2	–	–	3	–	–	2	–	–	–	–	–	2	–	–	–	–	1	1	–	2	–	1	–	–	–
34.3*a*	Abnormality of forces of labour, with immaturity	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	19	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 24. Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1958—*continued*

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	28	2	–	2	–	–	–	–	–	3	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
	Other Causes in Mother	14	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
35.0	Fall	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	7	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Placental and Cord Conditions	777	17	14	40	2	10	8	7	11	38	11	2	2	6	8	3	6	10	5	14	4	7	11	21	3	3	6	–	2
36.0*a*	Prolapse of cord	101	1	2	1	–	–	1	1	–	2	–	1	–	1	1	–	–	3	–	2	–	–	1	1	1	1	–	–	–
36.0*b*	Torsion of cord	107	4	–	3	–	3	2	–	1	–	3	1	–	2	–	–	1	1	1	1	–	2	3	3	2	–	–	–	–
36.1, 36.3	Placenta prævia	15	–	1	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.2	Accidental hæmorrhage	295	7	1	12	1	–	2	4	6	19	2	–	1	2	3	2	4	3	1	5	3	3	5	8	–	1	1	–	1
36.2, 36.4	Other hæmorrhage	33	1	2	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	1	–	–
36.5	Placental infarct	102	–	6	3	–	1	1	–	–	8	5	–	1	1	1	–	1	–	–	–	–	2	–	–	–	1	2	–	–
36.6	Others of placenta and cord	124	4	2	17	1	6	1	2	4	5	1	–	–	–	2	1	–	3	2	4	1	–	2	7	–	–	2	–	1
	Birth Injury	67	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	2	–	1	–	–	–	2	6	1	–	–	–	–
37*a*	Birth injury with immaturity	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity	63	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	2	–	1	–	–	–	2	6	1	–	–	–	–
	Congenital Malformation of Fœtus	538	11	7	20	2	3	3	5	5	23	3	–	–	3	7	4	10	14	3	12	2	4	8	19	1	4	1	1	3
38.0	Anencephalus	330	7	4	13	1	1	1	3	2	13	1	–	–	1	5	–	7	9	3	7	–	2	6	14	1	3	1	–	3
38.1	Hydrocephalus	114	4	–	3	–	1	1	1	1	5	1	–	–	2	2	1	–	3	–	1	1	–	1	4	–	1	–	1	–
38.2	Spina bifida	25	–	–	1	–	–	1	–	1	1	–	–	–	–	–	1	–	1	–	4	–	1	–	1	–	–	–	–	–
38.3	Other malformations of the central nervous system	13	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	21	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	1	1	–	–	–	–	–	–
38.6	Monster	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	27	–	2	2	–	1	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes	497	12	9	7	–	4	5	4	8	25	2	–	1	1	3	3	6	2	3	6	4	7	8	20	1	2	2	–	1
39.2	Erythroblastosis (Rhesus factor)	100	3	8	2	–	–	2	–	1	6	–	–	1	–	–	2	1	–	–	3	1	–	–	3	1	1	2	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	77	5	–	–	–	–	–	–	1	1	1	–	–	1	2	1	1	–	–	2	–	–	1	2	–	–	–	–	1
39.5*a*	Premature birth (cause not stated)	47	–	1	–	–	1	1	–	1	2	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
39.5*b*	Debility	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
39.5*c*	Asphyxia	115	1	–	1	–	1	–	3	3	9	–	–	–	–	–	–	–	1	2	–	–	5	5	10	–	–	–	–	–
39.5*d*	Atelectasis	58	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	1	1	1	2	1	–	1	–	–	–	–	–
39.5*e*	Other ill-defined	14	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder o Stirling Co.	Sutherland Co.	West Lothia Co.	Wigtown Co.	Zetland Co.
	ALL CAUSES	596	21	33	28	27	8	151	155	59	16	1	10	7	11	30	53	50	18	45	24	18	10	15	14	74	6	42	21	10
	Chronic Disease in Mother	10	1	1	–	1	–	1	4	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
30.2	Diabetes	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	8	–	1	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Acute Disease in Mother	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	1	–	–	1	1	–	–	–	–	–
31.1	Influenza	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	54	1	–	2	–	2	3	8	3	1	–	1	2	1	2	10	6	–	3	1	1	2	1	1	8	1	5	2	4
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	49	1	–	1	–	2	2	8	3	1	–	1	2	1	1	9	5	–	2	1	1	2	1	1	8	1	5	2	2
32.3*b*	Nephritic toxaemia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2
32.3*c*	Toxaemia not stated	3	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from Mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	50	2	3	2	3	1	9	8	2	1	–	–	–	2	2	8	1	2	6	1	–	1	–	–	6	–	1	4	2
34.0*a*	Abnormality of bones of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
34.1*b*	Disproportion without immaturity	6	–	–	–	–	–	2	1	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	2	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	5	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity	22	–	–	1	1	–	4	2	1	–	–	–	–	–	1	2	–	2	2	–	–	–	–	–	2	–	1	2	2
34.3*a*	Abnormality of forces of labour, with immaturity	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	4	–	–	–	1	1	–	1	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	1	–	–	–	–
34.4*a*	Operative delivery, with immaturity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 24. Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1958—*continued.*

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	6	1	1	–	1	–	1	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
	Other Causes in Mother	3	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–
35.0	Fall	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
	Placental and Cord Conditions	203	5	14	5	9	2	59	43	22	6	–	5	1	6	8	14	17	6	11	8	5	4	2	4	25	2	9	8	3
36.0*a*	Prolapse of cord	25	–	5	1	2	1	13	6	3	–	–	1	1	1	1	4	–	2	4	3	–	1	1	–	2	–	1	2	1
36.0*b*	Torsion of cord	25	–	2	2	–	–	8	8	3	1	–	2	–	–	2	4	3	–	1	–	1	–	–	1	6	–	3	2	–
36.1, 36.3	Placenta prævia	4	–	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
32.2	Accidental hæmorrhage	95	4	3	2	3	1	19	12	11	4	–	–	–	4	3	1	7	2	3	3	2	–	1	2	10	–	3	3	–
36.2, 36.4	Other hæmorrhage	6	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	1	–	1	1	–	–	2	–	1	–	1
36.5	Placental infarct	30	1	1	–	–	–	10	6	2	–	–	1	–	1	1	1	5	2	1	1	1	1	–	–	3	1	–	–	–
36.6	Others of placenta and cord	18	–	–	–	4	–	7	9	2	–	–	1	–	–	1	4	1	–	1	1	–	1	–	1	1	1	1	1	1
	Birth Injury	24	1	–	1	–	–	4	5	1	1	–	–	–	–	3	–	2	1	1	–	–	–	1	–	4	1	–	1	–
37*a*	Birth injury with immaturity	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
37*b*	Birth injury without immaturity	23	1	–	1	–	–	3	4	1	1	–	–	–	–	3	–	2	1	1	–	–	–	1	–	4	–	–	1	–
	Congenital Malformation of Fœtus	115	8	6	7	9	2	37	37	19	5	1	3	2	1	7	13	10	7	8	6	5	2	9	4	20	1	10	5	1
38.0	Anencephalus	68	4	3	3	5	–	28	23	10	3	1	3	1	–	4	10	6	5	5	2	2	2	5	3	14	–	8	3	1
38.1	Hydrocephalus	24	2	2	1	3	2	5	8	6	1	–	–	1	1	2	1	2	1	1	4	3	–	3	–	4	–	2	1	–
38.2	Spina bifida	1	1	1	–	–	–	–	1	1	1	–	–	–	–	1	1	–	1	–	–	–	–	1	–	1	1	–	1	–
38.3	Other malformations of the central nervous system	3	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	4	–	–	2	1	–	–	2	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–
38.6	Monster	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	11	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes	137	3	9	10	5	1	37	48	9	1	–	1	2	1	8	6	10	2	15	5	6	1	1	4	10	1	17	1	–
39.2	Erythroblastosis (Rhesus factor)	21	–	3	2	1	1	5	11	1	–	–	1	1	–	1	1	1	–	6	3	–	–	–	1	3	–	–	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	25	–	1	2	1	–	6	6	1	1	–	–	–	–	–	3	2	1	2	–	1	1	–	–	4	–	1	–	–
39.5*a*	Premature birth (cause not stated)	17	1	–	–	1	–	6	2	1	–	–	–	–	–	–	1	2	1	2	–	1	–	1	1	–	–	1	–	–
39.5*b*	Debility	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	25	1	2	1	1	–	7	17	4	–	–	–	1	1	4	–	1	–	2	1	–	–	–	–	–	–	6	–	–
39.5*d*	Atelectasis	27	–	–	1	–	–	4	3	1	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	1	–	5	–	–
39.5*e*	Other ill-defined	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	1	2	[illegible]	[illegible]	2	2	1	4	1	[illegible]

Table 25.—Legitimate Stillbirths by Cause and Social Classification, 1958.

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	**2,195**	**65**	**222**	**1,200**	**354**	**354**	—
	Chronic Diseases in Mother	**39**	—	**4**	**20**	**9**	**6**	—
30.0	Syphilis	1	—	—	—	—	1	—
30.1	Tuberculosis	—	—	—	—	—	—	—
30.2	Diabetes	8	—	—	4	3	1	—
30.3	Chronic disease of circulatory system	22	—	2	13	5	2	—
30.4	Chronic disease of genito-urinary system	1	—	—	1	—	—	—
30.5	Other chronic disease	7	—	2	2	1	2	—
	Acute Disease in Mother	**8**	—	—	**5**	**3**	—	—
31.1	Influenza	3	—	—	2	1	—	—
31.2	Pneumonia	1	—	—	—	1	—	—
31.3	Other acute respiratory disease	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition	4	—	—	3	1	—	—
	Diseases and Conditions of Pregnancy and Childbirth	**194**	**2**	**29**	**105**	**25**	**33**	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3a	Eclampsia	177	2	26	100	20	29	—
32.3*b*	Nephritic toxaemia	4	—	1	1	1	1	—
32.3*c*	Toxaemia not stated	10	—	1	3	4	2	—
32.4*a*	Acute yellow atrophy of liver	—	—	—	—	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	—	1	—	—	—
32.5*a*	Pyelitis	1	—	—	—	—	1	—
32.5*b*	Infection	1	—	1	—	—	—	—
33	**Absorption of Toxic Substance from Mother**	—	—	—	—	—	—	—
	Difficult Labour	**153**	**6**	**14**	**85**	**32**	**16**	—
34.0*a*	Abnormality of bones of pelvis with immaturity	—	—	—	—	—	—	—
34.0*b*	Abnormality of bones of pelvis without immaturity	4	—	—	3	1	—	—
34.1*a*	Disproportion with immaturity	8	—	2	5	—	1	—
34.1*b*	Disproportion without immaturity	27	2	5	14	5	1	—
34.2*a*	Malposition of fœtus, with immaturity	10	—	—	4	3	3	—
34.2*b*	Malposition of fœtus, without immaturity	52	2	3	31	11	5	—
34.3*a*	Abnormality of forces of labour, with immaturity	5	—	—	2	2	1	—
34.3*b*	Abnormality of forces of labour, without immaturity	18	—	3	10	2	3	—
34.4*a*	Operative delivery, with immaturity	1	—	—	1	—	—	—
34.4*b*	Operative delivery, without immaturity	3	—	—	3	—	—	—
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	—	—	—	—	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis, without immaturity	1	—	—	1	—	—	—
34.6*a*	Difficult labour without mention of condition, but with immaturity	—	—	—	—	—	—	—
34.6*b*	Difficult labour without mention of condition, and without immaturity	24	2	1	11	8	2	—

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 25.—*continued*

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	**14**	—	—	**9**	**1**	**4**	—
35.0	Fall	5	—	—	3	1	1	—
32.0, 35.1	Other accident or violence	1	—	—	1	—	—	—
35.2	Over-exertion	1	—	—	1	—	—	—
35.3	Other and ill-defined causes in mother	7	—	—	4	—	3	—
	Placental and Cord Conditions	**736**	**22**	**78**	**401**	**111**	**124**	—
36.0*a*	Prolapse of cord	92	4	15	45	10	18	—
36.0*b*	Torsion of cord	100	3	11	51	19	16	—
36.1, 36.3	Placenta prævia	14	1	—	6	4	3	—
32.2	Accidental hæmorrhage	284	8	26	163	40	47	—
36.2, 36.4	Other hæmorrhage	32	1	4	12	7	8	—
36.5	Placental infarct	95	3	10	57	12	13	—
36.6	Others of placenta and cord	119	2	12	67	19	19	—
	Birth Injury	**65**	**2**	**7**	**36**	**11**	**9**	—
37*a*	Birth injury with immaturity	4	1	—	1	1	1	—
37*b*	Birth injury without immaturity	61	1	7	35	10	8	—
	Congenital Malformation of Fœtus	**514**	**13**	**39**	**286**	**84**	**92**	—
38.0	Anencephalus	316	8	23	175	55	55	—
38.1	Hydrocephalus	109	3	9	59	18	20	—
38.2	Spina bifida	25	1	3	13	3	5	—
38.3	Other malformations of the central nervous system	11	—	—	6	1	4	—
38.4	Malformation of the cardiovascular system	5	—	—	4	—	1	—
38.5	Malformation of other specified system	19	1	1	13	3	1	—
38.6	Monster	3	—	1	1	—	1	—
38.7	Other and unspecified malformations	26	—	2	15	4	5	—
	Diseases of Fœtus and Ill-Defined Causes	**472**	**20**	**51**	**253**	**78**	**70**	—
39.2	Erythroblastosis (Rhesus factor)	97	6	15	45	19	12	—
39.0, 39.1, 39.3	Other diseases of fœtus	—	—	—	—	—	—	—
39.4	Maceration	72	3	8	36	11	14	—
39.5*a*	Premature birth (cause not stated)	45	1	5	26	6	7	—
39.5*b*	Debility	3	—	—	3	—	—	—
39.5*c*	Asphyxia	108	5	8	58	15	22	—
39.5*d*	Atelectasis	57	2	5	35	12	3	—
39.5*e*	Other ill-defined	13	—	3	6	3	1	—
39.6	Cause unknown	77	3	7	44	12	11	—

Table 26. Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1958

ıternational Nos. Detailed List	Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis .	2	—	—	1	1	—	—
011	Abdominal tuberculosis .	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases . .	1	—	—	1	—	—	—
020-029	Syphilis . . .	—	—	—	—	—	—	—
055	Diphtheria . .	—	—	—	—	—	—	—
056	Whooping cough .	1	—	—	1	—	—	—
057	Meningococcal infections	14	—	—	6	4	4	—
085	Measles . . .	1	—	—	1	—	—	—
340	Meningitis (not meningococcal or tuberculous)	21	—	2	11	3	5	—
490-493	Pneumonia (excluding newborn) . .	263	3	10	134	52	61	3
500-502	Bronchitis . .	33	—	3	12	7	11	—
470-483, 510-527	Other respiratory diseases	17	—	3	9	1	4	—
543, 571, 572	Diarrhœa (excluding newborn) gastritis and duodenitis . . .	55	—	4	32	8	11	—
530-542, 544-570, 573-587	Other digestive diseases .	37	1	—	28	3	5	—
750-759	Congenital malformations	477	15	53	265	71	68	5
760-761	Birth injuries . .	230	5	16	134	29	44	2
762	Asphyxia and atelectasis	536	14	39	300	82	97	4
763	Pneumonia of newborn .	91	5	7	52	8	19	—
764	Diarrhœa of newborn .	10	—	—	7	2	1	—
765-776	Other infantile diseases .	557	20	51	306	82	97	1
780*a*	Convulsions . .	29	—	1	11	6	11	—
emainder	All other natural causes .	88	1	13	46	11	17	—
21, E922, 24, E925	Accidental mechanical suffocation . .	136	2	5	79	26	23	1
800-E920, E923, 926-E999	Other violence . .	13	—	1	3	4	5	—
	TOTAL . .	2,612	66	208	1,439	400	483	16

Table 27. Stillbirths by Social Classification, Age of Mother and Number of Previous Children, Scotland 1958

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	30	1	6	8	11	3	1	—	—	—
1	16	—	1	6	5	4	—	—	—	—
2	12	—	1	4	4	2	1	—	—	—
3	2	—	—	—	1	1	—	—	—	—
4	2	—	—	—	—	2	—	—	—	—
5	1	—	—	—	—	1	—	—	—	—
6	1	—	—	—	—	1	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	1	—	—	—	—	—	1	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
TOTAL—Legitimate	65	1	8	18	21	14	3	—	—	—
Illegitimate	—	—	—	—	—	—	—	—	—	—
Social Class II										
None	90	5	22	37	14	10	1	1	—	—
1	48	—	7	16	16	8	1	—	—	—
2	47	—	—	16	15	12	4	—	—	—
3	19	—	—	3	7	3	5	1	—	—
4	11	—	—	2	3	6	—	—	—	—
5	2	—	—	—	1	1	—	—	—	—
6	3	—	—	—	—	2	1	—	—	—
7	2	—	—	—	—	1	1	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
TOTAL—Legitimate	222	5	29	74	56	43	13	2	—	—
Illegitimate	3	2	1	—	—	—	—	—	—	—
Social Class III										
None	484	48	219	126	58	27	6	—	—	—
1	271	3	64	121	51	28	4	—	—	—
2	183	—	27	64	52	29	11	—	—	—
3	101	—	6	35	21	30	5	4	—	—
4	71	—	2	13	24	18	14	—	—	—
5	30	—	—	5	12	7	6	—	—	—
6	21	—	—	1	7	8	3	2	—	—
7	14	—	—	—	3	6	5	—	—	—
8	13	—	—	—	3	6	2	2	—	—
9	5	—	—	—	1	4	—	—	—	—
10 and over	7	—	—	—	—	4	2	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Social Class IV										
None	105	12	44	18	18	8	4	1	—	—
1	72	—	30	18	16	7	1	—	—	—
2	69	—	14	26	18	10	1	—	—	—
3	34	—	5	6	8	11	4	—	—	—
4	23	—	—	4	6	13	—	—	—	—
5	17	—	—	3	6	4	4	—	—	—
6	9	—	—	2	2	1	4	—	—	—
7	10	—	—	—	2	4	4	—	—	—
8	5	—	—	—	1	1	3	—	—	—
9	3	—	—	—	—	1	1	1	—	—
10 and over	7	—	—	—	1	2	2	2	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
TOTAL—Legitimate	354	12	93	77	78	62	28	4	—	—
Illegitimate	33	6	11	5	4	6	—	1	—	—
Social Class V										
None	115	19	47	30	10	8	1	—	—	—
1	70	6	31	16	8	8	1	—	—	—
2	55	—	7	23	17	5	3	—	—	—
3	31	—	3	7	10	8	3	—	—	—
4	29	—	3	5	7	11	3	—	—	—
5	21	—	1	5	6	6	3	—	—	—
6	13	—	—	1	6	4	2	—	—	—
7	5	—	—	—	—	2	3	—	—	—
8	9	—	—	—	4	2	3	—	—	—
9	2	—	—	—	—	—	2	—	—	—
10 and over	4	—	—	—	—	4	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
TOTAL—Legitimate	354	25	92	87	68	58	24	—	—	—
Illegitimate	11	2	6	2	1	—	—	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—

No. of Previous Children	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	1,610	38	530	719	247	67	9	—	—	—
1	1,333	2	147	579	445	141	18	1	—	—
2	583	1	19	183	245	108	25	2	—	—
3	227	—	3	33	87	82	22	—	—	—
4	64	—	—	10	17	30	6	1	—	—
5	27	—	—	2	9	8	8	—	—	—
6	11	—	—	1	4	5	1	—	—	—
7	5	—	—	—	2	2	1	—	—	—
8	1	—	—	—	—	—	1	—	—	—
9	2	—	—	—	—	1	1	—	—	—
10 and over	1	—	—	—	—	1	—	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
TOTAL	3,865	41	699	1,527	1,056	445	92	4	—	1
Illegitimate	6	—	2	2	2	—	—	—	—	—
Social Class II										
None	3,798	128	1,303	1,485	613	215	53	1	—	—
1	3,382	22	556	1,450	897	381	74	2	—	—
2	1,784	1	114	563	651	369	84	2	—	—
3	811	—	30	182	297	227	70	5	—	—
4	373	—	3	57	114	140	53	6	—	—
5	183	—	—	23	65	67	25	3	—	—
6	94	—	—	8	27	43	14	2	—	—
7	40	—	—	3	6	17	13	1	—	—
8	21	—	—	1	7	6	6	1	—	—
9	11	—	—	—	2	6	2	1	—	—
10 and over	15	—	—	1	5	4	5	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
TOTAL	10,513	151	2,006	3,773	2,684	1,475	399	24	—	1
Illegitimate	123	17	55	28	19	3	1	—	—	—
Social Class III										
None	20,187	2,263	10,317	5,090	1,766	661	87	3	—	—
1	15,812	328	5,283	6,246	2,816	979	153	6	1	—
2	8,523	25	1,551	3,317	2,304	1,113	204	9	—	—
3	4,458	3	385	1,484	1,445	950	179	12	—	—
4	2,247	—	76	621	782	601	155	12	—	—
5	1,244	—	16	273	443	377	125	10	—	—
6	610	—	3	79	232	207	80	9	—	—
7	361	—	—	21	115	155	65	5	—	—
8	197	—	—	13	46	91	43	4	—	—
9	109	—	—	—	18	57	31	3	—	—
10 and over	108	—	—	—	11	54	40	3	—	—
Not stated	15	—	—	—	—	—	—	—	—	15
TOTAL	53,871	2,619	17,631	17,144	9,978	5,245	1,162	76	1	15
Illegitimate	1,060	304	443	173	86	40	13	—	—	1

No. of Previous Children	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	4,456	756	2,182	960	381	155	22	—	—	—
1	3,804	138	1,528	1,341	561	199	33	4	—	—
2	2,494	11	594	971	578	273	67	—	—	—
3	1,502	—	166	530	483	265	56	2	—	—
4	884	—	28	271	300	223	58	4	—	—
5	560	—	12	123	199	175	49	2	—	—
6	290	—	1	45	96	114	32	2	—	—
7	159	—	—	12	55	66	26	—	—	—
8	106	—	—	4	36	43	20	3	—	—
9	56	—	—	—	14	27	14	1	—	—
10 and over	76	—	—	1	9	31	32	3	—	—
Not stated	2	—	—	—	—	—	—	—	—	2
TOTAL	14,389	905	4,511	4,258	2,712	1,571	409	21	—	2
Illegitimate	923	229	346	165	113	48	20	2	—	—
Social Class V										
None	3,857	742	1,876	804	287	122	26	—	—	—
1	3,252	179	1,430	1,047	410	160	25	1	—	—
2	2,160	17	625	833	426	214	44	1	—	—
3	1,331	—	203	492	400	188	43	5	—	—
4	877	—	66	294	300	162	50	5	—	—
5	522	—	11	148	188	132	38	5	—	—
6	340	—	1	63	130	107	38	1	—	—
7	187	—	—	19	72	68	26	1	1	—
8	97	—	—	8	32	38	19	—	—	—
9	59	—	—	3	6	30	18	2	—	—
10 and over	81	—	—	1	7	34	34	5	—	—
Not stated	4	—	—	—	—	—	—	—	—	4
TOTAL	12,767	938	4,212	3,712	2,258	1,255	361	26	1	4
Illegitimate	347	82	146	70	31	16	2	—	—	—
Social Class not stated										
None	2	—	—	2	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	1	—	—	—	—	1	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
TOTAL	3	—	—	2	—	1	—	—	—	—
Illegitimate	1,614	87	319	422	414	274	84	6	—	8

Table 29. Deaths in Scotland from Selected Causes of Children aged under One Year, 19

International Nos. Detailed List	Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8
010	Tuberculous meningitis	M.	1	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	1	
011	Abdominal tuberculosis	M.	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	
001-008 012-019	Other tuberculous diseases	M.	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	1	
020-029	Syphilis	M.	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	
055	Diphtheria	M.	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	
056	Whooping cough	M.	1	1	–	–	–	–	–	1	–	
		F.	2	1	–	–	–	–	–	1	1	
057	Meningococcal infections	M.	6	–	–	–	–	–	–	–	2	
		F.	8	–	–	–	–	–	–	–	5	
085	Measles	M.	1	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	
340	Meningitis, not meningococcal or tuberculous	M.	8	–	–	4	–	1	–	–	3	
		F.	13	–	–	4	2	1	–	2	3	
490-493	Pneumonia (excluding newborn)	M.	152	7	–	–	–	–	–	79	49	15
		F.	121	3	–	–	–	–	–	51	44	21
500-502	Bronchitis	M.	20	–	–	–	–	–	–	4	11	
		F.	14	1	–	–	–	–	–	5	7	
470-483 510-527	Other respiratory diseases	M.	8	–	–	–	–	–	–	4	3	
		F.	9	–	–	–	–	–	–	3	4	1
543, 571, 572	Diarrhœa (excluding newborn), gastritis and duodenitis	M.	30	3	–	–	–	–	–	16	12	1
		F.	29	1	–	–	–	–	–	9	15	3
530-542, 544-570, 573-587	Other digestive diseases	M.	22	3	6	2	2	1	–	4	4	2
		F.	19	1	–	4	–	–	–	6	3	4
750-759	Congenital malformations	M.	237	10	32	57	21	11	17	45	24	20
		F.	259	9	64	64	23	10	4	31	36	17
760-761	Birth injuries	M.	166	12	80	78	5	1	2	–	–	–
		F.	79	3	40	33	4	2	–	–	–	–
762	Asphyxia and atelectasis	M.	345	19	205	131	4	2	2	1	–	–
		F.	218	8	131	78	6	1	–	1	–	1
763	Pneumonia of newborn	M.	59	7	5	26	10	6	12	–	–	–
		F.	40	1	2	16	12	6	4	–	–	–
764	Diarrhœa of newborn	M.	4	–	–	–	–	2	2	–	–	–
		F.	6	–	–	–	5	1	–	–	–	–
765-776	Other infantile diseases	M.	367	17	192	133	20	10	4	6	1	–
		F.	224	17	115	90	11	2	3	2	1	–
780*a*	Convulsions	M.	15	1	–	1	–	–	–	8	6	–
		F.	15	–	–	–	–	–	–	10	2	1
Remainder	All other natural causes	M.	44	2	–	3	1	–	3	13	9	10
		F.	46	–	1	1	2	–	–	12	10	12
E921, E922, E924, E925	Accidental mechanical suffocation	M.	83	2	–	2	2	–	2	37	29	9
		F.	62	7	–	1	2	3	2	25	20	5
E800-E920, E923 E926-E999	Other violence	M.	9	4	3	–	1	–	1	1	1	1
		F.	14	6	5	1	–	1	–	2	–	1
	TOTAL—Both Sexes		2,758	–	881	729	133	61	58	379	307	137
	Male		1,578	–	523	437	66	34	45	219	154	66
	Females		1,180	–	358	292	67	27	13	160	153	71
	Illegitimate only—Both Sexes		–	*146*	*59*	*32*	*8*	*7*	*4*	*14*	*15*	*6*
	Males		–	*88*	*38*	*16*	*5*	*5*	*4*	*9*	*7*	*3*
	Females		–	58	*21*	*16*	*3*	*2*	–	*5*	*8*	*3*

ble 30. Month of Registration of Children aged under One Year dying from Selected Causes in Scotland, in 1958

rnational Nos. etailed List	Cause of Death	Total	Month of Registration of Death											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis.	2	–	–	–	–	–	1	1	–	–	–	–	–
011	Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–
1-008, 2-019	Other tuberculous diseases	1	–	–	–	–	–	–	1	–	–	–	–	–
0-029	Syphilis . .	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria . .	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough .	3	1	–	2	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	14	2	3	–	2	–	1	–	1	–	2	1	2
085	Measles . .	1	–	–	–	–	–	–	–	–	–	–	–	1
340	Meningitis, not meningococcal or tuberculous .	21	1	3	1	–	2	–	4	2	3	1	2	2
0-493	Pneumonia (excluding newborn) . .	273	68	27	32	30	19	11	11	7	9	21	17	21
0-502	Bronchitis . .	34	11	4	2	5	1	1	2	1	2	3	–	2
0-483, 0-527	Other respiratory diseases	17	3	2	1	3	–	1	–	–	1	2	1	3
3, 571, 572	Diarrhœa (excluding newborn), gastritis and duodenitis . .	59	3	6	5	5	5	7	6	1	4	8	4	5
0-542, 4-570, 3-587	Other digestive diseases .	41	4	4	4	2	6	2	1	3	2	4	5	4
0-759	Congenital malformations	496	36	37	48	34	48	40	45	39	46	39	41	43
0-761	Birth injuries . .	245	26	22	23	20	26	23	22	18	15	14	18	18
762	Asphyxia and atelectasis	563	50	48	39	50	41	48	39	40	45	47	62	54
763	Pneumonia of newborn .	99	19	5	9	12	7	4	6	1	4	11	11	10
764	Diarrhœa of newborn .	10	–	2	–	–	1	–	1	–	–	3	1	2
5-776	Other infantile diseases .	591	58	55	42	49	55	51	45	60	38	48	40	50
780*a*	Convulsions . .	30	5	6	4	4	1	–	3	2	–	–	3	2
nainder	All other natural causes .	90	9	4	9	7	8	11	7	5	3	9	6	12
1, E922, 4, E925	Accidental mechanical suffocation . .	145	20	15	13	15	16	8	7	5	11	4	19	12
0-E920, 923, 6-E999	Other violence . .	23	1	–	–	3	5	1	3	2	4	1	1	2
	TOTAL .	2,758	317	243	234	241	241	210	204	187	187	217	232	245
	Illegitimate .	*146*	*19*	*5*	*15*	*11*	*20*	*9*	*14*	*9*	*11*	*10*	*12*	*11*

Table 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1958

	Number of Births (Living Children)	Numbers: Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months	Rates: Under 1 yr.	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months
SCOTLAND	99,481	2,758	146	1,862	881	729	133	61	58	379	307	137	73	27·7	—	18·7	8·9	7·3	1·3	0·6	0·6	3·8	3·1	1·4	0·7
Counties of Cities	37,434	1 121	72	754	351	307	53	22	21	167	130	51	19	29·9	—	20·1	9·4	8·2	1·4	0·6	0·6	4·5	3·5	1·4	0·5
Large Burghs	17,926	520	25	332	165	129	19	7	12	71	68	35	14	29·0	—	18·5	9·2	7·2	1·1	0·4	0·7	4·0	3·8	2·0	0·8
Counties (*ex.* Co. of C. and L.B.)	44,121	1,117	49	776	365	293	61	32	25	141	109	51	40	25·3	—	17·6	8·3	6·6	1·4	0·7	0·6	3·2	2·5	1·2	0·9
LEGITIMATE BIRTHS																									
Scotland	95,408	2,612	—	1,752	822	697	125	54	54	365	292	131	72	27·4	—	18·4	8·6	7·3	1·3	0·6	0·6	3·8	3·1	1·4	0·8
Counties of Cities	35,614	1,049	—	702	325	292	47	19	19	158	121	49	19	29·5	—	19·7	9·1	8·2	1·3	0·5	0·5	4·4	3·4	1·4	0·5
Large Burghs	17,276	495	—	313	154	125	18	4	12	69	66	33	14	28·7	—	18·1	8·9	7·2	1·0	0·2	0·7	4·0	3·8	1·9	0·8
Counties (*ex* Co. of C. and L.B.)	42,518	1,068	—	737	343	280	60	31	23	138	105	49	39	25·1	—	17·3	8·1	6·6	1·4	0·7	0·5	3·2	2·5	1·2	0·9
ILLEGITIMATE BIRTHS																									
Scotland	*4,073*	—	*146*	*110*	*59*	*32*	*8*	*7*	*4*	*14*	*15*	*6*	*1*	—	*35·8*	*27·0*	*14·5*	*7·9*	*2·0*	*1·7*	*1·0*	*3·4*	*3·7*	*1·5*	*0·2*
Counties of Cities	*1,820*	—	*72*	*52*	*26*	*15*	*6*	*3*	*2*	*9*	*9*	*2*	—	—	*39·6*	*28·6*	*14·3*	*8·2*	*3·3*	*1·6*	*1·1*	*4·9*	*4·9*	*1·1*	—
Large Burghs	*650*	—	*25*	*19*	*11*	*4*	*1*	*3*	—	*2*	*2*	*2*	—	—	*38·5*	*29·2*	*16·9*	*6·2*	*1·5*	*4·6*	—	*3·1*	*3·1*	*3·1*	—
Counties (ex. Co. of C. and L.B.)	*1,603*	—	*49*	*39*	*22*	*13*	*1*	*1*	*2*	*3*	*4*	*2*	*1*	—	*30·6*	*24·3*	*13·7*	*8·1*	*0·6*	*0·6*	*1·2*	*1·9*	*2·5*	*1·2*	*0·6*
ABERDEEN COUNTY	5,726	105	5	76	30	40	6	—	—	10	10	6	3	18·3	*17·9*	13·3	5·2	7·0	1·0	—	—	1·7	1·7	1·0	0·5
Aberdeen County of City	3 243	57	4	44	20	20	4	—	—	8	3	1	1	17·6	*27·6*	13·6	6·2	6·2	1·2	—	—	2·5	0·9	0·3	0·3
Remainder of County	2,483	48	1	32	10	20	2	—	—	2	7	5	2	19·3	*7·4*	12·9	4·0	8·1	0·8	—	—	0·8	2·8	2·0	0·8
ANGUS COUNTY	5,091	103	8	74	42	26	5	1	—	11	9	7	2	20·2	*32·4*	14·5	8·2	5·1	1·0	0·2	—	2·2	1·8	1·4	0·4
Dundee County of City	3,567	71	5	54	34	17	3	—	—	6	5	5	1	19·9	*26·5*	15·1	9·5	4·8	0·8	—	—	1·7	1·4	1·4	0·3
Arbroath Burgh	337	5	—	3	1	1	1	—	—	1	—	1	—	14·8	—	8·9	3·0	3·0	3·0	—	—	3·0	—	3·0	—
Remainder of County	1,187	27	3	17	7	8	1	1	—	4	4	1	1	22·7	*68·2*	14·3	5·9	6·7	0·8	0·8	—	3·4	3·4	0·8	0·8
ARGYLL COUNTY	843	17	2	14	6	7	—	—	1	1	1	1	—	20·2	*45·5*	16·6	7·1	8·3	—	—	1·2	1·2	1·2	1·2	—
AYR COUNTY	6,666	184	13	129	71	40	8	5	5	20	17	11	7	27·6	*53·3*	19·4	10·7	6·0	1·2	0·8	0·8	3·0	2·6	1·7	1·1
Ayr Burgh	842	19	2	12	6	5	—	1	—	1	3	2	1	22·6	*58·8*	14·3	7·1	5·9	—	1·2	—	1·2	3·6	2·4	1·2
Kilmarnock Burgh	1,025	30	4	20	13	6	—	—	1	2	3	5	—	29·3	*97·6*	19·5	12·7	5·9	—	—	1·0	2·0	2·9	4·9	—
Remainder of County	4,799	135	7	97	52	29	8	4	4	17	11	4	6	28·1	*41·4*	20·2	10·8	6·0	1·7	0·8	0·8	3·5	2·3	0·8	1·3
BANFF COUNTY	890	31	5	19	7	12	—	—	—	4	4	4	—	34·8	*113·6*	21·3	7·9	13·5	—	—	—	4·5	4·5	4·5	—
BERWICK COUNTY	291	2	1	2	1	1	—	—	—	—	—	—	—	6·9	*90·9*	6·9	3·4	3·4	—	—	—	—	—	—	—
BUTE COUNTY	191	6	—	4	2	2	—	—	—	1	1	—	—	31·4	—	20·9	10·5	10·5	—	—	—	5·2	5·2	—	—
CAITHNESS COUNTY	574	18	2	9	—	9	—	—	—	2	3	1	3	31·4	*60·6*	15·7	—	15·7	—	—	—	3·5	5·2	1·7	5·2
CLACKMANNAN COUNTY	805	18	1	13	3	9	—	—	1	2	1	—	2	22·4	*29·4*	16·1	3·7	11·2	—	—	1·2	2·5	1·2	—	2·5
DUMFRIES COUNTY	1,545	41	—	25	10	11	3	1	—	5	7	1	3	26·5	—	16·2	6·5	7·1	1·9	0·6	—	3·2	4·5	0·6	1·9
Dumfries Burgh	500	11	—	5	1	3	1	—	—	2	3	—	1	22·0	—	10·0	2·0	6·0	2·0	—	—	4·0	6·0	—	2·0
Remainder of County	1,045	30	—	20	9	8	2	1	—	3	4	1	2	28·7	—	19·1	8·6	7·7	1·9	1·0	—	2·9	3·8	1·0	1·9
DUNBARTON COUNTY	3,659	104	2	65	24	34	3	—	4	15	15	7	2	28·4	*18·9*	17·8	6·6	9·3	0·8	—	1·1	4·1	4·1	1·9	0·5
Clydebank Burgh	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Remainder of County	4,347	115	5	74	36	25	7	1	5	21	9	8	3	20·5	17·0	8·3	5·8	1·6	0·2	1·2	4·8	2·1	1·8	0·7
INVERNESS COUNTY	1,425	30	3	24	12	8	2	1	1	4	—	2	—	21·1	*43·5*	16·8	8·4	5·6	1·4	0·7	0·7	2·8	—	1·4	—
Inverness Burgh	555	10	2	7	4	3	—	—	—	2	—	1	—	18·0	*62·5*	12·6	7·2	5·4	—	—	—	3·6	—	1·8	—
Remainder of County	870	20	1	17	8	5	2	1	1	2	—	1	—	23·0	*27·0*	19·5	9·2	5·7	2·3	1·1	1·1	2·3	—	1·1	—
KINCARDINE COUNTY	431	10	—	8	3	5	—	—	—	2	—	—	—	23·2	—	18·6	7·0	11·6	—	—	—	4·6	—	—	—
KINROSS COUNTY	106	2	—	1	1	—	—	—	—	—	—	1	—	18·9	—	9·4	9·4	—	—	—	—	—	—	9·4	—
KIRKCUDBRIGHT COUNTY	544	17	2	13	7	5	1	—	—	2	1	1	—	31·2	*90·9*	23·9	12·9	9·2	1·8	—	—	3·7	1·8	1·8	—
LANARK COUNTY	34,428	1,164	61	762	378	279	59	27	19	168	153	54	27	33·8	*42·1*	22·1	11·0	8·1	1·7	0·8	0·6	4·9	4·4	1·6	0·8
Glasgow County of City	22,760	800	51	525	246	208	38	17	16	123	105	33	14	35·1	*45·7*	23·1	10·8	9·1	1·7	0·7	0·7	5·4	4·6	1·4	0·6
Airdrie Burgh	709	35	2	22	15	7	—	—	—	4	4	3	2	49·4	*105·3*	31·0	21·2	9·9	—	—	—	5·6	5·6	4·2	2·8
Coatbridge Burgh	1,372	32	2	22	11	8	1	2	—	4	5	—	1	23·3	*50·0*	16·0	8·0	5·8	0·7	1·5	—	2·9	3·6	—	0·7
Hamilton Burgh	865	42	—	25	17	7	1	—	—	3	9	2	3	48·6	—	28·9	19·7	8·1	1·2	—	—	3·5	10·4	2·3	3·5
Motherwell and Wishaw Burgh	1,532	43	—	26	14	10	1	1	—	6	5	6	—	28·1	—	17·0	9·1	6·5	0·7	0·7	—	3·9	3·3	3·9	—
Rutherglen Burgh	446	11	1	8	3	3	1	—	1	1	1	1	—	24·7	*71·4*	17·9	6·7	6·7	2·2	—	2·2	2·2	2·2	2·2	—
Remainder of County	6,744	201	5	134	72	36	17	7	2	27	24	9	7	29·8	*25·9*	19·9	10·7	5·3	2·5	1·0	0·3	4·0	3·6	1·3	1·0
MIDLOTHIAN COUNTY	10,078	253	15	175	73	79	9	8	6	36	23	14	5	25·1	*34·3*	17·4	7·2	7·8	0·9	0·8	0·6	3·6	2·3	1·4	0·5
Edinburgh County of City	7,864	193	12	131	51	62	8	5	5	30	17	12	3	24·5	*32·5*	16·7	6·5	7·9	1·0	0·6	0·6	3·8	2·2	1·5	0·4
Remainder of County	2,214	60	3	44	22	17	1	3	1	6	6	2	2	27·1	*44·1*	19·9	9·9	7·7	0·5	1·4	0·5	2·7	2·7	0·9	0·9
MORAY COUNTY	1,004	21	—	13	5	5	—	1	2	3	2	2	1	20·9	—	12·9	5·0	5·0	—	1·0	2·0	3·0	2·0	2·0	1·0
NAIRN COUNTY	139	3	—	3	1	2	—	—	—	—	—	—	—	21·6	—	21·6	7·2	14·4	—	—	—	—	—	—	—
ORKNEY COUNTY	292	6	—	6	4	2	—	—	—	—	—	—	—	20·5	—	20·5	13·7	6·8	—	—	—	—	—	—	—
PEEBLES COUNTY	206	6	—	3	2	1	—	—	—	—	2	1	—	29·1	—	14·6	9·7	4·9	—	—	—	—	9·7	4·9	—
PERTH COUNTY	2,146	47	1	38	14	19	3	1	1	3	2	2	—	21·9	*9·2*	17·7	6·5	8·9	1·4	0·5	0·5	2·3	0·9	0·9	—
Perth Burgh	718	24	1	18	7	10	—	—	1	4	1	1	—	33·4	*29·4*	25·1	9·7	13·9	—	—	1·4	5·6	1·4	1·4	—
Remainder of County	1,428	23	—	20	7	9	3	1	—	1	1	1	—	16·1	—	14·0	4·9	6·3	2·1	0·7	—	0·7	0·7	0·7	—
RENFREW COUNTY	6,678	203	8	132	64	41	12	7	8	30	25	10	6	30·4	*37·6*	19·8	9·6	6·1	1·8	1·0	1·2	4·5	3·7	1·5	0·9
Greenock Burgh	1,601	57	2	33	14	14	1	1	3	11	9	3	1	35·6	*29·9*	20·6	8·7	8·7	0·6	0·6	1·9	6·9	5·6	1·9	0·6
Paisley Burgh	2,034	60	4	37	20	9	4	2	2	11	8	2	2	29·5	*52·6*	18·2	9·8	4·4	2·0	1·0	1·0	5·4	3·9	1·0	1·0
Port Glasgow Burgh	527	16	1	13	5	6	2	—	—	2	—	1	—	30·4	*55·6*	24·7	9·5	11·4	3·8	—	—	3·8	—	1·9	—
Remainder of County	2,516	70	1	49	25	12	5	4	3	6	8	4	3	27·8	*19·2*	19·5	9·9	4·8	2·0	1·6	1·2	2·4	3·2	1·6	1·2
ROSS AND CROMARTY COUNTY	972	15	3	13	5	7	1	—	—	2	—	—	—	15·4	*69·8*	13·4	5·1	7·2	1·0	—	—	2·1	—	—	—
ROXBURGH COUNTY	662	6	1	5	3	1	—	1	—	1	—	—	—	9·1	*41·7*	7·6	4·5	1·5	—	1·5	—	1·5	—	—	—
SELKIRK COUNTY	328	4	1	4	3	—	—	1	—	—	—	—	—	12·2	*111·1*	12·2	9·1	—	—	3·0	—	—	—	—	—
STIRLING COUNTY	3,577	82	—	62	24	29	6	2	1	10	5	1	4	22·9	—	17·3	6·7	8·1	1·7	0·6	0·3	2·8	1·4	0·3	1·1
Falkirk Burgh	670	14	—	14	6	6	2	—	—	—	—	—	—	20·9	—	20·9	9·0	9·0	3·0	—	—	—	—	—	—
Stirling Burgh	516	7	—	3	1	2	—	—	—	2	1	1	—	13·6	—	5·8	1·9	3·9	—	—	—	3·9	1·9	1·9	—
Remainder of County	2,391	61	—	45	17	21	4	2	1	8	4	—	4	25·5	—	18·8	7·1	8·8	1·7	0·8	0·4	3·3	1·7	—	1·7
SUTHERLAND COUNTY	235	6	1	4	2	1	—	1	—	1	1	—	—	25·5	*76·9*	17·0	8·5	4·3	—	4·3	—	4·3	4·3	—	—
WEST LOTHIAN COUNTY	1,913	48	—	32	16	10	4	1	1	7	6	1	2	25·1	—	16·7	8·4	5·2	2·1	0·5	0·5	3·7	3·1	0·5	1·0
WIGTOWN COUNTY	606	15	1	11	7	2	1	—	1	4	—	—	—	24·8	*19·2*	18·2	11·6	3·3	1·7	—	1·7	6·6	—	—	—
ZETLAND COUNTY	273	8	1	6	3	3	—	—	—	—	1	—	1	29·3	*83·3*	22·0	11·0	11·0	—	—	—	—	3·7	—	3·7

NOTE.—Some of the above rates are based on very few observations and are therefore of limited value.

* Per 1,000 illegitimate births.

Table 32. Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1958

Age	Total	Males	Females
Under 1 day	881	523	358
1 day	278	167	111
2 days	185	110	75
3 „	127	85	42
4 „	43	23	20
5 „	50	24	26
6 „	46	28	18
7–13 „	133	66	67
14–20 „	61	34	27
21–27 „	58	45	13
28 days—Under 2 months	193	111	82
2 „	186	108	78
3 „	127	68	59
4 „	90	48	42
5 „	90	38	52
6 „	61	29	32
7 „	34	20	14
8 „	42	17	25
9 „	29	15	14
10 „	19	8	11
11 „	25	11	14
TOTAL	2,758	1,578	1,180

Table 33. Ages at Death in 1958

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties *ex.* Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 .	2,758	1,121	520	1,117	382	735
1– . .	338	130	66	142	40	102
5– . .	190	66	28	96	30	66
10– . .	158	39	20	99	39	60
15– . .	517	158	82	277	73	204
25– . .	862	337	151	374	121	253
35– . .	1,910	776	309	825	274	551
45– . .	4,997	2,029	840	2,128	787	1,341
55– . .	10,188	4,229	1,703	4,256	1,698	2,558
65– . .	16,200	6,355	2,598	7,247	3,005	4,242
75– . .	17,912	6,436	2,716	8,760	3,550	5,210
85 and over .	6,035	2,093	775	3,167	1,252	1,915
Not stated .	—	—	—	—	—	—
ALL AGES .	62,065	23,769	9,808	28,488	11,251	17,237

Table 34. Deaths, Male and Female, at each year

MALES

Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed
0 . .	1,578	1,578	–	–	–	–	50 . .	299	46	232	17
1 . .	70	70	–	–	–	–	51 . .	343	55	269	14
2 . .	35	35	–	–	–	–	52 . .	369	60	290	17
3 . .	43	43	–	–	–	–	53 . .	433	70	337	23
4 . .	30	30	–	–	–	–	54 . .	474	65	374	28
0–4 .	1,756	1,756	–	–	–	–	50–54 .	1,918	296	1,502	99
5 . .	33	33	–	–	–	–	55 . .	472	70	360	37
6 . .	21	21	–	–	–	–	56 . .	524	90	395	33
7 . .	20	20	–	–	–	–	57 . .	598	112	432	47
8 . .	25	25	–	–	–	–	58 . .	587	89	435	59
9 . .	20	20	–	–	–	–	59 . .	578	80	443	51
5–9 .	119	119	–	–	–	–	55–59 .	2,759	441	2,065	227
10 . .	20	20	–	–	–	–	60 . .	648	77	514	56
11 . .	27	27	–	–	–	–	61 . .	583	67	457	56
12 . .	16	16	–	–	–	–	62 . .	673	93	488	89
13 . .	14	14	–	–	–	–	63 . .	683	83	500	95
14 . .	22	22	–	–	–	–	64 . .	728	101	519	106
10–14 .	99	99	–	–	–	–	60–64 .	3,315	421	2,478	402
15 . .	22	22	–	–	–	–	65 . .	773	94	563	110
16 . .	32	32	–	–	–	–	66 . .	776	94	556	120
17 . .	41	41	–	–	–	–	67 . .	845	105	583	152
18 . .	37	35	2	–	–	–	68 . .	796	94	527	171
19 . .	36	36	–	–	–	–	69 . .	880	119	547	210
15–19 .	168	166	2	–	–	–	65–69 .	4,070	506	2,776	763
20 . .	40	37	3	–	–	–	70 . .	813	101	503	202
21 . .	27	26	–	–	1	–	71 . .	847	119	527	198
22 . .	39	26	13	–	–	–	72 . .	941	125	552	258
23 . .	32	23	9	–	–	–	73 . .	916	137	532	246
24 . .	35	24	11	–	–	–	74 . .	952	146	498	306
20–24 .	173	136	36	–	1	–	70–74 .	4,469	628	2,612	1,210
25 . .	46	29	17	–	–	–	75 . .	908	119	469	317
26 . .	36	22	14	–	–	–	76 . .	872	114	436	317
27 . .	33	15	18	–	–	–	77 . .	877	119	424	331
28 . .	34	13	21	–	–	–	78 . .	884	112	405	365
29 . .	38	19	19	–	–	–	79 . .	885	130	366	388
25–29 .	187	98	89	–	–	–	75–79 .	4,426	594	2,100	1,718
30 . .	55	29	25	–	1	–	80 . .	853	115	320	416
31 . .	48	15	31	–	2	–	81 . .	720	91	267	361
32 . .	70	30	40	–	–	–	82 . .	785	92	275	414
33 . .	61	17	44	–	–	–	83 . .	701	75	234	392
34 . .	60	21	37	1	–	1	84 . .	604	70	186	347
30–34 .	294	112	177	1	3	1	80–84 .	3,663	443	1,282	1,930
35 . .	62	19	43	–	–	–	85 . .	476	40	122	313
36 . .	88	27	59	1	1	–	86 . .	393	34	102	256
37 . .	90	22	67	–	1	–	87 . .	395	39	88	266
38 . .	90	24	61	2	3	–	88 . .	241	25	45	171
39 . .	101	22	78	–	1	–	89 . .	183	20	47	116
35–39 .	431	114	308	3	6	–	85–89 .	1,688	158	404	1,122
40 . .	98	26	70	1	1	–	90 . .	166	20	22	122
41 . .	101	28	70	3	–	–	91 . .	104	8	17	79
42 . .	114	25	84	1	4	–	92 . .	86	10	13	63
43 . .	140	41	97	–	2	–	93 . .	55	6	8	41
44 . .	162	39	119	3	1	–	94 . .	29	3	3	23
40–44 .	615	159	440	8	8	–	90–94 .	440	47	63	328
45 . .	179	34	136	5	3	1	95 . .	23	3	2	18
46 . .	187	33	145	6	3	–	96 . .	19	3	1	15
47 . .	212	41	163	7	1	–	97 . .	8	1	1	6
48 . .	257	37	207	10	3	–	98 . .	4	1	–	3
49 . .	274	50	214	6	4	–	99 . .	8	–	8	–
45–49 .	1,109	195	865	34	14	1	95–99 .	62	8	12	42
							100 and over	4	–	–	4
							Not stated	–	–	–	–
							All Ages .	31,765	6,496	17,211	7,891

FEMALES

ges	All Conditions	Single	Married	Widowed	Divorced	Not Stated	Ages	All Conditions	Single	Married	Widowed	Divorced	Not Stated
.	1,180	1,180	–	–	–	–	50 . .	201	40	142	19	–	–
.	65	65	–	–	–	–	51 . .	236	46	165	24	1	–
.	48	48	–	–	–	–	52 . .	254	43	175	33	3	–
.	25	25	–	–	–	–	53 . .	260	52	171	36	1	–
.	22	22	–	–	–	–	54 . .	259	65	159	33	2	–
.	1,340	1,340	–	–	–	–	50–54 .	1,210	246	812	145	7	–
.	14	14	–	–	–	–	55 . .	289	66	175	46	2	–
.	12	12	–	–	–	–	56 . .	316	69	192	54	1	–
.	13	13	–	–	–	–	57 . .	308	63	192	52	1	–
.	17	17	–	–	–	–	58 . .	377	72	230	73	2	–
.	15	15	–	–	–	–	59 . .	385	82	217	80	6	–
.	71	71	–	–	–	–	55–59 .	1,675	352	1,006	305	12	–
.	11	11	–	–	–	–	60 . .	447	96	229	121	1	–
.	12	12	–	–	–	–	61 . .	429	81	232	111	5	–
.	7	7	–	–	–	–	62 . .	477	99	224	150	4	–
.	16	16	–	–	–	–	63 . .	547	98	289	158	2	–
.	13	13	–	–	–	–	64 . .	539	113	259	165	2	–
4 .	59	59	–	–	–	–	60–64 .	2,439	487	1,233	705	14	–
.	9	9	–	–	–	–	65 . .	568	137	240	186	5	–
.	12	12	–	–	–	–	66 . .	593	108	260	225	–	–
.	17	17	–	–	–	–	67 . .	662	122	278	260	2	–
.	17	15	2	–	–	–	68 . .	691	140	238	312	1	–
.	18	16	2	–	–	–	69 . .	718	157	261	297	3	–
9 .	73	69	4	–	–	–	65–69 .	3,232	664	1,277	1,280	11	–
.	14	8	6	–	–	–	70 . .	753	143	263	346	1	–
.	20	13	7	–	–	–	71 . .	870	191	260	417	2	–
.	19	11	8	–	–	–	72 . .	927	197	264	463	3	–
.	25	19	6	–	–	–	73 . .	945	196	253	494	2	–
.	25	12	12	1	–	–	74 . .	934	188	234	510	1	1
4 .	103	63	39	1	–	–	70–74 .	4,429	915	1,274	2,230	9	1
.	26	10	15	–	1	–	75 . .	950	180	239	526	5	–
.	24	7	17	–	–	–	76 . .	1,014	218	196	595	5	–
.	32	9	23	–	–	–	77 . .	1,021	251	198	571	1	–
.	36	9	26	1	–	–	78 . .	1,061	254	173	632	2	–
.	38	11	27	–	–	–	79 . .	1,022	238	148	636	–	–
9 .	156	46	108	1	1	–	75–79 .	5,068	1,141	954	2,960	13	–
.	32	10	22	–	–	–	80 . .	1,059	232	152	674	1	–
.	41	8	33	–	–	–	81 . .	967	240	131	595	1	–
.	41	11	29	–	1	–	82 . .	972	212	115	643	1	1
.	55	14	40	–	1	–	83 . .	929	206	80	642	1	–
.	56	15	38	2	1	–	84 . .	828	196	65	567	–	–
4 .	225	58	162	2	3	–	80–84 .	4,755	1,086	543	3,121	4	1
.	60	20	35	1	4	–	85 . .	716	173	46	497	–	–
.	58	12	45	–	1	–	86 . .	598	143	30	423	2	–
.	81	17	63	1	–	–	87 . .	498	110	21	366	1	–
.	86	17	67	1	1	–	88 . .	437	100	17	320	–	–
.	62	12	47	2	1	–	89 . .	453	102	16	334	1	–
9 .	347	78	257	5	7	–	85–89 .	2,702	628	130	1,940	4	–
.	73	32	39	2	–	–	90 . .	271	61	8	202	–	–
.	106	18	82	2	4	–	91 . .	241	67	3	171	–	–
.	96	22	69	3	2	–	92 . .	200	42	3	155	–	–
.	124	20	95	6	3	–	93 . .	128	37	–	91	–	–
.	118	27	83	8	–	–	94 . .	104	33	–	71	–	–
4 .	517	119	368	21	9	–	90–94 .	944	240	14	690	–	–
.	118	22	89	6	1	–	95 . .	66	19	–	47	–	–
.	150	24	107	17	2	–	96 . .	46	14	–	32	–	–
.	157	32	113	11	1	–	97 . .	34	6	–	28	–	–
.	159	28	116	13	2	–	98 . .	21	3	–	18	–	–
.	176	38	120	18	–	–	99 . .	12	5	–	7	–	–
9 .	760	144	545	65	6	–	95–99 .	179	47	–	132	–	–
							100 and over	16	3	–	13	–	–
							Not stated	–	–	–	–	–	–
							All Ages .	30,300	7,856	8,726	13,616	100	2

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1958

International Nos. Detailed List	International Nos. Abbreviated List 'B'	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
001-008	1	Tuberculosis of respiratory system	M.	431	–	2	–	–	3	30	49	95	131	94	26	1	–	17	–	1	–	–	1	9	15	28	54	66	41	12
			F.	207	1	1	–	–	6	51	59	24	24	26	13	2	–	8	2	1	–	–	2	14	17	7	8	13	13	13
010-019	2	Tuberculosis, other forms	M.	28	1	2	2	2	3	3	1	5	4	2	2	1	–	1	2	1	1	1	1	1	–	1	2	1	3	12
			F.	21	1	–	2	–	1	–	4	4	4	4	–	1	–	1	2	–	1	–	0	–	1	1	1	2	–	6
020-029	3	Syphilis and its sequelæ	M.	40	–	–	–	–	–	–	4	4	14	14	3	1	–	2	–	–	–	–	–	–	1	1	6	10	5	12
			F.	18	–	–	–	–	–	–	–	2	7	9	–	–	–	1	–	–	–	–	–	–	–	1	2	4	–	–
045-048	6	Dysentery, all forms	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	0	4	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	0	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	0	4	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	13	6	6	–	–	–	–	–	–	1	–	–	–	–	1	12	3	–	–	–	–	–	–	0	–	–	–
			F.	12	8	4	–	–	–	–	–	–	–	–	–	–	–	0	17	2	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomylelitis	M.	13	2	–	1	1	2	4	1	2	–	–	–	–	–	1	4	–	0	0	1	1	0	1	–	–	–	–
			F.	3	–	1	–	–	–	2	–	–	–	–	–	–	–	0	–	1	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	0	2	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	57	6	5	4	–	1	1	4	13	8	8	5	2	–	2	12	3	2	–	0	0	1	4	3	6	8	23
			F.	62	5	2	2	–	5	4	5	11	10	6	10	2	–	2	11	1	1	–	1	1	1	3	3	3	10	13
140-205	18	Malignant neoplasms Total	M.	5821	1	21	17	11	41	86	209	764	1580	1732	1188	171	–	235	2	12	8	5	12	25	63	228	647	1210	1869	2004
			F.	5010	7	17	13	9	29	68	256	731	1140	1413	1079	248	–	186	15	10	6	4	8	19	73	204	379	683	1096	1602
160-165	—	Malignant neoplasms of respiratory system	M.	1989	–	–	–	–	1	8	89	336	760	587	195	13	–	80	–	–	–	–	–	2	27	100	311	410	307	152
			F.	384	–	–	–	–	2	6	22	58	112	113	61	10	–	14	–	–	–	–	1	2	6	16	37	55	62	65
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	306	–	12	8	5	17	32	25	39	76	54	35	3	–	12	–	7	4	2	5	9	8	12	31	38	55	35
			F.	254	3	11	7	2	12	16	14	37	45	66	37	4	–	9	6	6	3	1	3	5	4	10	15	32	38	26
140-159, 170-199	—	Other malignant neoplasms	M.	3526	1	9	9	6	23	46	95	389	744	1091	958	155	–	142	2	5	4	3	7	13	29	116	304	762	1507	1816
			F.	4372	4	6	6	7	15	46	220	636	983	1234	981	234	–	163	9	3	3	3	4	13	63	178	327	596	996	1511
210-239	19	Benign and unspecified neoplasms	M.	38	1	2	–	–	1	3	5	8	7	6	5	–	–	2	2	1	–	–	0	1	2	2	3	4	8	–
			F.	56	2	1	–	3	–	4	11	4	11	13	4	3	–	2	4	1	–	1	–	1	3	1	4	6	4	19

			F.	170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	166	2	4	–	2	8	11	13	31	38	38	15	4	–	7	4	2	–	1	2	3	4	9	16	27	24	47
			F.	243	4	1	2	–	7	10	14	29	60	68	40	8	–	9	9	1	1	–	2	3	4	8	20	33	41	52
330-334	22	Vascular lesions affecting central nervous system	M.	4111	4	2	1	2	5	19	45	209	564	1253	1618	389	–	166	8	1	0	1	1	6	14	62	231	875	2545	4558
			F.	5871	1	1	–	4	8	23	70	282	688	1683	2329	782	–	218	2	1	–	2	2	6	20	79	229	813	2365	5051
340	23	Non-meningococcal meningitis	M.	26	8	3	1	1	1	1	4	4	2	1	–	–	–	1	16	2	0	0	0	0	1	1	1	1	–	–
			F.	32	13	2	–	2	1	–	1	3	4	4	1	1	–	1	28	1	–	1	0	–	–	1	1	2	1	6
300-326, 341-398	46.1	Other diseases of nervous system	M.	440	14	6	10	7	15	19	36	58	74	105	83	13	–	18	29	3	5	3	4	6	11	17	30	73	131	152
			F.	458	9	16	4	3	13	19	41	51	85	100	90	27	–	17	19	9	2	1	4	5	12	14	28	48	91	174
400-402	24	Rheumatic fever	M.	7	–	–	–	1	1	1	2	–	1	1	–	–	–	0	–	–	–	0	0	0	1	–	0	1	–	–
			F.	10	–	–	1	–	1	1	3	3	1	–	–	–	–	0	–	–	0	–	0	0	1	1	0	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	243	–	–	–	–	6	22	34	46	56	60	18	1	–	10	–	–	–	–	2	6	10	14	23	42	28	12
			F.	572	–	–	–	1	7	40	83	118	146	100	64	13	–	21	–	–	–	0	2	11	24	33	49	48	65	84
420-422	26	Arteriosclerotic and degenerative heart disease	M.	9740	–	–	–	1	6	24	220	914	1975	2931	2826	843	–	393	–	–	–	0	2	7	67	273	808	2048	4446	9877
			F.	8767	–	–	–	–	4	9	65	245	934	2305	3586	1619	–	326	–	–	–	–	1	3	18	69	311	1113	3642	10457
430-434	27	Other diseases of heart	M.	362	–	–	–	–	4	8	9	22	64	94	124	37	–	15	–	–	–	–	1	2	3	7	26	66	195	434
			F.	424	1	–	–	3	4	1	12	18	51	117	172	45	–	16	2	–	–	1	1	0	3	5	17	57	175	291
440-443	28	Hypertensive heart disease	M.	479	–	–	–	–	–	–	3	24	86	164	169	33	–	19	–	–	–	–	–	–	1	7	35	115	266	387
			F.	759	–	–	–	–	–	–	3	23	96	254	303	80	–	28	–	–	–	–	–	–	1	6	32	123	308	517
444-447	29	Other hypertensive disease	M.	298	–	–	–	–	1	3	14	32	58	81	80	29	–	12	–	–	–	–	0	1	4	10	24	57	126	340
			F.	339	–	–	–	–	3	4	5	37	46	101	106	37	–	13	–	–	–	–	1	1	1	10	15	49	108	239
450-468	46.2	Other circulatory disease	M.	790	–	–	–	–	4	–	11	33	65	173	353	151	–	32	–	–	–	–	1	–	3	10	27	121	555	1769
			F.	906	–	–	–	–	2	5	13	21	51	161	387	266	–	34	–	–	–	–	1	1	4	6	17	78	393	1718
480-483	30	Influenza	M.	73	2	–	–	–	4	5	1	11	10	16	19	5	–	3	4	–	–	–	1	1	0	3	4	11	30	59
			F.	70	5	1	–	–	1	1	4	3	11	17	16	11	–	3	11	1	–	–	0	0	1	1	4	8	16	71
490-493	31	Pneumonia (except of newborn)	M.	1096	152	22	4	7	7	11	25	72	126	272	305	93	–	44	313	12	2	3	2	3	8	22	52	190	480	1090
			F.	1012	121	23	2	2	7	7	14	40	86	215	350	145	–	38	259	13	1	1	2	2	4	11	29	104	355	937
500-502	32	Bronchitis	M.	1610	20	7	–	1	1	3	22	168	479	554	290	65	–	65	41	4	–	0	0	1	7	50	196	387	456	762
			F.	684	14	5	3	–	–	9	15	40	118	189	212	79	–	25	30	3	1	–	–	3	4	11	39	91	215	510
470-475, 510-527	46.3	Other respiratory diseases	M.	471	6	3	1	1	–	7	15	33	121	182	92	10	–	19	12	2	0	0	–	2	5	10	50	127	145	117
			F.	139	4	7	2	–	4	6	10	13	20	33	29	11	–	5	9	4	1	–	1	2	3	4	7	16	29	71
540, 541	33	Ulcer of stomach and duodenum	M.	389	–	–	–	–	2	6	20	44	98	117	92	10	–	16	–	–	–	–	1	2	6	13	40	82	145	117
			F.	145	–	–	–	–	1	2	7	15	24	48	43	5	–	5	–	–	–	–	0	1	2	4	8	23	44	32

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 35. Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1958—*continued.*

International Nos. Detailed List	International Nos. Abbreviated List 'B'	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
550-553	34	Appendicitis	M.	48	1	3	3	2	6	3	1	8	10	8	3	–	–	2	2	2	1	1	2	1	0	2	4	6	5	–
			F.	37	–	4	1	1	–	1	3	3	7	8	8	1	–	1	–	2	0	0	–	0	1	1	2	4	8	6
560, 561, 570	35	Intestinal obstruction and hernia	M.	172	13	4	–	–	–	4	3	12	24	50	47	15	–	7	27	2	–	–	–	1	1	4	10	35	74	176
			F.	181	11	–	1	–	–	3	7	12	23	47	59	18	–	7	24	–	0	–	–	1	2	3	8	23	60	116
543	36.0	Gastritis and duodenitis	M.	4	–	–	–	–	–	–	1	–	–	–	2	1	–	0	–	–	–	–	–	–	0	–	–	–	3	12
			F.	6	–	1	1	–	–	–	–	–	–	–	4	–	–	0	–	1	0	–	–	–	–	–	–	–	4	–
571, 572	36.1	Diarrhœa (except of new-born)	M.	112	30	1	1	–	5	3	3	12	16	14	24	3	–	5	62	1	0	–	1	1	1	4	7	10	38	35
			F.	162	29	3	1	1	4	4	7	10	20	31	44	8	–	6	62	2	0	0	1	1	2	3	7	15	45	52
581	37	Cirrhosis of liver	M.	103	–	–	1	2	1	2	6	14	31	27	18	1	–	4	–	–	0	1	0	1	2	4	13	19	28	12
			F.	118	–	–	1	1	1	–	5	17	32	44	12	5	–	4	–	–	0	0	0	–	1	5	11	21	12	32
580, 582-586	46.4	Other diseases of liver	M.	84	2	–	–	–	2	1	3	9	13	28	25	1	–	3	4	–	–	–	1	0	1	3	5	20	39	12
			F.	184	1	1	–	–	3	4	3	10	40	53	60	9		7	2	1	–	–	1	1	1	3	13	26	61	58
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	86	6	2	1	1	2	2	7	9	19	20	14	3	–	3	12	1	0	0	1	1	2	3	8	14	22	35
			F.	81	7	3	1	–	–	2	1	7	15	19	18	8	–	3	15	2	0	–	–	1	0	2	5	9	18	52
590-594	38	Nephritis and nephrosis	M.	222	–	–	5	3	19	18	20	43	33	40	23	18	–	9	–	–	2	1	6	5	6	13	14	28	36	211
			F.	195	3	–	1	3	7	14	10	18	47	42	43	7	–	7	6	–	0	1	2	4	3	5	16	20	44	45
610	39	Hyperplasia of prostate	M	382	–	–	–	–	–	–	–	3	18	99	186	76	–	15	–	–	–	–	–	–	–	1	7	69	293	890
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	163	7	1	2	1	–	3	5	13	22	43	49	17	–	7	14	1	1	0	–	1	2	4	9	30	77	199
			F.	209	2	–	2	–	1	8	16	16	52	68	34	10	–	8	4	–	1	–	0	2	5	4	17	33	35	65
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	15	–	–	–	–	3	7	5	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	38	–	–	–	–	5	18	13	2	–	–	–	–		1	–	–	–	–	1	5	4	1	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	95	1	–	1	1	3	2	1	13	24	27	17	5	–	4	2	–	0	0	1	1	0	4	10	19	27	59
			F.	212	1	1	–	3	3	6	6	6	28	61	74	23	–	8	2	1	–	1	1	2	2	2	9	29	75	149
750-759	41	Congenital malformations	M.	310	237	19	7	5	9	8	6	9	5	4	1	–	–	13	487	10	3	2	3	2	2	3	2	3	2	–
			F.	338	259	29	8	9	4	5	4	12	3	5	–	–	–	13	555	17	4	4	1	1	1	3	1	2	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	511	511	–	–	–	–	–	–	–	–	–	–	–	–	21	1051	–	–	–	–	–	–	–	–	–	–	–
			F.	297	297	–	–	–	–	–	–	–	–	–	–	–	–	11	636	–	–	–	–	–	–	–	–	–	–	–

765-768	43.2	Other infections of the new-born	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	0	21	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	0	15	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	358	357	1	–	–	–	–	–	–	–	–	–	–	14	734	1	–	–	–	–	–	–	–	–	–	–
			F.	217	217	–	–	–	–	–	–	–	–	–	–	–	8	465	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	196	–	–	–	–	–	–	–	–	–	9	80	107	–	8	–	–	–	–	–	–	–	–	–	6	126	1254
			F.	362	–	–	–	–	–	–	–	–	–	16	152	194	–	13	–	–	–	–	–	–	–	–	–	8	154	1253
780-793, 795	45.1	Ill-defined and unknown causes	M.	149	18	5	–	1	2	2	9	19	33	33	22	5	–	6	37	3	–	0	1	1	3	6	14	23	35	59
			F.	103	26	1	–	–	1	1	2	5	16	26	21	4	–	4	56	1	–	–	0	0	1	1	5	13	21	26
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	286	–	–	–	–	13	30	53	86	49	37	14	4	–	12	–	–	–	–	4	9	16	26	20	26	22	47
			F.	153	–	–	–	–	6	11	31	42	31	24	7	1	–	6	–	–	–	–	2	3	9	12	10	12	7	6
E810-E835	E47	Motor vehicle accidents	M.	442	1	23	33	9	86	47	56	65	49	40	29	4	–	18	2	13	15	4	25	14	17	19	20	28	46	47
			F.	156	2	16	12	5	21	10	14	13	20	22	19	2	–	6	4	9	6	2	6	3	4	4	7	11	19	13
E840-E845	E48.0	Other road vehicle accidents	M.	21	–	–	–	2	2	2	2	1	2	5	5	–	–	1	–	–	–	1	1	1	1	0	1	3	8	–
			F.	13	–	–	1	–	2	2	1	1	1	2	3	–	–	0	–	–	0	–	1	1	0	0	0	1	3	–
E870-E936 (part) E961 (part) E962 (part)	E48.1	Accidents in the home	M.	438	87	11	2	5	9	9	27	27	56	58	91	56	–	18	179	6	1	2	3	3	8	8	23	41	143	656
			F.	670	69	13	5	3	4	14	18	39	48	105	228	124	–	25	148	8	2	1	1	4	5	11	16	51	232	801
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	539	4	20	22	30	64	73	87	75	69	36	47	11	–	22	8	11	10	14	19	21	26	22	28	25	74	129
			F.	132	5	3	5	5	5	3	11	19	16	19	36	6	–	5	11	2	2	2	1	1	3	5	5	9	37	39
		ALL CAUSES	M.	31765	1578	178	119	99	341	481	1046	3027	6074	8539	8089	2194	–	1281	3245	98	54	45	100	139	317	904	2486	5966	12725	25706
			F.	30300	1180	160	71	59	176	381	864	1970	4114	7661	9823	3841	–	1127	2529	92	34	28	48	107	246	551	1369	3700	9976	24808
		BOTH SEXES		62065	2758	338	190	158	517	862	1910	4997	10188	16200	17912	6035	–	1201	2894	95	45	37	73	123	280	722	1870	4626	11055	25127

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis

Table 36. Deaths and Death-Rates from Selected Causes in Scotland, 1958

International Nos.			Numbers						Death-rate per 100,000 of Population					
Detailed List	Abbreviated List	Causes of Death	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
001-008	B1	Tuberculosis of respiratory system	638	337	117	184	57	127	12	18	13	8	7	8
010-019	B2	Tuberculosis, other forms	49	24	10	15	5	10	1	1	1	1	1	1
020-029	B3	Syphilis and its sequelæ	58	31	8	19	3	16	1	2	1	1	0	1
045-048	B6	Dysentery, all forms	2	—	—	2	—	2	0	—	—	0	—	0
056	B9	Whooping cough	4	—	1	3	1	2	0	—	0	0	0	0
057	B10	Meningococcal infections	25	13	2	10	3	7	0	1	0	0	0	0
080	B12	Acute poliomyelitis	16	4	—	12	4	8	0	0	—	1	0	1
085	B14	Measles	4	—	—	4	2	2	0	—	—	0	0	0
030-044, 049-055, 058-074, 081-084, 086-138	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	119	39	18	62	23	39	2	2	2	3	3	3
140-205	B18	Malignant neoplasms Total	10,831	4,463	1,673	4,695	1,984	2,711	210	233	193	197	229	178
160-165	—	Malignant neoplasms of respiratory system	2,373	1,206	384	783	347	436	46	63	44	33	40	29
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	560	196	84	280	104	176	11	10	10	12	12	12
140-159, 170-199	—	Other malignant neoplasms	7,898	3,061	1,205	3,632	1,533	2,099	153	160	139	152	177	138
210-239	B19	Benign and unspecified neoplasms	94	39	16	39	22	17	2	2	2	2	3	1
260	B20	Diabetes mellitus	528	189	92	247	98	149	10	10	11	10	11	10
290-293	B21	Anæmias	239	78	28	133	64	69	5	4	3	6	7	5
240-254, 270-289, 294-299	B46.0	Other general diseases	409	162	73	174	77	97	8	8	8	7	9	6
330-334	B22	Vascular lesions affecting central nervous system	9,982	3,594	1,620	4,768	1,915	2,853	193	188	187	200	221	188
340	B23	Non-meningococcal meningitis	58	20	9	29	10	19	1	1	1	1	1	1
300-326, 341-398	B46.1	Other diseases of nervous system	898	344	135	419	159	260	17	18	16	18	18	17
400-402	B24	Rheumatic fever	17	7	1	9	5	4	0	0	0	0	1	0
410-416	B25	Chronic rheumatic heart disease	815	370	132	313	116	197	16	19	15	13	13	13
420-422	B26	Arteriosclerotic and degenerative heart disease	18,507	6,680	2,899	8,928	3,651	5,277	358	349	334	374	421	347
430-434	B27	Other diseases of heart	786	252	109	425	176	249	15	13	13	18	20	16
440-443	B28	Hypertensive heart disease	1,238	460	230	548	222	326	24	24	27	23	26	21
444-447	B29	Other hypertensive disease	637	213	99	325	127	198	12	11	11	[illegible]	[illegible]	[illegible]

480-483	B30	Influenza	143	55	13	75	21	54	3	3	1	3	2	4
490-493	B31	Pneumonia (except of newborn)	2,108	995	329	784	293	491	41	52	38	33	34	32
500-502	B32	Bronchitis	2,294	1,196	350	748	306	442	44	63	40	31	35	29
470-475, 510-527	B46.3	Other respiratory diseases	610	167	107	336	79	257	12	9	12	14	9	17
540, 541	B33	Ulcer of stomach and duodenum	534	225	85	224	82	142	10	12	10	9	9	9
550-553	B34	Appendicitis	85	38	18	29	10	19	2	2	2	1	1	1
560, 561, 570	B35	Intestinal obstruction and hernia	353	122	68	163	63	100	7	6	8	7	7	7
543	B36.0	Gastritis and duodenitis	10	5	2	3	2	1	0	0	0	0	0	0
571, 572	B36.1	Diarrhœa (except of newborn)	274	100	45	129	41	88	5	5	5	5	5	6
581	B37	Cirrhosis of liver	221	95	37	89	38	51	4	5	4	4	4	3
580, 582-586	B46.4	Other diseases of liver	268	93	46	129	50	79	5	5	5	5	6	5
530-539, 542, 544, 545, 573-578, 587	B46.5	Other digestive diseases	167	68	23	76	23	53	3	4	3	3	3	3
590-594	B38	Nephritis and nephrosis	417	138	66	213	82	131	8	7	8	9	9	9
610	B39	Hyperplasia of prostate	382	116	53	213	80	133	7	6	6	9	9	9
600-609, 611-637	B46.6	Other diseases of genito-urinary system	372	137	57	178	66	112	7	7	7	7	8	7
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including abortion with sepsis	15	7	3	5	1	4	0	0	0	0	0	0
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	38	10	4	24	5	19	1	1	0	1	1	1
690-749	B46.7	Diseases of skin and organs of locomotion	307	106	51	150	54	96	6	6	6	6	6	6
750-759	B41	Congenital malformations	648	253	134	261	78	183	13	13	15	11	9	12
760-762	B42	Birth injuries, postnatal asphyxia and atelectasis	808	340	150	318	115	203	16	18	17	13	13	13
763	B43.0	Pneumonia of newborn	99	41	18	40	14	26	2	2	2	2	2	2
764	B43.1	Diarrhœa of newborn	10	4	1	5	2	3	0	0	0	0	0	0
765-768	B43.2	Other infections of the newborn	17	7	2	8	1	7	0	0	0	0	0	0
769-776	B44	Other diseases peculiar to early infancy and immaturity unqualified	575	217	92	266	87	179	11	11	11	11	10	12
794	B45.0	Senility without mention of psychosis	558	107	69	382	141	241	11	6	8	16	16	16
780-793, 795	B45.1	Ill-defined and unknown causes	252	58	40	154	45	109	5	3	5	6	5	7
E963, E970-E979	E49	Suicide and self-inflicted injury	439	216	84	139	59	80	8	11	10	6	7	5
E810-E835	E47	Motor vehicle accidents	598	202	93	303	68	235	12	11	11	13	8	15
E840-E845	E48.0	Other road vehicle accidents	34	17	2	15	3	12	1	1	0	1	0	1
E870-E936 (part) E961 (part) E962 (part)	E48.1	Accidents in the home	1,108	488	171	449	193	256	21	26	20	19	22	17
Remainder of E800-E999	E48.2	Other violence (BE50)	671	226	88	357	110	247	13	12	10	15	13	16
		ALL CAUSES	62,065	23,769	9,808	28,488	11,251	17,237	1,201	1,243	1,130	1,193	1,297	1,134

*Including Paratyphoid Fever, Erysipelas, Septicæmia and Lethargic Encephalitis.
†Including Small Burghs and Landward.
See footnote Table 35 (Page 169).

Table 37. Deaths from Selected Causes and in Age-Groups in Scotland 1950-1958

International Classification: Detailed List Nos.	International Classification: Abbreviated List	Causes of Death	1958	1957	1956	1955	1954	1953	1952	1951	1950
001-008	B1	Tuberculosis of respiratory system	638	664	715	860	1,010	1,159	1,409	1,886	2,439
010-019	B2	Tuberculosis, other forms	49	59	86	122	118	182	203	293	336
020-029	B3	Syphilis and its sequelæ	58	94	88	97	109	96	110	149	170
045-048	B6	Dysentery, all forms	2	8	3	15	7	13	6	15	14
056	B9	Whooping cough	4	21	14	10	25	41	26	98	61
057	B10	Meningococcal infections	25	21	27	29	41	37	45	44	35
080	B12	Acute poliomyelitis	16	11	9	22	21	13	12	24	64
085	B14	Measles	4	16	10	20	8	29	22	25	38
030-044, 049-055, 058-074, 081-084, 086-138	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	119	108	112	118	126	132	165	186	182
140-205	B18	Malignant neoplasms Total	10,831	10,747	10,754	10,585	10,505	10,125	10,119	9,840	10,029
160-165	—	Malignant neoplasms of respiratory system	2,373	2,220	2,129	1,948	1,965	1,927	1,664	1,556	1,567
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	560	531	542	530	502	460	463	446	408
140-159, 170-199	—	Other malignant neoplasms	7,898	7,996	8,083	8,107	8,038	7,738	7,992	7,838	8,054
210-239	B19	Benign and unspecified neoplasms	94	133	146	114	123	106	145	169	221
260	B20	Diabetes mellitus	528	505	473	459	445	439	477	559	565
290-293	B21	Anæmias	239	214	245	216	248	220	269	345	357
240-254, 270-289, 294-299	B46.0	Other general diseases	409	415	434	475	480	426	526	614	569
330-334	B22	Vascular lesions affecting central nervous system	9,982	9,566	9,680	9,607	9,562	8,895	9,087	9,122	8,732
340	B23	Non-meningococcal meningitis	58	59	45	48	59	49	72	59	58
300-326, 341-398	B46.1	Other diseases of nervous system	898	817	858	905	894	918	960	1,167	1,120
400-402	B24	Rheumatic fever	17	45	48	54	49	45	44	49	57
410-416	B25	Chronic rheumatic heart disease	815	907	819	847	860	807	878	900	942
420-422	B26	Arteriosclerotic and degenerative heart disease	18,507	17,840	18,442	18,014	17,254	16,362	17,307	18,447	17,312
430-434	B27	Other diseases of heart	786	636	608	722	1,208	1,195	1,139	1,324	1,249
440-443	B28	Hypertensive heart disease	1,238	1,182	1,282	1,307	1,068	990	891	831	800
444-447	B29	Other hypertensive disease	637	624	709	710	833	753	835	648	539
450-468	B46.2	Other circulatory disease	1,696	1,645	1,795	1,662	1,654	1,460	1,424	1,219	1,257
480-483	B30	Influenza	143	680	262	212	176	272	316	958	386
490-493	B31	Pneumonia (except of newborn)	2,108	2,042	1,916	1,828	1,728	1,694	1,881	2,297	2,117
500-502	B32	Bronchitis	2,294	2,013	2,077	2,086	1,843	1,752	2,025	2,488	2,259
470-475, 510-527	B46.3	Other respiratory diseases	610	539	594	587	583	587	634	657	632
540,541	B33	Ulcer of stomach and duodenum	534	564	608	666	656	561	639	619	629
550-553	B34	Appendicitis	85	103	91	87	106	114	118	118	154
560, 561, 570	B35	Intestinal obstruction and hernia	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

580, 582-586	B46.4	Other diseases of liver	268	241	246	240	254	253	265	302	271
530-539, 542, 544, 545, 573-578, 587	B46.5	Other digestive diseases	167	180	196	165	177	167	173	225	172
590-594	B38	Nephritis and nephrosis	417	511	528	530	570	580	568	650	699
610	B39	Hyperplasia of prostate	382	389	421	451	430	395	453	425	509
600-609, 611-637	B46.6	Other diseases of genito-urinary system	372	339	379	333	346	333	310	376	339
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including abortion with sepsis	15	16	15	11	15	20	22	28	23
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	38	30	36	32	55	66	70	71	83
690-749	B46.7	Diseases of skin and organs of locomotion	307	324	320	307	332	260	233	246	240
750-759	B41	Congenital malformations	648	718	662	622	676	618	610	602	613
760-762	B42	Birth injuries, postnatal asphyxia and atelectasis	808	762	727	697	710	655	670	628	647
763	B43.0	Pneumonia of newborn	99	95	111	117	122	94	113	166	146
764	B43.1	Diarrhœa of newborn	10	18	15	11	6	16	24	34	35
765-768	B43.2	Other infections of the newborn	17	23	18	19	21	12	10	9	14
769-776	B44	Other diseases peculiar to early infancy and immaturity unqualified	575	630	601	659	690	682	829	884	958
794	B45.0	Senility without mention of psychosis	558	580	747	839	925	852	1,025	1,292	1,283
780-793, 795	B45.1	Ill-defined and unknown causes	252	273	250	290	709	765	898	1,071	997
E963, E970-E979	BE49	Suicide and self-inflicted injury	439	420	403	394	302	281	281	276	269
E810-E835	BE47	Motor vehicle accidents	598	563	558	597	526	563	451	516	489
E840-E845	BE48.0	Other road vehicle accidents	34	22	30	38	35	37	32	49	41
E870-E936 (part) E961 (part) E962 (part)	BE48.1	Accidents in the home	1,108	1,060	1,006	1,120	1,106	1,134	1,023	1,039	964
Remainder of E800-E999	BE48.2	Other violence (BE50)	671	736	645	771	703	751	748	704	835
		ALL CAUSES	62,065	61,143	61,792	61,645	61,380	58,878	61,510	65,778	63,996
		AGES AT DEATH.									
		Under 1	2,758	2,802	2,727	2,811	2,861	2,800	3,181	3,391	3,569
		1– 4	338	364	371	411	435	499	539	664	694
		5– 9	190	236	189	252	229	286	282	309	279
		10–14	158	193	154	176	152	189	162	200	207
		15–24	517	505	503	576	633	709	787	895	1,148
		25–34	862	899	943	1,068	1,138	1,172	1,213	1,432	1,574
		35–44	1,910	1,919	1,829	1,949	1,978	2,118	2,188	2,426	2,569
		45–54	4,997	5,121	5,054	5,138	5,340	5,078	5,224	5,444	5,350
		55–64	10,188	10,174	9,924	9,773	9,811	9,171	9,500	9,942	9,891
		65–74	16,200	15,822	16,189	16,038	15,705	15,461	16,274	17,282	16,547
		75–84	17,912	17,240	18,048	17,727	17,614	16,446	17,002	18,197	17,014
		85 and over	6,035	5,868	5,861	5,726	5,484	4,947	5,158	5,596	5,152
		Not stated	—	—	—	—	—	2	—	—	2
		ALL AGES	62,065	61,143	61,792	61,645	61,380	58,878	61,510	65,778	63,996

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.
See footnote Table 35 (page 169).

Table 38. Death-Rates from Selected Causes and in Age-Groups in Scotland 1950-1958

International Classification: Detailed List Nos.	International Classification: Abbreviated List	Causes of Death	1958	1957	1956	1955	1954	1953	1952	1951	1950
001-008	B1	Tuberculosis of respiratory system	12	13	14	17	20	23	28	37	48
010-019	B2	Tuberculosis, other forms	1	1	2	2	2	4	4	6	7
020-029	B3	Syphilis and its sequelæ	1	2	2	2	2	2	2	3	3
045-048	B6	Dysentery, all forms	0	0	0	0	0	0	0	0	0
056	B9	Whooping cough	0	0	0	0	0	1	1	2	1
057	B10	Meningococcal infections	0	0	1	1	1	1	1	1	1
080	B12	Acute poliomyelitis	0	0	0	0	0	0	0	0	1
085	B14	Measles	0	0	0	0	0	1	0	0	1
030-044, 049-055, 058-074, 081-084, 086-138	B17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	2	2	2	2	2	3	3	4	4
140-205	B18	Malignant neoplasms . Total	210	209	209	206	205	198	198	192	196
160-165	—	Malignant neoplasms of respiratory system	46	43	41	38	38	38	33	30	31
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	11	10	11	10	10	9	9	9	8
140-159, 170-199	—	Other malignant neoplasms	153	155	157	158	157	151	156	153	157
210-239	B19	Benign and unspecified neoplasms	2	3	3	2	2	2	3	3	4
260	B20	Diabetes mellitus	10	10	9	9	9	9	9	11	11
290-293	B21	Anæmias	5	4	5	4	5	4	5	7	7
240-254, 270-289, 294-299	B46.0	Other general diseases	8	8	8	9	9	8	10	12	11
330-334	B22	Vascular lesions affecting central nervous system	193	186	188	187	187	174	178	178	170
340	B23	Non-meningococcal meningitis	1	1	1	1	1	1	1	1	1
300-326, 341-398	B46.1	Other diseases of nervous system	17	16	17	18	17	18	19	23	22
400-402	B24	Rheumatic fever	0	1	1	1	1	1	1	1	1
410-416	B25	Chronic rheumatic heart disease	16	18	16	17	17	16	17	18	18
420-422	B26	Arteriosclerotic and degenerative heart disease	358	346	358	351	337	320	338	361	338
430-434	B27	Other diseases of heart	15	12	12	14	24	23	22	26	24
440-443	B28	Hypertensive heart disease	24	23	25	25	21	19	17	16	16
444-447	B29	Other hypertensive disease	12	12	14	14	16	15	16	13	11
450-468	B46.2	Other circulatory disease	33	32	35	32	32	29	28	24	25
480-483	B30	Influenza	3	13	5	4	3	5	6	19	8
490-493	B31	Pneumonia (except of newborn)	41	40	37	36	34	33	37	45	41
500-502	B32	Bronchitis	44	39	40	41	36	34	40	49	44
470-475, 510-527	B46.3	Other respiratory diseases	12	10	12	11	11	11	12	13	12
540,541	B33	Ulcer of stomach and duodenum	10	11	12	13	13	11	12	12	12
550-553	B34	Appendicitis	2	2	2	2	2	2	2	2	3
560, 561, 570	B35	Intestinal obstruction and hernia	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

581	B37	Other diseases of kidney	5	5	5	5	5	5	5	6	5
580, 582-586	B46.4	Other diseases of liver	3	3	4	3	3	3	3	4	3
530-539, 542, 544, 545, 573-578, 587	B46.5	Other digestive diseases	8	10	10	10	11	11	11	13	14
590-594	B38	Nephritis and nephrosis	7	8	8	9	8	8	9	8	10
610	B39	Hyperplasia of prostate	7	7	7	6	7	7	6	7	7
600-609, 611-637	B46.6	Other diseases of genito-urinary system	0	0	0	0	0	0	0	1	0
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including abortion with sepsis	1	1	1	1	1	1	1	1	2
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	6	6	6	6	6	5	5	5	5
690-749	B46.7	Diseases of skin and organs of locomotion	13	14	13	12	13	12	12	12	12
750-759	B41	Congenital malformations	16	15	14	14	14	13	13	12	13
760-762	B42	Birth injuries, postnatal asphyxia and atelectasis	2	2	2	2	2	2	2	3	3
763	B43.0	Pneumonia of newborn	0	0	0	0	0	0	0	1	1
764	B43.1	Diarrhœa of newborn	0	0	0	0	0	0	0	0	0
765-768	B43.2	Other infections of the newborn	11	12	12	13	13	13	16	17	19
769-776	B44	Other diseases peculiar to early infancy and immaturity unqualified	11	11	15	16	18	17	20	25	25
794	B45.0	Senility without mention of psychosis	5	5	5	6	14	15	18	21	19
780-793, 795	B45.1	Ill-defined and unknown causes	8	8	8	8	6	5	5	5	5
E963, E970-E979	BE49	Suicide and self-inflicted injury	12	11	11	12	10	11	9	10	10
E810-E835	BE47	Motor vehicle accidents	1	0	1	1	1	1	1	1	1
E840-E845	BE48.0	Other road vehicle accidents	21	21	20	22	22	22	20	20	19
E870-E936 (part) E961 (part) E962 (part)	BE48.1	Accidents in the home	13	14	13	15	14	15	15	14	16
Remainder of E800-E999	BE48.2	Other violence (BE50)	1,201	1,187	1,201	1,201	1,198	1,150	1,203	1,286	1,248
		ALL CAUSES									
		AGES AT DEATH.									
		Under 1	28·9	30·5	29·7	31·8	32·5	32·2	37·2	38·5	40·1
		1– 4	1·0	1·0	1·1	1·2	1·3	1·4	1·5	1·7	1·8
		5– 9	0·4	0·5	0·4	0·6	0·5	0·6	0·7	0·8	0·7
		10–14	0·4	0·5	0·4	0·5	0·4	0·5	0·4	0·5	0·5
		15–24	0·7	0·7	0·7	0·8	0·9	1·0	1·1	1·2	1·5
		25–34	1·2	1·3	1·3	1·5	1·5	1·6	1·7	2·0	2·2
		35–44	2·8	2·8	2·6	2·8	2·9	3·0	3·0	3·3	3·4
		45–54	7·2	7·4	7·3	7·5	7·8	7·5	7·8	8·2	8·2
		55–64	18·7	19·0	18·9	19·0	19·5	18·5	19·3	20·4	20·3
		65–74	46·3	45·4	46·8	46·6	45·5	44·9	47·3	50·2	47·9
		75–84	110·5	106·9	114·2	113·4	113·7	108·4	114·5	125·7	119·0
		85 and over	251·3	249·2	256·0	258·8	247·3	228·6	246·1	277·8	256·0
	—	Not stated	—	—	—	—	—	—	—	—	—
		ALL AGES	12·01	11·87	12·01	12·01	11·98	11·50	12·03	12·86	12·48

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.
See footnote Table 35 (page 169).

Table 39. Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-195 Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis*	Pneumonia*	All Diarrhœal Diseases†	Violence
								All Forms	Respiratory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,472	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	–	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	–	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	–	–	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	–	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	*61*	*3*	*5*	*1,237*	*337*	*1,447*	*517*	*5,678*	*3,930*	*6,329*	*4,507*	*6,402*	*1,342*	*2,606*
1926	39	3	–	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	–	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	–	–	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	–	–	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	*30*	*1*	*0*	*707*	*184*	*791*	*479*	*4,663*	*3,296*	*6,938*	*4,160*	*6,664*	*978*	*2,916*
1931	20	1	–	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	–	–	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	–	–	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	–	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	–	–	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	*22*	*0*	–	*545*	*253*	*626*	*435*	*3,917*	*2,906*	*7,498*	*3,439*	*5,397*	*961*	*2,781*
1936	27	–	–	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	–	–	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	–	–	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	–	–	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	–	–	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	*19*	–	–	*311*	*95*	*388*	*463*	*3,658*	*2,776*	*8,019*	*3,405*	*4,667*	*1,028*	*3,277*
1941	7	–	–	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	–	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	–	–	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	–	–	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	–	–	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	*10*	–	*5*	*94*	*21*	*283*	*269*	*3,974*	*3,009*	*8,688*	*2,679*	*3,057*	*1,077*	*4,352*
1946	8	–	–	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	–	–	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	–	–	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	–	–	–	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	–	1	6	38	1	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50§	*3*	*0*	*1*	*55*	*5*	*109*	*37*	*3,649*	*3,111*	*9,323*	*2,402*	*2,609*	*756*	*2,620*
1951	1	–	–	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	–	22	1	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	–	–	29	–	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	–	–	8	–	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	–	–	20	1	10	–	982	860	10,585	2,126	2,025	214	2,920
1951-55	*1*	*0*	–	*21*	*1*	*40*	*3*	*1,448*	*1,265*	*10,235*	*2,123*	*2,149*	*230*	*2,695*
1956	2	1	–	10	1	14	2	801	715	10,754	2,135	2,122	166	2,642
1957	–	–	–	16	–	21	–	723	664	10,747	2,108	2,543	124	2,801
1958	1	–	–	4	–	4	–	687	638	10,831	2,312	2,275	126	2,850

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481*a*, page 203).

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis".

§ Deaths for year 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

e 40. **Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1958. Quinquennial Averages**

ear	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis All Forms	Tuberculosis Respiratory	Cancer	Bronchitis*	Pneumonia*	All Diarrhœal Diseases†	Violence
5-60	92	–	36	44	98	72	43	360	255	34	125	75	106	72
1-65	122		33	46	81	73	85	375	266	40	194	70	88	74
6-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
6-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
6-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
6-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
6-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
21	2	0	0	6	6	30	13	118	81	122	85	110	41	55
22	1	0	–	55	5	29	11	119	83	125	117	169	25	50
23	1	0	–	23	7	20	10	118	82	130	74	99	24	51
24	1	–	–	33	8	33	9	116	80	134	100	158	24	53
25	1	0	–	11	8	36	10	111	77	137	86	120	24	58
1-25	*1*	*0*	*0*	*26*	*7*	*30*	*11*	*117*	*81*	*130*	*92*	*131*	*28*	*53*
26	1	0	–	19	7	10	10	100	70	137	78	120	22	55
27	1	0	–	14	4	18	10	100	71	143	87	137	20	61
28	1	–	–	21	3	22	10	97	68	142	74	126	21	60
29	0	–	–	3	2	19	10	95	68	147	111	182	20	62
30	0	0	0	16	3	13	10	89	63	147	80	123	18	63
6-30	*1*	*0*	–	*15*	*4*	*16*	*10*	*96*	*68*	*143*	*86*	*137*	*20*	*60*
31	0	0	–	13	3	20	7	87	62	148	80	112	18	56
32	0	–	–	18	5	9	8	84	61	153	75	126	23	58
33	0	–	–	1	6	16	7	80	60	153	74	111	22	58
34	0	0	–	21	7	8	12	75	57	153	57	96	17	57
35	1	–	–	3	4	11	10	74	57	157	65	105	18	55
1-35	*0*	*0*	–	*11*	*5*	*13*	*9*	*80*	*59*	*153*	*70*	*110*	*20*	*57*
36	1	–	–	12	3	8	8	74	55	159	69	103	24	57
37	0	–	–	2	2	14	9	74	56	157	73	123	21	61
38	0	–	–	11	2	4	9	69	52	162	50	80	19	58
39	0	–	–	0	1	8	8	70	54	161	55	65	20	68
40	0	–	–	5	1	4	14	82	62	170	97	99	19	77
5-40	*0*	–	–	*6*	*2*	*8*	*10*	*74*	*56*	*162*	*69*	*94*	*21*	*64*
41	0	–	–	2	1	15	11	85	63	174	67	79	23	115
42	0	–	1	3	1	2	6	82	62	179	52	60	22	69
43	0	–	–	2	0	7	5	83	62	185	62	76	19	67
44	0	–	–	1	0	4	4	82	62	186	50	59	27	57
45	0	–	–	2	0	3	3	79	60	192	52	47	23	53
1-45	*0*	–	*0*	*2*	*0*	*6*	*6*	*82*	*62*	*183*	*57*	*64*	*23*	*72*
46	0	–	–	2	0	2	2	79	64	180	55	61	16	51
47	0	–	–	1	0	4	1	81	67	178	50	57	25	52
48	0	–	–	1	0	1	1	77	67	184	38	43	15	51
49	–	–	–	0	0	2	0	68	60	188	46	50	10	50
50	–	0	0	1	0	1	0	54	48	196	46	47	8	51
5-50	*0*	*0*	*0*	*1*	*0*	*2*	*1*	*72*	*61*	*184*	*47*	*52*	*15*	*52*
51	0	–	–	0	0	2	0	43	37	192	53	55	7	51
52	0	0	–	0	0	1	0	32	28	198	41	41	4	50
53	0	–	–	1	0	1	0	26	23	198	35	37	4	54
54	0	–	–	0	–	0	0	22	20	205	36	38	3	52
55	0	–	–	0	0	0	–	19	17	206	41	39	4	57
1-55	*0*	*0*	–	*0*	*0*	*1*	*0*	*28*	*25*	*200*	*41*	*42*	*4*	*53*
56	0	–	–	0	0	0	0	16	14	209	42	41	3	51
57	–	–	–	0	–	0	–	14	13	209	41	49	2	54
58	0	–	–	0	–	0	–	13	12	210	45	44	2	55

*, †, §. See footnotes, Table 39. ‡ Civilians only.
rresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

Table 41A. Deaths in Scotland from Non-Transport Accidents, by Place of Occurrence, Age and Sex, 1958.

International Detailed List Nos.	Cause of Death	Age Group	Total		Home		Residential Institution		Mines and Quarries		Farm and Forestry		Other places
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.
E870-E888	Accidental poisoning by solid and liquid substances	0– . . .	4	1	4	1	–	–	–	–	–	–	–
		5– . . .	–	–	–	–	–	–	–	–	–	–	–
		15– . .	9	5	8	5	–	–	–	–	–	–	1
		45– . .	7	25	7	23	–	1	–	–	–	–	–
		65 and over	1	4	1	4	–	–	–	–	–	–	–
		All Ages	21	35	20	33	–	1	–	–	–	–	1
E890-E895	Accidental poisoning by gases and vapours	0– . . .	–	3	–	3	–	–	–	–	–	–	–
		5– . . .	1	1	1	1	–	–	–	–	–	–	–
		15– . .	28	15	26	15	–	–	–	–	–	–	2
		45– . .	41	26	37	26	–	–	–	–	–	–	4
		65 and over	41	86	41	86	–	–	–	–	–	–	–
		All Ages	111	131	105	131	–	–	–	–	–	–	6
E900-E904	Accidental falls	0– . . .	1	2	1	2	–	–	–	–	–	–	–
		5– . . .	11	2	4	–	–	–	–	–	–	–	7
		15– . .	55	6	7	5	–	–	2	–	1	–	45
		45– . .	63	22	24	18	2	–	1	–	3	–	33
		65 and over	189	370	144	326	19	24	–	–	–	–	26
		All Ages	319	402	180	351	21	24	3	–	4	–	111
E910	Blow from falling or projected object or missile	0– . . .	1	–	–	–	–	–	–	–	–	–	1
		5– . . .	2	1	–	–	–	–	–	–	–	–	2
		15– . .	25	1	–	–	–	–	9	–	1	–	15
		45– . .	15	3	1	2	–	–	8	–	–	–	6
		65 and over	1	–	–	–	–	–	–	–	–	–	1
		All Ages	44	5	1	2	–	–	17	–	1	–	25
E911	Accident caused by vehicle	0– . . .	–	–	–	–	–	–	–	–	–	–	–
		5– . . .	–	–	–	–	–	–	–	–	–	–	–
		15– . .	6	–	–	–	–	–	5	–	–	–	1
		45– . .	3	–	–	–	–	–	3	–	–	–	–
		65 and over	–	–	–	–	–	–	–	–	–	–	–
		All Ages	9	–	–	–	–	–	8	–	–	–	1
E912	Accident caused by machinery	0– . . .	–	–	–	–	–	–	–	–	–	–	–
		5– . . .	–	–	–	–	–	–	–	–	–	–	–
		15– . .	9	–	–	–	–	–	–	–	1	–	8
		45– . .	10	–	–	–	–	–	3	–	1	–	6
		65 and over	–	–	–	–	–	–	–	–	–	–	–
		All Ages	19	–	–	–	–	–	3	–	2	–	14
E914	Accident caused by electric current	0– . . .	1	–	1	–	–	–	–	–	–	–	–
		5– . . .	–	–	–	–	–	–	–	–	–	–	–
		15– . .	14	1	2	1	1	–	–	–	–	–	11
		45– . .	–	–	–	–	–	–	–	–	–	–	–
		65 and over	–	–	–	–	–	–	–	–	–	–	–
		All Ages	15	1	3	1	1	–	–	–	–	–	11

Table 41A. Deaths in Scotland from Non-Transport Accidents, by Place of Occurrence, Age and Sex, 1958—*continued*

rnational Detailed List Nos.	Cause of Death	Age Group	Total		Home		Residential Institution		Mines and Quarries		Farm and Forestry		Other place	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
916-E918	Accident caused by fire, explosion of combustible material, hot substance, etc.	0– . .	5	9	5	9	–	–	–	–	–	–	–	–
		5– . .	3	7	1	7	–	–	–	–	–	–	2	–
		15– . .	5	7	–	7	–	–	–	–	–	–	5	–
		45– . .	10	15	8	15	–	–	–	–	–	–	2	–
		65 and over	15	35	15	34	–	1	–	–	–	–	–	–
		All Ages	38	73	29	72	–	1	–	–	–	–	9	–
E919	Accident caused by firearm	0– . .	–	–	–	–	–	–	–	–	–	–	–	
		5– . .	1	–	1	–	–	–	–	–	–	–	–	–
		15– . .	4	1	–	1	–	–	2	–	–	–	2	–
		45– . .	3	–	1	–	–	–	–	–	–	–	2	–
		65 and over	1	–	1	–	–	–	–	–	–	–	–	–
		All Ages	9	1	3	1	–	–	2	–	–	–	4	–
21, E922, 24, E925	Accidental mechanical suffocation	0– . .	86	65	86	65	–	–	–	–	–	–	–	–
		5– . .	–	–	–	–	–	–	–	–	–	–	–	–
		15– . .	3	2	1	2	–	–	1	–	1	–	–	–
		45– . .	5	3	5	3	–	–	–	–	–	–	–	–
		65 and over	3	4	3	4	–	–	–	–	–	–	–	–
		All Ages	97	74	95	74	–	–	1	–	1	–	–	–
E928	Accidents caused by animals (excluding bites and stings of venomous animals and insects)	0– . .	–	–	–	–	–	–	–	–	–	–	–	–
		5– . .	–	–	–	–	–	–	–	–	–	–	–	–
		15– . .	–	–	–	–	–	–	–	–	–	–	–	–
		45– . .	2	–	–	–	–	–	–	–	1	–	1	–
		65 and over	2	–	–	–	–	–	–	–	2	–	–	–
		All Ages	4	–	–	–	–	–	–	–	3	–	1	–
E929	Accidental drowning and submersion	0– . .	15	3	–	–	–	–	–	–	–	–	15	3
		5– . .	37	3	–	–	–	–	–	–	–	–	37	3
		15– . .	46	5	–	–	–	–	–	–	–	–	46	5
		45– . .	33	15	–	–	–	–	1	–	–	–	32	15
		65 and over	33	7	–	–	–	–	–	–	–	–	33	7
		All Ages	164	33	–	–	–	–	1	–	–	–	163	33
ainder of 13-E936 51, E962	Other	0– . .	1	2	1	2	–	–	–	–	–	–	–	–
		5– . .	1	–	–	–	–	–	–	–	–	–	1	–
		15– . .	9	2	1	–	–	–	–	–	–	–	8	2
		45– . .	3	3	–	–	–	–	1	–	–	–	2	3
		65 and over	5	9	–	3	–	–	–	–	–	–	5	6
		All Ages	19	16	2	5	–	–	1	–	–	–	16	11
70-E936 51, E962	Total	0– . .	114	85	98	82	–	–	–	–	–	–	16	3
		5– . .	56	14	7	8	–	–	–	–	–	–	49	6
		15– . .	213	45	45	36	1	–	19	–	4	–	144	9
		45 . .	195	112	83	87	2	1	17	–	5	–	88	24
		65 and over	291	515	205	457	19	25	–	–	2	–	65	33
		All Ages	869	771	438	670	22	26	36	–	11	–	362	75

Table 41B. Deaths from Poisoning in Scotland in 1958

Accidental Poisoning

International Detailed List Nos.		Both Sexes	M.	F.
E870	Morphine and other opium derivatives:			
	Codeine	2	2	–
	Nepenthe	1	–	1
E871	Barbituric acid and derivatives:			
	Amytal	2	–	2
	Butobarbitone	1	–	1
	Butobarbitone, aspirin and phenacetin	1	1	–
	Carbrital	7	2	5
	Cyclobarbitone	3	1	2
	Nembutal	1	–	1
	Pentobarbitone	1	–	1
	Seconal	2	–	2
	Sodium amytal	4	–	4
	Sodium amytal and alcohol	1	1	–
	Tuinal	1	–	1
	Barbiturate (unspecified)	9	3	6
	Sleeping pills (unspecified)	1	–	1
E872	Aspirin and salicylates:			
	Aspirin	4	1	3
	Salicylate	1	1	–
E874	Analgesic and soporific drugs:			
	Carbromal	1	1	–
	Carbromal and carbrital	1	–	1
	Narcotic	1	–	1
	Physeptone	2	2	–
	Carried forward	47	15	32

International Detailed List Nos.		Both Sexes	M.	F.
	Brought forward	47	15	32
E876	Strychnine	1	–	1
E878	Other and unspecified drugs:			
	Ferrous gluconate	1	1	–
E880	Alcohol:			
	Methyl alcohol	1	1	–
	Methylated spirits	2	2	–
E882	Industrial solvents:			
	Turpentine	1	1	–
E883	Corrosive aromatics, acids and caustic alkalis:			
	Lysol	1	–	1
	Phenol	1	–	1
E888	Other and unspecified solid and liquid substances:			
	Insulin	1	1	–
E890	Utility (illuminating) gas	237	106	131
E891	Motor vehicle exhaust gas	1	1	–
E892	Other carbon monoxide gas	2	2	–
E894	Other specified gases and vapours:			
	Sulphuretted hydrogen	2	2	–
	Total	298	132	166

Suicidal and Self-inflicted Poisoning

		Both Sexes	M.	F.
E970	Analgesic and soporific substances:			
	Amylobarbitone and butobarbitone	1	1	–
	Anadin	1	1	–
	Aspirin	2	–	2
	Barbitone	1	1	–
	Butobarbitone	1	–	1
	Carbrital	2	1	1
	Cyclobarbitone	2	1	1
	Cyclobarbitone and sodium amytal	1	1	–
	Doriden and sparine	1	–	1
	Nembutal	8	1	7
	Phenobarbitone	2	1	1
	Phenobarbitone, nembutal and drinamyl	1	–	1
	Phenobarbitone and tuinal	1	–	1
	Seconal	5	2	3
	Seconal and luminal	1	1	–
	Sodium amytal	14	4	10
	Sodium amytal and phenobarbitone	1	–	1
	Sodium seconal	2	2	–
	Sonalgin	1	1	–
	Soneryl	4	2	2
	Tuinal	1	–	1
	Tuinal dormupax	1	–	1
	Tuinal and phenobarbitone	1	1	–
	Barbiturate and alcohol	1	–	1
	Barbiturate and "Dettol"	1	1	–
	Barbiturate (unspecified)	3	3	–
	Carried forward	60	25	35

		Both Sexes	M.	F.
	Brought forward	60	25	35
E971	Other solid and liquid substances:			
	Cyanide	1	–	1
	Lysol	7	5	2
	Phenol and nicotine	1	–	1
	Spirits of salt	1	1	–
	Strychnine	1	1	–
E972	Gases in domestic use:	198	125	73
E973	Other gases:			
	Carbon monoxide gas	6	5	1
	Total	275	162	113

Table 41C. Deaths under Anæsthetics (Secondary Cause) in Scotland in 1958

Name of Anæsthetic	Both Sexes	M.	F.
Chloroform and ether	1	–	1
Ether	3	1	2
Ether and nitrous oxide	23	8	15
Ether, nitrous oxide and cyclopropane	1	–	1
Ether, nitrous oxide and flaxedil	2	1	1
Ether, nitrous oxide, flaxedil and pethidine	1	1	–
Ether, nitrous oxide and thiopentone *	1	1	–
Ether, nitrous oxide and trichlorethylene	2	–	2
Ether and thiopentone	1	1	–
Ether, thiopentone and cyclopropane	1	1	–
Nitrous oxide	2	2	–
Nitrous oxide, cyclopropane and dextrotubocurarine	1	1	–
Nitrous oxide, cyclopropane and tubarine	1	–	1
Nitrous oxide and flaxedil	1	1	–
Nitrous oxide, flaxedil, pethidine and scoline	1	1	–
Nitrous oxide and gallamine	1	–	1
Nitrous oxide and neothyl	1	–	1
Nitrous oxide, scoline and tubarine	2	2	–
Nitrous oxide and thiopentone	8	2	6
Nitrous oxide, thiopentone and brevidil	2	1	1
Nitrous oxide, thiopentone, brevidil and cyclopropane	1	–	1
Nitrous oxide, thiopentone, brevidil and pethidine	1	1	–
Nitrous oxide, thiopentone and curare	1	1	–
Nitrous oxide, thiopentone and cyclopropane	1	1	–
Nitrous oxide, thiopentone, cyclopropane and tubarine	3	1	2
Nitrous oxide, thiopentone and flaxedil	3	2	1
Nitrous oxide, thiopentone, flaxedil, atropine and pethidine	2	1	1
Nitrous oxide, thiopentone, flaxedil and brevidil	2	1	1
Nitrous oxide, thiopentone, flaxedil and pethidine	2	–	2
Nitrous oxide, thiopentone, flaxedil and scoline	2	1	1
Nitrous oxide, thiopentone, flaxedil, scoline and pethidine	1	–	1
Carried forward	75	35	40
Brought forward	75	35	40
Nitrous oxide, thiopentone, flaxedil, scoline and trichlorethylene	1	1	–
Nitrous oxide, thiopentone, flaxedil and trichlorethylene	3	1	2
Nitrous oxide, thiopentone, and gallamine	1	1	–
Nitrous oxide, thiopentone, gallamine, pethidine and trichlorethylene	1	1	–
Nitrous oxide, thiopentone and nupercaine	1	–	1
Nitrous oxide, thiopentone and pethidine	3	2	1
Nitrous oxide, thiopentone, pethidine and tubarine	3	3	–
Nitrous oxide, thiopentone and scoline	2	2	–
Nitrous oxide, thiopentone, scoline, scopolamine, omnopon and trichlorethylene	1	–	1
Nitrous oxide, thiopentone, and trichlorethylene	2	1	1
Nitrous oxide, thiopentone, trichlorethylene and tubarine	1	–	1
Nitrous oxide, thiopentone and tubarine	4	2	2
Nitrous oxide, thiopentone and tubocurarine	1	1	–
Nitrous oxide and trichlorethylene	7	6	1
Nitrous oxide and tubarine	1	1	–
Nitrous oxide and tubercaine	1	1	–
Thiopentone	1	–	1
Thiopentone, atropine, curare and omnopon	1	–	1
Thiopentone and brevidil	1	1	–
Thiopentone and cyclopropane	6	3	3
Thiopentone, cyclopropane, flaxedil and scoline	1	1	–
Thiopentone, cyclopropane and tubocurarine	1	–	1
Thiopentone, scoline and trichlorethylene	1	–	1
Cyclopropane	7	4	3
Cyclopropane and scoline	2	–	2
Curare, adrenaline and pethidine	1	–	1
Anaesthetic not stated	3	1	2
Total	133	68	65

*All cases of "pentothal" and "sodium pentothal" where they have been so described are listed under "thiopentone."

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)

NOTES: (1) Deaths registered in 1958 have been classified in accordance with the Seventh Revision of the International Statistical Classification of Causes of Death (1955). Except for rubrics 306, 308, 649 and 775 which are not applicable to primary death classification, each three-digit category of the Detailed List is shown in full. In a number of instances fourth-digit subdivisions are also given; International Classification subdivisions are denoted by numbers (.0, .1, .2, etc.) and Scottish subdivisions by letters (.a, .b, .c, etc.)

(2) A separate line has not been devoted to a number of those rubrics to which very few deaths are assigned each year and the practice has been to amalgamate them, for example, 120-138. In order to have the record complete, details of any deaths registered from these causes are shown in footnotes; the figures following the International Classification heading indicate the sex and age-group of the deceased, roman type denotes males and italic type females. Thus "138, other infective and parasitic diseases, 45, 45, 65, *45, 75*." denotes three male deaths (two in age-group 45– and one in 65–) and two female deaths (one in age-group 45–, the other in 75–).

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	ALL CAUSES—Both Sexes		**62065**	**2758**	**135**	**83**	**68**	**52**	**190**	**158**	**241**	**276**	**343**	**519**	**778**	**1132**	**1869**	**3128**	**4434**	**5754**	**7302**	**8898**	**9494**	**8418**	**6035**	–
	Males		**31765**	**1578**	**70**	**35**	**43**	**30**	**119**	**99**	**168**	**173**	**187**	**294**	**431**	**615**	**1109**	**1918**	**2759**	**3315**	**4070**	**4469**	**4426**	**3663**	**2194**	–
	Females		**30300**	**1180**	**65**	**48**	**25**	**22**	**71**	**59**	**73**	**103**	**156**	**225**	**347**	**517**	**760**	**1210**	**1675**	**2439**	**3232**	**4429**	**5068**	**4755**	**3841**	–
	I. INFECTIVE AND PARASITIC DISEASES (001-138)	M.	**588**	**19**	**8**	**3**	**5**	**1**	**7**	**3**	**7**	**2**	**7**	**31**	**29**	**30**	**50**	**69**	**75**	**83**	**67**	**51**	**23**	**13**	**5**	–
		F.	**327**	**17**	**4**	**3**	**1**	**2**	**4**	–	**4**	**8**	**22**	**35**	**39**	**29**	**24**	**17**	**18**	**27**	**21**	**24**	**19**	**4**	**5**	–
	TUBERCULOSIS, all forms (001-019)	M	459	1	1	2	1	–	2	2	5	1	6	27	22	28	39	61	64	71	56	40	17	11	2	–
		F.	228	2	1	–	–	–	2	–	3	4	19	32	36	27	18	10	12	16	13	17	12	1	3	–
	Tuberculosis of respiratory system (001-008)	M.	431	–	–	1	1	–	–	–	2	1	4	26	22	27	38	57	61	70	54	40	16	10	1	–
		F.	207	1	1	–	–	–	–	–	3	3	19	32	34	25	15	9	11	13	12	14	12	1	2	–
001	Respiratory tuberculosis with mention of occupational disease of lung	M.	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	6	6	3	3	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
002	Pulmonary tuberculosis	M.	403	–	–	1	–	–	–	–	2	1	4	26	22	27	38	54	56	64	48	37	12	10	1	–
		F.	205	1	1	–	–	–	–	–	3	3	19	31	34	24	15	9	11	13	12	14	12	1	2	–
003	Pleural tuberculosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
004-008	Other respiratory tuberculosis and tuberculosis, unspecified site	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Tuberculosis, other forms (010-019)	M.	28	1	1	1	–	–	2	2	3	–	2	1	–	1	1	4	3	1	2	–	1	1	1	–
		F.	21	1	–	–	–	–	2	–	–	1	–	–	2	2	3	1	1	8	1	3	–	–	1	–
010	Tuberculosis of meninges and central nervous system	M.	7	1	1	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
012	Tuberculosis of bones and joints, active or unspecified	M.	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
012.0	Vertebral column	M.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
012.3	Other bones and joints (012.1.2)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013	Tuberculosis of bones and joints, late	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

013.3	Other bones and joints (013.1.2)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014	Tuberculosis of skin and subcutaneous cellular tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
015	Tuberculosis of lymphatic system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
016	Tuberculosis of genito-urinary system	M.	10	–	–	–	–	–	–	1	–	–	1	–	–	1	1	3	1	1	–	–	1	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	2	–	–	–	–	–
017	Tuberculosis of adrenal glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
018	Tuberculosis of other organs	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Syphilis and its sequelæ (020-029)	M.	40	–	–	–	–	–	–	–	–	–	–	–	3	1	2	2	7	7	6	8	3	–	1	–	
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	4	5	–	–	–	–	
020	Congenital syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
022	Aneurysm of aorta	M.	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	2	–	2	–	–	–	
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	
023	Other cardiovascular syphilis	M.	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	4	–	–	1	–	
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
024	Tabes dorsalis	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
025	General paralysis of insane	M.	14	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	4	1	2	1	–	–	–	
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	
026	Other syphilis of central nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
027	Other forms of late syphilis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
028	Latent syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
029	Syphilis, unqualified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Gonococcal infection and other venereal diseases (030-039)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
030-035	Gonococcal infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
036-039	Other venereal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

004, Primary tuberculosis complex with symptoms, *30, 40.*
005, Tracheobronchial glandular tuberculosis with symptoms, 3.
006. Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, –.
007, Other respiratory tuberculosis, –.
008, Tuberculosis, unspecified site, –.
030, Acute or unspecified gonorrhœa, –.
031, Chronic gonococcal infection of genito-urinary system, –.
032, Gonococcal infection of joint, –.
033, Gonococcal infection of eye, –.
034, Gonococcal infection of other sites, *20.*
035, Late effects of gonococcal infection, –.
036, Chancroid, –.
037, Lymphogranuloma venereum, –.
038, Granuloma inguinale, venereal, –.
039, Other and unspecified venereal diseases, –.

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES (001-138)—*continued*																									
	Infectious diseases commonly arising in intestinal tract (040-049)	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–
040	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
041	Paratyphoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other Salmonella infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–
043	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045	Bacillary dysentery	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
046	Amœbiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
047	Other protozoal dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
048	Unspecified forms of dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
049	Food poisoning (infection and intoxication)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other bacterial diseases (050-064)	M.	27	12	4	–	3	1	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	–	–
		F.	28	13	2	2	–	2	2	–	–	–	–	–	1	–	2	2	–	–	2	–	–	–	–	–
050	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
053	Septicæmia and pyæmia	M.	12	5	1	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	–	–
		F.	8	3	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
054	Bacterial toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	M.	13	6	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	12	8	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

059	Tularæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	Leprosy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
062	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
063	Gas gangrene	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
064	Other bacterial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Spirochætal diseases, except syphilis (070-074)	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
070	Vincent's infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
071	Relapsing fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
072	Leptospirosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
073	Yaws	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
074	Other spirochætal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases attributable to viruses (080-096)	M.	51	4	3	1	1	–	5	1	2	1	1	4	3	1	6	3	3	2	1	2	3	2	2	–	–	–
		F.	44	2	1	1	1	–	–	–	1	3	3	3	2	2	2	3	4	5	1	1	5	3	1	–	–	–
080	Acute poliomyelitis	M.	13	2	–	–	–	–	1	1	1	1	1	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081	Late effects of acute poliomyelitis	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis	M.	3	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	1	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
083	Late effects of acute infectious encephalitis	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	1	1	1	1	–	–	–	–	–
		F.	15	–	–	–	–	–	–	–	1	–	–	–	1	–	–	3	2	4	–	–	3	1	–	–	–	–
084	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
086	Rubella (German measles)	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
087	Chickenpox	M.	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
088	Herpes zoster	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
089	Mumps	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	Infectious hepatitis	M.	13	–	–	–	–	–	3	–	–	–	–	–	1	1	–	2	2	1	–	–	–	2	1	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	2	1	1	1	2	2	–	2	–	1	1	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES (001-138)—*continued*																									
	Diseases attributable to viruses (080-096)—*continued*																									
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
096	Other diseases attributable to viruses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
100-108	*Typhus and other rickettsial diseases*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	*Malaria*	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120-138	*Other infective and parasitic diseases*	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
	II. NEOPLASMS (140-239)	M.	5859	2	7	6	4	6	17	11	19	23	40	49	73	141	261	511	755	832	895	843	741	452	171	–
		F.	5066	9	3	7	6	2	13	12	12	17	23	49	89	178	292	443	508	643	713	713	656	427	251	–
	MALIGNANT NEOPLASMS (140-205)	M.	5821	1	6	6	4	5	17	11	18	23	39	47	69	140	259	505	753	827	894	838	738	450	171	–
		F.	5010	7	3	6	6	2	13	9	12	17	20	48	84	172	291	440	502	638	703	710	655	424	248	–
	Malignant neoplasm of buccal cavity and pharynx (140-148)	M	154	–	–	–	–	–	–	–	–	–	–	1	2	2	4	7	13	12	20	32	31	22	8	–
		F.	80	–	–	–	–	–	–	–	–	1	–	–	1	–	3	7	7	7	14	10	16	6	8	–
140	Lip	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
141	Tongue	M.	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	4	12	8	5	1	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	3	1	3	–
142	Salivary gland	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	2	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	4	–	–	–
143	Floor of mouth	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	4	2	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–
144	Other parts of mouth, and of mouth unspecified	M.	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	6	7	2	2	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	2	–	1	3	–
144a	Palate upper alveoli	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	6	2	1	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	2	–	1	3	–
144b	Cheek internal	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	1	–	1	–
		F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

145	Oral mesopharynx	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	5	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
146	Nasopharynx	M.	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	2	1	1	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
147	Hypopharynx	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	1	2	–	–	–	–	–	–
148	Pharynx, unspecified	M.	32	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	7	3	5	8	–	–	–	–
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	4	2	4	3	–	–	–	–
148a	Pharynx	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	6	2	2	7	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	4	2	2	3	–	–	–	–
148b	Throat	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	3	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Malignant neoplasm of digestive organs and peritoneum (150-159)	M.	2331	1	–	–	–	–	1	–	1	5	6	14	19	42	92	189	255	266	360	384	383	224	89	–	–	–	–
		F.	2223	–	–	–	–	–	–	–	–	2	1	11	24	28	72	141	162	270	336	365	387	271	153	–	–	–	–
150	Œsophagus	M.	178	–	–	–	–	–	–	–	–	–	–	–	–	6	4	11	24	22	26	22	34	22	7	–	–	–	–
		F.	136	–	–	–	–	–	–	–	–	–	–	1	1	2	4	8	7	21	19	19	26	20	8	–	–	–	–
151	Stomach	M.	887	–	–	–	–	–	–	–	1	1	2	4	3	12	37	87	110	107	143	162	128	72	18	–	–	–	–
		F.	774	–	–	–	–	–	–	–	–	1	–	5	8	8	21	49	51	92	109	121	158	90	61	–	–	–	–
152	Small intestine, including duodenum	M.	17	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	4	3	2	–	4	1	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	2	1	1	–	–	–	–	–	–	–
152.0	Duodenum	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
152.9	Other specified, multiple and unspecified parts (152.7.8)	M.	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	2	2	–	3	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–	1	–	–	–	–	–	–	–
153	Large intestine, except rectum	M.	518	–	–	–	–	–	–	–	–	1	1	5	7	6	17	41	38	54	71	83	108	53	33	–	–	–	–
		F.	695	–	–	–	–	–	–	–	–	–	1	1	10	8	29	36	53	73	96	124	117	96	51	–	–	–	–
153.0	Cæcum, appendix and ascending colon	M.	113	–	–	–	–	–	–	–	–	–	1	–	1	1	3	10	8	15	10	15	26	11	12	–	–	–	–
		F.	185	–	–	–	–	–	–	–	–	–	–	–	2	1	8	7	13	18	26	33	35	25	17	–	–	–	–
153.1	Transverse colon, including hepatic and splenic flexures	M.	96	–	–	–	–	–	–	–	–	1	–	3	2	3	4	6	3	14	17	9	19	10	5	–	–	–	–
		F.	133	–	–	–	–	–	–	–	–	–	1	–	2	1	5	9	4	14	19	23	22	21	12	–	–	–	–
153.2	Descending colon	M.	79	–	–	–	–	–	–	–	–	–	–	–	1	–	2	7	3	9	12	17	20	3	5	–	–	–	–
		F.	86	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	8	8	11	19	14	15	5	–	–	–	–
153.3	Sigmoid colon	M.	158	–	–	–	–	–	–	–	–	–	–	2	2	–	5	14	16	12	26	28	27	19	7	–	–	–	–
		F.	205	–	–	–	–	–	–	–	–	–	–	1	5	4	11	13	22	23	28	33	35	21	9	–	–	–	–
153.7	Multiple parts of large intestine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
153.8	Large intestine (including colon), part unspecified	M.	54	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	7	4	5	12	8	7	4	–	–	–	–
		F.	64	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	9	7	14	8	10	4	–	–	–	–

100, Louse-born epidemic typhus, –.
101, Flea-borne endemic typhus (murine), –.
102, Brill's disease, not specified as louse or flea-borne, –.
103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, –.
104, Tick-borne typhus, –.
105, Mite-borne typhus, –.
106, Volhynian fever (trench fever), –.
107, Typhus, unspecified, –.
108, Other rickettsial diseases, –.
110, Vivax malaria (benign tertian), –.
111, Malariæ malaria (quartan), –.
112, Falciparum malaria (malignant tertian), –.
113, Ovale malaria, –.
114, Mixed malarial infections, –.
115, Blackwater fever, –.
116, Other and unspecified forms of malaria, 45.
117, Recurrent induced malaria, –.
120, Leishmaniasis, –.
121, Trypanosomiasis, –.
122, Other protozoal diseases, –.
123, Schistosomiasis, –.
124, Other trematode infestation, –.
125, Hydatid disease, *75*.
126, Other cestode infestation, –.
127, Filariasis, –.
128, Trichiniasis, –.
129, Ankylostomiasis, –.
130, Infestation with worms of other, mixed and unspecified type, –
131, Dermatophytosis, –.
132, Actinomycosis, –.
133, Coccidioidomycosis, –.
134, Other fungus infections, 60, 65.
135, Scabies, –.
136, Pediculosis, –.
137, Other arthropod infestation, –.
138, Other infective and parasitic diseases, 45, 45, 65, *45*, *75*.

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS (140-239)—*continued*																									
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*																									
153.9	Intestinal tract, part unspecified	M	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	2	8	3	–	–
		F.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	5	2	2	4	4	–
154	Rectum	M.	331	–	–	–	–	–	–	–	–	1	1	5	5	11	13	17	30	32	49	66	50	35	16	–
		F.	239	–	–	–	–	–	–	–	–	–	–	–	2	8	10	14	22	31	37	47	25	27	16	–
155	Biliary passages and of liver (stated to be primary site)	M.	85	1	–	–	–	–	1	–	–	–	–	–	2	3	4	10	11	15	12	11	8	5	2	–
		F.	100	–	–	–	–	–	–	–	–	1	–	1	2	–	3	7	7	15	21	19	13	9	2	–
155.0	Liver	M.	41	1	–	–	–	–	1	–	–	–	–	–	2	2	1	2	7	7	8	3	3	3	1	–
		F.	30	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	1	5	5	5	5	2	–	–
155.1a	Gallbladder	M.	25	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	6	2	5	2	1	–	–
		F.	53	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	8	10	13	6	6	1	–
155.1b	Bile ducts	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	2	2	3	3	1	1	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	6	1	2	1	1	–
155.8	Multiple sites	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
156	Liver (secondary and unspecified)	M.	43	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	4	9	8	5	6	2	–
		F.	41	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	2	4	9	2	9	3	5	–
157	Pancreas	M.	251	–	–	–	–	–	–	–	–	–	–	–	1	4	10	16	34	26	45	31	44	30	10	–
		F.	205	–	–	–	–	–	–	–	–	–	–	2	1	–	5	17	12	28	42	28	36	24	10	–
158	Peritoneum	M.	15	–	–	–	–	–	–	–	–	1	2	–	–	–	2	2	1	2	3	1	–	–	1	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	2	–	3	1	–	–
159	Unspecified digestive organs	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	2	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	1	–	–
	Malignant neoplasm of respiratory system (160-165)	M.	1989	–	–	–	–	–	–	–	1	–	3	5	28	61	112	224	350	410	359	228	133	62	13	–
		F.	384	–	–	–	–	–	–	–	–	2	3	3	6	16	24	34	59	53	56	57	39	22	10	–
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	5	2	1	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	4	1	–
161	Larynx	M.	70	–	–	–	–	–	–	–	–	–	–	–	1	–	1	8	7	11	12	5	9	15	1	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	8	3	–	–	2	–
162	Bronchus and trachea, and of lung specified as primary	M.	1887	–	–	–	–	–	–	–	1	–	3	4	27	60	109	212	342	394	341	215	122	46	11	–
		F.	339	–	–	–	–	–	–	–	–	2	3	3	6	16	22	30	54	44	45	52	38	18	6	–
162.0	Trachea	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
162.1	Bronchus and lung	M.	1879	–	–	–	–	–	–	–	–	–	3	4	27	60	109	211	342	392	340	214	121	46	10	–
		F.	335	–	–	–	–	–	–	–	–	2	3	3	6	16	22	29	53	44	44	52	37	18	6	–
162.2	Pleura	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
162.8	Multiple sites	M.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
163	Lung, unspecified as to whether primary or secondary	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

		M.	13	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–	–	–	–	–	–	–
164	Mediastinum	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	1	–	–	–	–
165	Thoracic organs (secondary)	F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	1	–	1	–
	Malignant neoplasm of breast and genito-urinary organs (170-181)	M.	718	–	1	–	–	2	3	–	1	1	5	5	4	5	13	30	57	64	99	135	137	108	48	–
		F.	1766	2	–	1	1	–	–	2	1	2	6	21	43	107	151	214	222	242	234	204	159	92	62	–
170	Breast	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–	–
		F.	869	–	–	–	–	–	–	–	–	–	3	9	19	53	77	115	104	109	113	98	74	60	35	–
171	Cervix uteri	F.	218	–	–	–	–	–	–	–	–	–	1	4	11	28	29	27	32	26	23	16	13	5	3	–
172	Corpus uteri	F.	41	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	10	7	7	2	–	2	–
173	Other parts of uterus, including chorion-epithelioma	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
174	Uterus, unspecified	F.	152	–	–	–	–	–	–	–	–	1	2	2	2	6	12	16	16	25	21	21	18	5	5	–
175	Ovary, Fallopian tube, and broad ligament	F.	279	–	–	–	–	–	–	2	1	–	–	4	9	17	21	38	38	52	39	32	14	9	3	–
175.0	Ovary	F.	278	–	–	–	–	–	–	2	1	–	–	4	9	17	21	38	37	52	39	32	14	9	3	–
175.1	Fallopian tube and broad ligament	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175.9	Multiple and unspecified sites (175.8)	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
176	Other and unspecified female genital organs	F.	52	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	2	4	6	8	13	3	7	–
177	Prostate	M.	376	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	10	19	50	92	82	77	37	–
178	Testis	M.	26	–	1	–	–	–	–	–	1	1	5	5	2	1	1	4	2	–	–	1	1	–	1	–
179	Other and unspecified male genital organs	M.	10	–		–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	2	1	–	1	–
179.0	Penis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
179.1	Scrotum	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	–	1	–
179.9	Other specified, multiple and unspecified sites (179.7.8)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180	Kidney	M.	109	–	–	–	–	2	3	–	–	–	–	–	1	2	8	11	22	17	19	9	9	6	–	–
		F.	64	2	–	1	1	–	–	–	–	1	–	–	–	2	3	7	11	9	8	8	7	3	1	–
181	Bladder and other urinary organs	M.	191	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	19	26	28	29	43	25	9	–
		F.	90	–	–	–	–	–	–	–	–	–	–	1	1	–	4	7	9	7	17	13	18	7	6	–
181.0	Bladder	M.	191	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	19	26	28	29	43	25	9	–
		F.	90	–	–	–	–	–	–	–	–	–	–	1	1	–	4	7	9	7	17	13	18	7	6	–
181.7	Other urinary organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
181.8	Multiple sites	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malignant neoplasms of other and unspecified sites (190-199)	M.	323	–	2	2	1	1	5	6	7	8	7	8	10	11	23	31	39	38	29	32	29	24	10	–
		F.	303	2	2	2	–	–	6	5	4	5	1	6	8	9	22	26	35	38	27	44	29	21	11	–
190	Malignant melanoma of skin	M.	22	–	–	–	–	–	–	–	–	–	2	2	1	1	3	1	5	2	1	4	–	–	–	–
		F.	27	–	–	–	–	–	–	–	–	1	–	1	1	1	4	5	3	3	1	1	3	1	2	–
191	Other malignant neoplasms of skin	M.	50	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	4	4	14	10	8	–
		F.	41	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	6	4	6	6	10	5	–
191.3	Face (191.0–2)	M.	34	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	2	4	9	7	7	–
		F.	12	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	1	3	3	–
191.9	Other specified, multiple and unspecified sites (191.4–8)	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	5	3	1	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	3	4	5	7	2	–
192	Eye	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–
		F.	5	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																							
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	II. NEOPLASMS (140-239)—*continued*																										
	Malignant neoplasms of other and unspecified sites (190-199)—*continued*																										
193	Brain and other parts of nervous system	M.	109	–	2	2	1	1	3	2	2	4	4	4	5	6	10	16	20	15	9	1	1	–	–	–
		F.	75	2	1	1	–	–	4	1	2	2	–	3	3	5	13	10	10	10	3	4	1	–	–	–
193.0	Brain	M.	91	–	2	1	1	1	3	–	1	4	2	3	5	6	8	13	18	12	9	1	1	–	–	–
		F.	63	–	1	–	–	–	3	1	2	1	–	3	2	4	11	8	10	9	3	4	1	–	–	–
193.1	Spinal cord and meninges (193.2)	M.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193.9	Other specified, multiple and unspecified sites (193.3.4.8)	M.	14	–	–	1	–	–	–	2	–	–	2	1	–	–	2	3	–	3	–	–	–	–	–	–
		F.	11	2	–	1	–	–	1	–	–	–	–	–	1	1	2	2	–	1	–	–	–	–	–	–
194	Thyroid gland	M.	11	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	1	3	1	–	–	–
		F.	39	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	8	4	4	11	6	3	–	–
195	Other endocrine glands	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
		F.	9	–	–	–	–	–	1	2	–	–	–	–	–	1	1	–	1	1	–	1	–	–	1	–
196	Bone (including jaw bone)	M.	56	–	–	–	–	–	1	4	4	3	–	1	1	–	2	5	1	5	6	9	6	8	–	–
		F.	43	–	1	–	–	–	1	2	2	1	1	–	2	–	–	4	3	5	5	6	7	2	1	–
196a	Skull and face (excluding maxilla superior)	M.	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–
196b	Jaw	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	2	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–
196.2	Vertebral column (excluding sacrum and coccyx)	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–
		F.	9	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	2	1	1	–
196.9	Other specified, multiple and unspecified sites (196.3–8)	M.	36	–	–	–	–	–	1	3	4	3	–	1	1	–	2	4	–	2	4	5	3	3	–	–
		F.	25	–	–	–	–	–	1	2	2	–	–	–	2	–	–	3	2	2	2	3	5	1	–	–
197	Connective tissue	M.	13	–	–	–	–	–	–	–	1	1	–	–	–	–	1	2	2	2	1	2	–	1	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	1	–	1	–
198	Secondary and unspecified of lymph nodes	M.	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	1	–	2	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–
199	Other and unspecified sites	M.	44	–	–	–	–	–	1	–	–	–	–	1	2	2	2	1	4	6	6	8	5	5	1	–
		F.	54	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	5	9	10	13	4	5	–	–
199a	Other sites	M.	18	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	2	3	2	4	2	2	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	4	6	2	1	–	–
199b	Unspecified site	M.	26	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	3	4	4	3	3	1	–
		F.	35	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	7	6	7	2	4	–	–
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)	M.	306	–	3	4	3	2	8	5	8	9	18	14	6	19	15	24	39	37	27	27	25	10	3	–
		F.	254	3	1	3	5	2	7	2	7	5	9	7	2	12	19	18	17	28	36	30	25	12	4	–
200	Lymphosarcoma and reticulosarcoma	M.	66	–	–	–	–	–	1	–	–	1	5	1	–	2	6	4	9	14	7	7	5	3	1	–
		F.	50	–	–	1	1	–	–	–	1	–	–	–	–	4	5	3	7	7	6	4	5	4	2	–
201	Hodgkin's disease	M.	60	–	–	–	–	–	–	–	4	2	4	6	4	7	3	5	8	5	6	4	1	–	1	–
		F.	36	–	–	–	–	–	–	1	3	1	5	4	–	3	2	3	1	2	4	4	1	2	–	–
202	Other forms of lymphoma (reticulosis)	M.	14	–	–	1	–	–	1	–	–	–	1	1	1	3	–	2	1	–	1	1	1	–	–	–
		F.	15	–	–	–	–	–	–	–	–	1	–	–	–	1	6	–	–	–	–	–	–	–	–	–

		M.	27	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	6	6	6	3	1	–	–
203	Multiple myeloma (plasmocytoma)	F.	28	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	6	6	6	3	1	–	–
		M.	137	–	3	3	3	2	6	5	4	6	8	5	1	5	3	11	13	14	9	13	15	7	1	–
204	Leukæmia and aleukæmia	F.	122	3	1	2	4	2	7	1	3	3	4	3	2	3	6	11	8	13	15	12	13	4	2	–
		M.	34	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	4	7	4	7	6	1	1	–
204.0	Lymphatic leukæmia	F.	23	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	1	2	3	5	3	3	–	–
		M.	26	–	–	2	–	–	–	1	–	2	3	1	1	1	1	4	2	1	1	1	2	3	–	–
204.1	Myeloid leukæmia	F.	29	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	2	5	4	3	6	–	–	–
		M.	13	–	–	–	–	–	–	1	–	1	1	4	–	2	–	1	1	–	2	–	–	–	–	–
204.2	Monocytic leukæmia	F.	5	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–
		M.	50	–	3	1	2	–	5	1	3	3	4	–	–	1	1	6	4	6	2	3	3	2	–	–
204.3	Acute leukæmia	F.	45	2	1	2	4	1	4	1	2	3	3	–	2	1	1	4	2	5	4	–	2	–	1	–
		M.	14	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	2	–	–	2	4	1	–	–
204.4	Other and unspecified leukæmia	F.	20	1	–	–	–	1	2	–	–	–	–	–	–	–	1	1	3	1	3	4	2	1	–	–
		M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
205	Mycosis fungoides	F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	Benign neoplasm (210-229)	M.	26	1	1	–	–	1	–	–	1	–	1	1	2	–	1	3	1	4	1	5	2	1	–	–
		F.	39	–	–	–	–	–	–	3	–	–	2	–	5	3	1	3	6	3	7	1	1	2	2	–
210	Buccal cavity and pharynx	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211	Other parts of digestive system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Respiratory system	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Uterine fibromyoma	F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
215	Other uterus	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
216	Ovary	F.	10	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	3	–	–	1	1	1	1	–
217	Other female genital organs	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
218	Male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
219	Kidney and other urinary organs	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
219a	Bladder	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
219b	Kidney and other urinary organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
220	Benign melanoma of skin	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
222	Other skin	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	12	–	1	–	–	–	–	–	–	–	–	1	2	–	–	3	1	3	–	1	–	–	–	–
223	Brain and other parts of nervous system	F.	15	–	–	–	–	–	–	2	–	–	1	–	2	1	–	1	3	1	4	–	–	–	–	–
		M.	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
224	Endocrine glands	F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
225	Bone and cartilage	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
226	Lipoma	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS (140-239)—*continued*																									
	Benign neoplasm (210-229)—*continued*																									
227	Other muscular and connective tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
228	Hæmangioma and lymphangioma	M	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
229	Other and unspecified organs and tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neoplasm of unspecified nature (230-239)	M.	12	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	1	1	–	–	1	1	–	–
		F.	17	2	–	1	–	–	–	–	–	–	1	1	–	3	–	–	–	2	3	2	–	1	1	–
230	Digestive organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
231	Respiratory organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
232	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
234	Ovary	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
235	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
236	Other genito-urinary organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
236a	Bladder	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
236b	Other genito-urinary organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
237	Brain and other parts of nervous system	M.	9	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	–	1	–	–	–	–	–	–
		F.	13	1	–	1	–	–	–	–	–	–	1	1	–	3	–	–	–	2	2	2	–	–	–	–
238	Skin and musculoskeletal system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
239	Other unspecified organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)	M.	305	1	2	1	1	–	–	2	2	4	4	12	8	12	19	25	27	33	38	42	44	22	6	–
		F.	594	3	1	–	–	–	2	–	1	5	4	5	9	10	13	30	50	88	98	119	86	50	20	–
	Allergic disorders (240-245)	M.	94	–	–	–	–	–	–	2	2	3	3	5	3	3	8	10	8	14	14	7	7	3	2	–
		F.	75	–	–	–	–	–	1	–	–	3	2	3	4	3	4	7	8	14	10	11	3	1	1	–
240	Hay fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
241	Asthma	M.	93	–	–	–	–	–	–	2	2	3	2	5	3	3	8	10	8	14	14	7	7	3	2	–
		F.	75	–	–	–	–	–	1	–	–	3	2	3	4	3	4	7	8	14	10	11	3	1	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

242	Angioneurotic œdema	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
243	Urticaria	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Disease of thyroid gland (250-254)	M.	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	2	–	–	1	–
		F.	95	2	–	–	–	–	–	–	–	–	1	–	2	–	2	6	10	10	14	18	14	12	4	–
250	Simple goitre	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–
251	Non-toxic nodular goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
252	Thyrotoxicosis with or without goitre	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
		F.	22	–	–	–	–	–	–	–	–	–	1	–	1	–	2	3	5	2	3	2	2	1	–	–
253	Myxœdema and cretinism	M.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	–	–	1	–
		F.	67	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	8	9	16	10	11	4	–
254	Other diseases of thyroid gland	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
260	*Diabetes mellitus*	M.	155	–	–	–	–	–	–	–	–	1	–	5	3	6	8	7	12	13	20	27	34	17	2	–
		F.	373	–	–	–	–	–	–	–	1	–	1	–	3	4	5	12	26	55	70	85	63	35	13	–
	Diseases of other endocrine glands (270-277)	M.	14	1	1	–	–	–	–	–	–	–	–	–	1	1	1	3	1	2	1	2	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	4	–	1	3	–	–	–
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
271	Diseases of parathyroid gland	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
272	Diseases of pituitary gland	M.	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	1	1	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	–	–	1	–	–	–
273	Diseases of thymus gland	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Avitaminoses and other metabolic diseases (280-289)	M.	33	–	1	1	1	–	–	–	–	–	1	1	1	2	2	4	5	3	1	4	3	2	1	–
		F.	37	1	1	–	–	–	1	–	–	2	–	2	–	2	–	4	4	5	4	4	3	2	2	–
280	Beriberi	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
282	Scurvy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
283	Active rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)—*continued*																									
	Avitaminoses and other metabolic diseases—(280-289)—continued																									
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
285	Osteomalacia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
286	Other avitaminoses and nutritional deficiency states	M.	19	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	3	2	1	3	2	2	1	–
		F.	22	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	3	4	4	2	2	2	–
287	Obesity, not specified as of endocrine origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–
288	Gout	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
289	Other metabolic diseases	M.	14	–	1	1	–	–	–	–	–	–	1	–	1	1	1	3	2	1	–	1	1	–	–	–
		F.	10	1	1	–	–	–	1	–	–	2	–	1	–	–	–	3	–	1	–	–	–	–	–	–
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (290-299)	M.	85	2	–	–	1	–	–	–	3	1	–	–	1	1	2	2	10	7	11	10	13	15	6	–
		F.	192	1	1	–	–	–	–	1	1	2	–	3	5	2	4	3	8	12	28	26	30	41	24	–
290	Pernicious and other hyperchromic anæmias	M.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	5	10	13	4	–
		F.	119	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	7	14	17	21	36	16	–
290a	Pernicious and other hyperchromic anæmias	M.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	5	10	13	4	–
		F.	118	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	6	14	17	21	36	16	–
290b	Subacute combined degeneration of spinal cord without mention of pernicious anæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
291	Iron deficiency anæmias (hypochromic anæmias)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	3	–
292	Other anæmias of specified type	M.	16	–	–	–	1	–	–	–	–	1	–	–	–	–	–	2	3	2	2	2	1	–	2	–
		F.	23	–	1	–	–	–	–	1	–	1	–	–	2	–	–	–	5	1	5	4	1	2	–	–
292.4	Aplastic anæmia	M.	10	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	1	1	1	–	2	–
		F.	12	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	2	1	2	1	–	2	–	–
292.7	Other anæmias included under 292 (292.0–3, 5–7)	M.	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	3	3	1	–	–	–
293	Anæmia of unspecified type	M.	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	2	–	–
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	4	3	4	–
294	Polycythæmia	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
295	Hæmophilia	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
296	Purpura and other hæmorrhagic conditions	M.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

297	Agranulocytosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–
298	Diseases of spleen	M.	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	1	2	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
299	Other diseases of blood and blood-forming organs	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS (300-326)	M.	92	3	–	–	1	–	1	1	1	1	–	1	2	3	5	5	9	4	7	14	16	10	8	–		
		F.	79	2	1	–	–	2	1	–	–	–	–	–	2	2	2	1	6	4	10	7	10	15	14	–		
	Psychoses (300-309)	M.	65	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	5	3	6	13	16	10	8	–		
		F.	59	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	7	5	9	15	14	–		
300	Schizophrenic disorders (dementia præcox)	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–		
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–		
301	Manic-depressive reaction	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–		
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–		
302	Involutional melancholia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–		
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–		
303	Paranoia and paranoid states	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–		
304	Senile psychosis	M.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	9	13	10	8	–		
		F.	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	8	15	13	–		
305	Presenile psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–		
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–	–		
307	Alcoholic psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
309	Other and unspecified psychoses	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	4	2	–	–	–		
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–		
310-318	*Psychoneurotic disorders*	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–		
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–		
	Disorders of character, behaviour and intelligence (320-326)	M.	24	3	–	–	1	–	1	1	1	1	–	1	2	1	4	2	4	1	–	1	–	–	–	–		
		F.	18	2	1	–	–	2	1	–	–	–	–	–	2	2	1	–	2	1	3	–	1	–	–	–		
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
321	Immature personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
322	Alcoholism	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	–	1	–	–	–		
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
323	Other drug addiction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
324	Primary childhood behaviour disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
325	Mental deficiency	M.	11	3	–	–	1	–	1	1	1	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–		
		F.	11	2	1	–	–	2	1	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–		
326	Other and unspecified character, behaviour, and intelligence disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

310, Anxiety reaction without mention of somatic symptoms, 45, 50, *70*.
311, Hysterical reaction without mention of anxiety reaction, 65.
312, Phobic reaction, –.
313, Obsessive compulsive reaction, –.
314, Neurotic-depressive reaction, –.
315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, –.
316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, –.
317, Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems, *70*.
318, Psychoneurotic disorders, other, mixed and unspecified types, –.

Table 42. Causes of Death by Age-Groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (330-398)	M.	4485	23	6	2	1	1	11	9	13	6	18	20	24	56	95	166	269	358	585	753	920	755	394	–
		F.	6282	21	7	3	5	1	3	9	8	14	24	18	39	69	110	223	305	462	668	1102	1240	1155	796	–
	Vascular lesions affecting central nervous system (330-334)	M.	4111	4	–	–	1	1	1	2	3	2	10	9	12	33	75	134	241	323	537	716	881	737	389	–
		F.	5871	1	–	–	1	–	–	4	2	6	13	10	26	44	86	196	266	422	619	1064	1199	1130	782	–
330	Subarachnoid hæmorrhage	M.	108	–	–	–	–	–	–	1	2	1	6	6	3	14	14	9	16	12	9	6	2	6	1	–
		F.	165	–	–	–	–	–	–	1	1	4	7	3	11	13	17	23	18	20	19	16	5	2	5	–
331	Cerebral hæmorrhage	M.	1595	4	–	–	1	–	1	1	–	1	4	3	4	14	44	93	134	152	235	296	308	204	96	–
		F.	2403	1	–	–	1	–	–	3	1	2	4	4	10	23	51	127	154	222	304	452	469	372	203	–
332	Cerebral embolism and thrombosis	M.	2039	–	–	–	–	1	–	–	1	–	–	–	5	4	13	29	86	142	265	345	492	426	230	–
		F.	2834	–	–	–	–	–	–	–	–	–	1	3	5	7	15	44	85	165	264	531	623	629	462	–
333	Spasm of cerebral arteries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
334	Other and ill-defined vascular lesions affecting central nervous system	M.	369	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	5	17	28	69	79	101	62	–
		F.	469	–	–	–	–	–	–	–	–	–	1	–	–	1	3	2	9	15	32	65	102	127	112	–
	Inflammatory diseases of central nervous system (340-345)	M.	135	10	4	–	–	–	3	2	3	2	3	5	7	14	12	18	14	13	13	6	5	1	–	–
		F.	140	17	3	–	1	–	–	2	1	3	5	4	3	14	13	18	17	17	11	6	3	1	1	–
340	Meningitis, except meningococcal and tuberculous	M.	26	8	3	–	–	–	1	1	–	1	1	–	2	2	3	1	1	1	–	1	–	–	–	–
		F.	32	13	2	–	–	–	–	2	1	–	–	–	–	1	1	2	2	2	3	1	–	1	1	–
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
342	Intracranial and intraspinal abscess	M	14	1	1	–	–	–	–	–	2	–	–	1	–	3	–	2	1	3	–	–	–	–	–	–
		F.	12	2	–	–	–	–	–	–	–	–	1	1	–	2	2	–	2	2	–	–	–	–	–	–
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	7	–	–	–	–	–	2	1	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	–
		F.	10	2	1	–	1	–	–	–	–	1	–	–	–	–	1	2	1	–	–	1	–	–	–	–
344	Late effects of intracranial abscess or pyogenic infection	M.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
345	Multiple sclerosis	M.	85	–	–	–	–	–	–	–	1	1	1	3	5	9	8	14	12	9	12	4	5	1	–	–
		F.	84	–	–	–	–	–	–	–	–	1	4	3	3	10	9	14	12	13	8	4	3	–	–	–
	Other diseases of central nervous system (350-357)	M.	215	7	2	2	–	–	7	5	6	1	4	6	5	8	6	12	10	19	31	31	31	17	5	–
		F.	258	2	3	3	3	1	3	3	5	3	6	4	10	11	11	9	21	22	34	31	36	24	13	–
350	Paralysis agitans	M.	78	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	10	14	15	21	9	2	–
		F.	99	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	7	7	22	19	22	12	3	–
351	Cerebral spastic infantile paralysis	M.	14	5	1	1	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	2	1	–	–	–
		F.	12	–	1	1	3	1	1	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
352	Other cerebral paralysis	M.	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	7	6	6	2	–
		F.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	7	4	6	6	–
353	Epilepsy	M.	38	–	1	1	–	–	6	3	4	1	3	5	3	2	–	1	1	2	1	1	2	1	–	–
		F.	52	1	2	1	–	–	1	1	3	2	5	2	8	3	6	1	4	5	1	1	4	1	–	–
354	Migraine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
355	Other diseases of brain	M.	19	1	–	–	–	–	–	–	1	–	1	1	–	1	–	2	1	2	5	1	1	1	1	–
		F.	29	1	–	–	–	–	1	1	1	–	–	–	2	–	2	–	2	3	4	2	6	2	2	–

	atrophy	F.	28	–	–	–	–	–	–	–	–	–	–	–	–	5	1	3	5	3	4	2	–	3	2	–
357	Other diseases of spinal cord	M.	8	–	–	–	–	–	1	–	–	–	–	–	1	1	3	1	1	–	–	–	–	–	–	–
		F.	6	–	–	1	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–
	Diseases of nerves and peripheral ganglia (360-369)	M.	11	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	2	3	–	1	–	–	–
		F.	7	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	3	–	1	–	–	–
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
361	Trigeminal neuralgia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
363	Sciatica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
364	Polyneuritis and polyradiculitis	M.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	3	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–
365	Erythrœdema polyneuritica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
368	Other diseases of peripheral nerves except autonomic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
369	Diseases of peripheral autonomic nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
370-389	*Inflammatory and other diseases and conditions of eye*	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	Diseases of ear and mastoid process (390-398)	M.	10	1	–	–	–	–	–	–	–	1	1	–	–	1	1	1	2	1	1	–	–	–	–	–
		F.	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391	Otitis media without mention of mastoiditis	M.	7	1	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	1	–	–	–	–	–
		F.	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
392	Otitis media with mastoiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
393	Mastoiditis without mention of otitis media	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
395	Ménière's disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
396	Other diseases of ear and mastoid process	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

370, Conjunctivitis and ophthalmia, –.
371, Blepharitis, –.
372, Hordeolum (stye), –.
373, Iritis, –.
374, Keratitis, –.
375, Choroiditis, –.
376, Other inflammation of uveal tract, –.
377, Inflammation of optic nerve and retina, –.
378, Inflammation of lachrymal glands and ducts, –.
379, Other inflammatory diseases of eye, –1.
380, Refractive errors, –.
381, Corneal ulcer, –.
382, Corneal opacity, –.
383, Pterygium –.
384, Strabismus, –.
385, Cataract, 75, *65*, *75*.
386, Detachment of retina, *70*.
387, Glaucoma, 75.
388, Other diseases of eye, –.
389, Blindness, –.

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)	M.	11919	–	–	–	–	–	–	2	7	15	19	39	115	178	376	695	1003	1302	1619	1885	1859	1711	1094	–
		F.	11777	1	–	–	–	–	1	4	8	13	19	41	64	120	166	299	499	826	1228	1810	2270	2348	2060	–
	Rheumatic fever (400-402)	M.	7	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	1	–	–	1	–	–	–	–
		F.	10	–	–	–	–	–	1	–	–	1	–	1	–	3	1	2	1	–	–	–	–	–	–	–
400	Rheumatic fever without mention of heart involvement	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
401	Rheumatic fever with heart involvement	M.	7	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	1	–	–	1	–	–	–	–
		F.	10	–	–	–	–	–	1	–	–	1	–	1	–	3	1	2	1	–	–	–	–	–	–	–
402	Chorea	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	HEART DISEASE (410-443)	M.	10824	–	–	–	–	–	–	1	6	10	16	38	100	166	347	659	954	1227	1519	1730	1654	1483	914	–
		F.	10522	1	–	–	–	–	–	4	6	9	16	34	57	106	140	264	463	764	1128	1648	2040	2085	1757	–
	Chronic rheumatic heart disease (410-416)	M.	243	–	–	–	–	–	–	–	1	5	8	14	14	20	21	25	31	25	33	27	11	7	1	–
		F.	572	–	–	–	–	–	–	1	2	5	14	26	32	51	59	59	71	75	62	38	38	26	13	–
410	Diseases of mitral valve	M.	164	–	–	–	–	–	–	–	–	3	7	7	9	14	14	16	20	18	22	17	9	7	1	–
		F.	447	–	–	–	–	–	–	1	2	3	13	22	27	34	45	45	52	56	50	30	34	22	11	–
411	Diseases of aortic valve specified as rheumatic	M.	6	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
412	Diseases of tricuspid valve	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Diseases of pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
414	Other endocarditis specified as rheumatic	M.	29	–	–	–	–	–	–	–	1	–	1	4	1	3	2	2	4	3	2	4	2	–	–	–
		F.	44	–	–	–	–	–	–	–	–	–	1	2	1	5	4	4	7	9	4	4	1	2	–	–
415	Other myocarditis specified as rheumatic	M.	14	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	1	1	4	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	3	–	2	1	–
416	Other heart disease specified as rheumatic	M.	29	–	–	–	–	–	–	–	–	1	–	1	4	2	1	6	2	3	7	2	–	–	–	–
		F.	65	–	–	–	–	–	–	–	–	2	–	2	4	10	9	9	10	8	6	1	3	–	1	–
	Arteriosclerotic and degenerative heart diseases (420-422)	M.	9740	–	–	–	–	–	–	1	3	3	4	20	82	138	312	602	859	1116	1374	1557	1473	1353	843	–
		F.	8767	–	–	–	–	–	–	–	2	2	2	7	18	47	73	172	336	598	921	1384	1743	1843	1619	–
420	Arteriosclerotic heart disease including coronary disease	M.	6359	–	–	–	–	–	–	1	1	1	3	17	79	135	290	542	777	937	1087	1012	790	500	187	–
		F.	3958	–	–	–	–	–	–	–	1	–	–	3	14	36	59	140	264	461	642	775	772	531	260	–
420.0	Arteriosclerotic heart disease so described	M.	183	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	8	28	27	38	49	22	–
		F.	211	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	6	13	16	29	48	55	41	–
420.1	Coronary thrombosis (420.2)	M.	6176	–	–	–	–	–	–	1	1	1	3	17	79	134	289	537	773	929	1059	985	752	451	165	–
		F.	3747	–	–	–	–	–	–	–	1	–	–	3	14	36	57	139	258	448	626	746	724	476	219	–
421	Chronic endocarditis not specified as rheumatic	M.	140	–	–	–	–	–	–	–	1	–	1	3	1	2	7	13	18	16	20	16	21	14	7	–
		F.	175	–	–	–	–	–	–	–	–	–	2	1	1	7	2	6	9	13	28	25	34	30	17	–
422	Other myocardial degeneration	M.	3241	–	–	–	–	–	–	–	1	2	–	–	2	1	15	47	64	163	267	529	662	839	649	–
		F.	4634	–	–	–	–	–	–	–	1	2	–	3	3	4	12	26	63	124	251	584	937	1282	1342	–
422.0	Fatty degeneration of heart	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
		F.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	9	8	–	–	1	–

422.1	Myocardial degeneration with arteriosclerosis	M.	1840	–	–	–	–	–	–	–	–	1	–	–	1	1	3	6	19	55	118	296	547	825	869	–
		F.	2741	–	–	–	–	–	–	–	1	2	–	–	2	1	12	33	45	103	164	250	244	293	247	–
422.2	Other myocardial degeneration	M.	1397	–	–	–	–	–	–	1	2	–	–	–	2	1	9	20	40	68	124	280	390	457	472	–
		F.	1870	–	–	–	–	–	–	1	1	–	3	2	3	6	8	14	29	35	47	47	72	52	37	–
	Other diseases of heart (430-434)	M.	362	–	–	–	–	–	–	2	2	4	4	3	6	6	3	15	24	27	51	66	87	85	45	–
		F.	424	1	–	–	–	–	–	3	2	2	–	1	6	6	3	15	24	27	51	66	87	85	45	–
430	Acute and subacute endocarditis	M.	16	–	–	–	–	–	–	–	–	1	2	3	–	1	–	2	2	1	2	1	1	–	–	–
		F.	11	–	–	–	–	–	–	1	–	–	–	–	2	1	–	1	1	1	1	2	1	–	–	–
431	Acute myocarditis not specified as rheumatic	M.	31	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	6	2	3	5	5	5	1	–
		F.	39	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	4	10	4	6	4	4	–
432	Acute pericarditis specified as non-rheumatic	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
433	Functional disease of heart	M.	176	–	–	–	–	–	–	–	1	1	–	–	1	3	3	3	9	13	23	26	43	31	22	–
		F.	255	1	–	–	–	–	–	1	–	–	1	3	1	1	3	7	12	10	19	39	64	62	32	–
434	Other and unspecified diseases of heart	M.	137	–	–	–	–	–	–	1	–	1	–	3	2	5	9	12	19	19	14	23	15	14	–
		F.	117	–	–	–	–	–	3	–	2	–	–	1	3	–	2	9	12	20	21	16	19	9	–
434.0	Kyphoscoliotic heart disease	M.	10	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	1	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
434.1	Congestive heart failure	M.	40	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	2	4	4	5	7	8	6	–
		F.	48	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	3	9	9	8	9	5	–
434.2	Left ventricular failure	M.	47	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	3	7	6	3	12	4	7	–
		F.	43	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	3	4	8	11	6	7	2	–
434.3	Other disease of heart	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	1	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–	–	–	1	1	–
434.4	Unspecified disease of heart	M.	32	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	6	9	4	3	2	1	–
		F.	15	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	2	2	3	1	2	1	1	–
	Hypertensive heart disease (440-443)	M.	479	–	–	–	–	–	–	–	–	–	–	1	2	6	18	35	51	65	99	98	71	33	–
		F.	759	–	–	–	–	–	–	–	–	–	–	1	2	5	18	32	64	94	160	172	131	80	–
440	Essential benign hypertensive heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	2	–	–
441	Essential malignant hypertensive heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	4	8	4	–
442	Hypertensive heart disease with arteriolar nephrosclerosis	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	10	13	11	–
		F.	40	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	16	34	49	63	98	92	62	29	–
443	Other and unspecified hypertensive heart disease	M.	450	–	–	–	–	–	–	–	–	–	–	1	2	5	17	31	62	91	155	160	116	67	–
		F.	707	–	–	–	–	–	–	–	–	–	–	1	2	5	17	31	62	91	155	160	116	67	–
	Other hypertensive disease (444-447)	M.	298	–	–	–	–	–	–	–	1	2	1	9	5	14	18	26	32	37	44	36	44	29	–
		F.	339	–	–	–	–	–	–	1	2	1	3	2	3	15	22	22	24	39	62	56	50	37	–
444	Essential benign hypertension	M.	163	–	–	–	–	–	–	–	–	–	–	2	–	2	4	11	16	24	34	25	28	17	–
		F.	211	–	–	–	–	–	–	–	–	–	–	1	1	6	9	10	14	28	50	39	32	21	–
445	Essential malignant hypertension	M.	65	–	–	–	–	–	–	–	1	1	1	7	5	12	14	11	6	7	–	–	–	–	–
		F.	50	–	–	–	–	–	–	1	2	1	3	1	2	7	12	9	5	3	1	2	1	–	–
446	Hypertension with arteriolar nephrosclerosis	M.	70	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	10	6	10	11	16	12	–
		F.	76	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	8	11	14	16	16	–
447	Other hypertensive disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)—*continued*																									
	Diseases of arteries (450-456)	M.	695	–	–	–	–	–	–	–	–	3	–	–	2	5	6	7	12	27	58	93	158	176	148	–
		F.	765	–	–	–	–	–	–	–	1	–	1	3	3	3	4	5	5	16	44	78	147	199	256	–
450	General arteriosclerosis	M.	574	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	10	35	72	144	163	143	–
		F.	663	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	32	61	130	187	245	–
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm	M.	76	–	–	–	–	–	–	–	–	1	–	–	–	4	1	3	5	12	18	17	8	4	3	–
		F.	54	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	5	13	16	7	2	–
452	Other aneurysm, except of heart and aorta	M.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	1	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	1	–	–	–	–
453	Peripheral vascular disease	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	1	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
454	Arterial embolism and thrombosis	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	2	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	2	1	2	7	–
455	Gangrene of unspecified cause	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	6	2	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	2	–
456	Other diseases of arteries	M.	9	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–	1	–	1	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	1	–	1	3	2	–	–	1	1	2	–	–	–	–	–	–
	Diseases of veins and other diseases of circulatory system (460-468)	M.	95	–	–	–	–	–	–	–	–	1	–	–	2	2	9	11	10	16	5	17	11	8	3	–
		F.	141	–	–	–	–	–	–	–	–	1	1	–	2	5	6	6	8	22	17	22	27	14	10	–
460	Varicose veins of lower extremities	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	–
461	Hæmorrhoids	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
462	Varicose veins of other specified sites	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
463	Phlebitis and thrombophlebitis of lower extremities	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	2	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	4	3	2	3	1	1	–
464	Phlebitis and thrombophlebitis of other sites	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	3	2	–	–
465	Pulmonary embolism and infarction	M.	24	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	3	4	2	7	1	–	1	–
		F.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	5	3	1	3	–
466	Other venous en bolism and thrombosis	M.	46	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	6	6	3	7	6	7	1	–
		F.	76	–	–	–	–	–	–	–	–	1	1	–	–	2	4	2	3	10	11	13	16	8	5	–
467	Other diseases of circulatory system	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	1	–	–	–
468	Certain diseases of lymph nodes and lymph channels	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)	M.	3250	180	17	6	4	5	5	9	5	7	10	16	29	34	94	190	318	418	527	497	398	308	173	–
		F.	1905	144	21	11	2	2	7	2	3	9	12	11	25	18	42	54	94	141	183	271	333	274	246	–
	Acute upper respiratory infections (470-475)	M.	15	5	1	1	–	1	1	1	–	–	1	–	–	–	–	–	1	–	1	1	–	–	1	–
		F.	11	2	4	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)														(y)	(z)

470	Acute nasopharyngitis (common cold)	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
471	Acute sinusitis	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
472	Acute pharyngitis	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
473	Acute tonsilitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	3	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
474	Acute laryngitis and tracheitis	M.	6	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
475	Acute upper respiratory infection of multiple or unspecified sites	M.	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Influenza (480-483)	M.	73	2	–	–	–	–	–	–	1	3	2	3	–	1	6	5	4	6	6	10	9	10	5	–
		F.	70	5	–	1	–	–	–	–	–	1	1	–	3	1	1	2	8	3	4	13	7	9	11	–
480	Influenza with pneumonia	M.	35	2	–	–	–	–	–	–	–	2	1	1	–	–	4	4	2	3	3	4	3	3	3	–
		F.	33	5	–	1	–	–	–	–	–	1	–	–	2	1	1	2	5	2	2	4	3	1	3	–
481	Influenza with other respiratory manifestations, and influenza unqualified	M.	37	–	–	–	–	–	–	–	1	1	1	1	–	1	2	1	2	3	3	6	6	7	2	–
		F.	36	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	2	9	4	8	8	–
481a	Influenza with other respiratory manifestations	M.	13	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	1	–	2	2	3	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–
481b	Influenza unqualified	M.	24	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	2	3	4	4	4	1	–
		F.	31	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	2	9	4	7	5	–
482	Influenza with digestive manifestations, but without respiratory symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia (490-493)	M.	1096	152	12	4	3	3	4	7	3	4	6	5	15	10	27	45	56	70	119	153	157	148	93	–
		F.	1012	121	14	5	2	2	2	2	2	5	4	3	9	5	17	23	31	55	76	139	190	160	145	–
490	Lobar pneumonia	M.	207	19	–	–	2	1	–	1	1	1	2	1	5	2	3	8	17	18	29	32	31	21	13	–
		F.	164	11	–	–	–	–	–	–	–	1	–	–	3	–	6	6	7	15	15	26	34	24	16	–
491	Bronchopneumonia	M.	780	117	10	4	1	2	3	5	2	3	3	3	9	8	19	33	30	47	73	101	109	122	76	–
		F.	771	105	12	3	2	1	2	2	2	4	4	3	5	5	10	16	20	35	54	106	137	125	118	–
492	Primary atypical pneumonia	M.	7	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
493	Pneumonia, other and unspecified	M.	102	14	2	–	–	–	1	1	–	–	–	–	1	–	5	4	9	5	17	18	17	5	3	–
		F.	73	5	2	2	–	1	–	–	–	–	–	–	1	–	1	1	3	4	5	7	19	11	11	–
	Bronchitis (500-502)	M.	1610	20	4	1	1	1	–	1	1	–	1	2	8	14	48	120	212	267	305	249	174	116	65	–
		F.	684	14	3	2	–	–	3	–	–	–	4	5	6	9	20	20	45	73	86	103	116	96	79	–
500	Acute bronchitis	M.	116	20	4	1	1	1	–	1	1	–	–	–	1	2	2	5	9	5	16	11	16	10	10	–
		F.	130	14	3	2	–	–	3	–	–	–	–	2	–	1	2	2	3	10	13	16	23	15	21	–
501	Bronchitis, unqualified	M.	77	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	6	9	8	17	13	5	12	–
		F.	69	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	5	5	9	11	15	15	–
501a	Bronchitis, unqualified	M.	28	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	5	3	3	6	2	3	–
		F.	26	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	1	4	3	6	7	–
501b	Bronchitis unqualified with heart disease	M.	49	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	4	5	14	7	3	9	–
		F	43	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	4	5	8	9	8	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)—*continued*																									
	Bronchitis (500-502)—*continued*																									
502	Chronic bronchitis	M.	417	–	–	–	–	–	–	–	–	–	1	2	6	12	44	111	127	253	281	221	145	101	43	–
		F.	485	–	–	–	–	–	–	–	–	–	4	2	6	8	15	15	40	58	68	78	82	66	43	–
502a	Chronic bronchitis	M.	507	–	–	–	–	–	–	–	–	–	–	1	3	1	17	41	77	78	100	80	55	39	15	–
		F.	181	–	–	–	–	–	–	–	–	–	4	–	1	3	8	6	16	21	19	30	26	28	19	–
502b	Chronic bronchitis with heart disease	M.	910	–	–	–	–	–	–	–	–	–	1	1	3	11	27	70	120	175	181	141	90	62	28	–
		F.	304	–	–	–	–	–	–	–	–	–	–	2	5	5	7	9	24	37	49	48	56	38	24	–
	Other diseases of respiratory system (510-527)	M.	456	1	–	–	–	–	–	–	–	–	–	6	6	9	13	20	45	75	96	84	58	34	9	–
		F.	128	2	–	1	–	–	2	–	1	2	3	3	7	3	4	9	10	10	17	15	20	8	11	–
510	Hypertrophy of tonsils and adenoids	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511	Peritonsillar abscess (quinsy)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
512	Chronic pharyngitis and nasopharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
513	Chronic sinusitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
514	Deflected nasal septum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
515	Nasal polyp	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
518	Empyema	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
519	Pleurisy	M.	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	3	1	–	2	–
		F.	9	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	1	2	1	–
520	Spontaneous pneumothorax	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
521	Abscess of lung	M.	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	1	2	–	–	–
		F.	8	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	2	1	2	–	–	–
522	Pulmonary congestion and hypostasis	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	5	2	–
		F.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	7	3	7	–
523	Pneumoconiosis due to silica and silicates (occupational)	M.	259	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	27	44	60	59	33	26	2	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrositis of occupational origin	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	3	–	–	–	–	–	–

526	Bronchiectasis	F.	58	–	–	–	–	–	–	–	–	2	3	2	4	2	3	6	5	4	10	6	7	2	2	–
527	Other diseases of lung and pleural cavity	M.	48	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	10	8	11	2	5	2	1	–
		F.	14	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	1	4	1	–	1	–
	IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)	M.	**998**	**52**	**3**	**3**	**2**	**2**	**6**	**5**	**7**	**11**	**7**	**14**	**19**	**25**	**39**	**69**	**106**	**105**	**120**	**144**	**129**	**96**	**34**	–
		F.	**914**	**48**	**6**	**2**	**2**	**2**	**6**	**3**	**2**	**7**	**7**	**9**	**14**	**19**	**32**	**42**	**70**	**91**	**110**	**140**	**141**	**107**	**54**	–
	Diseases of buccal cavity and œsophagus (530-539)	M.	13	–	–	–	–	–	–	1	–	–	1	–	–	2	–	1	1	–	2	1	2	2	–	–
		F.	17	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	4	2	4	–
530	Dental caries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531	Abscesses of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
533	Disorders of occlusion, eruption and tooth development	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
534	Toothache from unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
535	Other diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
536	Stomatitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
537	Diseases of salivary glands	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–
538	Other diseases of buccal cavity	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
539	Diseases of œsophagus	M.	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	1	2	1	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	2	–
	Diseases of stomach and duodenum (540-545)	M.	404	–	–	–	–	–	–	–	–	2	1	5	9	14	14	30	40	61	55	65	58	38	12	–
		F.	157	–	1	–	–	–	1	–	–	1	1	1	3	4	5	11	13	12	18	32	23	26	5	–
540	Ulcer of stomach	M.	148	–	–	–	–	–	–	–	–	2	1	1	4	4	4	10	17	17	16	29	28	8	7	–
		F.	90	–	–	–	–	–	–	–	–	1	–	1	2	1	4	4	6	8	12	20	19	9	3	–
541	Ulcer of duodenum	M.	241	–	–	–	–	–	–	–	–	–	–	4	4	8	10	20	22	42	36	36	29	27	3	–
		F.	55	–	–	–	–	–	–	–	–	–	1	–	1	3	1	6	7	3	5	11	4	11	2	–
542	Gastrojejunal ulcer	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
543	Gastritis and duodenitis	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–
		F.	6	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–
544	Disorders of function of stomach	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
545	Other diseases of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	Appendicitis (550-553)	M.	48	1	1	2	–	–	3	2	3	3	–	3	1	–	3	5	8	2	3	5	2	1	–	–
		F.	37	–	1	1	–	2	1	1	–	–	–	1	–	3	–	3	3	4	4	4	7	1	1	–
550	Acute appendicitis	M.	44	–	1	2	–	–	2	2	3	2	–	3	1	–	2	5	8	2	3	5	2	1	–	–
		F.	35	–	1	1	–	2	–	1	–	–	–	1	–	3	–	3	3	4	4	4	7	1	–	–
551	Appendicitis, unqualified	M.	3	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)—*continued*																									
	Appendicitis (550-553)—*continued*																									
552	Other appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hernia of abdominal cavity (560-561)	M.	76	11	–	–	1	–	–	–	–	–	–	–	–	–	2	2	6	6	10	11	8	13	6	–
		F.	82	2	–	–	–	–	1	–	–	–	–	1	2	–	4	4	2	9	15	15	14	10	3	–
560	Hernia of abdominal cavity without mention of obstruction	M.	29	9	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	3	2	5	1	–
		F.	26	2	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	3	6	4	3	3	1	–
561	Hernia of abdominal cavity with obstruction	M.	47	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	3	6	7	8	6	8	5	–
		F.	56	–	–	–	–	–	–	–	–	–	–	1	1	–	3	3	2	6	9	11	11	7	2	–
	Other diseases of intestines and peritoneum (570-578)	M.	236	32	1	–	1	2	1	–	3	4	4	4	4	3	8	14	22	14	21	29	27	29	13	–
		F.	286	38	2	1	–	–	2	1	2	2	4	2	4	8	9	8	17	22	19	35	42	43	25	–
570	Intestinal obstruction without mention of hernia	M.	96	2	1	–	1	1	–	–	–	–	2	2	2	1	1	7	7	5	11	18	11	15	9	–
		F.	99	9	–	–	–	–	–	–	–	–	1	1	1	4	2	2	8	4	9	8	15	20	15	–
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M.	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	31	29	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over	M.	27	–	–	–	–	1	1	–	–	1	1	–	–	1	–	–	2	3	3	2	5	5	2	–
		F.	27	–	–	1	–	–	1	1	–	–	–	–	1	1	–	1	1	2	1	4	4	7	2	–
572	Chronic enteritis and ulcerative colitis	M.	56	1	–	–	–	–	–	–	1	3	1	1	2	–	6	6	7	4	5	4	9	5	1	–
		F.	104	–	–	–	–	–	–	–	2	2	3	1	2	3	4	5	6	11	8	18	19	14	6	–
573	Functional disorders of intestines	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574	Anal fissure and fistula	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
575	Abscess of anal and rectal regions	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
576	Peritonitis	M.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	2	–	1	–	–
		F.	5	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–
577	Peritoneal adhesion	M.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
578	Other diseases of intestines and peritoneum	M.	16	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	5	–	1	3	1	3	1	–
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	1	3	3	2	2	–
	Diseases of liver, gallbladder, and pancreas (580-587)	M.	221	8	1	1	–	–	2	2	1	2	1	2	5	6	12	17	29	22	29	33	32	13	3	–
		F.	335	7	2	–	2	–	1	1	–	4	2	4	5	4	13	16	35	43	51	53	51	25	16	–
580	Acute and subacute yellow atrophy of	M.	8	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	2	1	–	–	–	–	–	–

582	Suppurative hepatitis and liver abscess	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
583	Other diseases of liver	M.	8	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	1	1	–	1	–
		F.	8	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	2	3	–	–
584	Cholelithiasis	M.	41	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	7	9	11	7	–	–
		F.	59	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	12	9	8	16	6	1	–
585	Cholecystitis and cholangitis without mention of calculi	M.	24	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	4	3	7	4	2	–	–
		F.	92	–	–	–	–	–	–	–	–	1	–	1	1	1	4	2	11	8	11	17	17	10	8	–
586	Other diseases of gallbladder and biliary ducts	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	3	1	–	–
587	Diseases of pancreas	M	34	6	1	1	–	–	1	–	–	–	–	–	2	–	4	2	4	3	4	3	1	1	1	–
		F.	33	6	2	–	1	–	–	–	–	–	1	1	1	–	1	1	1	5	5	2	4	–	2	–
	X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)	M.	**767**	**7**	–	–	**1**	–	**7**	**4**	**3**	**16**	**8**	**13**	**12**	**13**	**31**	**28**	**28**	**45**	**71**	**111**	**138**	**120**	**111**	–
		F.	**404**	**5**	–	–	–	–	**3**	**3**	**4**	**4**	**10**	**12**	**9**	**17**	**14**	**20**	**45**	**54**	**48**	**62**	**48**	**29**	**17**	–
	Nephritis and nephrosis (590-594)	M.	222	–	–	–	–	–	5	3	3	16	7	11	10	10	25	18	16	17	21	19	12	11	18	–
		F.	195	3	–	–	–	–	1	3	4	3	6	8	4	6	3	15	22	25	20	22	23	20	7	–
590	Acute nephritis	M.	16	–	–	–	–	–	–	1	–	3	–	2	1	1	3	1	–	1	1	–	–	–	2	–
		F.	14	1	–	–	–	–	1	–	1	–	2	2	1	–	–	–	2	1	–	2	–	–	1	–
591	Nephritis with œdema, including nephrosis	M.	21	–	–	–	–	–	1	1	–	2	1	1	–	1	2	2	–	5	–	2	–	2	1	–
		F.	11	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1	2	1	1	1	–	1	–	–
592	Chronic nephritis	M.	165	–	–	–	–	–	4	1	3	10	6	7	9	8	19	12	14	10	19	15	10	8	10	–
		F.	133	–	–	–	–	–	–	1	1	3	3	5	3	5	3	12	11	19	16	16	18	12	5	–
593	Nephritis not specified as acute or chronic	M.	20	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	2	1	1	2	2	1	5	–
		F.	35	–	–	–	–	–	–	1	1	–	–	1	–	1	–	2	6	4	3	3	5	7	1	–
594	Other renal sclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Other diseases of urinary system (600-609)	M.	151	6	–	–	1	–	2	1	–	–	1	2	2	3	5	8	6	16	14	25	20	24	15	–
		F.	178	2	–	–	–	–	2	–	–	1	1	4	2	9	9	4	20	26	22	34	24	9	9	–
600	Infections of kidney	M.	84	5	–	–	1	–	–	–	–	–	–	1	–	3	3	6	2	9	9	16	7	14	8	–
		F.	145	–	–	–	–	–	–	–	–	1	1	4	2	7	7	4	17	24	20	26	20	7	5	–
601	Hydronephrosis	M.	9	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	1	1	1	1	–	1	–	–
		F.	12	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	1	1	3	1	–	2	–
602	Calculi of kidney and ureter	M.	12	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	3	1	1	2	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–
603	Other diseases of kidney and ureter	M.	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–
		F.	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
604	Calculi of other parts of urinary system	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605	Cystitis	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	6	2	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–
606	Other diseases of bladder	M.	8	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	–	–	1	3	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
607	Urethritis (non-venereal)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)—*continued*																									
	Diseases of male genital organs (610-617)	M.	394	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	12	36	67	106	85	78	–
610	Hyperplasia of prostate	M.	382	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	12	34	65	103	83	76	–
611	Prostatitis	M.	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–
612	Other diseases of prostate	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
613	Hydrocele	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
614	Orchitis and epididymitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
615	Redundant prepuce and phimosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	Diseases of breast, ovary, Fallopian tube and parametrium (620-626)	F.	9	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	1	2	1	–	–	1	–
620	Chronic cystic disease of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
622	Acute salpingitis and oophoritis	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
623	Chronic salpingitis and oophoritis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
624	Salpingitis and oophoritis, unqualified	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
625	Other diseases of ovary and Fallopian tube	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
626	Diseases of parametrium and pelvic peritoneum (female)	F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	1	–
	Diseases of uterus and other female genital organs (630-637)	F.	22	–	–	–	–	–	–	–	–	–	2	–	3	1	–	1	3	2	4	5	1	–	–	–
630	Infective disease of uterus, vagina and vulva	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
631	Uterovaginal prolapse	F.	15	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	1	3	4	1	–	–	–
632	Malposition of uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
633	Other diseases of uterus	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
634	Disorders of menstruation	F.	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
635	Menopausal symptoms	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)	F.	53	–	–	–	–	–	–	–	1	7	13	12	16	2	2	–	–	–	–	–	–	–	–	–
	Complications of pregnancy (640-648)	F.	13	–	–	–	–	–	–	–	–	–	5	3	5	–	–	–	–	–	–	–	–	–	–	–
640	Pyelitis and pyelonephritis of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
641	Other infections of genito-urinary tract																									

642.4	Hyperemesis gravidarum	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
642.5	Other toxæmias of pregnancy (642.0.1)	F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
643	Placenta prævia	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
644	Other hæmorrhage of pregnancy	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
646	Anæmia of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Abortion (650-652)	F.	10	–	–	–	–	–	–	–	–	3	2	2	3	–	–	–	–	–	–	–	–	–	–	–
650	Abortion without mention of sepsis or toxæmia	F.	6	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–
651	Abortion with sepsis	F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
652	Abortion with toxæmia, without mention of sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
660	*Delivery without mention of complication*	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Delivery with specified complication (670-678)	F.	18	–	–	–	–	–	–	–	–	3	3	5	5	–	2	–	–	–	–	–	–	–	–	–
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
670a	Placenta prævia	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
670b	Other hæmorrhage of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671	Delivery complicated by retained placenta	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
672	Delivery complicated by other post-partum hæmorrhage	F.	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
673	Delivery complicated by abnormality of bony pelvis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
674	Delivery complicated by disproportion or malposition of fœtus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
675	Delivery complicated by prolonged labour of other origin	F.	4	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–
676	Delivery with laceration of perineum, without mention of other laceration	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
677	Delivery with other trauma	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
678	Delivery with other complications of childbirth	F.	6	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–
	Complications of the puerperium (680-689)	F.	12	–	–	–	–	–	–	–	1	1	3	2	3	2	–	–	–	–	–	–	–	–	–	–
680	Puerperal urinary infection without other sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	4	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
682	Puerperal phlebitis and thrombosis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
683	Pyrexia of unknown origin during the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism	F.	6	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)—*continued*																									
	Complications of the puerperium (680-689)—*continued*																									
685	Puerperal eclampsia	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
686	Other forms of puerperal toxæmia	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
687	Cerebral hæmorrhage in the puerperium	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
688	Other and unspecified complications of the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE (690-716)	M.	22	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	2	3	4	4	1	1	–
		F.	24	1	–	–	–	–	–	1	–	–	–	1	–	3	1	1	1	3	1	3	1	4	3	–
	Infections of skin and subcutaneous tissue (690-698)	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	1	1	–
		F.	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–
690	Boil and carbuncle	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	–	1	–
		F.	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–
693	Other cellulitis and abscess with lymphangitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of skin and subcutaneous tissue (700-716)	M.	11	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1	2	–	–	–
		F.	17	–	–	–	–	–	–	1	–	–	–	1	–	3	1	1	1	2	–	2	1	2	2	–
700	Seborrhœic dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
701	Eczema	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
704	Pemphigus	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
705	Erythematous conditions	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
706	Psoriasis and similar disorders	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	–
716	Other diseases of skin	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT (720-749)	M.	**73**	–	–	–	–	–	**1**	**1**	**2**	**1**	**1**	**1**	–	**1**	**2**	**8**	**9**	**10**	**7**	**13**	**9**	**3**	**4**	–	–
		F.	**188**	–	**1**	–	–	–	–	**2**	**1**	**2**	**2**	**3**	**1**	**2**	**2**	**2**	**9**	**15**	**26**	**31**	**38**	**31**	**20**	–	–
	Arthritis and rheumatism, except rheumatic fever (720-727)	M	49	–	–	–	–	–	–	–	–	–	1	–	–	1	2	5	8	8	6	8	5	3	2	–	–
		F.	168	–	–	–	–	–	–	1	–	–	2	2	1	2	1	2	8	13	24	29	37	27	19	–	–
720	Acute arthritis due to pyogenic organisms	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
721	Acute non-pyogenic arthritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	33	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	7	6	3	6	2	1	1	–	–
		F.	132	–	–	–	–	–	–	1	–	–	2	1	–	2	1	1	6	11	20	26	28	21	12	–	–
723	Osteo-arthritis (arthrosis) and allied conditions	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	2	1	–	–
		F.	26	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	3	2	7	6	4	–	–
724	Other specified forms of arthritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
725	Arthritis, unspecified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–
726	Muscular rheumatism	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
727	Rheumatism, unspecified	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT (720-749)—*continued*																									
	Osteomyelitis and other diseases of bone and joint (730-738)	M.	12	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	4	4	–	1	–
		F.	9	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–
730	Osteomyelitis and periostitis	M.	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
731	Osteitis deformans	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
733	Other diseases of bone	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
734	Internal derangement of knee joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
738	Other diseases of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of musculoskeletal system (740-749)	M.	12	–	–	–	–	–	–	1	2	1	–	1	–	–	–	2	1	1	1	1	–	–	1	–
		F.	11	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–	1	1	2	1	–	1	–	–
740	Bunion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	9	–	–	–	–	–	–	1	2	1	–	1	–	–	–	1	1	–	1	–	–	–	1	–
		F.	11	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–	1	1	2	1	–	1	–	–
745	Curvature of spine	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

	TIONS (750-759)	F.	338	259	13	10	2	4	8	9	3	1	4	1	2	2	6	6	1	2	4	1	–	–	–	–
750	Monstrosity	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
751	Spina bifida and meningocele	M.	60	57	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	74	69	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
752	Congenital hydrocephalus	M.	32	23	3	2	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	46	43	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
753	Other congenital malformations of nervous system and sense organs	M.	9	3	1	–	–	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	10	6	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
754	Congenital malformations of circulatory system	M.	116	86	5	2	–	1	1	5	3	1	1	5	–	1	2	2	1	–	–	–	–	–	–	–
		F.	113	70	9	4	–	3	3	7	3	–	4	–	2	2	2	3	–	–	1	–	–	–	–	–
755	Cleft palate and harelip	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756	Congenital malformations of digestive system	M.	27	24	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	27	22	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.0	Congenital hypertrophic pyloric stenosis	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.2	Other congenital malformations of digestive system (756.1)	M.	23	20	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	26	21	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
757	Congenital malformations of genito-urinary system	M.	33	15	1	–	1	–	–	–	1	–	–	1	2	1	4	1	1	–	3	1	–	1	–	–
		F.	23	8	–	1	–	–	2	–	–	1	–	1	–	–	3	3	1	1	2	–	–	–	–	–
758	Congenital malformations of bone and joint	M.	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	8	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
759	Other and unspecified congenital malformations, not elsewhere classified	M.	24	21	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
		F.	21	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)	M.	942	941	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	567	567	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Birth injuries, asphyxia, and infections of newborn (760-769)	M.	600	600	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	358	358	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760.0	Intracranial and spinal injury at birth, without mention of immaturity	M.	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760.5	Intracranial and spinal injury at birth, with immaturity	M.	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761.0	Other birth injury, without mention of immaturity	M.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761.5	Other birth injury, with immaturity	M.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762.0	Postnatal asphyxia and atelectasis, without mention of immaturity	M.	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	79	79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762.5	Postnatal asphyxia and atelectasis, with immaturity	M.	205	205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	139	139	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763.0	Pneumonia of newborn, without mention of immaturity	M.	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	28	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763.5	Pneumonia of newborn, with immaturity	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-Groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)—*continued*																									
	Birth injuries, asphyxia, and infections of newborn (760-769)—continued																									
764.0	Diarrhœa of newborn, without mention of immaturity	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764.5	Diarrhœa of newborn, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765.0	Ophthalmia neonatorum, without mention of immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765.5	Ophthalmia neonatorum, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766.0	Pemphigus neonatorum, without mention of immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766.5	Pemphigus neonatorum, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767.0	Umbilical sepsis, without mention of immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767.5	Umbilical sepsis, with immaturity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768.0	Other sepsis of newborn, without mention of immaturity	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768.5	Other sepsis of newborn, with immaturity	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity (769.0–3)	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769.9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity (769.5–8)	M.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases peculiar to early infancy (770–776)	M.	342	341	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	209	209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770.2	Hæmolytic disease of newborn (erythroblastosis), without mention of immaturity (770.0.1)	M.	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770.7	Hæmolytic disease of newborn (erythroblastosis), with immaturity (770.5.6)	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771.0	Hæmorrhagic disease of newborn, without mention of immaturity	M.	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771.5	Hæmorrhagic disease of newborn, with immaturity	M.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

	maturity	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.0y	Congenital debility, without mention of immaturity	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.5y	Congenital debility, with immaturity	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.0x	Other ill-defined diseases peculiar to early infancy, without mention of immaturity	M.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.5x	Other ill-defined diseases peculiar to early infancy, with immaturity	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
774	Immaturity with mention of any other subsidiary condition	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M.	230	230	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	157	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS (780-795)	M.	**345**	**18**	**2**	**1**	**2**	–	–	**1**	–	**2**	**1**	**1**	**6**	**3**	**6**	**13**	**19**	**14**	**23**	**19**	**34**	**68**	**112**	–
		F.	**465**	**26**	**1**	–	–	–	–	–	–	**1**	**1**	–	**2**	–	**4**	**1**	**6**	**10**	**18**	**24**	**62**	**111**	**198**	–
	Symptoms referable to systems or organs (780-789)	M.	59	15	2	–	1	–	–	–	–	–	–	–	3	1	2	5	5	7	6	4	3	3	2	–
		F.	41	17	–	–	–	–	–	–	–	1	–	–	2	–	2	–	3	3	4	2	3	2	2	–
780	Certain symptoms referable to nervous system and special senses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780a	Convulsions under 5	M.	18	15	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780b	Other certain symptoms referable to nervous system and special senses	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
781	Other symptoms referable to nervous system and special senses	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
782	Symptoms referable to cardiovascular and lymphatic system	M.	35	–	–	–	–	–	–	–	–	–	–	–	3	1	1	3	5	7	5	4	3	1	2	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	3	3	3	2	1	1	1	–
782.4	Heart failure	M.	29	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	3	7	5	3	2	1	1	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	1	1	1	1	–
782.5	Syncope or collapse	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	1	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
782.9	Other symptoms referable to cardiovascular and lymphatic system (782.0–3 and 6–8)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
783	Symptoms referable to respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
784	Symptoms referable to upper gastro-intestinal tract	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–
		F.	5	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
786	Symptoms referable to genito-urinary system	M.	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
787	Symptoms referable to limbs and back	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS (780-795)—*continued*																									
	Symptoms referable to systems or organs (780-789)—*continued*																									
788	Other general symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
789	Abnormal urinary constituents of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Senility and ill-defined diseases (790-795)	M.	286	3	–	1	1	–	–	1	–	2	1	1	3	2	4	8	14	7	17	15	31	65	110	–
		F.	424	9	1	–	–	–	–	–	–	–	1	–	–	–	2	1	3	7	14	22	59	109	196	–
790	Nervousness and debility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
792	Uræmia	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–
		F.	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	8	24	56	107	–
		F.	362	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	11	50	102	194	–
795	Ill-defined and unknown causes of mortality	M.	84	3	–	1	1	–	–	1	–	2	1	1	3	2	4	8	14	6	14	7	6	8	2	–
		F.	57	8	1	–	–	–	–	–	–	–	1	–	–	–	2	1	3	7	9	11	7	6	1	–
795.1	Other ill-defined (795.0)	M.	70	3	–	–	1	–	–	1	–	1	1	–	3	–	4	6	14	4	12	7	6	6	1	–
		F.	53	8	1	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	9	10	7	6	1	–
795.5	Unknown or unspecified (795.2–4)	M.	14	–	–	1	–	–	–	–	–	1	–	1	–	2	–	2	–	2	2	–	–	2	1	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	–	–	–
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)	M.	**1725**	**92**	**13**	**9**	**18**	**14**	**57**	**46**	**92**	**82**	**71**	**90**	**110**	**115**	**120**	**134**	**124**	**101**	**94**	**82**	**98**	**88**	**75**	–
		F.	**1125**	**76**	**6**	**12**	**7**	**7**	**23**	**13**	**25**	**13**	**15**	**25**	**31**	**44**	**46**	**68**	**55**	**61**	**76**	**96**	**134**	**159**	**133**	–
	Railway accidents (E800-E802)	M.	30	–	–	–	1	–	–	–	4*	3	2	2	2	1	3	3	4	3	2	–	–	–	–	–
		F.	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
E800	Railroad employee	M.	19	–	–	–	–	–	–	–	2	1	1	1	2	1	2	1	3	3	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E801	Passenger	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E802	Other and unspecified person	M.	10	–	–	–	1	–	–	–	2	2	1	1	–	–	1	1	1	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–
	MOTOR VEHICLE ACCIDENTS (E810-E825)	M.	442	1	4	5	8	6	33	9	47	39	22	25	24	32	36	29	24	25	22	18	21	8	4	–

E810	Collision with railway train	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E811	Collision with street car	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	169	–	3	4	8	6	26	3	6	3	3	4	2	9	8	9	15	15	10	11	13	7	4	–		
		F.	99	1	1	5	3	5	10	4	8	3	–	1	1	5	3	6	5	6	3	10	9	8	2	–		
E813	Pedal cyclist	M.	25	–	–	–	–	–	4	4	5	1	1	1	2	2	–	–	1	–	1	2	1	–	–	–		
		F.	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–		
E814	Rider or passenger of motorcycle in collision with non-motor vehicle or object	M.	7	–	–	–	–	–	–	–	2	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E815	Rider or passenger of motorcycle in collision with other motor vehicle	M.	56	–	–	–	–	–	–	1	14	10	2	5	4	5	5	3	2	1	3	–	–	1	–	–		
		F.	4	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–		
E816	Two or more motor vehicles	M.	72	1	–	–	–	–	1	–	1	5	6	10	8	4	11	9	4	4	3	2	3	–	–	–		
		F.	24	1	–	–	–	–	–	1	–	–	4	2	1	1	1	1	5	1	3	1	2	–	–	–		
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E818	Collision with animal or animal-drawn vehicle	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E819	Collision with fixed or unspecified object	M.	7	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	1	–	–	–	–	–		
		F.	3	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–		
E820	While boarding and alighting	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–		
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–		
E821	Rider of motorcycle without antecedent collision	M.	42	–	–	–	–	–	–	–	9	12	6	2	1	5	4	2	1	–	–	–	–	–	–	–		
		F.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–		
E822	Overturning in roadway	M.	5	–	–	–	–	–	–	–	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E823	Running off roadway	M.	12	–	–	–	–	–	1	–	2	2	–	2	1	1	–	–	1	1	1	–	–	–	–	–		
		F.	13	–	–	1	–	–	–	–	2	2	–	–	3	1	–	1	–	–	2	1	–	–	–	–		
E824	Other non-collision motor vehicle traffic accident	M.	11	–	–	–	–	–	1	–	–	1	1	–	–	1	1	1	–	1	–	–	4	–	–	–		
		F.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–		
E825	Unspecified nature	M.	14	–	–	–	–	–	–	–	2	2	–	–	3	1	2	–	–	2	–	2	–	–	–	–		
		F.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–		
	Motor vehicle non-traffic accidents (E830-E835)	M.	16	–	1	1	–	–	–	1	3	1	1	1	–	1	2	3	–	–	1	–	–	–	–	–		
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E830	Pedestrian	M.	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–		
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E831	Pedal cyclist	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E832	Rider or passenger of motorcycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E833	Two or more motor vehicles	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E834	While boarding and alighting	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E835	Other and unspecified nature	M.	12	–	–	1	–	–	–	1	3	1	1	1	–	1	1	2	–	–	–	–	–	–	–	–		
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*																									
	Other road vehicle accidents (E840-E845)	M.	21	–	–	–	–	–	–	2	2	–	–	2	–	2	–	1	1	1	1	4	1	4	–	–
		F.	13	–	–	–	–	–	1	–	2	–	–	2	1	–	1	–	–	1	1	1	2	1	–	–
E840	Street car accident to pedestrian	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	3	–	–
		F.	6	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	2	1	–	–
E841	Other street car accident, except collision with motor vehicle	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
E842	Accident to pedestrian caused by pedal cyclist	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M.	8	–	–	–	–	–	–	2	2	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–
		F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E844	Accident to pedestrian caused by other non-motor road vehicle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Water transport accidents (E850-E858)	M.	35	–	–	–	–	–	1	1	4	2	3	4	3	5	5	2	3	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E850	Submersion of occupant of small boat	M.	9	–	–	–	–	–	1	1	2	1	–	–	–	2	–	1	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E851	Other water transport injury by submersion	M.	17	–	–	–	–	–	–	–	1	1	1	3	2	3	4	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E852	Fall on stairs and ladders in water transport	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E854	Falls on same level in water transport	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	7	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	2	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aircraft accidents (E860-E866)	M.	7	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

	mercial "transport" aircraft	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other specified aircraft	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ACCIDENTAL POISONING (E870-E895)	M.	132	1	2	1	–	–	–	1	2	4	3	7	10	11	7	12	14	15	12	10	10	8	2	–
		F.	166	2	1	–	–	1	–	1	1	1	2	7	3	6	10	17	12	12	20	15	22	18	15	–
	Accidental poisoning by solid and liquid substances (E870-E888)	M.	21	1	2	1	–	–	–	–	–	1	2	–	3	3	2	2	2	1	1	–	–	–	–	–
		F.	35	–	1	–	–	–	–	–	–	–	1	2	–	2	4	9	5	7	1	1	2	–	–	–
E870	Morphine and other opium derivatives	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E871	Barbituric acid and derivatives	M.	8	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2	1	1	–	–	–	–	–	–
		F.	26	–	–	–	–	–	–	–	–	–	1	1	–	1	3	7	3	7	–	1	2	–	–	–
E872	Aspirin and salicylates	M.	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
E873	Bromides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
E875	Sulfonamides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E877	Belladonna, hyoscine, and atropine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E878	Other and unspecified drugs	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E881	Petroleum products	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids, and caustic alkalis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E886	Arsenic and antimony, and their compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*																									
	Accidental poisoning by gases and vapours (E890-E895)	M.	111	–	–	–	–	–	–	1	2	3	1	7	7	8	5	10	12	14	11	10	10	8	2	–
		F.	131	2	–	–	–	1	–	1	1	1	1	5	3	4	6	8	7	5	19	14	20	18	15	–
E890	Utility (illuminating) gas	M.	106	–	–	–	–	–	–	1	2	3	1	6	7	7	4	10	10	14	11	10	10	8	2	–
		F.	131	2	–	–	–	1	–	1	1	1	1	5	3	4	6	8	7	5	19	14	20	18	15	–
E890a	Utility (illuminating) gas, accidental	M.	37	–	–	–	–	–	–	–	–	–	1	2	2	2	1	1	2	7	4	5	6	2	2	–
		F.	69	2	–	–	–	1	–	–	–	–	–	–	2	1	5	3	5	2	11	7	15	9	6	–
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.	69	–	–	–	–	–	–	1	2	3	–	4	5	5	3	9	8	7	7	5	4	6	–	–
		F.	62	–	–	–	–	–	–	1	1	1	1	5	1	3	1	5	2	3	8	7	5	9	9	–
E891	Motor vehicle exhaust gas	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E892	Other carbon monoxide gas	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E893	Cyanide gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E895	Unspecified gases and vapours	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental falls (E900-E904)	M.	319	1	–	–	–	–	4	7	8	8	11	10	8	10	10	11	17	25	19	21	39	52	58	–
		F.	402	1	1	–	–	–	1	1	1	–	2	1	1	1	–	5	5	12	20	47	76	122	105	–
E900	Fall on stairs	M.	45	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	6	10	5	7	3	2	7	–
		F.	20	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	7	5	2	–
E901	Fall from ladders	M.	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	3	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
E902	Other falls from one level to another	M.	100	1	–	–	–	–	4	5	8	7	9	9	5	7	9	6	7	4	4	2	5	3	5	–
		F.	24	1	–	–	–	–	1	1	1	–	2	1	1	–	–	2	1	–	1	3	2	4	3	–
E903	Fall on same level	M.	35	–	–	–	–	–	–	1	–	–	1	1	1	1	–	2	1	2	2	2	9	7	5	–
		F.	36	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	5	7	12	5	–
E904	Unspecified falls	M.	132	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	2	6	8	9	22	40	41	–
		F.	320	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	8	16	36	60	101	95	–
	Other accidents (E910-E936)	M.	414	86	6	3	9	5	19	25	16	14	16	20	31	23	12	28	29	13	13	11	14	14	7	–
		F.	200	68	2	4	4	1	5	6	4	–	1	1	6	7	10	10	6	13	13	7	15	7	10	–
E910	Blow from falling or projected object or missile	M.	44	–	–	–	1	–	1	1	2	3	5	2	8	5	3	5	5	2	–	1	–	–	–	–
		F.	5	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
E911	Accident caused by vehicle	M.	9	–	–	–	–	–	–	–	1	–	–	1	2	2	–	2	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

E912	Accident caused by machinery	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E913	Accident caused by cutting and piercing instruments	M.	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E914	Accident caused by electric current	M.	15	–	1	–	–	–	–	–	2	2	3	3	3	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E915	Accident caused by explosion of pressure vessel	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	Accident caused by fire and explosion of combustible material	M.	32	1	1	–	1	1	1	2	–	–	2	1	1	–	2	2	3	2	2	4	–	2	4	–	–
		F.	68	2	–	2	3	1	5	2	2	–	1	–	1	3	1	4	1	8	5	4	10	5	8	–	–
E917	Accident caused by hot substance, corrosive liquid, and steam	M.	6	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
E918	Accident caused by radiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E919	Accident caused by firearm	M.	9	–	–	–	–	–	–	1	1	1	–	–	2	–	–	1	1	1	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E920	Foreign body entering eye and adnexa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M.	56	49	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	–	1	–	–	–
		F.	45	39	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E923	Foreign body entering other orifice	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E924	Accidental mechanical suffocation in bed and cradle	M.	32	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
		F.	21	17	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	7	3	1	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F.	7	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E926	Lack of care of infants under 1 year of age	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E927	Accidents caused by bites and stings of venomous animals and insects	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	164	1	1	2	7	4	17	20	8	6	3	8	11	10	3	14	14	2	8	4	10	8	3	–	–
		F.	33	2	–	1	–	–	–	3	–	–	–	–	4	1	4	5	2	4	4	1	–	1	1	–	–
E930	High and low air pressure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E932	Excessive cold	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
E933	Hunger, thirst, and exposure	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	1	1	–	–
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents	M.	6	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																					
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*																									
	Complications due to non-therapeutic medical and surgical procedures (E940-E946)	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E940	Generalized vaccinia following vaccination	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E941	Postvaccinal encephalitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E942	Other complications of smallpox vaccination	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for non-therapeutic purpose	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E946	Other complications due to non-therapeutic medical and surgical procedures	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
E950	Therapeutic misadventure in surgical treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E951	Therapeutic misadventure in infusion or transfusion	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E952	Therapeutic misadventure in local applications	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E953	Therapeutic misadventure in administration of drugs or biologicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E954	Therapeutic misadventure in anæsthesia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E955	Other and unspecified therapeutic misadventure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

E958	Late complication of irradiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Late effects of injury and poisoning (E960-E965)	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	–	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–
E960	Motor vehicle accident	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E962	Other accidental injury	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E965	Injuries due to war operations	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suicide and self-inflicted injury (E970-E979)	M.	286	–	–	–	–	–	–	–	5	8	13	17	27	26	44	42	32	17	20	17	12	2	4	–
		F.	153	–	–	–	–	–	–	–	1	5	3	8	11	20	19	23	19	12	12	12	5	2	1	–
E970	Poisoning by analgesic and soporific substances	M.	25	–	–	–	–	–	–	–	–	–	1	2	2	3	5	5	5	2	–	–	–	–	–	–
		F.	35	–	–	–	–	–	–	–	–	2	–	3	–	5	3	6	4	1	4	5	2	–	–	–
E971	Poisoning by other solid and liquid substances	M.	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	2	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
E972	Poisoning by gases in domestic use	M.	125	–	–	–	–	–	–	–	4	7	6	9	11	12	16	20	14	4	7	4	8	1	2	–
		F.	73	–	–	–	–	–	–	–	1	3	2	3	7	8	8	12	8	6	6	5	2	2	–	–
E973	Poisoning by other gases	M.	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E974	Injury by hanging and strangulation	M.	35	–	–	–	–	–	–	–	1	–	3	1	6	3	4	4	4	3	4	2	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–
E975	Injury by submersion (drowning)	M.	26	–	–	–	–	–	–	–	–	1	–	1	2	2	7	4	1	3	2	–	2	1	–	–
		F.	23	–	–	–	–	–	–	–	–	–	–	1	2	1	4	3	5	3	2	1	1	–	–	–
E976	Injury by firearms and explosives	M.	20	–	–	–	–	–	–	–	–	–	2	1	2	2	3	2	2	1	2	3	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E977	Injury by cutting and piercing instruments	M.	17	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	3	1	4	1	–	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–
E978	Injury by jumping from high place	M.	11	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	2	1	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	1	–	–	–	–
E979	Injury by other and unspecified means	M.	15	–	–	–	–	–	–	–	–	–	1	2	1	1	4	1	3	–	1	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1958 (Males and Females)—*continued*

International Detailed List Numbers	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*																									
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)	M.	29	3	1	–	–	3	–	1	2	2	–	1	4	3	2	4	–	–	2	1	–	–	–	–
		F.	21	3	1	1	–	–	1	–	1	1	2	1	3	2	2	–	–	1	–	1	–	1	–	–
E980	Non-accidental poisoning by another person	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E981	Assault by firearm and explosive	M.	4	–	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	6	–	1	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–
E982	Assault by cutting and piercing instruments	M.	6	–	–	–	–	–	–	–	1	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E983	Assault by other means	M.	18	3	1	–	–	2	–	–	1	–	–	–	3	2	1	2	–	–	2	1	–	–	–	–
		F.	14	3	–	1	–	–	1	–	1	1	1	1	3	–	1	–	–	–	–	–	–	1	–	–
E984	Injury by intervention of police	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E990-E999	*Injury resulting from operations of war*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

E990, Injury due to war operations by gas and chemicals, –.
E991, Injury due to war operations by gunshot, –.
E992, Injury due to war operations by grenade and landmine, –.
E993, Injury due to war operations by bomb, –.
E994, Injury due to war operations by marine mine, depth charge and torpedo, –.
E995, Injury due to war operations by explosions of artillery shell, –.
E996, Injury due to war operations by explosion of undetermined origin, –.
E997, Injury due to war operations by aircraft destruction, –.
E998, Injury due to war operations by other and unspecified means, –.
E999, Injury due to war operations but occurring after cessation of hostilities, –.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958

NOTES: (1) Deaths registered during 1950-1957 have been classified in accordance with the Sixth Revision of the International Statistical Classification of Causes of Death (1948) and those in 1958 with the Seventh Revision (1955).

(2) A separate line has not been devoted to a number of those rubrics to which very few deaths are assigned each year and the practice has been to amalgamate them, for example, 004-008. In order to have the record complete details of any deaths registered from these causes are shown in footnotes; figures in roman type indicating the number of male deaths while those in italics the female deaths. Thus "008, Tuberculosis, unspecified site, 1955, *1*; 1956, 1", denotes 1 female death in 1955 and 1 male death in 1956.

(3) In accordance with the Sixth and Seventh Revisions of the International Statistical Classification of Causes of Death, rubrics 306, 308, 649 and 775 have been omitted from this table as they are not applicable to primary death classification.

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950		
	ALL CAUSES—Both Sexes		**62,065**	**61,143**	**61,792**	**61,645**	**61,380**	**58,878**	**61,510**	**65,778**	**63,996**		
	Males		**31,765**	**31,622**	**31,651**	**31,329**	**31,493**	**30,326**	**31,401**	**33,116**	**32,191**		
	Females		**30,300**	**29,521**	**30,141**	**30,316**	**29,887**	**28,552**	**30,109**	**32,662**	**31,805**		
	I. INFECTIVE AND PARASITIC DISEASES (001-138)	M.	**588**	**650**	**687**	**802**	**889**	**1,017**	**1,162**	**1,544**	**1,820**		
		F.	**327**	**352**	**377**	**491**	**576**	**685**	**836**	**1,176**	**1,519**		
	TUBERCULOSIS, all forms (001-019)	M.	459	484	525	619	688	811	941	1,256	1,469		
		F.	228	239	276	363	440	530	671	923	1,306		
	Tuberculosis of respiratory system (001-008)	M.	431	452	478	555	617	724	847	1,106	1,306		
		F.	207	212	237	305	393	435	562	780	1,133		
001	Respiratory tuberculosis with mention of occupational disease of lung	M.	26	25	9	17	21	31	17	14	15		
		F.	—	—	—	—	—	—	—	—	—		
002	Pulmonary tuberculosis	M.	403	426	467	533	595	691	821	1,086	1,283		
		F.	205	211	237	302	393	433	555	778	1,125		
003	Pleural tuberculosis	M.	1	1	—	4	1	2	6	3	5		
		F.	—	1	—	2	—	2	4	2	6		
004-008	Other respiratory tuberculosis and tuberculosis, unspecified site	M.	1	—	2	1	—	—	3	3	3		
		F.	2	—	—	1	—	—	3	—	2		
	Tuberculosis, other forms (010-019)	M.	28	32	47	64	71	87	94	150	163		
		F.	21	27	39	58	47	95	109	143	173		
010	Tuberculosis of meninges and central nervous system	M.	7	8	12	20	26	30	47	78	89		
		F.	6	7	10	17	18	34	53	83	102		
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M.	4	4	3	6	10	3	8	12	12		
		F.	3	7	4	5	7	14	12	16	16		
012	Tuberculosis of bones and joints, active or unspecified	M.	5	6	12	15	8	12	13	23	18		
		F.	1	4	7	10	2	13	18	15	19		
012.0	Vertebral column	M.	4	5	5	12	7	8	9	20	12		
		F.	1	4	4	6	2	12	15	12	15		
012.3	Other bones and joints (012.1.2)	M.	1	1	7	3	1	4	4	3	6		
		F.	—	—	3	4	—	1	3	3	4		
013	Tuberculosis of bones and joints, late effects	M.	—	1	1	2	—	3	1	2	1		
		F.	—	—	1	—	2	1	1	2	—		
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)		

013.0	Vertebral column	F.	—	—	1	—	2	—	1	2	—
013.3	Other bones and joints (013.1.2)	M.	—	—	—	—	—	2	—	—	1
		F.	—	—	—	—	—	1	—	—	—
014	Tuberculosis of skin and subcutaneous cellular tissue	M.	—	—	—	—	—	1	1	3	3
		F.	—	—	—	—	—	—	—	2	5
015	Tuberculosis of lymphatic system	M.	—	1	2	2	—	3	1	2	—
		F.	1	2	2	7	2	3	4	—	2
016	Tuberculosis of genito-urinary system	M.	10	10	15	17	11	25	15	13	21
		F.	7	6	8	9	7	16	12	7	19
017	Tuberculosis of adrenal glands	M.	—	2	—	—	2	6	2	2	3
		F.	2	—	1	3	3	4	1	—	—
018	Tuberculosis of other organs	M.	1	—	—	1	2	—	—	1	1
		F.	—	—	1	1	1	—	2	1	—
019	Disseminated tuberculosis	M.	1	—	2	1	12	4	6	14	15
		F.	1	1	5	6	5	10	6	17	10
	Syphilis and its sequelæ (020-029)	M.	40	72	71	70	71	72	76	100	126
		F.	18	22	17	27	38	24	34	49	44
020	Congenital syphilis	M.	—	—	1	—	—	1	1	3	5
		F.	—	1	—	2	3	1	2	1	6
021	Early syphilis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
022	Aneurysm of aorta	M.	9	22	20	22	18	23	34	41	57
		F.	7	10	5	4	9	4	11	29	24
023	Other cardiovascular syphilis	M.	10	17	21	23	14	14	8	18	13
		F.	3	3	3	4	8	4	1	2	3
024	Tabes dorsalis	M.	5	10	9	7	14	12	6	11	19
		F.	2	1	1	3	—	2	6	4	2
025	General paralysis of insane	M.	14	15	16	12	15	17	17	19	24
		F.	5	2	4	9	12	10	5	9	9
026	Other syphilis of central nervous system	M.	1	4	4	3	5	4	8	7	5
		F.	1	5	3	5	2	2	7	2	—
027	Other forms of late syphilis	M.	1	1	—	1	2	1	1	—	—
		F.	—	—	1	—	2	—	—	1	—
028	Latent syphilis	M.	—	—	—	1	1	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
029	Syphilis, unqualified	M.	—	3	—	1	2	—	1	1	3
		F.	—	—	—	—	1	1	2	1	—
	Gonococcal infection and other venereal diseases (030-039)	M.	—	1	—	—	—	—	—	—	2
		F.	1	—	1	—	1	—	—	—	1
030-035	Gonococcal infection	M.	—	1	—	—	—	—	—	—	1
		F.	1	—	—	—	1	—	—	—	1
036-039	Other venereal diseases	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	1	—	—	—	—	—	—

004, Primary tuberculosis complex with symptoms, 1951, 1; 1952, 1, *3*; 1958, *2*.
005, Tracheobronchial glandular tuberculosis with symptoms, 1950, 2; 1951, 2; 1958, 1.
006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere —.
007, Other respiratory tuberculosis, 1950, 1, *1*; 1952, 2; 1955, 1; 1956, 1.
008, Tuberculosis, unspecified site, 1950, *1*; 1955, *1*; 1956, 1.
030, Acute or unspecified gonorrhœa, —.
031, Chronic gonococcal infection of genito-urinary system, 1950, 1; 1954, *1*
032, Gonococcal infection of joint, —.
033, Gonococcal infection of eye, —.
034, Gonococcal infection of other sites, 1958, *1*.
035, Late effects of gonococcal infection, 1950, *1*; 1957, 1.
036, Chancroid, 1950, 1.
037, Lymphogranuloma venereum, —.
038, Granuloma inguinale, venereal, —.
039, Other and unspecified venereal diseases, 1956, *1*.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	I. INFECTIVE AND PARASITIC DISEASES (001-138)—*continued*										
	Infectious diseases commonly arising in intestinal tract (040-049)	M.	2	5	2	13	4	14	3	17	11
		F.	5	7	4	11	9	11	8	10	7
040	Typhoid fever	M.	—	—	1	1	—	1	1	1	—
		F.	1	—	1	—	1	1	—	—	—
041	Paratyphoid fever	M.	—	—	—	2	—	1	1	—	—
		F.	—	—	—	1	1	—	1	—	—
042	Other Salmonella infections	M.	—	1	—	2	2	4	—	5	4
		F.	4	2	—	2	2	5	2	4	—
043	Cholera	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
044	Brucellosis (undulant fever)	M.	—	1	—	—	—	—	—	—	—
		F.	—	—	1	—	—	—	—	—	—
045	Bacillary dysentery	M.	2	2	1	4	1	4	—	4	4
		F.	—	3	—	7	4	4	4	2	4
046	Amœbiasis	M.	—	—	—	1	—	—	1	1	1
		F.	—	—	—	—	—	—	—	—	—
047	Other protozoal dysentery	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
048	Unspecified forms of dysentery	M.	—	1	—	2	1	4	—	4	2
		F.	—	2	2	1	1	1	1	4	3
049	Food poisoning (infection and intoxication)	M.	—	—	—	1	—	—	—	2	—
		F.	—	—	—	—	—	—	—	—	—
	Other bacterial diseases (050-064)	M.	27	42	42	35	67	56	72	100	91
		F.	28	27	26	32	35	59	67	95	69
050	Scarlet fever	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	1	1	—	—	1	1	1
051	Streptococcal sore throat	M.	—	1	—	—	—	2	1	—	1
		F.	—	1	1	2	1	2	3	—	2
052	Erysipelas	M.	—	—	—	—	1	1	—	1	2
		F.	1	—	1	—	2	1	1	4	3
053	Septicæmia and pyæmia	M.	12	14	11	8	17	9	25	19	24
		F.	8	6	4	11	8	7	16	14	20
054	Bacterial toxæmia	M.	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
055	Diphtheria	M.	—	—	1	—	—	1	5	3	2
		F.	—	—	1	—	1	1	3	2	1
056	Whooping cough	M.	1	10	7	3	14	15	10	50	35
		F.	3	11	7	7	11	26	16	48	26
057	Meningococcal infections	M.	13	14	17	18	29	20	20	23	20
		F.	12	7	10	11	12	17	25	21	15
058	Plague	M.	—	—	—	—	—	—	—	—	—

060	Leprosy	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
061	Tetanus	M.	1	2	5	6	4	8	10	4	7		
		F.	3	2	1	—	—	3	2	5	1		
062	Anthrax	M.	—	—	—	—	—	—	1	—	—		
		F.	—	—	—	—	—	—	—	—	—		
063	Gas gangrene	M.	—	1	—	—	2	—	—	—	—		
		F.	1	—	—	—	—	1	—	—	—		
064	Other bacterial diseases	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	1	—	—	—		
	Spirochætal diseases, except syphilis (070-074)	M.	3	3	—	—	3	4	7	9	6		
		F.	—	1	1	—	—	—	—	1	—		
070	Vincent's infection	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
071	Relapsing fever	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
072	Leptospirosis	M.	3	2	—	—	3	4	7	9	4		
		F.	—	—	1	—	—	—	—	1	—		
073	Yaws	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
074	Other spirochætal infections	M.	—	1	—	—	—	—	—	—	2		
		F.	—	1	—	—	—	—	—	—	—		
	Diseases attributable to viruses (080-096)	M.	51	41	42	59	52	54	57	56	112		
		F.	44	51	46	55	51	61	51	96	89		
080	Acute poliomyelitis	M.	13	7	8	17	14	6	8	11	40		
		F.	3	4	1	5	7	7	4	13	24		
081	Late effects of acute poliomyelitis	M.	2	1	—	—	2	1	3	—	1		
		F.	1	—	1	—	1	—	—	1	1		
082	Acute infectious encephalitis	M.	3	5	3	3	4	3	5	5	5		
		F.	5	6	3	2	1	3	5	9	9		
083	Late effects of acute infectious encephalitis	M.	10	13	16	19	13	21	15	17	27		
		F.	15	14	16	19	16	20	15	29	16		
084	Smallpox	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	6		
085	Measles	M.	3	6	4	8	4	11	11	8	19		
		F.	1	10	6	12	4	18	11	17	19		
086	Rubella (German measles)	M.	1	—	—	—	—	1	—	—	1		
		F.	—	—	—	—	—	—	—	—	—		
087	Chickenpox	M.	2	—	—	—	1	1	1	1	2		
		F.	—	1	—	—	1	—	1	—	—		
088	Herpes zoster	M.	4	1	2	3	2	—	3	5	4		
		F.	2	3	3	5	5	4	5	11	6		
089	Mumps	M.	—	—	—	1	1	—	—	—	—		
		F.	—	—	1	—	1	—	—	1	1		
090	Dengue	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
091	Yellow fever	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
092	Infectious hepatitis	M.	13	8	9	7	9	10	11	9	10		
		F.	13	13	15	12	15	9	10	14	6		

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	I. INFECTIVE AND PARASITIC DISEASES (001-138)—*continued*										
	Diseases attributable to viruses (080-096) *continued*—										
093	Glandular fever (infectious mononucleosis)	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
094	Rabies	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
095	Trachoma	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
096	Other diseases attributable to viruses	M.	—	—	—	1	2	—	—	—	3
		F.	4	—	—	—	—	—	—	1	1
100-108	*Typhus and other rickettsial diseases*	M.	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	1	—	1
110-117	*Malaria*	M.	1	—	1	—	—	1	—	1	1
		F.	—	—	—	—	—	—	—	—	—
120-138	*Other infective and parasitic diseases*	M.	5	2	3	6	4	5	6	5	2
		F.	3	5	6	3	2	—	4	2	2
	II. NEOPLASMS (140-239)	M.	**5,859**	**5,691**	**5,646**	**5,503**	**5,528**	**5,348**	**5,233**	**4,988**	**5,122**
		F.	**5,066**	**5,189**	**5,254**	**5,196**	**5,100**	**4,883**	**5,031**	**5,021**	**5,128**
	MALIGNANT NEOPLASMS(140-205)	M.	5,821	5,632	5,591	5,462	5,478	5,310	5,172	4,925	5,037
		F.	5,010	5,115	5,163	5,123	5,027	4,815	4,947	4,915	4,992
	Malignant neoplasm of buccal cavity and pharynx (140-148)	M.	154	175	162	178	226	187	220	179	218
		F.	80	81	72	90	85	71	75	65	78
140	Lip	M.	4	13	9	10	23	23	18	14	18
		F.	2	2	2	1	4	4	2	3	4
141	Tongue	M.	37	42	51	46	56	65	61	47	69
		F.	17	22	19	20	23	13	23	18	24
142	Salivary gland	M.	6	11	11	7	16	3	7	10	16
		F.	7	7	6	14	9	10	12	7	4
143	Floor of mouth	M.	12	23	15	24	34	19	32	22	25
		F.	6	6	7	7	7	7	5	6	10
144	Other parts of mouth, and of mouth unspecified	M.	26	29	21	23	23	25	31	25	30
		F.	14	7	3	7	8	4	9	8	7
144a	Palate upper alveoli	M.	18	14	16	16	16	19	22	19	18
		F.	12	3	1	6	6	3	7	7	6
144b	Cheek internal	M.	8	15	5	7	7	6	9	6	12
		F.	2	4	2	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

146	Nasopharynx	M.	10	6	4	13	8	5	8	6	7	
		F.	3	7	4	4	2	4	2	4	4	
147	Hypopharynx	M.	5	5	9	7	5	3	8	5	4	
		F.	11	13	13	17	10	12	5	5	3	
148	Pharynx, unspecified	M.	32	32	27	31	43	30	40	34	26	
		F.	18	17	13	16	17	15	13	12	14	
148a	Pharynx	M.	22	23	23	21	30	23	29	24	23	
		F.	16	11	11	12	10	12	10	10	12	
148b	Throat	M.	10	9	4	10	13	7	11	10	3	
		F.	2	6	2	4	7	3	3	2	2	
	Malignant neoplasm of digestive organs and peritoneum (150-159)	M.	2,331	2,290	2,308	2,406	2,357	2,337	2,435	2,352	2,470	
		F.	2,223	2,313	2,431	2,407	2,283	2,241	2,380	2,380	2,460	
150	Œsophagus	M.	178	171	168	178	175	158	190	176	193	
		F.	136	142	130	147	160	135	148	121	144	
151	Stomach	M.	887	874	912	926	919	891	982	910	951	
		F.	774	820	845	847	774	824	831	881	878	
152	Small intestine, including duodenum	M.	17	19	18	11	19	17	17	22	8	
		F.	12	21	11	17	15	13	17	9	9	
152.0	Duodenum	M.	6	3	6	3	5	2	4	2	2	
		F.	4	9	2	2	3	2	1	2	3	
152.9	Other specified, multiple† and unspecified parts (152.7.8)	M.	11	16	12	8	14	15	13	20	6	
		F.	8	12	9	15	12	11	16	7	6	
153	Large intestine, except rectum*	M.	518	489	554	615	596	591	597	560	626	
		F.	695	673	771	788	724	714	773	752	802	
153.0	Cæcum, appendix and ascending colon	M.	113									
		F.	185									
153.1	Transverse colon, including hepatic and splenic flexures	M.	96									
		F.	133									
153.2	Descending colon	M.	79									
		F.	86	M. 475	493	540	505	519	503	457	535	
153.3	Sigmoid colon	M.	158	F. 640	664	689	620	610	646	603	666	
		F.	205									
153.7	Multiple† parts of large intestine	M.	—									
		F.	2									
153.8	Large intestine (including colon), part unspecified	M.	54									
		F.	64									

100, Louse-borne epidemic typhus,—.
101, Flea-borne endemic typhus (murine), —.
102, Brill's disease, not specified as louse- or flea-borne, 1956, 1.
103, Tabardillo (Mexican typhus), not specified as louse- or flea-borne, —.
104, Tick-borne typhus, —.
105, Mite-borne typhus, —.
106, Volhynian fever (trench fever), —.
107, Typhus, unspecified, —.
108, Other rickettsial diseases, 1950, *1*; 1952, *1*.
110, Vivax malaria (benign tertian), —.
111, Malariæ malaria (quartan), —.
112, Falciparum malaria (malignant tertian), 1950, 1; 1951, 1; 1953, 1
113, Ovale malaria, —.
114, Mixed malarial infections, —.
115, Blackwater fever, —.
116, Other and unspecified forms of malaria, 1956, 1; 1958, 1
117, Recurrent induced malaria, —.
120, Leishmaniasis, —.
121, Trypanosomiasis, —.
122, Other protozoal diseases, 1950, *1*.
123, Schistosomiasis, —.
124, Other trematode infestation, —.
125, Hydatid disease, 1950, 1; 1952, 1; 1955, 1; 1957, *1*; 1958, *1*.
126, Other cestode infestation, 1950, *1*; 1952, 1.
127, Filariasis, —.
128, Trichiniasis, —.
129, Ankylostomiasis, 1952, 1.
130, Infestation with worms of other, mixed and unspecified type, —.
131, Dermatophytosis, —.
132, Actinomycosis, 1951, 1; 1954, 1; 1955, 1; 1956, *1*.
133, Coccidioidomycosis, —.
134, Other fungus infections, 1951, 2; 1952, 3, *1*; 1953 3; 1954, 1, *1*; 1955, 1; 1956, 1, *1*; 1958, 2.
135, Scabies, —.
136, Pediculosis, —.
137, Other arthropod infestation, —.
138, Other infective and parasitic diseases, 1950, 1; 1951, 2, *2*; 1952, *3*; 1953, 2; 1954, 2, *1*; 1955, 3, *3*; 1956, 2, *4*; 1957, 2, *4*; 1958, 3, *2*.

*153, During 1950 to 1957 this rubric was subdivided: a Malignant neoplasm of large intestine; b Malignant neoplasm of undefined intestine.

† During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950		
	II. NEOPLASMS (140-239)—*continued*												
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*												
153.9	Intestinal tract, part unspecified	M.	18	14	61	75	91	72	94	103	91		
		F.	20	33	107	99	104	104	127	149	136		
154	Rectum	M.	331	352	311	335	323	332	334	348	351		
		F.	239	267	251	202	242	207	228	237	235		
155	Biliary passages and of liver (stated to be primary site)	M.	85	91	90	89	74	75	86	115	85		
		F.	100	104	129	138	124	100	130	173	133		
155.0	Liver	M.	41	50	49	48	33	36	51	84	51		
		F.	30	21	33	41	32	34	53	79	66		
155.1a	Gallbladder	M.	25	21	19	16	19	22	18	17	22		
		F.	53	64	69	76	74	44	56	70	46		
155.1b	Bile ducts	M.	18	20	22	25	22	17	17	14	12		
		F.	17	19	27	21	18	22	21	24	21		
155.8	Multiple sites*	M.	1										
		F.	—										
156	Liver (secondary and unspecified)	M.	43	38	45	35	36	51	21	19	45		
		F.	41	58	29	39	36	36	40	24	45		
157	Pancreas	M.	251	228	189	197	190	197	197	178	178		
		F.	205	193	216	193	176	175	188	156	155		
158	Peritoneum	M.	15	19	17	18	23	23	11	20	24		
		F.	15	28	44	32	31	35	23	25	38		
159	Unspecified digestive organs	M.	6	9	4	2	2	2	—	4	9		
		F.	6	7	5	4	1	2	2	2	21		
	Malignant neoplasm of respiratory system (160-165)	M.	1,989	1,880	1,780	1,612	1,626	1,580	1,374	1,240	1,220		
		F.	384	340	349	336	339	347	290	316	347		
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	11	13	13	11	12	14	9	14	14		
		F.	12	12	12	12	5	15	7	12	10		
161	Larynx	M.	70	67	70	64	74	75	79	55	80		
		F.	24	17	24	27	21	21	23	15	26		
162	Bronchus and trachea, and of lung specified as primary	M.	1,887	1,777	1,677	1,515	1,517	1,468	1,233	1,101	938		
		F.	339	304	306	287	295	301	242	268	252		
162.0	Trachea	M.	1	—	1	—	3	2	3	2	4		
		F.	1	—	—	1	—	1	—	1	3		
162.1	Bronchus and lung	M.	1,879	1,775	1,674	1,514	1,514	1,463	1,228	1,098	932		
		F.	335	303	304	285	295	299	241	266	248		
162.2	Pleura	M.	5	2	2	1	—	3	2	1	2		
		F.	2	1	2	1	—	1	1	1	1		
162.8	Multiple sites*	M.	2										
		F.	1										
163	Lung, unspecified as to whether primary or secondary	M.	—	—	—	—	—	4	42	48	168		
		F.	—	—	—	—	—	—	4	10	43		

164	Mediastinum	F.	1	5	4	6	10	10	14	11	16
		M.	8	8	8	2	4	1	1	1	—
165	Thoracic organs (secondary)	F.	8	2	3	4	8	—	—	—	—
	Malignant neoplasm of breast and genito-urinary organs (170-181)	M.	718	719	739	636	658	638	591	594	591
		F.	1,766	1,841	1,802	1,802	1,827	1,695	1,701	1,650	1,680
170	Breast	M.	6	4	7	6	6	6	8	6	8
		F.	869	940	896	838	883	822	823	800	821
171	Cervix uteri	F.	218	232	254	229	229	245	228	187	208
172	Corpus uteri	F.	41	30	32	39	31	22	27	26	18
173	Other parts of uterus, including chorion-epithelioma	F.	1	1	2	3	3	4	14	11	14
174	Uterus, unspecified	F.	152	159	199	220	213	205	206	228	225
175	Ovary, Fallopian tube, and broad ligament	F.	279	290	251	254	261	216	226	215	226
175.0	Ovary	F.	278	Fourth-digit sub-division of rubric 175 introduced in Seventh Revision							
175.1	Fallopian tube and broad ligament	F.	—								
175.9	Multiple* and unspecified sites (175.8)	F.	1								
176	Other and unspecified female genital organs	F.	52	41	42	54	37	35	49	55	49
177	Prostate	M.	376	373	418	328	343	341	304	314	317
178	Testis	M.	26	22	27	14	18	34	24	23	33
179	Other and unspecified male genital organs	M.	10	12	15	15	26	14	18	17	30
179.0	Penis	M.	3	11	11	10	20	9	15	12	22
179.1	Scrotum	M.	7	1	3	5	5	5	2	5	7
179.9	Other specified, multiple* and unspecified sites (179.7.8)	M.	—	—	1	—	1	—	1	—	1
180	Kidney	M.	109	110	116	107	79	91	66	82	74
		F.	64	63	51	74	78	63	56	58	52
181	Bladder and other urinary organs	M.	191	198	156	166	186	152	171	152	129
		F.	90	85	75	91	92	83	72	70	67
181.0	Bladder	M.	191	198	153	161	186	151	168	149	126
		F.	90	82	73	90	92	81	70	65	62
181.7	Other urinary organs	M.	—	—	3	5	—	1	3	3	3
		F.	—	3	2	1	—	2	2	5	5
181.8	Multiple sites*	M.	—								
		F.	—								
	Malignant neoplasms of other and unspecified sites (190-199)	M.	323	284	304	323	319	304	290	322	297
		F.	303	293	265	265	283	265	300	296	260
190	Malignant melanoma of skin	M.	22	19	21	22	13	22	16	7	2
		F.	27	22	21	19	21	14	9	10	10
191	Other malignant neoplasms of skin	M.	50	40	37	36	58	46	39	48	44
		F.	41	29	33	40	36	28	38	48	45
191.3	Face (191.0–2)	M.	34	20	14	12	34	22	14	26	20
		F.	12	9	16	17	13	12	10	15	22
191.9	Other specified, multiple* and unspecified sites (191.4–8)	M.	16	20	23	24	24	24	25	22	24
		F.	29	20	17	23	23	16	28	33	23
192	Eye	M.	4	7	3	10	6	8	9	5	8
		F.	5	9	9	7	6	3	6	7	3

*During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	II. NEOPLASMS (140-239)—*continued*										
	Malignant neoplasms of other and unspecified sites (190-199)—*continued*										
193	Brain and other parts of nervous system	M.	109	90	110	111	122	93	86	87	91
		F.	75	89	77	64	62	79	83	48	56
193.0	Brain	M.	91	83	100	99	117	85	78	81	79
		F.	63	87	70	59	58	70	77	44	52
193.1	Spinal cord and meninges† (193.2)	M.	4	—	—	4	3	5	6	4	5
		F.	1	1	1	1	3	8	5	3	4
193.9	Other specified, multiple* and unspecified sites (193.3.4.8)	M.	14	7	10	8	2	3	2	2	7
		F.	11	1	6	4	1	1	1	1	—
194	Thyroid gland	M.	11	11	22	10	10	13	11	13	15
		F.	39	45	39	35	36	36	43	42	35
195	Other endocrine glands	M.	3	9	4	5	3	11	7	8	8
		F.	9	7	5	8	5	6	10	5	6
196	Bone (including jaw bone)	M.	56	61	67	90	62	55	60	86	68
		F.	43	42	40	50	63	42	53	56	44
196a	Skull and face (excluding maxilla superior)**	M.	5	—	—	—	—	—	—	—	—
		F.	4	—	—	—	—	—	—	—	—
196b	Jaw	M.	10	12	14	19	11	12	11	26	10
		F.	5	3	2	8	13	6	2	6	3
196.2	Vertebral column (excluding sacrum and coccyx)	M.	5	12	16	8	12	9	11	14	8
		F.	9	11	11	8	13	10	11	17	7
196.9	Other specified, multiple* and unspecified sites (196.3–8)	M.	36	37	37	63	39	34	38	46	50
		F.	25	28	27	34	37	26	40	33	34
197	Connective tissue	M.	13	17	14	8	12	17	12	8	10
		F.	6	15	14	6	12	11	11	8	13
198	Secondary and unspecified of lymph nodes	M.	11	3	8	5	5	7	5	9	12
		F.	4	3	6	2	8	5	4	7	10
199	Other and unspecified sites	M.	44	27	18	26	28	32	45	51	39
		F.	54	32	21	34	34	41	43	65	38
199a	Other sites	M.	18	20	12	23	23	25	34	42	33
		F.	19	23	19	28	28	34	35	54	35
199b	Unspecified site	M	26	7	6	3	5	7	11	9	6
		F.	35	9	2	6	6	7	8	11	3
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)	M.	306	284	298	307	292	264	262	238	241
		F.	254	247	244	223	210	196	201	208	167
200	Lymphosarcoma and reticulosarcoma	M.	66	47	47	67	51	58	50	41	44
		F.	50	49	49	36	46	37	30	28	23
201	Hodgkin's disease	M.	60	50	61	60	45	51	68	47	55
		F.	36	32	43	44	27	38	46	40	32
202	Other forms of lymphoma (reticulosis)	M.	14	17	19	16	16	17	15	17	9
		F.	15	14	14	10	11	11	7	10	9

203	Multiple myeloma (plasmacytoma)	F.	28	39	27	24	27	27	19	19	19		
204	Leukæmia and aleukæmia	M.	137	142	130	138	149	118	108	109	113		
		F.	122	109	111	109	98	78	104	111	87		
204.0	Lymphatic leukæmia	M.	34	56	62	50	59	43	41	47	41		
		F.	23	40	41	31	32	23	27	36	31		
204.1	Myeloid leukæmia	M.	26	42	28	43	31	39	25	24	30		
		F.	29	23	36	40	30	27	32	34	23		
204.2	Monocytic leukæmia	M.	13										
		F.	5										
204.3	Acute leukæmia	M.	50	†† 44	40	45	59	36	42	38	42		
		F.	45	46	34	38	36	28	45	41	33		
204.4	Other and unspecified leukæmia	M.	14										
		F.	20										
205	Mycosis fungoides	M.	2	4	2	1	3	—	4	—	2		
		F.	3	4	—	—	1	3	1	2	1		
	Benign neoplasm (210-229)	M.	26	40	45	26	34	24	43	32	48		
		F.	39	55	72	55	52	50	61	66	95		
210	Buccal cavity and pharynx	M.	—	—	—	—	—	—	1	—	1		
		F.	—	—	—	1	—	1	—	—	—		
211	Other parts of digestive system	M.	1	3	3	2	3	—	5	1	4		
		F.	—	2	1	6	3	4	6	2	4		
212	Respiratory system	M.	2	3	1	—	4	3	1	3	4		
		F.	3	2	1	—	2	—	3	2	2		
213	Breast	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	1	—	1	—		
214	Uterine fibromyoma	F.	3	8	10	11	8	12	6	8	24		
215	Other uterus	F.	1	2	—	—	3	1	1	1	1		
216	Ovary	F.	10	12	21	13	11	10	19	21	24		
217	Other female genital organs	F.	1	—	—	—	—	—	—	—	—		
218	Male genital organs	M.	—	1	—	1	—	—	—	2	—		
219	Kidney and other urinary organs	M.	6	8	10	10	6	6	9	14	17		
		F.	1	4	4	3	4	1	5	5	6		
219a	Bladder	M.	6	6	8	9	5	6	9	14	16		
		F.	1	3	3	3	3	1	4	5	6		
219b	Kidney and other urinary organs	M.	—	2	2	1	1	—	—	—	1		
		F.	—	1	1	—	1	—	1	—	—		
220	Benign melanoma of skin	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
221	Pilonidal cyst	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	1		
222	Other skin	M.	—	—	1	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
223	Brain and other parts of nervous system	M.	12	17	20	6	14	9	16	9	12		
		F.	15	20	24	14	15	16	15	14	22		
224	Endocrine glands	M.	3	2	6	4	3	4	3	2	4		
		F.	2	2	3	3	3	3	3	7	6		
225	Bone and cartilage	M.	—	1	2	—	—	1	1	—	1		
		F.	—	1	3	—	1	1	1	2	—		
226	Lipoma	M.	—	1	—	1	1	1	1	—	—		
		F.	—	—	—	—	—	—	—	1	1		

† During 1950-1957 malignant neoplasm of meninges was allocated to "193c other parts of nervous system."

* During 1950-1957 any "multiple sites" cases would have been classified to site first named on death certificate.

** 196, Fourth-digit subdivision of this rubric was introduced in Seventh Revision, but prior to 1958 there was a Scottish subdivision: a. Jaw (including maxilla, inferior, superior) b. Spine; c. Others. In order to preserve the Scottish series of these deaths the Seventh Revision subdivision .0 Skull and face (including maxilla superior) and .1 Lower jaw-bone, have not been adopted.

†† During 1950-1957 rubrics 204.2.3.4 were amalgamated and designated "204.4(2.3) Other and unspecified leukaemia."

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	II. NEOPLASMS (140-239)—*continued*										
	Benign neoplasm (210-229)—*continued*										
227	Other muscular and connective tissue	M.	—	1	—	—	1	—	—	—	—
		F.	3	—	2	1	—	—	—	—	1
228	Hæmangioma and lymphangioma	M.	2	3	2	2	2	—	5	1	4
		F.	—	1	3	2	2	—	—	2	1
229	Other and unspecified organs and tissues	M.	—	—	—	—	—	—	1	—	1
		F.	—	1	—	1	—	—	2	—	2
	Neoplasm of unspecified nature (230-239)	M.	12	19	10	15	16	14	18	31	37
		F.	17	19	19	18	21	18	23	40	41
230	Digestive organs	M.	1	2	—	1	1	—	—	2	6
		F.	—	—	1	1	1	3	—	8	10
231	Respiratory organs	M.	—	—	—	—	1	1	1	8	11
		F.	—	—	1	1	1	—	1	2	1
232	Breast	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
233	Uterus	F.	—	—	—	—	—	—	—	1	—
234	Ovary	F.	1	—	4	—	3	2	—	1	2
235	Other female genital organs	F.	—	—	—	—	1	—	—	—	—
236	Other genito-urinary organs	M.	1	—	—	—	1	—	3	2	3
		F.	—	—	1	1	—	—	—	2	1
236a	Bladder	M.	1	—	—	—	1	—	2	2	1
		F.	—	—	1	1	—	—	—	1	—
236b	Other genito-urinary organs	M.	—	—	—	—	—	—	1	—	2
		F.	—	—	—	—	—	—	—	1	1
237	Brain and other parts of nervous system	M.	9	15	10	12	12	10	12	17	17
		F.	13	17	12	12	13	13	19	23	26
238	Skin and musculoskeletal system	M.	—	1	—	2	—	—	1	—	—
		F.	1	—	—	2	—	—	1	1	—
239	Other unspecified organs	M.	1	1	—	—	1	3	1	2	—
		F.	2	2	—	1	2	—	2	2	1
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)	M.	305	306	299	312	292	289	337	411	377
		F.	594	570	566	579	575	522	612	705	698
	Allergic disorders (240-245)	M.	94	106	117	110	113	114	150	187	174
		F.	75	95	132	117	146	117	155	186	167
240	Hay fever	M.	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	1

243	Urticaria	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
244	Allergic eczema	M.	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—
245	Other allergic disorders	M.	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	1	—	—	—	—
	Diseases of thyroid gland (250-254)	M.	9	14	6	17	5	7	9	15	15
		F.	95	67	60	80	65	51	72	72	87
250	Simple goitre	M.	1	1	—	1	—	—	—	1	—
		F.	3	1	3	3	2	2	1	1	—
251	Non-toxic nodular goitre	M.	—	—	—	—	—	—	—	—	1
		F.	1	1	4	5	5	1	—	3	3
252	Thyrotoxicosis with or without goitre	M.	2	6	2	8	3	2	6	5	8
		F.	22	28	14	24	24	16	23	31	37
253	Myxœdema and cretinism	M.	6	7	4	8	1	5	3	6	6
		F.	67	35	38	45	34	29	45	36	46
254	Other diseases of thyroid gland	M.	—	—	—	—	1	—	—	3	—
		F.	2	2	1	3	—	3	3	1	1
260	*Diabetes mellitus*	M.	155	145	129	141	128	129	142	169	162
		F.	373	360	344	318	317	310	335	390	403
	Diseases of other endocrine glands (270-277)	M.	14	15	15	13	19	16	11	14	12
		F.	14	23	17	26	24	21	30	29	23
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	2	2	—	1	1	2	—	—	—
		F.	1	—	—	—	1	—	—	1	2
271	Diseases of parathyroid gland	M.	—	—	—	—	1	—	1	—	—
		F.	—	1	2	1	1	—	2	—	—
272	Diseases of pituitary gland	M.	9	3	7	6	9	4	5	2	4
		F.	9	11	5	16	12	9	10	12	9
273	Diseases of thymus gland	M.	1	1	4	—	2	3	2	8	5
		F.	—	1	3	—	3	3	3	4	4
274	Diseases of adrenal glands	M.	2	8	4	5	6	5	3	2	2
		F.	4	6	5	7	6	9	13	9	8
275	Ovarian dysfunction	F.	—	—	—	—	—	—	—	—	—
276	Testicular dysfunction	M.	—	—	—	—	—	—	—	—	—
277	Polyglandular dysfunction and other diseases of endocrine glands	M.	—	1	—	1	—	2	—	2	1
		F.	—	4	2	2	1	—	2	3	—
	Avitaminoses and other metabolic diseases (280-289)	M.	33	26	32	31	27	23	25	26	14
		F.	37	25	13	38	23	23	20	28	18
280	Beriberi	M.	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
281	Pellagra	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
282	Scurvy	M.	—	2	1	1	2	—	1	1	1
		F.	—	—	1	2	—	—	2	1	1
283	Active rickets	M.	—	—	1	—	1	—	—	—	2
		F.	—	—	—	—	—	—	—	—	—

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES (240-289)—*continued*										
	Avitaminoses and other metabolic diseases—(280-289)—continued										
284	Late effects of rickets	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	1	—	—	—	—	—
285	Osteomalacia	M.	—	—	—	1	—	—	—	—	—
		F.	—	—	1	—	1	—	—	1	1
286	Other avitaminoses and nutritional deficiency states	M.	19	12	17	14	11	11	11	16	7
		F.	22	10	4	20	11	13	6	17	8
287	Obesity, not specified as of endocrine origin	M.	—	—	1	2	—	1	—	—	1
		F.	5	2	4	6	2	2	1	1	2
288	Gout	M.	—	1	—	1	1	—	—	1	—
		F.	—	2	—	—	—	—	—	—	—
289	Other metabolic diseases	M.	14	11	12	12	11	11	13	8	3
		F.	10	11	3	9	8	8	11	8	6
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (290-299)	M.	**85**	**84**	**106**	**98**	**99**	**95**	**114**	**136**	**174**
		F.	**192**	**174**	**181**	**161**	**207**	**179**	**209**	**266**	**242**
290	Pernicious and other hyperchromic anæmias	M.	42	40	48	36	46	46	61	74	98
		F.	119	80	101	85	104	90	106	160	133
290a	Pernicious and other hyperchromic anæmias	M.	42	40	48	34	43	41	58	70	94
		F.	118	78	97	81	99	87	97	156	128
290b	Subacute combined degeneration of spinal cord without mention of pernicious anæmia	M.	—	—	—	2	3	5	3	4	4
		F.	1	2	4	4	5	3	9	4	5
291	Iron deficiency anæmias (hypochromic anæmias)	M.	—	3	5	3	4	5	4	7	6
		F.	10	6	13	9	3	6	7	12	15
292	Other anæmias of specified type	M.	16	19	21	23	20	14	21	24	26
		F.	23	29	29	20	36	30	42	31	34
292.4	Aplastic anæmia	M.	10	9	35	33	Prior to 1955 and 1955 fourth digit subdivisions were not available.				
		F.	12	16							
292.7	Other anæmias included under 292 (292.0–3, 5–7)	M.	6	10	15	10					
		F.	11	13							
293	Anæmia of unspecified type	M.	11	10	14	17	9	9	6	11	14
		F.	18	27	14	23	26	20	22	26	31
294	Polycythæmia	M.	5	4	2	6	1	2	2	1	4
		F.	3	7	5	5	4	—	3	4	3
295	Hæmophilia	M.	1	1	1	—	2	1	4	1	5
		F.	—	—	—	—	—	—	—	—	—
296	Purpura and other hæmorrhagic con-	M.	4	5	11	5	9	9	6	10	

		F.	3	4	1	3	6	8	1	7	—
298	Diseases of spleen	M.	4	1	2	7	4	6	8	9	9
		F.	7	11	6	7	18	16	15	15	14
299	Other diseases of blood and blood-forming organs	M.	1	—	—	—	—	1	—	—	—
		F.	3	—	1	—	—	2	—	—	1
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS (300-326)	M.	92	55	73	67	57	55	53	61	78
		F.	79	77	80	91	67	76	79	93	117
	Psychoses (300-309)	M.	65	29	48	37	34	25	23	37	58
		F.	59	54	63	63	54	59	64	82	98
300	Schizophrenic disorders (dementia præcox)	M.	3	5	8	6	2	2	1	3	2
		F.	2	3	4	6	7	1	8	4	5
301	Manic-depressive reaction	M.	1	1	4	8	1	4	4	4	1
		F.	3	4	4	8	5	4	13	11	12
302	Involutional melancholia	M.	1	—	—	—	—	—	—	—	—
		F.	1	2	3	—	—	1	—	3	1
303	Paranoia and paranoid states	M.	—	—	—	—	—	—	—	—	—
		F.	1	2	2	1	—	—	2	—	—
304	Senile psychosis	M.	42	14	17	19	22	10	12	20	39
		F.	40	32	42	27	31	33	25	48	56
305	Presenile psychosis	M.	3	3	8	2	5	4	2	3	5
		F.	8	7	5	17	5	8	8	7	9
307	Alcoholic psychosis	M.	2	3	4	1	3	1	—	2	—
		F.	—	—	—	—	—	—	—	—	1
309	Other and unspecified psychoses	M.	13	3	7	1	1	4	4	5	11
		F.	4	4	3	4	6	12	8	9	14
310-318	*Psychoneurotic disorders*	M.	3	3	1	4	2	1	3	3	3
		F.	2	8	5	7	1	3	4	4	6
	Disorders of character, behaviour and intelligence (320-326)	M.	24	23	24	26	21	29	27	21	17
		F.	18	15	12	21	12	14	11	7	13
320	Pathological personality	M.	—	—	—	—	—	—	—	—	—
		F.	—	1	1	—	—	—	—	—	—
321	Immature personality	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
322	Alcoholism	M.	13	8	11	10	11	16	10	11	10
		F.	7	6	5	7	5	3	4	—	3
323	Other drug addiction	M.	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	1	1	—	—	—
324	Primary childhood behaviour disorders	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
325	Mental deficiency	M.	11	15	13	16	10	13	16	10	7
		F.	11	8	6	14	6	10	7	7	10
326	Other and unspecified character, behaviour, and intelligence disorders	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—

310, Anxiety reaction without mention of somatic symptoms, 1952, 1, *1*; 1953, *1*; 1954, 1; 1958, 2, *1*.

311, Hysterical reaction without mention of anxiety reaction, 1950, *1*; 1951, 1, *2*; 1952, 1, *3*; 1953, *2*; 1954, 1, *1*; 1955, 1, *5*; 1956, *3*; 1957, *2*; 1958, 1.

312, Phobic reaction, —.

313, Obsessive-compulsive reaction, 1957, 1.

314, Neurotic-depressive reaction, 1953, 1.

315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1950, *1*.

316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 1950, 1, *2*; 1951, *1*; 1955, 1, *1*; 1956, 1, *1*; 1957, 2, *1*.

317, Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems, 1950, 1, *1*; 1955, *1*; 1956, *1*; 1958, *1*.

318, Psychoneurotic disorders, other, mixed and unspecified types, 1950, 1, *1*; 1951, 2, *1*; 1952, 1; 1955, 2; 1957, *5*.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (330-398)	M.	**4,485**	**4,377**	**4,435**	**4,396**	**4,373**	**4,198**	**4,311**	**4,364**	**4,111**
		F.	**6,282**	**5,933**	**5,995**	**6,006**	**6,018**	**5,533**	**5,676**	**5,830**	**5,604**
	Vascular lesions affecting central nervous system (330-334)	M.	4,111	4,030	4,076	4,020	3,953	3,781	3,859	3,863	3,635
		F.	5,871	5,536	5,604	5,587	5,609	5,114	5,228	5,259	5,097
330	Subarachnoid hæmorrhage	M.	108	82	118	94	82	77	69	72	45
		F.	165	137	125	119	122	106	102	93	83
331	Cerebral hæmorrhage	M.	1,595	1,566	1,740	1,730	1,732	1,761	1,813	1,856	1,811
		F.	2,403	2,293	2,428	2,451	2,614	2,475	2,553	2,661	2,713
332	Cerebral embolism and thrombosis	M.	2,039	2,056	1,882	1,888	1,826	1,640	1,705	1,708	1,626
		F.	2,834	2,726	2,659	2,655	2,503	2,211	2,319	2,278	2,095
333	Spasm of cerebral arteries	M.	—	1	—	2	—	2	1	1	1
		F.	—	—	1	—	1	—	—	—	—
334	Other and ill-defined vascular lesions affecting central nervous system	M.	369	325	336	306	313	301	271	226	152
		F.	469	380	391	362	369	322	254	227	206
	Inflammatory diseases of central nervous system (340-345)	M.	135	124	103	117	145	139	149	138	116
		F.	140	141	129	145	150	138	144	171	139
340	Meningitis, except meningoccocal and tuberculous	M.	26	33	27	30	36	30	44	31	31
		F.	32	26	18	18	23	19	28	28	27
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M.	1	7	—	1	3	3	4	—	3
		F.	—	2	—	2	—	5	2	7	2
342	Intracranial and intraspinal abscess	M.	14	7	6	4	5	14	11	12	13
		F.	12	6	4	7	4	5	7	7	3
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	7	13	11	17	22	17	16	27	17
		F.	10	9	11	16	14	16	20	20	16
344	Late effects of intracranial abscess or pyogenic infection	M.	2	4	3	3	3	5	2	—	—
		F.	2	5	3	5	5	7	2	3	1
345	Multiple sclerosis	M.	85	60	56	62	76	70	72	68	52
		F.	84	93	93	97	104	86	85	106	90
	Other diseases of central nervous system (350-357)	M.	215	208	236	241	251	257	277	337	330
		F.	258	243	245	265	245	261	285	376	347
350	Paralysis agitans	M.	78	70	83	72	71	87	77	80	80
		F.	99	89	90	98	89	97	82	101	105
351	Cerebral spastic infantile paralysis	M.	14	16	12	13	16	9	14	11	17
		F.	12	13	9	11	11	8	8	12	12
352	Other cerebral paralysis	M.	31	21	27	36	39	35	42	93	82
		F.	32	43	29	49	49	46	62	137	118
353	Epilepsy	M.	38	44	48	47	65	61	60	73	64
		F.	52	41	54	53	52	45	66	55	60
354	Migraine	M.	—	—	—	—	—	—	2	—	—
		F.	—	—	—	—	—	—	—	—	—
355	Other diseases of brain	M.	19	21	16	23	23	26	36	36	31

357	Other diseases of spinal cord	M.	8	8	7	6	3	2	3	7	2
		F.	6	5	7	6	3	2	3	7	2
	Diseases of nerves and peripheral ganglia (360-369)	M.	11	3	7	1	5	10	13	11	11
		F.	7	6	6	2	4	11	14	7	7
360	Facial paralysis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
361	Trigeminal neuralgia	M.	—	—	—	—	—	—	—	—	1
		F.	1	1	—	—	—	1	1	—	—
362	Brachial neuritis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	1	—
363	Sciatica	M.	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—
364	Polyneuritis and polyradiculitis	M.	7	3	2	1	3	2	9	4	2
		F.	4	2	4	1	1	3	3	3	2
365	Erythrœdema polyneuritica	M.	—	—	—	—	2	5	2	4	1
		F.	—	1	1	—	2	4	5	—	2
366	Other and unspecified forms of neuralgia and neuritis	M.	4	—	5	—	—	3	2	2	5
		F.	1	1	1	1	1	3	5	2	3
367	Other diseases of cranial nerves	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	1	—
368	Other diseases of peripheral nerves except autonomic	M.	—	—	—	—	—	—	—	—	1
		F.	1	1	—	—	—	—	—	—	—
369	Diseases of peripheral autonomic nervous system	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—
370-389	*Inflammatory and other diseases and conditions of eye*	M.	3	2	3	—	2	1	—	3	2
		F.	3	2	6	2	3	4	4	4	3
	Diseases of ear and mastoid process (390-398)	M.	10	10	10	17	17	10	13	12	17
		F.	3	5	5	5	7	5	1	13	11
390	Otitis externa	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	1	—	—	—
391	Otitis media without mention of mastoiditis	M.	7	8	8	15	12	7	11	7	11
		F.	3	4	4	5	6	4	1	13	6
392	Otitis media with mastoiditis	M.	—	—	—	—	1	—	1	1	1
		F.	—	—	—	—	—	—	—	—	—
393	Mastoiditis without mention of otitis media	M.	1	2	2	2	4	2	1	4	4
		F.	—	1	—	—	1	—	—	—	3
394	Other inflammatory diseases of ear	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	1	—	—	—	—	—	2
395	Ménière's disease	M.	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
396	Other diseases of ear and mastoid process	M.	1	—	—	—	—	1	—	—	1
		F.	—	—	—	—	—	—	—	—	—
397	Deaf mutism	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
398	Other deafness	M.	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—

370, Conjunctivitis and ophthalmia, 1950, *1*; 1956, *1*.
371, Blepharitis, —.
372, Hordeolum (stye), —.
373, Iritis, —.
374, Keratitis, —.
375, Choroiditis, —.
376, Other inflammation of uveal tract, 1954, *2*; 1956, *1*.
377, Inflammation of optic nerve and retina, —.
378, Inflammation of lachrymal glands and ducts, —.
379, Other inflammatory diseases of eye, 1953, 1; 1954, 1; 1955, *1*; 1958, 1.
380, Refractive errors, —.
381, Corneal ulcer, 1952, *1*.
382, Corneal opacity, 1953, *1*.
383, Pterygium, —.
384, Strabismus, 1950, 1; 1957, 1.
385, Cataract, 1950, *2*; 1951, 2, *3*; 1952, *3*; 1953, *1*; 1954, 1, *1*; 1955, *1*; 1956, 3, *2*; 1957, 1, *1*; 1958, 1, *2*.
386, Detachment of retina, 1956, *1*; 1957, *1*; 1958, *1*.
387, Glaucoma, 1950, 1; 1951, *1*; 1953, *2*; 1956, *1*; 1958, 1.
388, Other diseases of eye, 1951, 1.
389, Blindness, —.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)	M.	11,919	11,774	12,028	11,729	11,759	11,048	11,494	11,748	10,994
		F.	11,777	11,105	11,675	11,587	11,167	10,564	11,024	11,670	11,162
	Rheumatic fever (400-402)	M.	7	26	29	27	20	23	21	21	16
		F.	10	19	19	27	29	22	23	28	41
400	Rheumatic fever without mention of heart involvement	M.	—	1	1	1	1	4	—	3	2
		F.	—	—	—	1	1	1	1	1	7
401	Rheumatic fever with heart involvement	M.	7	23	28	26	17	19	21	15	14
		F.	10	19	18	26	28	21	22	24	33
402	Chorea	M.	—	2	—	—	2	—	—	3	—
		F.	—	—	1	—	—	—	—	3	1
	HEART DISEASE (410-443)	M.	10,824	10,685	10,815	10,540	10,522	9,945	10,371	10,787	10,086
		F.	10,522	9,880	10,336	10,350	9,868	9,409	9,844	10,715	10,217
	Chronic rheumatic heart disease (410-416)	M.	243	303	292	293	323	274	291	332	347
		F.	572	604	527	554	537	533	587	568	595
410	Diseases of mitral valve	M.	164	218	207	229	255	212	205	241	237
		F.	447	473	406	441	418	438	466	443	436
411	Diseases of aortic valve specified as rheumatic	M.	6	9	12	2	8	4	9	10	49
		F.	4	3	6	1	8	—	5	9	30
412	Diseases of tricuspid valve	M.	1	—	—	1	—	—	—	—	—
		F.	—	1	—	—	—	—	—	—	—
413	Diseases of pulmonary valve specified as rheumatic	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	1	—	—
414	Other endocarditis specified as rheumatic	M.	29	26	29	28	27	24	28	35	23
		F.	44	41	43	40	45	40	36	40	63
415	Other myocarditis specified as rheumatic	M.	14	12	14	9	8	8	18	7	15
		F.	12	17	18	23	19	16	27	25	26
416	Other heart disease specified as rheumatic	M.	29	38	30	24	25	26	31	39	23
		F.	65	69	54	49	47	39	52	51	40
	Arteriosclerotic and degenerative heart diseases (420-422)	M.	9,740	9,573	9,686	9,367	9,195	8,664	9,192	9,478	8,915
		F.	8,767	8,267	8,756	8,647	8,059	7,698	8,115	8,969	8,747
420	Arteriosclerotic heart disease including coronary disease	M.	6,359	5,942	5,819	5,458	5,416	4,919	4,991	4,801	4,275
		F.	3,958	3,571	3,611	3,281	3,168	2,795	2,866	2,660	2,502
420.0	Arteriosclerotic heart disease so described	M.	183	180	134	162	131	77	68	26	11
		F.	211	155	156	148	109	69	51	14	9
420.1	Coronary thrombosis (420.2)	M.	6,176	5,762	5,685	5,296	5,285	4,842	4,923	4,775	4,264
		F.	3,747	3,416	3,455	3,133	3,059	2,726	2,815	2,646	2,493
421	Chronic endocarditis not specified as rheumatic	M.	140	168	156	169	159	194	233	290	271
		F.	175	189	191	193	197	193	247	343	329
422	Other myocardial degeneration	M.	3,241	3,463	3,711	3,740	3,620	3,551	3,968	4,387	4,369
		F.	4,634	4,507	4,954	5,173	4,694	4,710	5,002	5,966	5,916
422.0	Fatty degeneration of heart	M.	4	6	10	8	6	8	9	16	12

		M.	1,397	1,546	1,662	1,669	1,640	1,751	1,862	2,271	2,347		
422.2	Other myocardial degeneration	F.	1,870	1,906	2,133	2,238	2,138	2,140	2,360	3,043	3,218		
		M.	362	298	292	324	578	585	522	609	593		
	Other diseases of heart (430-434)	F.	424	338	316	398	630	610	617	715	656		
		M.	16	20	21	16	14	20	14	23	22		
430	Acute and subacute endocarditis	F.	11	12	10	12	12	24	18	23	18		
431	Acute myocarditis not specified as rheumatic	M.	31	42	46	40	31	59	47	82	85		
		F.	39	37	44	57	47	65	72	79	97		
432	Acute pericarditis specified as non-rheumatic	M.	2	2	—	3	3	1	2	2	1		
		F.	2	—	1	—	4	2	4	—	4		
433	Functional disease of heart	M.	176	98	105	112	116	95	127	159	168		
		F.	255	174	164	181	159	159	190	288	250		
434	Other and unspecified diseases of heart	M.	137	136	120	153	414	410	332	343	317		
		F.	117	115	97	148	408	360	333	325	287		
434.0	Kyphoscoliotic heart disease	M.	10										
		F.	3										
434.1	Congestive heart failure	M.	40										
		F.	48										
434.2	Left ventricular failure	M.	47	During 1950-1957 deaths assigned to rubric 434 were not classified to the fourth digit subdivisions of the Sixth Revision.									
		F.	43										
434.3	Other disease of heart	M.	8										
		F.	8										
434.4	Unspecified disease of heart	M.	32										
		F.	15										
	Hypertensive heart disease (440-443)	M.	479	511	545	556	426	422	366	368	231		
		F.	759	671	737	751	642	568	525	463	219		
440	Essential benign hypertensive heart disease	M.	3	4	1	2	—	1	1	—	3		
		F.	10	2	1	—	1	—	5	1	4		
441	Essential malignant hypertensive heart disease	M.	3	11	9	12	10	8	3	7	6		
		F.	2	5	8	8	4	—	6	7	3		
442	Hypertensive heart disease with arteriolar nephrosclerosis	M.	23	23	42	32	21	45	39	23	37		
		F.	40	40	37	64	33	52	39	31	29		
443	Other and unspecified hypertensive heart disease	M.	450	473	493	510	395	368	323	338	185		
		F.	707	624	691	679	604	516	475	424	183		
	Other hypertensive disease (444-447)	M.	298	294	340	343	396	353	408	322	267		
		F.	339	330	369	367	437	400	427	326	272		
444	Essential benign hypertension	M.	163	125	128	122	139	137	86	128	21		
		F.	211	171	179	168	185	202	152	130	29		
445	Essential malignant hypertension	M.	65	48	51	50	51	51	34	25	16		
		F.	50	25	40	35	34	27	24	21	16		
446	Hypertension with arteriolar nephrosclerosis	M.	70	69	82	87	126	99	141	104	114		
		F.	76	56	67	71	118	88	95	90	97		
447	Other hypertensive disease	M	—	52	79	84	80	66	147	65	116		
		F.	2	78	83	93	100	83	156	85	130		

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	VII. DISEASES OF THE CIRCULATORY SYSTEM (400-468)—*continued*										
	Diseases of arteries (450-456)	M.	695	651	751	720	726	627	595	519	539
		F.	765	720	809	706	696	604	598	489	484
450	General arteriosclerosis	M.	574	544	608	615	604	538	512	427	432
		F.	663	622	704	623	594	533	516	397	398
451	Aortic aneurysm, non-syphilitic and dissecting aneurysm	M.	76	63	80	52	46	39	21	8	2
		F.	54	42	48	38	28	22	26	9	—
452	Other aneurysm, except of heart and aorta	M.	5	5	6	7	11	4	15	8	20
		F.	7	10	4	1	4	6	10	6	11
453	Peripheral vascular disease	M.	10	11	6	6	17	6	12	15	12
		F.	3	3	7	2	3	2	5	6	5
454	Arterial embolism and thrombosis	M.	7	8	17	11	11	9	7	16	15
		F.	19	14	15	11	19	6	12	19	18
455	Gangrene of unspecified cause	M.	14	14	27	17	22	17	21	38	51
		F.	8	19	13	19	24	24	21	37	43
456	Other diseases of arteries	M.	9	6	7	12	15	14	7	7	7
		F.	11	10	18	12	24	11	8	15	9
	Diseases of veins and other diseases of circulatory system (460-468)	M.	95	118	93	99	95	100	99	99	86
		F.	141	156	142	137	137	129	132	112	148
460	Varicose veins of lower extremities	M.	6	4	1	—	3	—	2	2	3
		F.	7	9	5	17	7	2	9	3	9
461	Hæmorrhoids	M.	1	—	1	1	—	3	—	2	1
		F.	—	—	—	1	1	—	—	—	1
462	Varicose veins of other specified sites	M.	2	10	3	11	7	5	3	2	3
		F.	1	3	4	3	2	4	6	6	3
463	Phlebitis and thrombophlebitis of lower extremities	M.	8	4	10	11	7	4	7	4	10
		F.	21	12	13	16	19	14	14	7	26
464	Phlebitis and thrombophlebitis of other sites	M.	4	4	10	3	5	8	7	6	5
		F.	10	13	13	6	6	10	15	14	19
465	Pulmonary embolism and infarction	M.	24	40	31	35	53	57	53	59	40
		F.	20	40	34	49	66	65	64	58	62
466	Other venous embolism and thrombosis	M.	46	53	32	26	17	18	18	18	17
		F.	76	72	66	42	31	32	18	22	21
467	Other diseases of circulatory system	M.	4	3	5	11	3	5	7	3	7
		F.	5	5	5	3	5	2	3	1	5
468	Certain diseases of lymph nodes and lymph channels	M.	—	—	—	1	—	—	2	3	—
		F.	1	2	2	—	—	—	3	1	2
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)	M.	3,250	3,244	2,971	2,834	2,595	2,519	2,822	3,522	3,038
		F.	1,905	2,030	1,878	1,879	1,735	1,786	2,034	2,878	2,356
	Acute upper respiratory infections (470-475)	M.	15	4	17	15	9	12	17	11	13
		F.	11	5	14	12	12	[illegible]	[illegible]	[illegible]	[illegible]

* 470	Acute nasopharyngitis (common cold)	M.	—	—	—	—	—	3	2	1	1
		F.	2	1	—	—	—	—	1	1	2
471	Acute sinusitis	M.	—	—	—	—	—	1	—	1	1
		F.	2	—	1	1	1	—	1	1	1
472	Acute pharyngitis	M.	1	—	3	2	2	1	—	—	1
		F.	1	1	3	2	—	2	2	1	1
473	Acute tonsillitis	M.	3	—	5	1	3	2	1	5	3
		F.	6	1	8	5	5	8	5	3	3
474	Acute laryngitis and tracheitis	M.	2	4	1	3	3	3	6	4	4
		F.	3	1	5	6	3	—	8	3	4
475	Acute upper respiratory infection of multiple or unspecified sites	M.	5	1	5	6	4	3	2	2	6
		F.									
	Influenza (480-483)	M.	73	335	106	96	75	134	141	431	152
		F.	70	345	156	116	101	138	175	527	234
480	Influenza with pneumonia	M.	35	206	35	40	36	49	49	153	70
		F.	33	200	60	40	39	44	59	198	82
481	Influenza with other respiratory manifestations, and influenza unqualified	M.	37	127	70	54	38	85	87	274	81
		F.	36	141	95	74	58	93	113	321	142
481a	Influenza with other respiratory manifestations	M.	13	51	31	17	13	27	28	108	24
		F.	5	44	27	23	13	36	41	115	59
481b	Influenza unqualified	M.	24	76	39	37	25	58	59	166	57
		F.	31	97	68	51	45	57	72	206	83
482	Influenza with digestive manifestations, but without respiratory symptoms	M.	—	—	1	2	1	—	1	3	—
		F	1	3	1	2	2	1	2	8	3
483	Influenza with nervous manifestations but without digestive or respiratory symptoms	M.	1	2	—	—	—	—	4	1	1
		F.	—	1	—	—	2	—	1	—	7
	Pneumonia (490-493)	M.	1,096	1,067	973	900	904	874	993	1,148	1,115
		F.	1,012	975	943	928	824	820	888	1,149	1,002
490	Lobar pneumonia	M.	207	207	223	191	167	176	187	208	254
		F.	164	162	168	175	124	134	172	195	171
491	Bronchopneumonia	M.	780	745	661	593	642	587	673	814	752
		F.	771	722	663	654	617	578	629	845	735
492	Primary atypical pneumonia	M.	7	11	11	8	1	5	12	4	8
		F.	4	10	3	5	3	5	5	7	3
493	Pneumonia, other and unspecified	M.	102	104	78	108	94	106	121	122	101
		F.	73	81	109	94	80	103	82	102	93
	Bronchitis (500-502)	M.	1,610	1,415	1,423	1,396	1,205	1,108	1,291	1,513	1,390
		F.	684	598	654	690	638	644	734	975	869
500	Acute bronchitis	M.	116	102	132	132	123	106	158	178	156
		F.	130	135	148	135	155	133	147	255	191
501	Bronchitis, unqualified	M.	77	103	99	73	117	162	172	263	280
		F.	69	58	82	110	108	136	138	240	238
501a	Bronchitis, unqualified	M.	28	38	36	35	57	72	84	110	140
		F.	26	26	44	52	51	60	62	110	124
501b	Bronchitis unqualified with heart disease	M.	49	65	63	38	60	90	88	153	140
		F.	43	32	38	58	57	76	76	130	114

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	VIII. DISEASES OF THE RESPIRATORY SYSTEM (470-527)—*continued*										
	Bronchitis (500-502)—*continued*										
502	Chronic bronchitis	M.	1,417	1,210	1,192	1,191	965	840	961	1,072	954
		F.	485	405	424	445	375	375	449	480	440
502a	Chronic bronchitis	M.	507	464	420	438	393	358	403	598	454
		F.	181	148	148	147	150	140	200	234	204
502b	Chronic bronchitis with heart disease	M.	910	746	772	753	572	482	558	474	500
		F.	304	257	276	298	225	235	249	246	236
	Other diseases of respiratory system (510-527)	M.	456	423	452	427	402	391	380	419	368
		F.	128	107	111	133	160	171	226	214	235
510	Hypertrophy of tonsils and adenoids	M.	1	—	4	1	4	1	2	1	2
		F.	2	2	—	1	1	1	3	1	3
511	Peritonsillar abscess (quinsy)	M.	—	—	—	—	1	—	2	1	1
		F.	—	—	—	—	2	—	2	1	1
512	Chronic pharyngitis and nasopharyngitis	M.	—	—	—	—	—	—	—	—	—
		F.	—	1	—	—	—	—	—	—	—
513	Chronic sinusitis	M.	—	1	1	—	1	—	—	1	2
		F.	—	1	—	4	—	1	—	1	2
514	Deflected nasal septum	M.	—	—	1	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	1	—
515	Nasal polyp	M.	—	—	—	1	1	—	—	1	—
		F.	—	—	—	—	—	—	—	—	3
516	Chronic laryngitis	M.	1	1	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
517	Other diseases of upper respiratory tract	M.	3	6	6	1	—	3	5	3	2
		F.	2	—	—	5	5	1	1	1	2
518	Empyema	M.	2	3	4	4	4	6	7	9	6
		F.	4	4	3	6	3	1	1	5	4
519	Pleurisy	M.	9	10	7	12	15	12	17	19	28
		F.	9	8	12	9	9	14	15	15	19
520	Spontaneous pneumothorax	M.	6	5	5	7	6	—	—	4	4
		F.	2	—	1	—	—	—	2	1	1
521	Abscess of lung	M.	7	7	8	8	7	4	7	13	10
		F.	8	6	5	1	6	3	4	7	10
522	Pulmonary congestion and hypostasis	M.	13	13	15	13	23	43	58	70	64
		F.	22	21	16	20	34	63	91	80	117
523	Pneumoconiosis due to silica and silicates (occupational)	M.	259	229	244	225	180	160	129	106	103
		F.	—	—	1	—	—	—	—	1	—
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	3	6	8	3	—	3	2	3	8
		F.	—	—	—	—	—	—	—	—	—
		M.	22	22	7	18	15	19	16	15	21

527	Other diseases of lung and pleural cavity	M.	48	64	67	63	56	60	31	78	50
		F.	14	18	24	29	41	31	32	42	22
	IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)	M.	**998**	**1,108**	**1,137**	**1,155**	**1,161**	**1,088**	**1,172**	**1,267**	**1,282**
		F.	**914**	**915**	**932**	**921**	**903**	**879**	**941**	**1,032**	**990**
	Diseases of buccal cavity and œsophagus (530-539)	M.	13	8	10	16	10	19	11	14	6
		F.	17	21	13	14	11	18	15	17	18
530	Dental caries	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	1	—	—	—	—
531	Abscesses of supporting structures of teeth	M.	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	1	—
532	Other inflammatory diseases of supporting structures of teeth	M.	—	—	—	—	—	1	2	—	—
		F.	—	—	—	—	—	—	1	1	1
533	Disorders of occlusion, eruption and tooth development	M.	—	—	—	1	—	—	—	1	—
		F.	—	—	—	—	1	—	—	1	—
534	Toothache from unspecified cause	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
535	Other diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—
536	Stomatitis	M.	1	—	—	—	—	1	1	—	—
		F.	1	1	1	2	—	1	1	1	1
537	Diseases of salivary glands	M.	1	1	1	2	2	—	2	2	1
		F.	6	3	4	4	5	4	4	6	5
538	Other diseases of buccal cavity	M.	2	—	—	—	—	1	—	1	—
		F.	1	1	—	1	—	1	1	1	3
539	Diseases of œsophagus	M.	9	7	9	13	8	16	6	9	3
		F.	9	16	8	7	4	12	8	6	8
	Diseases of stomach and duodenum (540-545)	M.	404	446	461	515	517	455	514	531	555
		F.	157	154	198	197	178	155	175	171	145
540	Ulcer of stomach	M.	148	157	166	181	184	168	185	220	215
		F.	90	81	103	103	105	82	93	82	82
541	Ulcer of duodenum	M.	241	268	267	311	308	256	299	266	296
		F.	55	58	72	71	59	55	62	51	36
542	Gastrojejunal ulcer	M.	7	6	11	7	5	7	4	3	3
		F.	3	1	3	1	1	—	—	1	—
543	Gastritis and duodenitis	M.	4	3	8	5	8	13	7	13	16
		F.	6	7	10	11	9	9	11	21	20
544	Disorders of function of stomach	M.	2	2	1	—	1	1	3	4	2
		F.	1	—	4	4	—	—	2	4	—
545	Other diseases of stomach and duodenum	M.	2	10	8	11	11	10	16	25	23
		F.	2	7	6	7	4	9	7	12	7
	Appendicitis (550-553)	M.	48	68	63	51	49	62	64	64	81
		F.	37	35	28	36	57	52	54	54	73
550	Acute appendicitis	M.	44	66	57	44	42	50	56	61	76
		F.	35	33	23	32	48	42	42	48	66
551	Appendicitis, unqualified	M.	3	1	6	6	5	10	8	3	2
		F.	2	2	5	3	8	8	10	5	3

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	IX. DISEASES OF THE DIGESTIVE SYSTEM (530-587)—*continued*										
	Appendicitis (550-553—*continued*										
552	Other appendicitis	M.	—	1	—	1	2	1	—	—	2
		F.	—	—	—	—	1	1	2	—	4
553	Other diseases of appendix	M.	1	—	—	—	—	1	—	—	1
		F.	—	—	—	1	—	1	—	1	—
	Hernia of abdominal cavity (560-561)	M.	76	84	79	78	75	69	80	96	91
		F.	82	105	105	99	87	88	104	88	87
560	Hernia of abdominal cavity without mention of obstruction	M.	29	24	25	23	17	22	25	37	24
		F.	26	23	26	24	18	17	28	25	25
561	Hernia of abdominal cavity with obstruction	M.	47	60	54	55	58	47	55	59	67
		F.	56	82	79	75	69	71	76	63	62
	Other diseases of intestines and peritoneum (570-578)	M.	236	287	287	312	306	287	310	356	371
		F.	286	256	284	305	263	290	313	384	376
570	Intestinal obstruction without mention of hernia	M.	96	135	121	119	137	119	127	107	100
		F.	99	99	98	103	109	121	113	103	92
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M.	29	35	61	79	57	74	87	119	154
		F.	31	25	39	41	35	52	56	79	110
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over	M.	27	21	18	24	17	22	20	41	28
		F.	27	17	30	44	21	32	36	66	60
572	Chronic enteritis and ulcerative colitis	M.	56	75	57	55	62	40	39	47	52
		F.	104	86	89	93	72	63	72	86	73
573	Functional disorders of intestines	M.	1	1	—	2	—	—	1	1	—
		F.	—	2	1	1	2	1	—	5	2
574	Anal fissure and fistula	M.	—	—	—	—	1	1	1	1	—
		F.	—	1	—	—	—	1	—	—	1
575	Abscess of anal and rectal regions	M.	2	—	1	2	2	—	1	1	1
		F.	2	1	—	—	3	—	3	1	3
576	Peritonitis	M.	7	8	6	5	7	10	22	25	19
		F.	5	5	10	6	7	2	18	21	15
577	Peritoneal adhesion	M.	2	—	1	2	4	2	—	—	4
		F.	—	—	—	—	1	—	—	3	1
578	Other diseases of intestines and peritoneum	M.	16	12	22	24	19	19	12	14	13
		F.	18	20	17	17	13	18	15	20	19
	Diseases of liver, gallbladder, and pancreas (580-587)	M.	221	215	237	183	204	196	193	206	178
		F.	335	344	304	270	307	276	280	318	291
580	Acute and subacute yellow atrophy of liver	M.	8	7	11	6	6	7	7	15	6
		F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

582	Suppurative hepatitis and liver abscess	M.	2	4	1	3	1	1	4	4	3
		F.	—	1	4	3	—	1	3	2	4
583	Other diseases of liver	M.	8	4	4	5	8	6	6	6	7
		F.	8	7	11	6	8	9	5	11	15
584	Cholelithiasis	M.	41	21	28	20	20	28	17	22	16
		F.	59	72	58	57	55	52	58	62	53
585	Cholecystitis and cholangitis without mention of calculi	M.	24	22	21	38	32	27	33	32	27
		F.	92	78	81	72	85	86	93	97	109
586	Other diseases of gallbladder and biliary ducts	M.	1	3	8	7	7	6	12	13	11
		F.	10	12	7	10	18	13	10	21	9
587	Diseases of pancreas	M.	34	30	36	18	35	20	14	19	10
		F.	33	45	46	28	40	29	28	34	25
	X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)	M.	**767**	**801**	**862**	**868**	**879**	**819**	**879**	**916**	**1017**
		F.	**404**	**438**	**466**	**446**	**467**	**489**	**452**	**535**	**530**
	Nephritis and nephrosis (590-594)	M.	222	252	264	267	277	270	266	298	325
		F.	195	259	264	263	293	310	302	352	374
590	Acute nephritis	M.	16	13	13	17	22	24	14	24	23
		F.	14	6	12	21	25	22	22	27	26
591	Nephritis with œdema, including nephrosis	M.	21	21	27	18	20	19	14	4	5
		F.	11	16	22	24	18	25	8	10	10
592	Chronic nephritis	M.	165	186	199	211	211	200	204	240	264
		F.	133	204	205	200	218	234	242	281	307
593	Nephritis not specified as acute or chronic	M.	20	32	22	21	21	25	32	27	30
		F.	35	33	23	16	28	27	29	32	28
594	Other renal sclerosis	M.	—	—	3	—	3	2	2	3	3
		F.	2	—	2	2	4	2	1	2	3
	Other diseases of urinary system (600-609)	M.	151	146	164	140	154	145	138	157	145
		F.	178	152	170	151	148	147	113	145	117
600	Infections of kidney	M.	84	82	74	74	67	62	49	51	52
		F.	145	109	122	97	94	95	71	75	67
601	Hydronephrosis	M.	9	14	10	6	13	10	17	8	7
		F.	12	15	7	6	7	8	5	8	6
602	Calculi of kidney and ureter	M.	12	11	20	15	11	15	14	24	14
		F.	4	4	14	20	16	16	11	30	13
603	Other diseases of kidney and ureter	M.	5	3	1	3	6	1	4	3	8
		F.	5	3	1	8	5	7	5	2	2
604	Calculi of other parts of urinary system	M.	6	2	8	6	1	1	2	5	5
		F.	—	2	1	2	—	1	1	—	—
605	Cystitis	M.	16	12	24	16	19	24	26	31	31
		F.	5	14	13	13	23	17	15	21	24
606	Other diseases of bladder	M.	8	4	8	9	17	17	14	24	14
		F.	1	2	6	3	2	1	2	7	2
607	Urethritis (non-venereal)	M.	—	—	—	—	—	—	1	—	2
		F.	—	—	—	—	—	—	—	—	—
608	Stricture of urethra	M.	4	11	11	6	12	10	4	10	7
		F.	—	—	—	—	—	—	2	1	—
609	Other diseases of urethra	M.	7	7	8	5	8	5	7	1	5
		F.	6	3	6	2	1	2	1	1	3

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	X. DISEASES OF THE GENITO-URINARY SYSTEM (590-637)—*continued*										
	Diseases of male genital organs (610-617)	M.	394	403	434	461	448	404	475	461	547
610	Hyperplasia of prostate	M.	382	389	421	451	430	395	453	425	509
611	Prostatitis	M.	9	11	8	6	12	8	18	13	14
612	Other diseases of prostate	M.	1	3	3	3	4	1	2	20	20
613	Hydrocele	M.	—	—	1	—	—	—	—	—	1
614	Orchitis and epididymitis	M.	—	—	—	—	—	—	—	1	1
615	Redundant prepuce and phimosis	M.	—	—	—	—	1	—	—	—	1
616	Sterility, male	M.	—	—	—	—	—	—	—	—	—
617	Other diseases of male genital organs	M.	2	—	1	1	1	—	2	2	1
	Diseases of breast, ovary, Fallopian tube and parametrium (620-626)	F.	9	7	9	10	10	12	15	13	10
620	Chronic cystic disease of breast	F.	—	—	—	—	—	—	—	—	—
621	Other diseases of breast	F.	—	—	—	—	—	—	—	—	1
622	Acute salpingitis and oophoritis	F.	1	—	—	1	2	1	—	1	1
623	Chronic salpingitis and oophoritis	F	—	1	—	—	—	—	1	1	—
624	Salpingitis and oophoritis, unqualified	F.	2	2	2	3	4	1	1	4	1
625	Other diseases of ovary and Fallopian tube	F.	1	—	2	—	1	2	—	2	2
626	Diseases of parametrium and pelvic peritoneum (female)	F.	5	4	5	6	3	8	13	5	5
	Diseases of uterus and other female genital organs (630-637)	F.	22	20	23	22	16	20	22	25	29
630	Infective disease of uterus, vagina and vulva	F.	—	3	3	2	—	—	—	—	1
631	Uterovaginal prolapse	F.	15	8	11	8	9	10	8	11	19
632	Malposition of uterus	F.	—	—	2	—	—	—	—	—	—
633	Other diseases of uterus	F.	2	4	3	2	1	4	8	7	8
634	Disorders of menstruation	F.	4	2	1	1	4	5	3	2	—
635	Menopausal symptoms	F.	—	1	1	—	—	—	—	—	—
636	Sterility, female	F.	—	—	—	—	—	—	—	—	—
637	Other diseases of female genital organs	F.	1	2	2	9	2	1	3	5	1
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)	F.	53	46	51	43	70	86	92	99	106
	Complications of pregnancy (640-648)	F.	13	13	15	13	27	20	17	22	28
640	Pyelitis and pyelonephritis of pregnancy	F.	—	—	1	—	1	1	—	1	—
641	Other infections of genito-urinary tract										

642	Toxæmias of pregnancy	F.	10	8	5	6	13	11	6	7	15	
642.2	Eclampsia of pregnancy (642.3)	F.	6	4	1	—	—	—	1	—	—	
642.4	Hyperemesis gravidarum	F.	1	—	1	4	6	2	—	4	9	
642.5	Other toxæmias of pregnancy (642.0.1)	F.	3	4	—	—	—	—	2	—	—	
643	Placenta prævia	F.	—	1	2	1	1	1	3	5	1	
644	Other hæmorrhage of pregnancy	F.	1	3	2	2	3	3	2	2	2	
645	Ectopic pregnancy	F.	—	—	1	—	3	—	—	—	3	
646	Anæmia of pregnancy	F.	—	1	—	—	—	—	—	—	—	
647	Pregnancy with malposition of fœtus in uterus	F.	—	—	—	—	—	2	2	3	—	
648	Other complications arising from pregnancy	F.	1	—	2	—	—					
	Abortion (650-652)	F.	10	6	3	5	3	14	13	19	15	
650	Abortion without mention of sepsis or toxæmia	F.	6	2	2	3	2	9	7	6	5	
651	Abortion with sepsis	F.	4	4	1	2	1	5	3	11	8	
652	Abortion with toxæmia, without mention of sepsis	F.	—	—	—	—	—	—	3	2	2	
660	*Delivery without mention of complication*	F.	—	—	—	—	—	—	—	—	—	
	Delivery with specified complication (670-678)	F.	18	8	16	11	21	24	27	32	36	
670	Delivery complicated by placenta prævia or antepartum hæmorrhage	F.	1	3	5	2	5	3	5	3	2	
670a	Placenta prævia	F.	1	1	2	1	2	2	3	2	2	
670b	Other hæmorrhage of pregnancy	F.	—	2	3	1	3	1	2	1	—	
671	Delivery complicated by retained placenta	F.	1	—	2	1	1	2	1	7	2	
672	Delivery complicated by other post-partum hæmorrhage	F.	4	—	4	5	5	12	11	5	8	
673	Delivery complicated by abnormality of bony pelvis	F.	—	—	1	—	2	—	1	—	3	
674	Delivery complicated by disproportion or malposition of fœtus	F.	—	1	1	2	—	—	1	4	5	
675	Delivery complicated by prolonged labour of other origin	F.	4	2	—	—	2	3	1	1	4	
676	Delivery with laceration of perineum, without mention of other laceration	F.	—	—	—	—	—	—	—	—	—	
677	Delivery with other trauma	F.	2	1	1	—	3	2	3	3	5	
678	Delivery with other complications of childbirth	F.	6	1	2	1	3	2	4	9	7	
	Complications of the puerperium (680-689)	F.	12	19	17	14	19	28	35	26	27	
680	Puerperal urinary infection without other sepsis	F.	—	—	—	—	1	—	—	1	—	
681	Sepsis of childbirth and the puerperium	F.	4	3	2	1	2	2	3	3	3	
682	Puerperal phlebitis and thrombosis	F.	—	3	6	2	4	4	1	5	6	
683	Pyrexia of unknown origin during the puerperium	F.	—	—	—	—	—	—	1	—	—	
684	Puerperal pulmonary embolism	F.	6	6	5	6	7	8	14	8	6	

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-689)—*continued*										
	Complications of the puerperium (680-689)—*continued*										
685	Puerperal eclampsia	F.	—	3	1	2	1	9	8	3	2
686	Other forms of puerperal toxæmia	F.	1	—	2	—	—	1	4	1	—
687	Cerebral hæmorrhage in the puerperium	F.	1	3	1	1	1	3	4	2	4
688	Other and unspecified complications of the puerperium	F.	—	1	—	2	3	1	—	3	6
689	Mastitis and other disorders of lactation	F.	—	—	—	—	—	—	—	—	—
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE (690-716)	M.	22	20	29	28	31	25	33	34	40
		F.	24	28	31	25	30	35	30	36	39
	Infections of skin and subcutaneous tissue (690-698)	M.	11	12	15	10	10	8	9	14	19
		F.	7	7	12	9	13	13	10	9	12
690	Boil and carbuncle	M.	2	1	3	—	3	1	1	1	5
		F.	1	1	2	3	1	1	1	2	1
691	Cellulitis of finger and toe	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	2
692	Other cellulitis and abscess without mention of lymphangitis	M.	7	10	11	9	6	7	7	12	11
		F.	6	5	9	5	11	12	7	7	7
693	Other cellulitis and abscess with lymphangitis	M.	—	—	1	1	—	—	—	—	1
		F.	—	—	—	—	1	—	1	—	2
694	Acute lymphadenitis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
695	Impetigo	M.	—	1	—	—	—	—	—	—	—
		F.	—	—	—	1	—	—	—	—	—
696	Infectious warts	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
697	Molluscum contagiosum	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
698	Other local infections of skin and subcutaneous tissue	M.	2	—	—	—	1	—	1	1	2
		F.	—	1	1	—	—	—	1	—	—
	Other diseases of skin and subcutaneous tissue (700-716)	M.	11	8	14	18	21	17	24	20	21
		F.	17	21	19	16	17	22	20	27	27
700	Seborrhœic dermatitis	M.	—	—	—	—	—	—	1	—	1
		F.	—	—	—	—	—	1	—	—	—
701	Eczema	M.	—	1	—	1	2	2	—	2	7
		F.	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	2	2	2

702	Occupational dermatitis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	1	1	2	4	2	2
703	Other dermatitis	M.	1	1	—	1	—	—	—	1	2
		F.	—	1	1	1	—	—	—	5	4
704	Pemphigus	M.	3	2	3	4	8	4	4	7	9
		F.	1	2	2	4	7	4	3	4	1
705	Erythematous conditions	M.	1	3	3	7	5	4	11	6	4
		F.	5	6	3	4	3	7	4	—	1
706	Psoriasis and similar disorders	M.	2	—	3	2	1	1	—	1	1
		F.	1	—	—	—	3	1	3	—	—
707	Lichen planus	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
708	Pruritus and related conditions	M.	—	—	1	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—
709	Corns and callosities	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
710	Other hypertrophic and atrophic conditions of skin	M.	1	1	3	—	—	1	1	1	1
		F.	4	4	3	2	3	5	3	1	2
711	Other dermatoses	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
712	Diseases of nail	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
713	Diseases of hair and hair follicles	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
714	Diseases of sweat and sebaceous glands	M.	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	1	—
715	Chronic ulcer of skin	M.	3	—	1	1	3	3	3	4	4
		F.	5	7	10	4	1	4	4	8	7
716	Other diseases of skin	M.	—	—	—	—	—	—	—	1	—
		F.	—	—	—	1	—	—	1	—	—
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT (720-749)	M.	73	79	67	74	81	70	61	55	53
		F.	188	197	193	180	190	130	109	121	108
	Arthritis and rheumatism, except rheumatic fever (720-727)	M.	49	43	44	41	54	38	33	19	25
		F.	168	169	169	159	170	101	90	94	87
720	Acute arthritis due to pyogenic organisms	M.	1	—	3	2	1	2	1	1	3
		F.	1	1	3	1	1	—	2	2	1
721	Acute non-pyogenic arthritis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
722	Rheumatoid arthritis and allied conditions	M.	33	23	32	31	32	22	25	10	10
		F.	132	138	144	127	138	75	65	60	60
723	Osteo-arthritis (arthrosis) and allied conditions	M.	12	15	6	4	10	9	5	4	4
		F.	26	20	13	15	22	18	11	20	14
724	Other specified forms of arthritis	M.	—	—	1	1	2	2	—	1	—
		F.	—	2	—	—	3	1	—	2	1
725	Arthritis, unspecified	M.	1	5	1	1	3	2	1	—	2
		F.	5	3	2	5	4	1	8	4	4
726	Muscular rheumatism	M.	1	—	—	1	1	—	—	—	—
		F	2	1	1	2	—	—	—	—	—
727	Rheumatism, unspecified	M.	1	—	1	1	5	1	1	3	6
		F.	2	4	6	9	2	6	4	6	7

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT (720-749)—*continued*										
	Osteomyelitis and other diseases of bone and joint (730-738)	M.	12	21	12	20	18	18	16	22	17
		F.	9	18	18	13	11	22	14	21	13
730	Osteomyelitis and periostitis	M.	5	4	5	9	5	10	4	5	11
		F.	1	5	3	2	3	5	5	7	3
731	Osteitis deformans	M.	6	10	6	9	10	5	9	15	4
		F.	3	8	9	6	3	5	5	8	9
732	Osteochondrosis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
733	Other diseases of bone	M.	1	3	—	1	1	3	2	2	2
		F.	5	5	5	3	4	10	4	4	—
734	Internal derangement of knee joint	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
735	Displacement of intervertebral disc	M.	—	1	1	—	1	—	1	—	—
		F.	—	—	1	2	—	1	—	1	—
736	Affection of sacro-iliac joint	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
737	Ankylosis of joint	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
738	Other diseases of joint	M.	—	3	—	1	1	—	—	—	—
		F.	—	—	—	—	—	1	—	1	1
	Other diseases of musculoskeletal system (740-749)	M.	12	15	11	13	9	14	12	14	11
		F.	11	10	6	8	9	7	5	6	8
740	Bunion	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	M.	—	—	—	—	—	2	—	—	—
		F.	—	—	1	—	—	—	—	—	—
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	—	—	—	1	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—
744	Other diseases of muscle, tendon and fascia	M.	9	14	9	11	9	11	6	11	10
		F.	11	9	5	5	8	6	4	5	7
745	Curvature of spine	M.	2	1	2	1	—	—	6	3	—
		F.	—	1	—	3	1	—	1	1	1
746	Flat foot	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
747	Hallux valgus and varus	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
748	Clubfoot	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
749	Other deformities	M.	1	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	1	—	—	—

(a)	(b)									
	XIV. CONGENITAL MALFORMATIONS (750-759)	M.	310	390	345	289	353	321	299	332	316
		F.	338	328	317	333	323	297	311	270	297
750	Monstrosity	M.	4	10	5	6	6	4	6	5	6
		F.	16	21	12	11	15	7	14	6	5
751	Spina bifida and meningocele	M.	60	71	65	49	61	51	56	52	41
		F.	74	73	78	103	99	76	96	60	81
752	Congenital hydrocephalus	M.	32	34	35	30	34	29	34	37	27
		F.	46	36	27	37	30	31	27	32	28
753	Other congenital malformations of nervous system and sense organs	M.	9	6	6	7	6	12	11	12	2
		F.	10	3	17	9	14	14	9	4	9
754	Congenital malformations of circulatory system	M.	116	127	125	106	124	105	105	115	120
		F.	113	113	101	103	95	89	91	89	96
755	Cleft palate and harelip	M.	—	2	1	1	1	2	3	2	2
		F.	—	3	—	3	—	3	1	1	3
756	Congenital malformations of digestive system	M.	27	66	49	37	51	59	38	62	68
		F.	27	30	27	26	38	27	30	37	44
756.0	Congenital hypertrophic pyloric stenosis	M.	4	6	4	4	9	9	10	9	18
		F.	1	—	1	1	1	1	1	3	9
756.2	Other congenital malformations of digestive system (756.1)	M.	23	60	45	33	42	50	28	53	50
		F.	26	30	26	25	37	26	29	34	35
757	Congenital malformations of genito-urinary system	M.	33	46	26	29	43	27	23	29	22
		F.	23	19	23	18	16	23	25	21	15
758	Congenital malformations of bone and joint	M.	5	7	3	4	4	8	3	3	7
		F.	8	6	4	1	4	8	5	5	3
759	Other and unspecified congenital malformations, not elsewhere classified	M.	24	21	30	20	23	24	20	15	21
		F.	21	24	28	22	12	19	13	15	13
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)	M.	942	929	893	898	933	889	976	1,007	1,067
		F.	567	599	579	605	616	570	670	714	733
	Birth injuries, asphyxia, and infections of newborn (760-769)	M.	600	571	551	540	549	491	520	533	549
		F.	358	349	344	331	340	314	348	352	347
760.0	Intracranial and spinal injury at birth, without mention of immaturity*	M.	86	134	131	134	134	133	115	139	163
		F.	45								
760.5	Intracranial and spinal injury at birth, with immaturity*	M.	44	78	75	65	69	69	93	85	82
		F.	21								
761.0	Other birth injury, without mention of immaturity*	M.	18	23	27	21	24	17	31	54	36
		F.	8								
761.5	Other birth injury, with immaturity*	M.	18	14	18	15	15	12	19	26	25
		F.	5								
762.0	Postnatal asphyxia and atelectasis, without mention of immaturity*	M.	140	316	288	285	275	253	252	184	213
		F.	79								
762.5	Postnatal asphyxia and atelectasis, with immaturity*	M.	205	197	188	177	193	171	160	140	128
		F.	139								
763.0	Pneumonia of newborn, without mention of immaturity*	M.	49	62	66	69	83	58	71	98	86
		F.	28								
763.5	Pneumonia of newborn, with immaturity*	M	10	33	45	48	39	36	42	68	60
		F.	12								

*760-773, Fourth-digit subdivision of these rubrics was introduced in the Sixth Revision but was not adopted in Scotland until the Seventh Revision came into force in 1958.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	XV. CERTAIN DISEASES OF EARLY INFANCY (760-776)—*continued*										
	Birth injuries, asphyxia, and infections of newborn (760-769)—continued										
764.0	Diarrhœa of newborn, without mention of immaturity*	M.	4	8	11	8	4	8	14	22	17
		F.	4								
764.5	Diarrhœa of newborn, with immaturity*	M.	—	10	4	3	2	8	10	12	18
		F.	2								
765.0	Ophthalmia neonatorum, without mention of immaturity*	M.	—	—	—	—	—	—	—	—	—
		F.	—								
765.5	Ophthalmia neonatorum, with immaturity*	M.	—	—	—	—	—	—	—	—	—
		F.	—								
766.0	Pemphigus neonatorum, without mention of immaturity*	M.	—	1	2	2	1	1	1	—	—
		F.	1								
766.5	Pemphigus neonatorum, with immaturity*	M.	—	—	1	—	1	1	—	1	—
		F.	—								
767.0	Umbilical sepsis, without mention of immaturity*	M.	—	1	2	1	1	2	1	3	1
		F.	1								
767.5	Umbilical sepsis, with immaturity*	M.	—	—	—	1	—	—	1	—	1
		F.	—								
768.0	Other sepsis of newborn, without mention of immaturity*	M.	8	14	10	9	11	4	5	2	8
		F.	5								
768.5	Other sepsis of newborn, with immaturity*	M.	2	7	3	6	7	4	2	3	4
		F.	—								
769.4	Neonatal disorders arising from certain diseases of the mother during pregnancy, without mention of immaturity (769.0-3)*	M.	5	12	14	11	16	15	30	31	25
		F.	2								
769.9	Neonatal disorders arising from certain diseases of the mother during pregnancy, with immaturity (769.5-8)*	M.	11	10	10	16	14	13	21	17	29
		F.	6								
	Other diseases peculiar to early infancy (770–776)	M.	342	358	342	358	384	398	456	474	518
		F.	209	250	235	274	276	256	322	362	386
770.2	Hæmolytic disease of newborn (erythroblastosis), without mention of immaturity (770.0.1)*	M.	26	35	41	36	35	48	39	46	39
		F.	15								
770.7	Hæmolytic disease of newborn (erythroblastosis), with immaturity (770.5.6)*	M.	10	29	25	19	31	27	28	28	34
		F.	2								
771.0	Hæmorrhagic disease of newborn, without mention of immaturity*	M.	30	28	30	17	20	25	29	25	15
		F.	15								
771.5	Hæmorrhagic disease of newborn, with immaturity*	M.	13	17	14	13	11	17	11	14	14
		F.	7								
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)

772.0	Nutritional maladjustment, without mention of immaturity*	M.	—	1	—	—	1	—	1	2	5
		F.	—	—	—	2	—	2	1	—	5
772.5	Nutritional maladjustment, with immaturity*	M.	—								
		F.	—								
773.0y	Congenital debility, without mention of immaturity	M.	5	4	6	17	18	21	27	34	42
		F.	1	9	8	6	12	10	20	26	24
773.5y	Congenital debility, with immaturity	M.	7	7	18	10	19	12	18	28	24
		F.	4	4	5	9	13	7	11	21	11
773.0x	Other ill-defined diseases peculiar to early infancy, without mention of immaturity*	M.	14	9	4	7	10	14	10	5	6
		F.	7								
773.5x	Other ill-defined diseases peculiar to early infancy, with immaturity*	M.	5	7	8	10	8	8	6	6	2
		F.	1								
774	Immaturity with mention of any other subsidiary condition	M.	2	3	3	7	8	4	16	21	66
		F.	—	—	1	8	4	5	14	11	44
776	Immaturity, unqualified	M.	230	271	240	264	273	274	316	313	321
		F.	157	184	174	207	197	180	231	256	252
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS (780-795)	M.	**345**	**351**	**428**	**475**	**804**	**798**	**901**	**1,144**	**1,109**
		F.	**465**	**502**	**569**	**654**	**830**	**819**	**1,022**	**1,219**	**1,171**
	Symptoms referable to systems or organs (780-789)	M.	59	70	66	69	162	214	310	471	443
		F.	41	56	53	54	126	151	237	312	283
780	Certain symptoms referable to nervous system and special senses	M.	19	21	34	23	35	33	39	53	47
		F.	15	16	23	25	20	23	31	43	40
780a	Convulsions under 5	M.	18	21	32	22	34	32	37	52	44
		F.	15	16	21	24	18	22	27	41	35
780b	Other certain symptoms referable to nervous system and special senses	M.	1	—	2	1	1	1	2	1	3
		F.	—	—	2	1	2	1	4	2	5
781	Other symptoms referable to nervous system and special senses	M.	1	—	—	—	1	1	—	1	—
		F.	—	—	—	—	—	—	—	—	1
782	Symptoms referable to cardiovascular and lymphatic system	M.	35	41	28	34	107	145	235	360	367
		F.	17	29	24	23	91	114	187	244	222
782.4	Heart failure	M.	29	37	23	30	99	125	188	320	302
		F.	13	23	23	20	85	104	166	216	180
782.5	Syncope or collapse	M.	6	4	4	4	7	19	43	36	40
		F.	4	4	1	3	6	9	21	27	23
782.9	Other symptoms referable to cardiovascular and lymphatic system (782.0–3 and 6–8)	M.	—	—	1	—	1	1	4	4	25
		F.	—	2	—	—	—	1	—	1	19
783	Symptoms referable to respiratory system	M.	—	2	—	2	5	5	6	5	3
		F.	2	1	1	2	—	3	1	—	3
784	Symptoms referable to upper gastro-intestinal tract	M.	4	4	1	7	8	6	9	13	9
		F.	5	8	4	2	9	8	8	10	8
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M.	—	—	—	1	—	1	5	12	3
		F.	1	—	—	—	2	1	2	8	2
786	Symptoms referable to genito-urinary system	M.	—	1	1	2	3	18	13	18	13
		F.	—	—	—	—	—	1	1	1	3
787	Symptoms referable to limbs and back	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	1	—	—	—	—	—

*760-773, Fourth-digit subdivision of these rubrics was introduced in the Sixth Revision but was not adopted in Scotland until the Seventh Revision came into force in 1958.

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS (780-795)—*continued*										
	Symptoms referable to systems or organs (780-789)—continued										
788	Other general symptoms	M.	—	1	2	—	2	5	1	4	—
		F.	1	2	1	1	1	1	5	1	2
789	Abnormal urinary constituents of unspecified cause	M.	—	—	—	—	1	—	2	5	1
		F.	—	—	—	—	3	—	2	5	2
	Senility and ill-defined diseases (790-795)	M.	286	281	362	406	642	584	591	673	666
		F.	424	446	516	600	704	668	785	907	888
790	Nervousness and debility	M.	—	1	—	2	—	1	1	—	2
		F.	—	1	—	—	—	—	1	—	1
791	Headache	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
792	Uræmia	M.	6	5	2	6	7	14	30	62	61
		F.	5	7	2	6	5	8	22	27	28
793	Observation, without need for further medical care	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
794	Senility without mention of psychosis	M.	196	189	270	302	355	332	368	488	481
		F.	362	391	477	537	570	520	657	804	802
795	Ill-defined and unknown causes of mortality	M.	84	86	90	96	280	237	192	123	122
		F.	57	47	37	57	128	140	105	76	57
795.1	Other ill-defined (795.0)	M.	70	82	79	84	263	228	174	96	2
		F.	53	43	35	51	123	136	89	56	—
795.5	Unknown or unspecified (795.2–4)	M.	14	4	11	12	17	9	18	27	120
		F.	4	4	2	6	5	4	16	20	57
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)	M.	**1,725**	**1,763**	**1,645**	**1,801**	**1,659**	**1,747**	**1,554**	**1,587**	**1,593**
		F.	**1,125**	**1,038**	**997**	**1,119**	**1,013**	**1,019**	**981**	**997**	**1,005**
	Railway accidents (E800-E802)	M.	30	48	37	52	50	60	43	64	59
		F.	6	6	1	3	3	2	7	3	7
E800	Railroad employee	M.	19	30	18	22	26	29	18	21	27
		F.	—	—	—	—	—	—	—	—	—
E801	Passenger	M.	1	2	2	8	3	2	3	5	5
		F.	1	1	1	—	1	1	1	—	3
E802	Other and unspecified person	M.	10	16	17	22	21	29	22	38	27
		F.	5	5	—	3	2	1	6	3	4
	MOTOR VEHICLE ACCIDENTS (E810-E835)	M.	442	436	431	456	383	421	326	386	367
		F.	156	127	127	141	143	142	125	130	[illegible]

	Motor vehicle traffic accidents (E810-E825)	F.	155	126	127	139	141	138	124	128	118
E810	Collision with railway train	M.	1	1	2	1	3	5	2	—	—
		F.	—	—	—	—	—	—	—	—	—
E811	Collision with street car	M.	2	3	—	—	—	2	1	1	8
		F.	—	—	—	—	—	—	—	—	1
E812	Pedestrian	M.	169	187	196	206	180	223	159	211	206
		F.	99	91	88	102	110	103	97	91	91
E813	Pedal cyclist	M.	25	20	23	27	36	25	23	26	22
		F.	3	2	2	1	—	3	4	8	1
E814	Rider or passenger of motorcycle in collision with non-motor vehicle or object	M.	7	6	6	10	5	17	11	9	10
		F.	—	—	—	2	—	—	—	1	—
E815	Rider or passenger of motorcycle in collision with other motor vehicle	M.	56	55	35	50	39	37	34	35	26
		F.	4	4	1	4	4	1	2	1	1
E816	Two or more motor vehicles	M.	72	44	51	30	36	33	24	27	14
		F.	24	15	22	15	11	12	14	12	6
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E818	Collision with animal or animal-drawn vehicle	M.	1	—	—	—	—	1	—	—	1
		F.	—	—	—	—	—	—	—	—	1
E819	Collision with fixed or unspecified object	M.	7	4	3	10	11	11	8	9	10
		F.	3	1	—	3	2	1	2	3	5
E820	While boarding and alighting	M.	2	7	—	2	2	3	3	2	4
		F.	1	2	1	—	1	—	—	2	3
E821	Rider of motorcycle without antecedent collision	M.	42	40	28	29	18	29	13	20	15
		F.	3	—	—	1	2	2	—	1	1
E822	Overturning in roadway	M.	5	5	9	7	14	7	2	7	3
		F.	—	—	—	—	1	5	2	1	1
E823	Running off roadway	M.	12	28	29	27	16	11	11	5	8
		F.	13	8	2	4	4	5	1	—	—
E824	Other non-collision motor vehicle traffic accident	M.	11	9	11	24	6	6	17	12	5
		F.	3	—	8	4	4	6	1	4	2
E825	Unspecified nature	M.	14	16	17	14	7	4	7	15	21
		F.	2	3	3	3	2	—	1	4	5
	Motor vehicle non-traffic accidents (E830-E835)	M.	16	11	21	19	10	7	11	7	14
		F.	1	1	—	2	2	4	1	2	4
E830	Pedestrian	M.	2	2	2	4	4	4	6	2	3
		F.	1	—	—	—	—	3	—	—	1
E831	Pedal cyclist	M.	1	—	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	1
E832	Rider or passenger of motorcycle	M.	—	—	—	1	—	1	—	1	2
		F.	—	—	—	—	—	—	1	—	—
E833	Two or more motor vehicles	M.	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
E834	While boarding and alighting	M.	—	—	1	—	—	—	2	—	2
		F.	—	—	—	—	—	1	—	2	2
E835	Other and unspecified nature	M.	12	9	17	13	6	2	3	4	7
		F.	—	1	—	2	1	—	—	—	—

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*										
	Other road vehicle accidents (E840-E845)	M.	21	17	20	22	21	26	24	38	30
		F.	13	5	10	16	14	11	8	11	11
E840	Street car accident to pedestrian	M.	6	7	6	8	11	6	7	7	11
		F.	6	4	4	10	7	5	6	8	7
E841	Other street car accident, except collision with motor vehicle	M.	2	2	2	1	—	2	2	3	3
		F.	2	—	1	2	2	—	1	1	1
E842	Accident to pedestrian caused by pedal cyclist	M.	3	—	—	2	—	3	—	—	7
		F.	3	—	1	3	5	2	—	1	1
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M.	8	7	11	11	8	11	11	12	7
		F.	2	1	3	1	—	3	—	1	2
E844	Accident to pedestrian caused by other non-motor road vehicle	M.	—	1	—	—	1	1	1	5	—
		F.	—	—	—	—	—	1	—	—	—
E845	Other non-motor road vehicle accidents	M.	2	—	1	—	1	3	3	11	2
		F.	—	—	1	—	—	—	1	—	—
	Water transport accidents (E850-E858)	M.	35	42	46	42	28	59	23	24	21
		F.	—	1	2	—	4	2	—	—	2
E850	Submersion of occupant of small boat	M.	9	4	9	9	9	3	5	3	—
		F.	—	—	2	—	4	—	—	—	—
E851	Other water transport injury by submersion	M.	17	28	17	22	9	49	6	8	—
		F.	—	1	—	—	—	2	—	—	1
E852	Fall on stairs and ladders in water transport	M.	1	—	—	—	—	1	—	1	—
		F.	—	—	—	—	—	—	—	—	1
E853	Other falls from one level to another in water transport	M.	—	5	6	2	6	1	6	9	12
		F.	—	—	—	—	—	—	—	—	—
E854	Falls on same level in water transport	M.	1	2	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E855	Unspecified falls in water transport	M.	—	—	1	—	2	—	1	—	1
		F.	—	—	—	—	—	—	—	—	—
E856	Machinery accident in water transport	M.	—	1	2	2	—	—	1	2	3
		F.	—	—	—	—	—	—	—	—	—
E857	Other specified accidents in water transport	M.	7	2	11	7	1	5	4	1	5
		F.	—	—	—	—	—	—	—	—	—
E858	Water transport accident of unspecified cause	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
	Aircraft accidents (E860-E866)	M.	7	12	21	16	32	29	19	31	17
		F.	—	1	—	—	13	—	—	—	—
E860	Accident to personnel in military aircraft	M.	6	7	18	13	16	27	17	30	11
		F.	—	—	—	—	1	—	—	—	—

	mercial "transport" aircraft	F.	—	1	—	—	12	—	—	—	—
E862	Other injury in commercial "transport" aircraft	M.	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E863	Injury to occupant by accident to other specified aircraft	M.	1	1	—	2	—	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E864	Aircraft accident at airfield to person not in aircraft	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—
E865	Aircraft accident elsewhere to person not in aircraft	M.	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—
E866	Other and unspecified aircraft accidents	M.	—	1	1	—	—	—	1	—	3
		F.	—	—	—	—	—	—	—	—	—
	ACCIDENTAL POISONING (E870-E895)	M.	132	130	102	112	147	123	122	118	113
		F.	166	129	122	134	142	156	126	108	121
	Accidental poisoning by solid and liquid substances (E870-E888)	M.	21	33	26	23	35	25	26	27	28
		F.	35	25	24	25	41	31	27	28	18
E870	Morphine and other opium derivatives	M.	2	1	—	—	1	1	—	1	—
		F.	1	—	—	—	2	—	1	—	—
E871	Barbituric acid and derivatives	M.	8	23	13	8	22	11	13	8	11
		F.	26	18	18	20	27	24	17	14	9
E872	Aspirin and salicylates	M.	2	—	2	2	3	2	1	2	5
		F.	3	1	—	1	3	1	1	—	1
E873	Bromides	M.	—	1	1	1	—	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—
E874	Other analgesic and soporific drugs	M.	3	1	2	2	1	1	1	4	1
		F.	2	2	1	1	6	2	2	2	3
E875	Sulfonamides	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E876	Strychnine	M.	—	1	1	—	1	—	2	3	2
		F.	1	1	—	—	—	—	—	—	—
E877	Belladonna, hyoscine, and atropine	M.	—	—	—	—	—	—	2	—	—
		F.	—	—	—	—	—	—	—	—	—
E878	Other and unspecified drugs	M.	1	1	2	2	—	1	1	—	2
		F.	—	1	—	2	—	1	3	—	—
E879	Noxious foodstuffs	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E880	Alcohol	M.	3	2	1	1	3	1	2	1	2
		F.	—	1	1	1	—	1	—	1	1
E881	Petroleum products	M.	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E882	Industrial solvents	M.	1	1	—	—	—	1	1	—	1
		F.	—	—	—	—	—	—	—	—	—
E883	Corrosive aromatics, acids, and caustic alkalis	M.	—	1	1	4	3	6	2	5	2
		F.	2	1	3	—	2	1	—	8	1
E884	Mercury and its compounds	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E885	Lead and its compounds	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	1	—	—	—	—	—	—
E886	Arsenic and antimony, and their compounds	M.	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950		
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*												
	Accidental poisoning by solid and liquid substances (E870-E888)—*continued*												
E887	Fluorides	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
E888	Other and unspecified solid and liquid substances	M.	1	1	2	3	1	—	1	2	1		
		F.	—	—	—	—	1	1	3	3	3		
	Accidental poisoning by gases and vapours (E890-E895)	M.	111	97	76	89	112	98	96	91	85		
		F.	131	104	98	109	101	125	99	80	103		
E890	Utility (illuminating) gas	M.	106	92	74	86	109	95	91	86	79		
		F.	131	103	97	109	101	125	98	80	102		
E890a	Utility (illuminating) gas, accidental	M.	37	37	88	Prior to 1956 not classified according to whether "accidental" or "unspecified" and for year 1956 sex breakdown is not available							
		F.	69	56									
E890b	Utility (illuminating) gas, unspecified as to whether accidental or suicidal	M.	69	55	83								
		F.	62	47									
E891	Motor vehicle exhaust gas	M.	1	2	—	—	1	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
E892	Other carbon monoxide gas	M.	2	3	1	2	—	1	2	5	4		
		F.	—	1	—	—	—	—	1	—	1		
E893	Cyanide gas	M.	—	—	—	—	2	1	1	—	—		
		F.	—	—	—	—	—	—	—	—	—		
E894	Other specified gases and vapours	M.	2	—	1	1	—	1	2	—	2		
		F.	—	—	1	—	—	—	—	—	—		
E895	Unspecified gases and vapours	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
	Accidental falls (E900-E904)	M.	319	256	269	283	273	304	252	257	253		
		F.	402	399	363	414	370	392	396	410	388		
E900	Fall on stairs	M.	45	42	35	39	33	41	29	26	22		
		F.	20	16	15	22	21	13	13	22	21		
E901	Fall from ladders	M.	7	4	9	9	4	1	5	3	7		
		F.	2	2	1	—	—	1	—	2	—		
E902	Other falls from one level to another	M.	100	83	76	98	96	96	78	77	83		
		F.	24	25	21	37	26	24	30	20	22		
E903	Fall on same level	M.	35	23	36	38	29	29	27	18	22		
		F.	36	29	37	53	24	31	45	21	51		
E904	Unspecified falls	M.	132	104	113	99	111	137	113	133	119		
		F.	320	327	289	302	299	323	308	345	294		
	Other accidents (E910-E936)	M.	414	512	437	544	479	500	538	455	530		
		F.	200	195	205	223	202	201	212	224	232		
(a)	(b)		(c)	(d)								(e)	(m)

	or missile	F.	3	1	2	—	8	13	11	11	9
E911	Accident caused by vehicle	M.	9	7	12	19	—	—	—	—	—
		F.	—	—	—	—	33	20	35	27	35
E912	Accident caused by machinery	M.	19	25	30	15	—	1	—	—	—
		F.	—	—	1	—	4	5	3	4	5
E913	Accident caused by cutting and piercing instruments	M.	3	3	2	2	—	1	1	—	2
		F.	—	—	—	2	13	6	14	8	19
E914	Accident caused by electric current	M.	15	14	11	14	2	2	1	1	2
		F.	1	1	—	1	8	5	—	3	4
E915	Accident caused by explosion of pressure vessel	M.	—	1	1	8	—	—	—	—	—
		F.	—	—	—	—	47	39	25	7	8
E916	Accident caused by fire and explosion of combustible material	M.	32	73	47	54	48	45	24	11	15
		F.	68	52	69	69	13	18	28	36	28
E917	Accident caused by hot substance, corrosive liquid, and steam	M.	6	6	9	11	19	27	61	67	58
		F.	5	6	12	10	—	—	—	—	—
E918	Accident caused by radiation	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	24	14	16	27	25
E919	Accident caused by firearm	M.	9	7	12	15	1	—	1	3	6
		F.	1	1	1	1	—	—	—	—	1
E920	Foreign body entering eye and adnexa	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	51	68	57	64	36
E921	Inhalation and ingestion of food causing obstruction or suffocation	M.	56	76	70	83	53	42	34	35	33
		F.	45	48	39	41	1	3	3	3	4
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	2	2	1	5	—	—	1	2	6
		F.	1	1	2	5	—	2	1	—	1
E923	Foreign body entering other orifice	M.	—	—	2	1	—	—	—	—	1
		F.	1	—	—	—	35	41	30	23	34
E924	Accidental mechanical suffocation in bed and cradle	M.	32	26	27	30	19	25	28	26	31
		F.	21	17	21	21	18	12	23	26	44
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	7	16	10	13	3	9	9	7	6
		F.	7	8	8	8	7	2	7	1	—
E926	Lack of care of infants under 1 year of age	M.	1	2	3	1	3	3	5	1	4
		F.	1	2	1	3	—	—	—	—	1
E927	Accidents caused by bites and stings of venomous animals and insects	M.	—	1	1	—	—	—	—	—	—
		F.	—	—	—	—	1	8	4	2	5
E928	Other accidents caused by animals	M.	4	4	2	5	—	1	—	—	1
		F.	—	—	1	—	129	156	162	138	174
E929	Accidental drowning and submersion	M.	164	161	126	174	45	38	40	66	60
		F.	33	46	39	49	—	—	—	—	—
E930	High and low air pressure	M.	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E931	Excessive heat and insolation	M.	—	—	—	1	—	—	—	—	—
		F.	—	—	—	1	—	—	—	—	—
E932	Excessive cold	M.	3	—	4	6	9	3	5	—	1
		F.	2	1	2	3	1	1	1	—	1
E933	Hunger, thirst, and exposure	M.	1	6	3	—	—	3	3	3	2
		F.	6	2	1	—	1	—	—	—	—
E934	Cataclysm	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E935	Lightning	M.	1	—	—	—	—	1	1	—	1
		F.	—	—	—	—	—	—	—	—	1
E936	Other and unspecified accidents	M.	6	11	14	29	14	14	23	20	50
		F.	3	9	6	7	2	—	4	3	6

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*										
	Complications due to non-therapeutic medical and surgical procedures (E940-E946)	M.	1	1	1	2	1	—	—	1	2
		F.	—	—	—	—	1	—	—	1	2
E940	Generalized vaccinia following vaccination	M.	—	—	1	—	1	—	—	1	—
		F.	—	—	—	—	—	—	—	—	1
E941	Postvaccinal encephalitis	M.	—	1	—	2	—	—	—	—	1
		F.	—	—	—	—	—	—	—	1	—
E942	Other complications of smallpox vaccination	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—
E943	Post-immunization jaundice and hepatitis	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E944	Other complications of prophylactic inoculation	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	1
E945	Complications of anæsthesia for non-therapeutic purpose	M.	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E946	Other complications due to non-therapeutic medical and surgical procedures	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
	Therapeutic misadventure and late complications of theurapetic procedures (E950-E959)	M.	1	7	1	1	6	2	1	2	3
		F.	4	1	1	10	6	1	2	—	2
E950	Therapeutic misadventure in surgical treatment	M.	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E951	Therapeutic misadventure in infusion or transfusion	M.	1	3	—	—	2	—	—	—	—
		F.	—	—	—	3	—	—	—	—	—
E952	Therapeutic misadventure in local applications	M.	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—
E953	Therapeutic misadventure in administration of drugs or biologicals	M.	—	—	1	—	1	—	—	—	—
		F.	2	—	1	4	1	—	—	—	—
E954	Therapeutic misadventure in anæsthesia	M.	—	3	—	1	3	1	1	2	2
		F.	1	1	—	3	5	1	2	—	2
E955	Other and unspecified therapeutic misadventure	M.	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—
E956	Late complication of surgical operation	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E957	Late complication of amputation stump	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(m)

E958	Late complication of irradiation	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E959	Late complications of other forms of treatment	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
	Late effects of injury and poisoning (E960-E965)	M.	8	24	16	21	19	15	9	22	12
		F.	4	3	3	9	7	3	2	1	3
E960	Motor vehicle accident	M.	—	1	1	—	1	2	1	1	1
		F.	—	1	—	1	1	—	—	—	1
E961	Accidental poisoning	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E962	Other accidental injury	M.	4	13	7	11	8	8	4	9	2
		F.	3	2	3	8	5	3	2	1	2
E963	Self-inflicted injury	M.	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
E964	Injury purposely inflicted by another person (not in war)	M.	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	1	—	—	—	—
E965	Injuries due to war operations	M.	4	10	8	10	10	5	4	12	9
		F.	—	—	—	—	—	—	—	—	—
	Suicide and self-inflicted injury (E970-E979)	M.	286	262	255	235	202	188	189	177	170
		F.	153	158	148	159	100	93	92	99	99
E970	Poisoning by analgesic and soporific substances	M.	25	18	14	14	8	10	14	9	11
		F.	35	19	19	31	11	14	11	6	14
E971	Poisoning by other solid and liquid substances	M.	7	13	8	11	8	11	5	4	6
		F.	4	4	3	11	5	3	4	7	4
E972	Poisoning by gases in domestic use	M.	125	127	111	107	88	80	76	65	62
		F.	73	91	90	75	54	51	51	53	47
E973	Poisoning by other gases	M.	5	2	6	1	1	1	—	6	4
		F.	1	—	1	1	—	—	—	2	—
E974	Injury by hanging and strangulation	M.	35	24	37	34	43	27	37	35	30
		F.	4	4	8	7	10	7	10	10	10
E975	Injury by submersion (drowning)	M.	26	26	25	17	25	19	14	13	11
		F.	23	30	19	20	12	11	11	15	13
E976	Injury by firearms and explosives	M.	20	14	19	19	7	9	19	17	14
		F.	1	—	—	2	1	—	—	—	2
E977	Injury by cutting and piercing instruments	M.	17	11	18	18	13	16	13	16	18
		F.	3	4	2	1	1	3	4	4	3
E978	Injury by jumping from high place	M.	11	12	12	12	7	8	5	10	9
		F.	6	5	5	8	2	2	1	2	3
E979	Injury by other and unspecified means	M.	15	15	5	2	2	7	6	2	5
		F.	3	1	1	3	4	2	—	—	3
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)	M.	29	16	8	15	18	20	8	12	16
		F.	21	13	15	10	8	16	11	10	15
E980	Non-accidental poisoning by another person	M.	—	1	—	3	—	5	—	—	—
		F.	—	2	3	1	—	1	—	1	2
E981	Assault by firearm and explosive	M.	4	1	—	—	2	—	1	2	—
		F.	6	2	4	1	1	—	—	2	1

Table 42A. Causes of Death by Sex—Scotland, 1950-1958—*continued*

International Detailed List Numbers	Causes of Death		1958	1957	1956	1955	1954	1953	1952	1951	1950		
	E.XVII. ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE) (E800-E999)—*continued*												
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—*continued*												
E982	Assault by cutting and piercing instruments	M.	6	4	1	1	2	3	—	2	3		
		F.	1	1	2	1	1	—	3	—	4		
E983	Assault by other means	M.	18	10	7	11	12	11	5	7	11		
		F.	14	8	6	7	6	15	8	7	8		
E984	Injury by intervention of police	M.	—	—	—	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
E985	Execution	M.	1	—	—	—	2	1	2	1	2		
		F.	—	—	—	—	—	—	—	—	—		
E990-E999	*Injury resulting from operations of war*	M.	—	—	1	—	—	—	—	—	—		
		F.	—	—	—	—	—	—	—	—	—		
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)

E990, Injury due to war operations by gas and chemicals, —.
E991, Injury due to war operations by gunshot, —.
E992, Injury due to war operations by grenade and landmine, —.
E993, Injury due to war operations by bomb, 1956, 1.
E994, Injury due to war operations by marine mine, depth charge and torpedo, —.
E995, Injury due to war operations by explosion of artillery shell, —.
E996, Injury due to war operations by explosion of undetermined origin, —.
E997, Injury due to war operations by aircraft destruction, —.
E998, Injury due to war operations by other and unspecified means, —.
E999, Injury due to war operations but occurring after cessation of hostilities, —.

Table 43. Cause of Death by Month and Sex—Scotland 1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
		ALL CAUSES—Both Sexes		62065	6789	5746	6087	5636	4988	4565	4372	4099	4196	4621	4661	6305
		Males		31765	3426	2960	3183	2802	2534	2328	2277	2102	2158	2411	2373	3211
		Females		30300	3363	2786	2904	2834	2454	2237	2095	1997	2038	2210	2288	3094
		All Tuberculosis (Total 001-019)	M.	459	49	62	47	40	27	28	26	39	20	35	36	50
			F.	228	26	26	23	24	10	7	15	15	9	15	27	31
001-008	1	Respiratory system	M.	431	46	61	46	36	26	23	23	37	19	32	36	46
			F.	207	25	24	22	20	10	4	12	14	8	12	26	30
010	2	Meninges and central nervous system	M.	7	1	1	–	1	–	2	–	1	–	–	–	1
			F.	6	1	1	–	–	–	2	2	–	–	–	–	–
011	3	Intestines, peritoneum, and mesenteric glands	M.	4	1	–	–	1	–	–	–	–	1	–	–	1
			F.	3	–	–	1	1	–	–	1	–	–	–	–	–
012, 013	4	Bones and joints	M.	5	–	–	–	–	1	1	–	1	–	1	–	1
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–
014-019	5	All other forms	M.	12	1	–	1	2	–	2	3	–	–	2	–	1
			F.	11	–	1	–	2	–	1	–	1	1	3	1	1
		Syphilis (Total 020-029)	M	40	9	4	5	4	1	5	1	3	3	1	2	2
			F.	18	2	1	4	1	1	–	3	–	1	2	2	1
020	6	Congenital syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	M.	5	2	1	–	–	–	–	–	–	1	–	–	1
			F.	2	–	1	–	–	–	–	1	–	–	–	–	–
025	9	General paralysis of insane	M.	14	3	2	3	1	–	1	–	1	1	1	1	–
			F.	5	1	–	2	1	–	–	–	–	–	–	1	–
022, 023, 26-029	10	All other syphilis	M.	21	4	1	2	3	1	4	1	2	1	–	1	1
			F.	11	1	–	2	–	1	–	2	–	1	2	1	1
30-035	11	Gonococcal infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–
040	12	Typhoid fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–
41, 042	13	Paratyphoid fever and other salmonella infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	1	2	–	1	–	–	–
043	14	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
45-048	16	Dysentery, all forms	M.	2	–	–	–	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	M.	12	–	–	1	–	1	2	1	2	–	1	3	1
			F.	8	1	–	1	–	2	–	–	1	1	1	1	–
055	21	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	M.	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	3	1	–	1	–	–	–	1	–	–	–	–	–
057	23	Meningococcal infections	M.	13	1	2	1	3	–	1	1	1	–	1	2	–
			F.	12	1	2	–	1	1	–	–	2	–	1	2	2
058	24	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	2	–	1	–	–
062	27	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	M.	13	–	–	1	–	–	1	–	1	4	6	–	–
			F.	3	–	–	–	–	–	–	–	–	–	3	–	–
082	29	Acute infectious encephalitis	M.	3	–	1	–	–	–	1	–	–	1	–	–	–
			F.	5	–	–	1	–	–	1	–	1	–	1	–	1
81, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	12	1	1	1	3	1	–	1	–	–	–	1	3
			F.	16	1	2	1	3	2	2	2	–	–	1	2	–
084	31	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	M.	3	–	–	–	–	1	–	–	–	–	–	–	2
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–
091	33	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	M.	13	1	2	2	–	–	2	1	1	3	–	–	1
			F.	13	2	1	–	3	3	–	1	2	–	1	–	–
094	35	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE. Sub-headings indicated by letters (*a*, *b*, *c* etc.,) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November
100-108	36	Typhus and other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	M.	1	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	15	2	–	2	–	1	1	6	2	–	–	–
			F.	10	2	1	1	–	1	–	1	–	1	–	3
		Malignant neoplasms (Total 140-205)	M.	5821	475	435	492	469	506	484	455	457	508	520	493
			F.	5010	442	395	433	427	433	398	395	398	406	420	414
140-148	44	Buccal cavity and pharynx	M.	154	15	12	14	12	10	11	11	10	16	18	10
			F.	80	5	7	8	7	13	4	9	4	6	3	3
150	45	Œsophagus	M.	178	17	9	23	10	10	15	11	12	17	20	15
			F.	136	14	13	12	5	13	10	8	12	18	15	8
151	46	Stomach	M.	887	64	73	79	71	65	81	68	72	73	74	86
			F.	774	69	48	72	75	69	61	68	59	69	63	58
152, 153	47	Intestine, except rectum	M.	535	58	36	40	52	53	45	41	41	48	37	39
			F.	707	67	62	59	63	59	65	51	50	58	55	56
154	48	Rectum	M.	331	28	23	33	25	32	27	22	25	34	35	24
			F.	239	12	25	20	14	28	16	17	18	23	16	22
161	49	Larynx	M.	70	4	3	6	6	8	7	4	9	7	6	2
			F.	24	3	4	3	1	2	2	3	–	1	3	1
162, 163	50	Trachea, bronchus, and lung, not specified as secondary	M.	1887	150	131	160	158	159	150	162	139	165	167	174
			F.	339	32	26	23	27	25	21	31	30	35	23	32
170	51	Breast	M.	6	1	–	1	–	1	–	–	2	–	–	–
			F.	869	81	70	65	65	67	71	76	61	64	90	74
171	52	Cervix uteri	F.	218	11	17	24	17	18	26	15	17	15	19	22
172-174	53	Other and unspecified parts of uterus	F.	194	17	13	20	18	23	17	12	25	20	7	11
177	54	Prostate	M.	376	29	40	23	36	37	31	30	29	32	34	29
190, 191	55	Skin	M.	72	7	9	3	6	5	4	4	8	3	9	8
			F.	68	5	5	5	7	6	9	5	8	3	6	3
196, 197	56	Bone and connective tissue	M.	69	10	7	7	5	6	4	7	4	4	5	6
			F	49	3	4	6	7	3	3	5	3	3	8	2
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	950	72	66	73	68	87	82	80	81	80	82	75
			F.	1059	98	84	95	93	78	71	83	93	78	92	100
204	58	Leukæmia and aleukæmia	M.	137	9	11	10	8	15	10	7	11	16	17	16
			F.	122	11	6	16	15	9	13	5	9	6	6	10
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	169	11	15	20	12	18	17	8	14	13	16	9
			F.	132	14	11	5	13	20	9	7	9	7	14	12
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	38	3	5	–	4	5	4	4	1	4	3	4
			F.	56	7	5	2	5	5	3	3	5	1	9	5
250, 251	61	Non-toxic goitre	M.	1	–	–	–	–	–	–	–	1	–	–	–
			F.	4	1	–	1	–	1	–	–	–	–	–	–
252	62	Thryotoxicosis with or without goitre	M.	2	–	–	–	1	–	–	–	1	–	–	–
			F.	22	3	2	3	–	3	2	2	1	2	1	–
260	63	Diabetes mellitus	M.	155	11	12	23	10	14	10	15	18	12	8	10
			F.	373	41	28	45	35	26	31	24	28	23	22	30
280-286	64	Avitaminosis and other deficiency states	M.	19	2	3	2	3	1	1	1	1	1	2	1
			F.	22	3	4	4	2	1	–	1	2	1	1	1
290	65*a*	Pernicious and other hyperchromic anæmias	M.	42	8	3	5	3	5	4	4	1	2	2	2
			F.	119	10	13	12	12	11	7	7	6	12	6	10
291-293	65*b*	Other anæmias	M.	27	2	3	4	1	–	4	3	3	1	1	4
			F.	51	4	3	5	2	6	5	1	4	2	3	7
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	144	19	16	9	13	6	3	15	10	10	16	10
			F.	195	21	16	17	15	10	11	16	21	18	13	16
300-309	67	Psychoses	M.	65	5	6	7	9	12	8	3	1	4	3	3
			F.	59	8	4	5	7	8	3	8	4	5	2	4
310-324, 326	68	Psychoneuroses and disorders of personality	M.	16	2	1	–	3	1	1	1	–	2	2	1
			F.	9	–	–	1	1	1	–	–	3	–	–	1
325	69	Mental deficiency	M.	11	3	2	–	1	–	–	1	–	–	3	–
			F.	11	–	1	1	–	4	2	1	1	–	–	–
		Vascular lesions affecting central nervous system (Total 330-334)	M.	4111	441	368	415	384	339	311	299	251	280	308	290
			F.	5871	642	528	567	555	502	441	388	359	419	438	429
330	70*a*	Subarachnoid hæmorrhage	M.	108	9	7	9	13	9	9	10	4	11	5	8
			F.	165	12	13	11	13	19	19	15	17	12	12	11

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

ternational assification: ailed ist	Inter-mediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
		Vascular lesions affecting central nervous system (330-334)—*continued*														
31	70*b*	Cerebral hæmorrhage	M.	1595	176	155	170	147	120	121	122	109	104	128	97	146
			F.	2403	227	223	258	249	215	170	163	142	159	165	189	243
32	70*c*	Cerebral embolism and thrombosis	M.	2039	214	176	195	195	180	158	133	113	137	151	162	225
			F.	2834	343	247	262	256	228	213	176	166	207	223	210	303
334	70*d*	Other vascular lesions affecting central nervous system	M.	369	42	30	41	29	30	23	34	25	28	24	23	40
			F.	469	60	45	36	37	40	39	34	34	41	38	19	46
40	71	Non-meningococcal meningitis	M.	26	1	3	2	2	5	1	1	1	2	2	2	4
			F.	32	7	3	1	2	2	1	4	1	2	1	3	5
45	72	Multiple sclerosis	M.	85	7	7	10	12	9	4	4	5	8	6	5	8
			F.	84	11	6	6	11	7	7	6	3	8	8	9	2
53	73	Epilepsy	M.	38	6	4	2	2	5	2	2	1	4	3	4	3
			F.	52	6	3	6	7	5	1	5	4	6	2	2	5
393	77	Otitis media and mastoiditis	M.	8	–	–	–	2	1	2	–	1	–	1	1	–
			F.	3	1	1	–	–	1	–	–	–	–	–	–	–
50	78*a*	Paralysis agitans	M.	78	9	6	13	5	6	3	6	2	5	2	7	14
			F.	99	13	8	12	7	10	4	13	7	10	4	4	7
344, 352, 390, 398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	139	12	10	21	10	10	14	9	11	8	9	14	11
			F.	141	19	12	14	9	8	12	13	14	12	7	11	10
402	79	Rheumatic fever	M.	7	1	–	2	1	1	–	1	1	–	–	–	–
			F.	10	4	–	–	1	1	1	1	–	–	–	1	1
		Heart Disease (Total 410-443)	M.	10824	1190	1026	1096	984	867	795	764	716	684	796	774	1132
			F.	10522	1177	998	1036	1050	827	751	697	670	669	757	768	1122
416	80	Chronic rheumatic heart disease	M.	243	22	23	30	25	13	20	24	10	16	19	15	26
			F.	572	73	54	59	60	55	33	36	37	23	40	38	64
20	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	6359	654	544	599	542	507	500	478	447	431	490	474	693
			F.	3958	398	351	386	333	310	291	283	252	259	309	332	454
21	81*b*	Chronic endocarditis not specified as rheumatic	M.	140	23	14	18	8	7	14	7	11	9	6	11	12
			F.	175	21	15	20	18	19	10	10	7	14	9	15	17
22.0	81*c*	Fatty degeneration of heart	M.	4	–	1	–	1	–	–	–	–	–	1	–	1
			F.	23	5	1	2	2	2	3	3	2	1	–	2	–
22.1	81*d*	Moycardial degeneration with arteriosclerosis	M.	1840	236	213	208	205	145	118	98	112	96	118	116	175
			F.	2741	307	281	278	282	207	196	169	180	192	197	178	274
22.2	81*e*	Other myocardial degeneration	M.	1397	168	160	159	131	133	85	86	66	82	104	89	134
			F.	1870	233	188	180	231	145	124	129	113	98	121	120	188
432	82*a*	Acute non-rheumatic heart disease	M.	49	7	3	1	6	7	4	5	4	2	2	2	6
			F.	52	5	7	5	6	5	2	3	2	3	3	4	7
, 434	82*b*	Other and unspecified diseases of heart	M.	313	29	19	32	26	25	19	25	24	21	21	32	40
			F.	372	41	26	32	31	30	29	26	31	26	26	31	43
443	83	Hypertensive heart disease	M.	479	51	49	49	40	30	35	41	42	27	35	35	45
			F.	759	94	75	74	87	54	63	38	46	53	52	48	75
447	84	Other hypertensive disease	M.	298	36	25	28	28	38	26	21	19	15	20	17	25
			F.	339	55	22	39	27	32	25	22	23	12	23	24	35
50	85*a*	General arteriosclerosis	M.	574	59	62	60	59	38	39	35	39	37	31	44	71
			F.	663	91	64	49	55	49	54	48	44	40	45	41	83
456	85*b*	Other diseases of arteries	M.	121	12	8	13	6	7	7	14	4	14	12	14	10
			F.	102	13	11	9	4	7	7	10	8	10	10	8	5
468	86	Other diseases of circulatory system	M.	95	4	14	7	2	4	9	10	5	9	12	12	7
			F.	141	12	14	17	12	15	17	10	9	11	10	8	6
475	87	Acute upper respiratory infections	M.	15	3	2	1	1	–	1	1	–	1	2	–	3
			F.	11	3	–	–	–	2	–	–	1	2	2	–	1
483	88	Influenza	M.	73	17	13	11	12	4	–	–	–	2	3	3	8
			F.	70	12	10	16	16	3	1	1	2	1	1	4	3
		Pneumonia (Total 490-493)	M.	1096	179	127	135	123	75	58	53	44	50	68	67	117
			F.	1012	175	130	136	105	64	49	49	36	37	59	70	102
90	89	Lobar pneumonia	M.	207	37	22	41	25	10	6	7	10	7	7	16	19
			F.	164	28	23	23	16	12	9	8	4	3	15	9	14
91	90	Bronchopneumonia	M.	780	122	95	85	91	59	41	40	32	35	55	37	88
			F.	771	139	97	101	76	48	38	39	30	32	34	56	81
493	91	Primary atypical, other and unspecified pneumonia	M.	109	20	10	9	7	6	11	6	2	8	6	14	10
			F.	77	8	10	12	13	4	2	2	2	2	10	5	7
		Bronchitis (Total 500-502)	M.	1610	272	223	222	146	93	59	66	50	59	82	96	242
			F.	684	119	89	80	70	35	39	13	17	23	28	46	125
00	92	Acute bronchitis	M.	116	29	15	12	12	4	2	6	2	6	9	6	13
			F.	130	26	13	21	17	4	8	1	1	3	1	6	29
01b, 02b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	959	146	137	122	92	61	45	41	34	28	55	62	136
			F.	347	58	50	36	34	21	21	8	9	9	15	28	58
01a, 02a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	535	97	71	88	42	28	12	19	14	25	18	28	93
			F.	207	35	26	23	19	10	10	4	7	11	12	12	38
10	94	Hypertrophy of tonsils and adenoids	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	1	–	–	–	–	–	–	1	–
521	95	Empyema and abscess of lung	M.	9	–	1	–	3	2	–	–	–	1	–	1	1
			F.	12	1	–	–	2	1	–	3	1	–	1	1	2

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November
519	96	Pleurisy	M.	9	1	1	1	–	1	1	–	1	1	1	1
			F.	9	1	–	–	1	–	1	2	–	1	1	1
523, 524	97*a*	Pneumoconiosis	M.	262	40	25	35	22	20	19	12	8	11	19	14
			F.	–	–	–	–	–	–	–	–	–	–	–	–
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	175	23	25	19	15	12	10	14	4	7	10	10
			F.	105	17	16	10	7	4	6	6	5	6	7	5
530-535	98	Diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	M.	148	22	13	20	12	13	12	10	7	8	6	9
			F.	90	8	7	11	10	9	10	9	6	6	3	5
541	100	Ulcer of duodenum	M.	241	24	23	34	20	16	19	21	14	14	14	20
			F.	55	7	10	6	3	4	5	4	5	1	4	3
543	101	Gastritis and duodenitis	M.	4	–	–	–	–	–	–	1	1	–	–	2
			F.	6	2	1	–	–	1	–	1	–	–	–	1
550-553	102	Appendicitis	M.	48	5	4	6	3	2	1	3	5	4	3	8
			F.	37	3	3	2	4	2	6	1	4	–	3	3
560, 561, 570	103	Intestinal obstruction and hernia	M.	172	17	19	22	11	13	10	13	8	19	14	13
			F.	181	11	16	14	18	7	17	17	12	20	16	9
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	29	2	2	2	4	4	3	4	–	2	1	1
			F.	31	1	4	3	1	1	5	1	2	2	7	3
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	27	2	4	3	5	2	1	4	3	–	2	–
			F.	27	1	2	4	4	3	5	1	1	2	–	2
572	104*c*	Chronic enteritis and ulcerative colitis	M.	56	6	4	11	5	4	4	5	5	1	4	4
			F.	104	7	8	8	5	11	10	14	4	8	12	9
581	105	Cirrhosis of liver	M.	103	12	6	6	11	9	10	5	4	12	12	6
			F.	118	8	10	11	10	13	13	8	14	4	7	11
584, 585	106	Cholelithiasis and cholecystitis	M.	65	6	2	4	4	3	4	8	12	3	8	6
			F.	151	15	8	6	16	10	18	18	9	14	11	14
580, 582, 583, 586	107*a*	Other diseases of liver	M.	19	2	2	5	1	–	1	3	1	2	–	1
			F.	33	2	2	7	2	5	3	1	1	2	2	3
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	86	9	6	8	7	7	8	4	7	8	8	7
			F.	81	12	4	8	7	7	9	1	5	2	6	5
590	108	Acute nephritis	M.	16	1	3	–	2	3	3	–	3	–	1	–
			F.	14	–	3	4	–	1	1	1	–	1	1	1
591-594	109	Chronic, other and unspecified nephritis	M.	206	20	20	25	20	20	9	10	17	16	19	18
			F	181	18	16	23	13	24	12	8	8	17	16	11
600	110	Infections of kidney	M.	84	7	6	11	5	6	4	8	–	7	6	12
			F.	145	14	6	12	16	17	17	9	5	13	10	12
602, 604	111	Calculi of urinary system	M.	18	2	1	1	1	–	–	3	–	1	2	5
			F.	4	1	–	–	2	–	–	–	–	–	1	–
610	112	Hyperplasia of prostate	M.	382	36	31	44	28	21	36	31	29	22	32	33
620, 621	113	Diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	M.	24	1	3	6	3	–	3	1	1	1	4	–
			F.	6	–	–	3	–	1	–	1	–	–	–	1
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	37	1	6	5	–	4	4	4	3	1	3	2
			F.	54	3	5	7	4	3	7	6	8	4	1	5
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	11	–	–	3	–	1	1	1	2	2	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	11	1	4	–	–	1	2	–	1	2	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	2	–	–	–	1	–	–	–	–	1	–	–
671, 672	117*b*	Postpartum hæmorrhage	F.	5	–	1	–	–	–	2	–	1	1	–	–
650	118	Abortion without mention of sepsis or toxæmia	F.	6	–	1	–	–	2	–	1	1	–	1	–
651	119	Abortion with sepsis	F.	4	–	–	–	–	–	–	1	–	–	1	1
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	F.	14	1	3	–	2	1	1	–	1	1	2	1
690-698	121	Infections of skin and subcutaneous tissue	M.	11	1	1	–	–	3	2	1	2	–	1	–
			F.	7	1	1	–	1	1	–	–	1	1	–	–
720-725	122	Arthritis and spondylitis	M.	47	6	7	5	6	5	3	3	4	4	1	1
			F.	164	22	19	16	11	7	15	8	13	7	6	22
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	2	–	–	–	–	–	–	1	–	–	–	1
			F.	4	1	1	1	–	–	–	–	–	1	–	–
730	124	Osteomyelitis and periostitis	M.	5	1	–	–	1	–	1	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	1	1	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	27	5	3	4	–	2	2	1	–	3	4	1
			F.	36	3	4	–	4	–	5	1	3	3	2	8

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

rnational sification	Inter-mediate List "A"	Causes of Death		Total	January	February	March	April	May	June	July	August	September	October	November	December
led		*Congenital malformations and certain diseases of early infancy* (Total 750-776)	M.	1252	131	109	98	102	113	116	89	96	87	103	110	98
			F.	905	78	76	71	79	78	72	81	69	69	67	73	92
	127	Spina bifida and meningocele	M.	60	7	2	5	2	5	8	6	8	5	7	4	1
			F.	74	3	5	7	5	5	10	7	7	8	4	3	10
	128	Congenital malformations of circulatory system	M.	116	7	10	7	8	12	13	11	7	10	12	15	4
			F.	113	11	13	10	15	9	7	9	7	5	3	7	17
52, 59	129	All other congenital malformations	M.	134	15	11	12	12	12	13	8	8	11	11	11	10
			F.	151	12	12	15	8	18	11	16	9	15	10	11	14
61	130	Birth injuries	M.	166	24	14	17	8	14	19	16	12	11	6	13	12
			F.	79	2	8	6	12	12	4	6	6	4	8	5	6
	131	Postnatal asphyxia and atelectasis	M.	345	30	27	24	34	28	27	22	25	26	27	39	36
			F.	218	20	21	15	16	13	21	17	15	19	20	23	18
	132*a*	Pneumonia of newborn	M.	59	12	5	1	10	5	3	5	1	2	7	2	6
			F.	40	7	–	8	2	2	1	1	–	2	4	9	4
	132*b*	Diarrhœa of newborn	M.	4	–	1	–	–	1	–	–	–	–	2	–	–
			F.	6	–	1	–	–	–	–	1	–	–	1	1	2
68	132*c*	Other infections of newborn	M.	10	1	3	1	–	–	–	–	2	–	2	–	1
			F.	7	2	1	–	1	–	–	–	–	–	1	–	2
	133	Hæmolytic disease of newborn	M.	36	5	2	3	5	3	4	4	–	1	3	1	5
			F.	17	1	1	1	1	–	4	3	2	–	2	2	–
71,	134	All other defined diseases of early infancy	M.	59	4	5	12	3	7	7	3	6	2	3	4	3
			F.	30	2	4	1	7	3	–	4	1	2	1	2	3
76	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	263	26	29	16	20	26	22	14	27	19	23	21	20
			F.	170	18	10	8	12	16	14	17	22	14	13	10	16
	136	Senility without mention of psychosis	M.	196	27	16	22	16	16	10	12	12	17	14	13	21
			F.	362	49	38	33	42	35	18	28	25	19	31	24	20
93,	137	Ill-defined and unknown causes	M.	149	10	11	14	14	9	11	14	16	12	12	6	20
			F.	103	18	8	7	3	4	11	10	7	8	8	8	11
		Accidents, Poisonings and Violence (*External Cause*) (Total E800-E999)	M.	1725	163	149	131	135	138	129	167	146	141	143	144	139
			F.	1125	121	106	84	96	100	82	88	88	75	85	91	109
	138	Motor vehicle accidents	M.	442	45	29	29	25	32	32	50	38	45	40	36	41
			F.	156	12	15	10	4	13	12	16	15	12	19	13	15
	139*a*	Other road vehicle accidents	M.	21	1	–	3	1	1	1	4	3	2	4	1	–
			F.	13	3	–	1	–	1	2	–	1	1	1	2	1
	139*b*	Other transport accidents	M.	72	8	8	1	3	4	6	6	8	2	8	9	9
			F.	6	–	1	–	–	–	–	–	–	–	2	–	3
	140	Accidental poisoning	M.	132	14	14	11	19	3	12	8	13	7	10	11	10
			F.	166	19	22	14	16	6	15	13	14	4	13	10	20
	141	Accidental falls	M.	319	30	32	26	30	30	21	29	20	18	28	29	26
			F.	402	42	40	34	36	41	25	29	33	23	31	30	38
	142	Accident caused by machinery	M.	19	2	2	3	–	–	1	1	1	2	2	2	3
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
	143	Accident caused by fire and explosion of combustible material	M.	32	5	6	5	4	–	2	1	1	3	–	2	3
			F.	68	16	7	12	8	4	2	–	3	3	3	5	5
	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	1	–	–	2	1	–	–	1	–	–	1	–
			F.	5	1	1	–	1	–	–	–	–	–	2	–	–
	145	Accident caused by firearm	M	9	–	–	3	1	1	1	–	1	1	1	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–
	146	Accidental drowning and submersion	M.	164	9	9	14	5	15	6	36	25	17	12	9	7
			F.	33	1	1	–	1	7	5	6	2	4	–	3	3
	147*a*	Accidental mechanical suffocation	M.	97	15	10	8	8	9	9	5	4	6	5	14	4
			F.	74	8	6	6	9	10	6	3	2	6	1	8	9
	147*b*	All other accidental causes	M.	93	4	9	8	6	7	11	3	6	14	10	6	9
			F.	26	5	1	1	2	4	–	3	–	3	2	2	3
	148	Suicide and self-inflicted injury	M.	286	25	29	18	31	29	23	19	23	21	22	21	25
			F.	153	12	10	6	18	13	13	15	16	15	10	14	11
	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	29	4	–	–	–	5	4	5	2	3	1	3	2
			F.	22	2	1	–	1	1	2	3	2	4	1	4	1
	150	Injury resulting from operations of war	M.	4	–	1	2	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE. Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44A.—Deaths in Scotland by Sex and Age Groups—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75– and over	Not Stated
		ALL CAUSES—Both Sexes		62,065	2,758	338	190	158	517	862	1,910	4,997	10,188	16,200	23,947	—
		Males		31,765	1,578	178	119	99	341	481	1,046	3,027	6,074	8,539	10,283	—
		Females		30,300	1,180	160	71	59	176	381	864	1,970	4,114	7,661	13,664	—
		All Tuberculosis (Total 001-019)	M.	459	1	4	2	2	6	33	50	100	135	96	30	—
			F.	228	2	1	2	—	7	51	63	28	28	30	16	—
001-008	1	Respiratory system	M.	431	—	2	—	—	3	30	49	95	131	94	27	—
			F.	207	1	1	—	—	6	51	59	24	24	26	15	—
010	2	Meninges and central nervous system	M.	7	1	2	2	1	—	1	—	—	—	—	—	—
			F.	6	1	—	2	—	—	—	1	1	1	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	4	—	—	—	—	1	—	—	—	1	2	—	—
			F.	3	—	—	—	—	—	—	1	1	—	1	—	—
012, 013	4	Bones and joints	M.	5	—	—	—	—	1	1	—	1	—	—	2	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
014-019	5	All other forms	M.	12	—	—	—	1	1	1	1	4	3	—	1	—
			F.	11	—	—	—	—	1	—	2	2	2	3	1	—
		Syphilis (Total 020-029)	M.	40	—	—	—	—	—	—	4	4	14	14	4	—
			F.	18	—	—	—	—	—	—	—	2	7	9	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	5	—	—	—	—	—	—	—	—	1	4	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
025	9	General paralysis of insane	M.	14	—	—	—	—	—	—	2	3	5	3	1	—
			F.	5	—	—	—	—	—	—	—	2	1	2	—	—
022, 023, 026-029	10	All other syphilis	M.	21	—	—	—	—	—	—	2	1	8	7	3	—
			F.	11	—	—	—	—	—	—	—	—	5	6	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	1	1	1	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	12	5	2	—	—	—	—	—	3	—	2	—	—
053	20	Septicæmia and pyæmia	M.	8	3	1	1	—	—	—	1	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	3	2	1	—	—	—	—	—	—	—	—	—	—
			F.	13	6	6	—	—	—	—	—	—	1	—	—	—
057	23	Meningococcal infections	M.	12	8	4	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
061	26	Tetanus	M.	3	—	—	1	—	—	—	—	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	13	2	—	1	1	2	4	1	2	—	—	—	—
080	28	Acute poliomyelitis	M.	3	—	1	—	—	—	2	—	—	—	—	—	—
			F.	3	—	2	—	—	—	1	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	5	1	1	—	—	1	1	—	—	1	—	—	—
			F.	12	—	—	—	—	1	—	1	5	2	2	1	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	16	—	—	—	—	1	1	1	3	6	—	4	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	1	2	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	13	—	—	3	—	—	—	2	2	3	—	3	—
092	34	Infectious hepatitis	M.	13	—	—	—	—	2	2	3	2	2	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F													
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	15	1	1	1	—	—	—	1	2	2	4	3	—
			F.	10	1	—	—	—	—	—	—	1	—	1	7	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only

Table 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	5,821	1	21	17	11	41	86	209	764	1,580	1,732	1,359	—
			F.	5,010	7	17	13	9	29	68	256	731	1,140	1,413	1,327	—
140-148	44	Buccal cavity and pharynx	M.	154	—	—	—	—	—	1	4	11	25	52	61	—
			F.	80	—	—	—	—	1	—	1	10	14	24	30	—
150	45	Œsophagus	M.	178	—	—	—	—	—	—	6	15	46	48	63	—
			F.	136	—	—	—	—	—	1	3	12	28	38	54	—
151	46	Stomach	M.	887	—	—	—	—	2	6	15	124	217	305	218	—
			F.	774	—	—	—	—	1	5	16	70	143	230	309	—
152, 153	47	Intestine, except rectum	M.	535	—	—	—	—	2	6	14	59	99	156	199	—
			F.	707	—	—	—	—	—	2	19	67	133	222	264	—
154	48	Rectum	M.	331	—	—	—	—	1	6	16	30	62	115	101	—
			F.	239	—	—	—	—	—	—	10	24	53	84	68	—
161	49	Larynx	M.	70	—	—	—	—	—	—	1	9	18	17	25	—
			F.	24	—	—	—	—	—	—	—	3	8	11	2	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	1,887	—	—	—	—	1	7	87	321	736	556	179	—
			F.	339	—	—	—	—	2	6	22	52	98	97	62	—
170	51	Breast	M.	6	—	—	—	—	—	—	—	—	3	2	1	—
			F.	869	—	—	—	—	—	12	72	192	213	211	169	—
171	52	Cervix uteri	F.	218	—	—	—	—	—	5	39	56	58	39	21	—
172-174	53	Other and unspecified parts of uterus	F.	194	—	—	—	—	1	4	8	31	61	57	32	—
177	54	Prostate	M.	376	—	—	—	—	—	—	—	9	29	142	196	—
190, 191	55	Skin	M.	72	—	—	—	—	—	4	2	6	15	13	32	—
			F.	68	—	—	—	—	2	1	2	11	13	12	27	—
196, 197	56	Bone and connective tissue	M.	69	—	—	1	4	9	1	1	10	10	18	15	—
			F.	49	—	1	1	2	3	2	2	4	11	11	12	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	950	1	9	8	2	9	23	38	131	244	254	231	—
			F.	1,059	4	5	5	5	7	14	48	162	262	311	236	—
204	58	Leukæmia and aleukæmia	M.	137	—	11	6	5	10	13	6	14	27	22	23	—
			F.	122	3	9	7	1	6	7	5	17	21	27	19	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	169	—	1	2	—	7	19	19	25	49	32	15	—
			F.	132	—	2	—	1	6	9	9	20	24	39	22	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	38	1	2	—	—	1	3	5	8	7	6	5	—
			F.	56	2	1	—	3	—	4	11	4	11	13	7	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	4	—	—	—	—	—	—	1	—	—	1	2	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	22	—	—	—	—	—	1	1	5	7	5	3	—
260	63	Diabetes mellitus	M.	155	—	—	—	—	1	5	9	15	25	47	53	—
			F.	373	—	—	—	—	—	—	—	—	—	—	—	—

280-286	64	Avitaminosis and other deficiency states	M.	19	—	1	—	—	—	1	1	2	5	4	5	—
			F.	22	—	—	—	—	—	1	2	—	5	8	6	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	42	—	—	—	—	—	—	—	—	6	9	27	—
			F.	119	—	—	—	—	—	1	3	3	8	31	73	—
291-293	65*b*	Other anæmias	M.	27	1	1	—	—	1	—	—	2	8	7	7	—
			F.	51	—	1	—	1	1	—	2	1	9	17	19	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	144	2	3	—	2	8	10	12	28	31	34	14	—
			F.	195	4	1	2	—	7	8	10	24	48	54	37	—
300-309	67	Psychoses	M.	65	—	—	—	—	—	—	2	2	8	19	34	—
			F.	59	—	—	—	—	—	—	—	2	7	12	38	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	16	—	—	—	—	—	—	3	6	5	2	—	—
			F.	9	—	—	—	—	—	—	1	—	2	5	1	—
325	69	Mental deficiency	M.	11	3	1	1	1	2	1	—	2	—	—	—	—
			F.	11	2	3	1	—	—	—	3	1	1	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	4,111	4	2	1	2	5	19	45	209	564	1,253	2,007	—
			F.	5,871	1	1	—	4	8	23	70	282	688	1,683	3,111	—
330	70*a*	Subarachnoid hæmorrhage	M	108	—	—	—	1	3	12	17	23	28	15	9	—
			F.	165	—	—	—	1	5	10	24	40	38	35	12	—
331	70*b*	Cerebral hæmorrhage	M.	1,595	4	1	1	1	1	7	18	137	286	531	608	—
			F.	2,403	1	1	—	3	3	8	33	178	376	756	1,044	—
332	70*c*	Cerebral embolism and thrombosis	M.	2,039	—	1	—	—	1	—	9	42	228	610	1,148	—
			F.	2,834	—	—	—	—	—	4	12	59	250	795	1,714	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	369	—	—	—	—	—	—	1	7	22	97	242	—
			F.	469	—	—	—	—	—	1	1	5	24	97	341	—
340	71	Non-meningococcal meningitis	M.	26	8	3	1	1	1	1	4	4	2	1	—	—
			F.	32	13	2	—	2	1	—	1	3	4	4	2	—
345	72	Multiple sclerosis	M.	85	—	—	—	—	2	4	14	22	21	16	6	—
			F.	84	—	—	—	—	1	7	13	23	25	12	3	—
353	73	Epilepsy	M.	38	—	2	6	3	5	8	5	1	3	2	3	—
			F.	52	1	3	1	1	5	7	11	7	9	2	5	—
391-393	77	Otitis media and mastoiditis	M.	8	1	—	—	—	1	1	1	1	2	1	—	—
			F.	3	1	1	—	—	—	—	—	—	1	—	—	—
350	78*a*	Paralysis agitans	M.	78	—	—	—	—	—	—	—	4	13	29	32	—
			F.	99	—	—	—	—	—	—	1	6	14	41	37	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	139	10	3	3	3	5	5	11	20	22	36	21	—
			F.	141	5	9	2	2	7	5	12	12	26	28	33	—
400-402	79	Rheumatic fever	M.	7	—	—	—	1	1	1	2	—	1	1	—	—
			F.	10	—	—	1	—	1	1	3	3	1	—	—	—
		Heart Disease (Total 410-443)	M.	10,824	—	—	—	1	16	54	266	1,006	2,181	3,249	4,051	—
			F.	10,522	1	—	—	4	15	50	163	404	1,227	2,776	5,882	—
410-416	80	Chronic rheumatic heart disease	M.	243	—	—	—	—	6	22	34	46	56	60	19	—
			F.	572	—	—	—	1	7	40	83	118	146	100	77	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	6,359	—	—	—	1	2	20	214	832	1,714	2,099	1,477	—
			F.	3,958	—	—	—	—	1	3	50	199	725	1,417	1,563	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	140	—	—	—	—	1	4	3	20	34	36	42	—
			F.	175	—	—	—	—	—	3	8	8	22	53	81	—
422.0	81*c*	Fatty degeneration of heart	M.	4	—	—	—	—	—	—	—	—	1	1	2	—
			F.	23	—	—	—	—	—	—	—	—	5	17	1	—

Table 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	1,840	—	—	—	—	—	—	—	17	78	381	1,364	—
			F.	2,741	—	—	—	—	1	—	2	9	74	414	2,241	—
422.2	81*e*	Other myocardial degeneration	M.	1,397	—	—	—	—	3	—	3	45	148	414	784	—
			F.	1,870	—	—	—	—	2	3	5	29	108	404	1,319	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	49	—	—	—	—	2	6	3	2	11	12	13	—
			F.	52	—	—	—	—	1	—	4	6	8	18	15	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	313	—	—	—	—	2	2	6	20	53	82	148	—
			F.	372	1	—	—	3	3	1	8	12	43	99	202	—
440-443	83	Hypertensive heart disease	M.	479	—	—	—	—	—	—	3	24	86	164	202	—
			F.	759	—	—	—	—	—	—	3	23	96	254	383	—
444-447	84	Other hypertensive disease	M.	298	—	—	—	—	1	3	14	32	58	81	109	—
			F.	339	—	—	—	—	3	4	5	37	46	101	143	—
450	85*a*	General arteriosclerosis	M.	574	—	—	—	—	—	—	—	3	14	107	450	—
			F.	663	—	—	—	—	—	—	—	—	8	93	562	—
451-456	85*b*	Other diseases of arteries	M.	121	—	—	—	—	3	—	7	10	25	44	32	—
			F.	102	—	—	—	—	1	4	6	9	13	29	40	—
460-468	86	Other diseases of circulatory system	M.	95	—	—	—	—	1	—	4	20	26	22	22	—
			F.	141	—	—	—	—	1	1	7	12	30	39	51	—
470-475	87	Acute upper respiratory infections	M.	15	5	3	1	1	—	1	—	—	1	2	1	—
			F.	11	2	6	—	—	1	—	—	—	—	1	1	—
480-483	88	Influenza	M.	73	2	—	—	—	4	5	1	11	10	16	24	—
			F.	70	5	1	—	—	1	1	4	3	11	17	27	—
		Pneumonia (Total 490-493)	M.	1,096	152	22	4	7	7	11	25	72	126	272	398	—
			F.	1,012	121	23	2	2	7	7	14	40	86	215	495	—
490	89	Lobar pneumonia	M.	207	19	3	—	1	2	3	7	11	35	61	65	—
			F.	164	11	—	—	—	1	—	3	12	22	41	74	—
491	90	Bronchopneumonia	M.	780	117	17	3	5	5	6	17	52	77	174	307	—
			F.	771	105	18	2	2	6	7	10	26	55	160	380	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	109	16	2	1	1	—	2	1	9	14	37	26	—
			F.	77	5	5	—	—	—	—	1	2	9	14	41	—
		Bronchitis (Total 500-502)	M.	1,610	20	7	—	1	1	3	22	168	479	554	355	—
			F.	684	14	5	3	—	—	9	15	40	118	189	291	—
500	92	Acute bronchitis	M.	116	20	7	—	1	1	—	3	7	14	27	36	—
			F.	130	14	5	3	—	—	2	1	4	13	29	59	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	959	—	—	—	—	—	2	14	100	303	341	199	—
			F.	347	—	—	—	—	—	2	10	19	67	106	143	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	535	—	—	—	—	—	1	5	61	162	186	120	—
			F.	207	—	—	—	—	—	5	4	17	38	54	89	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	—	—	—	—	1	—	—	—	—	—	—

* 518, 521	95	Empyema and abscess of lung	M.	9	—	—	—	—	—	1	1	—	3	2	—
			F.	12	1	—	—	—	1	—	2	—	2	4	2	—
519	96	Pleurisy	M.	9	—	—	—	—	—	1	—	1	—	4	3	—
			F.	9	—	—	—	—	—	1	1	—	2	1	4	—
523, 524	97*a*	Pneumoconiosis	M.	262	—	—	—	—	—	—	2	6	73	120	61	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	175	1	—	—	—	—	3	11	25	47	53	35	—
			F.	105	1	—	1	—	2	5	7	13	16	27	33	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	148	—	—	—	—	2	2	8	14	34	45	43	—
			F.	90	—	—	—	—	1	1	3	8	14	32	31	—
541	100	Ulcer of duodenum	M.	241	—	—	—	—	—	4	12	30	64	72	59	—
			F.	55	—	—	—	—	—	1	4	7	10	16	17	—
543	101	Gastritis and duodenitis	M.	4	—	—	—	—	—	—	1	—	—	—	3	—
			F.	6	—	1	1	—	—	—	—	—	—	—	4	—
550-553	102	Appendicitis	M.	48	1	3	3	2	6	3	1	8	10	8	3	—
			F.	37	—	4	1	1	—	1	3	3	7	8	9	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	172	13	4	—	—	—	4	3	12	24	50	62	—
			F.	181	11	—	1	—	—	3	7	12	23	47	77	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	29	29	—	—	—	—	—	—	—	—	—	—	—
			F.	31	29	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	27	—	1	1	—	1	1	1	—	5	5	12	—
			F.	27	—	1	1	1	—	—	2	1	3	5	13	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	56	1	—	—	—	4	2	2	12	11	9	15	—
			F.	104	—	—	—	—	4	4	5	9	17	26	39	—
581	105	Cirrhosis of liver	M.	103	—	—	1	2	1	2	6	14	31	27	19	—
			F.	118	—	—	1	1	1	—	5	17	32	44	17	—
584, 585	106	Cholelithiasis and cholecystitis	M.	65	—	—	—	—	—	—	2	4	9	26	24	—
			F.	151	—	—	—	—	1	2	2	8	35	45	58	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	19	2	—	—	—	2	1	1	5	4	2	2	—
			F.	33	1	1	—	—	2	2	1	2	5	8	11	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	86	6	2	1	1	2	2	7	9	19	20	17	—
			F.	81	7	3	1	—	—	2	1	7	15	19	26	—
590	108	Acute nephritis	M.	16	—	—	—	1	3	2	2	4	1	1	2	—
			F.	14	1	—	1	—	1	4	1	—	3	2	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	206	—	—	5	2	16	16	18	39	32	39	39	—
			F.	181	2	—	—	3	6	10	9	18	44	40	49	—
600	110	Infections of kidney	M.	84	5	1	—	—	—	1	3	9	11	25	29	—
			F.	145	—	—	—	—	1	5	9	11	41	46	32	—
602, 604	111	Calculi of urinary system	M.	18	—	—	—	—	—	1	—	2	5	3	7	—
			F.	4	—	—	—	—	—	—	1	—	—	2	1	—
610	112	Hyperplasia of prostate	M.	382	—	—	—	—	—	—	—	3	18	99	262	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	24	—	—	1	—	—	—	1	1	3	5	13	—
			F.	6	—	—	—	—	—	—	—	—	2	2	2	—

Table 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	37	2	—	1	1	—	1	1	1	3	10	17	—
			F.	54	2	—	2	—	—	3	6	5	9	18	9	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	11	—	—	—	—	2	5	4	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	11	—	—	—	—	—	6	5	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	2	—	—	—	—	—	1	—	1	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	5	—	—	—	—	2	2	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	6	—	—	—	—	2	2	2	—	—	—	—	—
651	119	Abortion with sepsis	F.	4	—	—	—	—	1	2	1	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	14	—	—	—	—	1	7	5	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	11	—	—	—	—	—	—	—	—	3	4	4	—
			F.	7	1	—	—	—	—	—	—	—	1	2	3	—
720-725	122	Arthritis and spondylitis	M.	47	—	—	—	—	—	—	1	7	16	13	10	—
			F.	164	—	—	—	1	—	4	2	2	20	53	82	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	2	—	—	—	—	—	1	—	—	—	1	—	—
			F.	4	—	—	—	—	—	—	1	1	1	—	1	—
730	124	Osteomyelitis and periostitis	M.	5	—	—	1	—	—	—	—	1	—	—	3	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	27	1	—	—	1	3	1	—	4	4	8	5	—
			F.	36	—	1	—	1	3	2	3	3	6	6	11	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	1,252	1,178	20	7	5	9	8	6	9	5	4	1	—
			F.	905	826	29	8	9	4	5	4	12	3	5	—	—
751	127	Spina bifida and meningocele	M.	60	57	1	—	—	1	—	1	—	—	—	—	—
			F.	74	69	3	—	2	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	116	86	8	1	5	4	6	1	4	1	—	—	—
			F.	113	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

755-759	129	All other congenital malformations	F.	151	120	10	5	—	1	1	—	7	3	4	—	—
			M.	166	166	—	—	—	—	—	—	—	—	—	—	—
760, 761	130	Birth injuries	F.	79	79	—	—	—	—	—	—	—	—	—	—	—
			M.	345	345	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	F.	218	218	—	—	—	—	—	—	—	—	—	—	—
			M.	59	59	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	40	40	—	—	—	—	—	—	—	—	—	—	—
			M.	4	4	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	6	6	—	—	—	—	—	—	—	—	—	—	—
			M.	10	10	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	7	7	—	—	—	—	—	—	—	—	—	—	—
			M.	36	36	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	17	17	—	—	—	—	—	—	—	—	—	—	—
			M.	59	59	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	30	30	—	—	—	—	—	—	—	—	—	—	—
			M.	263	262	1	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	F.	170	170	—	—	—	—	—	—	—	—	—	—	—
			M.	196	—	—	—	—	—	—	—	—	—	9	187	—
794	136	Senility without mention of psychosis	F.	362	—	—	—	—	—	—	—	—	—	16	346	—
			M.	149	18	5	—	1	2	2	9	19	33	33	27	—
780-793, 795	137	Ill-defined and unknown causes	F.	103	26	1	—	—	1	1	2	5	16	26	25	—
		Accidents, Poisonings and Violence (*External Cause*) (Total E800-E999)	M.	1,725	92	54	57	46	174	161	225	254	225	176	261	—
			F.	1,125	76	32	23	13	38	40	75	114	116	172	426	—
			M.	442	1	23	33	9	86	47	56	65	49	40	33	—
E810-E835	138	Motor vehicle accidents	F.	156	2	16	12	5	21	10	14	13	20	22	21	—
			M.	21	—	—	—	2	2	2	2	1	2	5	5	—
E840-E845	139*a*	Other road vehicle accidents	F.	13	—	—	1	—	2	2	1	1	1	2	3	—
			M.	72	—	1	1	1	16	14	12	13	11	3	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	F.	6	—	—	1	—	—	—	—	2	3	—	—	—
			M.	132	1	3	—	1	6	10	21	19	29	22	20	—
E870-E895	140	Accidental poisoning	F.	166	2	2	—	1	2	9	9	27	24	35	55	—
			M.	319	1	—	4	7	16	21	18	21	42	40	149	—
E900-E904	141	Accidental falls	F.	402	1	1	1	1	1	3	2	5	17	67	303	—
			M.	19	—	—	—	—	1	4	4	4	6	—	—	—
E912	142	Accident caused by machinery	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	32	1	3	1	2	—	3	1	4	5	6	6	—
E916	143	Accident caused by fire and explosion of combustible material	F.	68	2	6	5	2	2	1	4	5	9	9	23	—
			M.	6	—	1	—	—	—	—	1	1	—	—	3	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	F.	5	1	—	—	—	—	—	—	1	—	1	2	—
			M.	9	—	—	—	1	2	—	2	1	2	1	—	—
E919	145	Accident caused by firearm	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
			M.	164	1	14	17	20	14	11	21	17	16	12	21	—
E929	146	Accidental drowning and submersion	F.	33	2	1	—	3	—	—	5	9	6	5	2	—
			M.	97	83	3	—	—	1	—	2	2	3	2	1	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	F.	74	62	3	—	—	—	—	2	3	—	3	1	—
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	M.	93	1	2	1	2	13	18	24	14	10	3	5	—
			F.	26	1	1	2	1	2	—	2	3	4	3	7	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	286	—	—	—	—	13	30	53	86	49	37	18	—
			F.	153	—	—	—	—	6	11	31	42	31	24	8	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	29	3	4	—	1	4	1	7	6	—	3	—	—
			F.	22	3	2	1	—	2	3	5	3	1	1	1	—
E965, E990-E999	150	Injury resulting from operations of war	M.	4	—	—	—	—	—	—	1	—	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups (Glasgow, Edinburgh, Aberdeen and Dundee)—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		23,769	1,121	130	66	39	158	337	776	2,029	4,229	6,355	8,529	—
		Males		12,134	612	66	40	22	98	185	417	1,273	2,594	3,343	3,484	—
		Females		11,635	509	64	26	17	60	152	359	756	1,635	3,012	5,045	—
		All Tuberculosis (Total 001-019)	M.	232	1	2	2	1	2	15	24	56	63	49	17	—
			F.	129	—	1	—	—	4	29	42	13	13	18	9	—
001-008	1	Respiratory system	M.	217	—	1	—	—	1	14	23	53	62	48	15	—
			F.	120	—	1	—	—	4	29	39	13	11	14	9	—
010	2	Meninges and central nervous system	M.	4	1	1	2	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
014-019	5	All other forms	M.	9	—	—	—	1	1	1	1	3	1	—	1	—
			F.	4	—	—	—	—	—	—	1	—	—	3	—	—
		Syphilis (Total 020-029)	M.	22	—	—	—	—	—	—	1	4	6	8	3	—
			F.	9	—	—	—	—	—	—	—	1	5	3	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	4	—	—	—	—	—	—	—	—	1	3	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	7	—	—	—	—	—	—	—	3	2	2	—	—
			F.	4	—	—	—	—	—	—	—	1	1	2	—	—
022, 023, 026-029	10	All other syphilis	M.	11	—	—	—	—	—	—	1	1	3	3	3	—
			F.	5	—	—	—	—	—	—	—	—	4	1	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—

051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	3	1	1	—	—	—	—	—	1	—	—	—
			F.	3	2	—	1	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	6	2	3	—	—	—	—	—	—	1	—	—
			F.	7	6	1	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	3	1	—	—	—	—	2	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	1	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	5	—	—	—	—	—	—	1	3	1	—	—
			F.	6	—	—	—	—	—	—	1	1	2	—	2
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	5	—	—	—	—	—	—	2	—	2	—	1
			F.	8	—	—	—	—	1	—	1	2	2	2	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	4	—	—	—	—	—	—	—	1	1	1	1	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	2,478	—	10	6	2	13	35	88	348	730	734	512	—
			F.	1,985	1	8	4	—	11	22	105	295	458	560	521	—
140-148	44	Buccal cavity and pharynx	M.	62	—	—	—	—	—	—	—	5	12	26	19	—
			F.	31	—	—	—	—	1	—	—	3	7	8	12	—
150	45	Œsophagus	M	64	—	—	—	—	—	—	1	6	21	16	20	—
			F.	51	—	—	—	—	—	—	1	5	10	12	23	—
151	46	Stomach	M.	355	—	—	—	—	—	2	8	59	93	113	80	—
			F.	309	—	—	—	—	—	1	8	25	60	95	120	—
152, 153	47	Intestine, except rectum	M.	188	—	—	—	—	—	3	8	18	47	53	59	—
			F.	252	—	—	—	—	—	—	3	30	41	85	93	—
154	48	Rectum	M.	132	—	—	—	—	—	3	5	12	25	49	38	—
			F.	103	—	—	—	—	—	—	4	16	22	35	26	—
161	49	Larynx	M.	37	—	—	—	—	—	—	1	6	10	11	9	—
			F.	10	—	—	—	—	—	—	—	2	4	2	2	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	962	—	—	—	—	—	2	40	166	369	299	86	—
			F.	173	—	—	—	—	2	3	14	20	55	48	31	—
170	51	Breast	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	340	—	—	—	—	—	3	25	83	87	80	62	—
171	52	Cervix uteri	F.	101	—	—	—	—	—	—	19	26	29	22	5	—
172-174	53	Other and unspecified parts of uterus	F.	65	—	—	—	—	1	1	2	10	18	23	10	—
177	54	Prostate	M.	140	—	—	—	—	—	—	—	3	9	51	77	—
190, 191	55	Skin	M.	23	—	—	—	—	—	—	1	4	5	1	12	—
			F.	28	—	—	—	—	1	—	1	4	6	4	12	—
196, 197	56	Bone and connective tissue	M.	26	—	—	1	2	3	—	1	4	2	9	4	—
			F.	15	—	1	—	—	2	—	—	—	4	4	4	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	385	—	6	3	—	4	12	16	56	110	88	90	—
			F.	412	1	3	3	—	3	6	23	52	96	117	108	—
204	58	Leukæmia and aleukæmia	M.	50	—	4	2	—	3	5	2	4	10	8	12	—
			F.	49	—	3	1	—	1	3	3	10	9	12	7	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	51	—	—	—	—	3	8	5	5	16	9	5	—
			F.	46	—	1	—	—	—	5	2	9	10	13	6	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	14	—	1	—	—	—	3	—	4	2	2	2	—
			F.	25	—	—	—	1	—	1	6	3	7	5	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	10	—	—	—	—	—	—	—	2	3	3	2	—

280-286	64	Avitaminosis and other deficiency states	F.	14	—	—	—	—	—	1	2	—	2	6	3	—
			M.	9	—	—	—	—	—	—	—	—	—	2	7	—
290	65*a*	Pernicious and other hyperchromic anæmias	F.	40	—	—	—	—	—	—	2	—	3	11	24	—
			M.	8	—	—	—	—	1	—	—	—	1	1	5	—
291-293	65*b*	Other anæmias	F.	21	—	1	—	1	—	—	1	1	2	8	7	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	48	—	—	—	—	2	2	3	13	10	13	5	—
			F.	73	2	1	1	—	3	4	1	3	17	20	21	—
			M.	35	—	—	—	—	—	—	—	—	5	10	20	—
300-309	67	Psychoses	F.	32	—	—	—	—	—	—	—	1	4	5	22	—
			M.	8	—	—	—	—	—	—	1	3	4	—	—	—
310-324, 326	68	Psychoneuroses and disorders of personality	F.	5	—	—	—	—	—	—	1	—	1	3	—	—
			M.	3	1	1	—	—	1	—	—	—	—	—	—	—
325	69	Mental deficiency	F.	4	1	1	1	—	—	—	1	—	—	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	1,430	—	—	1	2	2	7	20	71	230	433	664	—
			F.	2,164	—	—	—	1	1	10	25	99	256	618	1,154	—
330	70*a*	Subarachnoid hæmorrhage	M.	43	—	—	—	1	2	4	6	8	10	9	3	—
			F.	60	—	—	—	—	1	3	6	17	12	16	5	—
331	70*b*	Cerebral hæmorrhage	M.	528	—	—	1	1	—	3	9	50	114	177	173	—
			F.	823	—	—	—	1	—	3	12	58	136	247	366	—
332	70*c*	Cerebral embolism and thrombosis	M.	680	—	—	—	—	—	—	5	11	93	203	368	—
			F.	1,067	—	—	—	—	—	4	7	23	98	311	624	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	179	—	—	—	—	—	—	—	2	13	44	120	—
			F.	214	—	—	—	—	—	—	—	1	10	44	159	—
340	71	Non-meningococcal meningitis	M.	9	2	1	—	—	—	—	1	3	1	1	—	—
			F.	11	6	1	—	—	—	—	—	1	2	—	1	—
345	72	Multiple sclerosis	M.	30	—	—	—	—	—	1	5	7	9	6	2	—
			F.	30	—	—	—	—	1	2	4	8	10	5	—	—
353	73	Epilepsy	M.	14	—	1	1	2	3	2	3	1	1	—	—	—
			F.	13	—	1	—	—	1	4	1	1	5	—	—	—
391-393	77	Otitis media and mastoiditis	M.	5	1	—	—	—	—	1	1	—	1	1	—	—
			F	1	—	1	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	32	—	—	—	—	—	—	—	4	5	11	12	—
			F.	38	—	—	—	—	—	—	—	1	7	17	13	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	51	5	1	—	—	2	2	5	7	8	14	7	—
			F.	43	3	4	2	—	1	2	4	3	6	10	8	—
400-402	79	Rheumatic fever	M.	2	—	—	—	1	1	—	—	—	—	—	—	—
			F.	5	—	—	—	—	—	—	3	2	—	—	—	—
		Heart Disease (Total 410-443)	M.	3,869	—	—	—	1	5	20	96	383	879	1,206	1,279	—
			F.	3,893	—	—	—	3	9	22	69	166	487	1,068	2,069	—
410-416	80	Chronic rheumatic heart disease	M.	100	—	—	—	—	4	9	14	23	19	24	7	—
			F.	270	—	—	—	1	5	18	44	60	71	45	26	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	2,357	—	—	—	1	1	8	73	303	686	796	489	—
			F.	1,536	—	—	—	—	1	1	11	80	282	571	590	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	47	—	—	—	—	—	1	1	8	13	14	10	—
			F.	73	—	—	—	—	—	1	4	3	10	20	35	—

Table 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	3	—	—	—	—	—	—	—	—	1	2	—	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	581	—	—	—	—	—	—	—	8	25	120	428	—
			F.	940	—	—	—	—	—	—	—	1	28	145	766	—
422.2	81*e*	Other myocardial degeneration	M.	485	—	—	—	—	—	—	1	23	78	161	222	—
			F.	656	—	—	—	—	1	2	2	9	48	139	455	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	16	—	—	—	—	—	2	1	2	4	3	4	—
			F.	11	—	—	—	—	1	—	2	2	2	2	2	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	101	—	—	—	—	—	—	4	9	20	27	41	—
			F.	124	—	—	—	2	1	—	5	4	12	39	61	—
440-443	83	Hypertensive heart disease	M.	180	—	—	—	—	—	—	2	7	33	61	77	—
			F.	280	—	—	—	—	—	—	1	7	33	105	134	—
444-447	84	Other hypertensive disease	M.	101	—	—	—	—	—	1	5	13	24	30	28	—
			F.	112	—	—	—	—	—	2	2	12	12	39	45	—
450	85*a*	General arteriosclerosis	M.	171	—	—	—	—	—	—	—	1	8	33	129	—
			F.	248	—	—	—	—	—	—	—	—	3	34	211	—
451-456	85*b*	Other diseases of arteries	M.	53	—	—	—	—	1	—	2	4	9	23	14	—
			F.	48	—	—	—	—	—	4	1	2	9	15	17	—
460-468	86	Other diseases of circulatory system	M.	26	—	—	—	—	—	—	1	7	9	5	4	—
			F.	55	—	—	—	—	1	—	1	5	8	17	23	—
470-475	87	Acute upper respiratory infections	M.	8	3	2	—	—	—	1	—	—	—	2	—	—
			F.	7	2	2	—	—	1	—	—	—	—	1	1	—
480-483	88	Influenza	M.	31	2	—	—	—	2	1	1	7	3	5	10	—
			F.	24	1	—	—	—	—	—	—	2	3	8	10	—
		Pneumonia (Total 490-493)	M.	518	70	12	2	—	2	6	12	36	72	127	179	—
			F.	477	54	7	1	—	3	2	7	10	45	102	246	—
490	89	Lobar pneumonia	M.	93	13	—	—	—	—	—	4	5	18	27	26	—
			F.	72	8	—	—	—	1	—	1	2	13	19	28	—
491	90	Bronchopneumonia	M.	378	50	11	1	—	2	4	8	27	47	83	145	—
			F.	362	44	5	1	—	2	2	6	7	27	76	192	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	47	7	1	1	—	—	2	—	4	7	17	8	—
			F.	43	2	2	—	—	—	—	—	1	5	7	26	—
		Bronchitis (Total 500-502)	M.	830	10	2	—	—	—	1	11	98	255	291	162	—
			F.	366	8	3	2	—	—	4	11	20	70	105	143	—
500	92	Acute bronchitis	M.	38	10	2	—	—	—	—	1	3	5	8	9	—
			F.	61	8	3	2	—	—	1	—	1	4	15	27	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	499	—	—	—	—	—	1	7	61	153	180	97	—
			F.	189	—	—	—	—	—	1	8	10	42	57	71	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	293	—	—	—	—	—	—	3	34	97	103	56	—
			F.	116	—	—	—	—	—	2	3	9	24	33	45	—
(*a*)	(*b*)	(*c*)														

510	94	Hypertrophy of tonsils and adenoids	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	4	—	—	—	—	—	1	—	1	—	1	1	—
518, 521	95	Empyema and abscess of lung	F.	5	1	—	—	—	—	—	1	—	—	3	—	—
			M.	5	—	—	—	—	—	1	—	1	—	2	1	—
519	96	Pleurisy	F.	4	—	—	—	—	—	1	—	—	1	—	2	—
			M.	22	—	—	—	—	—	—	1	—	8	9	4	—
523, 524	97*a*	Pneumoconiosis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	77	1	—	—	—	—	3	5	10	19	22	17	—
			F.	34	1	—	—	—	1	3	—	5	4	12	8	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	67	—	—	—	—	1	1	2	6	15	23	19	—
			F.	47	—	—	—	—	—	—	3	5	8	18	13	—
541	100	Ulcer of duodenum	M.	92	—	—	—	—	—	4	1	12	20	33	22	—
			F.	19	—	—	—	—	—	—	1	3	2	7	6	—
543	101	Gastritis and duodenitis	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	3	—	1	—	—	—	—	—	—	—	—	2	—
550-553	102	Appendicitis	M.	22	1	1	2	1	1	2	1	3	5	5	—	—
			F.	16	—	2	1	—	—	1	1	—	3	4	4	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	60	4	—	—	—	—	1	1	2	7	19	26	—
			F.	62	3	—	—	—	—	—	1	1	7	23	27	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	13	13	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	6	—	—	—	—	—	1	—	—	2	—	3	—
			F.	8	—	—	—	—	—	—	1	—	—	1	6	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	22	—	—	—	—	2	2	—	7	6	2	3	—
			F.	44	—	—	—	—	1	1	3	5	6	11	17	—
581	105	Cirrhosis of liver	M.	47	—	—	—	2	—	—	4	6	14	13	8	—
			F.	48	—	—	—	1	—	—	2	7	16	15	7	—
584, 585	106	Cholelithiasis and cholecystitis	M.	29	—	—	—	—	—	—	2	2	4	12	9	—
			F.	43	—	—	—	—	—	—	—	3	14	14	12	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	10	1	—	—	—	2	1	1	2	1	1	1	—
			F.	11	—	—	—	—	—	2	1	1	—	5	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	35	5	1	—	—	1	1	3	2	5	10	7	—
			F.	33	3	3	1	—	—	1	—	1	6	6	12	—
590	108	Acute nephritis	M.	5	—	—	—	—	2	1	—	1	—	—	1	—
			F.	4	1	—	—	—	—	1	—	—	1	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	68	—	—	1	1	5	4	7	16	8	14	12	—
			F.	61	—	—	—	3	2	4	2	7	16	12	15	—
600	110	Infections of kidney	M.	37	4	—	—	—	—	—	1	5	6	7	14	—
			F.	52	—	—	—	—	—	—	2	4	15	18	13	—
602, 604	111	Calculi of urinary system	M.	7	—	—	—	—	—	1	—	1	3	—	2	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
610	112	Hyperplasia of prostate	M.	116	—	—	—	—	—	—	—	1	6	35	74	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
605, 606	114*a*	Diseases of bladder	M.	8	—	—	1	—	—	—	1	—	2	1	3	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	18	2	—	—	—	—	1	1	—	1	7	6	—
			F.	12	1	—	1	—	—	1	—	—	3	3	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	—	—	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
651	119	Abortion with sepsis	F.	4	—	—	—	—	1	2	1	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	4	—	—	—	—	—	—	—	—	—	2	2	—
720-725	122	Arthritis and spondylitis	M.	13	—	—	—	—	—	—	1	2	6	3	1	—
			F.	59	—	—	—	1	—	1	1	1	8	15	32	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	7	1	—	—	—	1	—	—	1	—	1	3	—
			F.	15	—	—	—	—	—	—	—	1	2	4	8	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	474	443	9	3	1	2	4	1	6	2	3	—	—
			F.	388	359	11	4	2	1	1	1	5	1	3	—	—
751	127	Spina bifida and meningocele	M.	20	18	1	—	—	—	—	1	—	—	—	—	—
			F.	29	29	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	42	27	5	1	1	2	4	—	2	—	—	—	—
			F.	48	32	7	2	2	—	1	1	2	—	1	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	53	40	2	2	—	—	—	—	4	2	3	—	—
			F.	61	48	4	2	—	1	—	—	3	1	2	—	—
(a)	(b)	(c)														

(a)	(b)	(c)													
760, 761	130	Birth injuries	M.	67	67	—	—	—	—	—	—	—	—	—	—
			F.	32	32	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	140	140	—	—	—	—	—	—	—	—	—	—
			F.	101	101	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	21	21	—	—	—	—	—	—	—	—	—	—
			F.	20	20	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	7	7	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	23	23	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	96	95	1	—	—	—	—	—	—	—	—	—
			F.	76	76	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	39	—	—	—	—	—	—	—	—	—	3	36
			F.	68	—	—	—	—	—	—	—	—	—	3	65
780-793, 795	137	Ill-defined and unknown causes	M.	31	8	3	—	—	—	—	1	7	5	5	2
			F.	27	8	—	—	—	—	1	—	2	2	9	5
		Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	651	30	14	21	8	44	52	98	90	96	80	118
			F.	498	38	15	7	4	15	18	37	44	48	83	189
E810-E835	138	Motor vehicle accidents	M.	145	1	7	14	1	20	11	19	13	22	17	20
			F.	57	1	8	3	1	7	4	3	4	7	11	8
E840-E845	139*a*	Other road vehicle accidents	M.	11	—	—	—	—	1	—	2	—	1	2	5
			F.	6	—	—	—	—	1	2	1	—	—	1	1
E800-E802, E850-E866	139*b*	Other transport accidents	M.	20	—	—	—	—	3	4	5	4	4	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—
E870-E895	140	Accidental poisoning	M.	76	—	1	—	—	3	6	16	9	19	12	10
			F.	93	1	2	—	1	1	2	3	11	15	23	34
E900-E904	141	Accidental falls	M.	146	—	—	3	4	3	7	12	11	19	22	65
			F.	161	—	—	1	—	—	1	1	1	6	24	127
E912	142	Accident caused by machinery	M.	4	—	—	—	—	1	1	1	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	11	1	1	—	—	—	1	—	2	2	2	2
			F.	24	—	1	2	1	—	1	3	1	3	4	8
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	2	—	—	—	—	—	—	—	1	—	—	1
			F.	2	1	—	—	—	—	—	—	—	—	—	1
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	47	—	3	4	2	2	3	6	7	7	6	7
			F.	12	2	—	—	—	—	—	3	4	—	2	1
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	29	27	—	—	—	—	—	—	1	—	1	—
			F.	38	30	2	—	—	—	—	1	2	—	3	—
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	M.	13	1	—	—	1	2	4	4	1	—	—	—
			F.	7	—	1	—	1	—	—	—	—	—	1	4
E963, E970-E979	148	Suicide and self-inflicted injury	M.	133	—	—	—	—	7	15	29	39	20	15	8
			F.	83	—	—	—	—	5	6	19	20	16	13	4
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	13	—	2	—	—	2	—	4	2	—	3	—
			F.	14	3	1	1	—	1	2	3	1	—	1	1
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

Table 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		9,808	520	66	28	20	82	151	309	840	1,703	2,598	3,491	—
		Males		5,118	286	32	18	12	58	80	156	508	995	1,374	1,599	—
		Females		4,690	234	34	10	8	24	71	153	332	708	1,224	1,892	—
		All Tuberculosis (Total 001-019)	M.	86	—	—	—	—	2	6	11	13	26	20	8	—
			F.	41	1	—	1	—	—	9	10	7	7	5	1	—
001-008	1	Respiratory system	M.	82	—	—	—	—	2	6	11	13	24	19	7	—
			F.	35	—	—	—	—	—	9	10	5	6	5	—	—
010	2	Meninges and central nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	1	—	1	—	—	—	—	1	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	3	—	—	—	—	—	—	—	1	1	—	1	—
		Syphilis (Total 020-029)	M.	5	—	—	—	—	—	—	2	—	1	2	—	—
			F.	3	—	—	—	—	—	—	—	—	1	2	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	3	—	—	—	—	—	—	1	—	1	1	—	—
			F.	3	—	—	—	—	—	—	—	—	1	2	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)												

050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	3	1	1	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	1	1	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	1	—	—	—	—	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	1	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	4	—	—	—	—	—	—	—	2	1	—	1
			F.	2	—	—	—	—	—	1	1	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	2	—	1	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	933	—	2	2	2	8	14	30	127	271	275	202	—
			F.	740	—	1	2	3	1	14	43	110	182	192	192	—
140-148	44	Buccal cavity and pharynx	M.	24	—	—	—	—	—	—	1	—	6	5	12	—
			F.	12	—	—	—	—	—	—	1	2	1	3	5	—
150	45	Œsophagus	M.	32	—	—	—	—	—	—	3	2	7	9	11	—
			F.	16	—	—	—	—	—	—	1	2	3	5	5	—
151	46	Stomach	M.	143	—	—	—	—	—	1	1	21	36	54	30	—
			F.	115	—	—	—	—	—	2	3	14	22	32	42	—
152, 153	47	Intestine, except rectum	M.	86	—	—	—	—	1	1	—	11	16	30	27	—
			F.	100	—	—	—	—	—	—	4	12	12	27	45	—
154	48	Rectum	M.	49	—	—	—	—	1	1	5	4	11	12	15	—
			F.	38	—	—	—	—	—	—	2	1	8	16	11	—
161	49	Larynx	M.	12	—	—	—	—	—	—	—	1	4	2	5	—
			F.	4	—	—	—	—	—	—	—	—	2	2	—	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	310	—	—	—	—	—	—	14	58	127	81	30	—
			F.	49	—	—	—	—	—	2	3	7	17	12	8	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	139	—	—	—	—	—	3	12	26	36	33	29	—
171	52	Cervix uteri	F.	32	—	—	—	—	—	—	5	10	10	5	2	—
172-174	53	Other and unspecified parts of uterus	F.	18	—	—	—	—	—	—	1	2	8	1	6	—
177	54	Prostate	M.	55	—	—	—	—	—	—	—	4	5	21	25	—
190, 191	55	Skin	M.	17	—	—	—	—	—	1	—	2	2	6	6	—
			F.	8	—	—	—	—	—	—	—	1	3	—	4	—
196, 197	56	Bone and connective tissue	M.	13	—	—	—	1	2	—	—	—	3	3	4	—
			F.	4	—	—	—	1	—	—	1	—	1	—	1	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	143	—	2	1	—	3	4	2	16	39	43	33	—
			F.	169	—	—	—	2	—	5	7	29	50	46	30	—
204	58	Leukæmia and aleukæmia	M.	23	—	—	1	1	1	2	2	3	7	4	2	—
			F.	15	—	1	2	—	1	1	—	2	3	3	2	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	25	—	—	—	—	—	4	2	5	7	5	2	—
			F.	21	—	—	—	—	—	1	3	2	6	7	2	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	8	—	1	—	—	—	—	3	2	2	—	—	—
			F.	8	1	1	—	—	—	1	1	—	2	2	—	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	6	—	—	—	—	—	1	1	—	3	1	—	—
260	63	Diabetes mellitus	M.	22	—	—	—	—	—	1	2	1	4	8	6	—
			F.	70	—	—	—	—	—	—	1	3	19	31	16	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

280-286	64	Avitaminosis and other deficiency states	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	7	—	—	—	—	—	—	—	2	1	4	—
			F.	16	—	—	—	—	—	—	—	2	8	6	—
291-293	65*b*	Other anæmias	M.	3	1	—	—	—	—	—	—	—	—	1	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	24	1	2	—	—	3	—	5	5	4	3	1	—
			F.	41	2	—	1	—	—	2	3	6	12	11	4	—
300-309	67	Psychoses	M.	7	—	—	—	—	—	—	—	—	1	3	3	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	2	—	—	—	—	—	—	1	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	2	—	—	—	—	—	—	—	2	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	679	1	—	—	—	—	4	6	35	87	231	315	—
			F.	941	—	—	—	1	1	4	5	53	122	296	459	—
330	70*a*	Subarachnoid hæmorrhage	M.	17	—	—	—	—	—	4	1	6	4	1	1	—
			F.	21	—	—	—	—	1	—	3	2	9	3	3	—
331	70*b*	Cerebral hæmorrhage	M.	270	1	—	—	—	—	—	3	20	47	97	102	—
			F.	392	—	—	—	1	—	3	2	38	63	126	159	—
332	70*c*	Cerebral embolism and thrombosis	M.	345	—	—	—	—	—	—	1	7	35	115	187	—
			F.	469	—	—	—	—	—	—	—	12	46	150	261	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	47	—	—	—	—	—	—	1	2	1	18	25	—
			F.	59	—	—	—	—	—	1	—	1	4	17	36	—
340	71	Non-meningococcal meningitis	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	7	2	1	—	—	—	—	1	1	—	2	—	—
345	72	Multiple sclerosis	M.	17	—	—	—	—	1	1	1	6	5	2	1	—
			F.	12	—	—	—	—	—	1	4	3	3	1	—	—
353	73	Epilepsy	M.	7	—	1	2	—	1	—	2	—	—	1	—	—
			F.	10	—	—	1	—	1	1	3	1	2	—	1	—
391-393	77	Otitis media and mastoiditis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	—	—	—	1	—	—	—
350	78*a*	Paralysis agitans	M.	13	—	—	—	—	—	—	—	—	3	5	5	—
			F.	21	—	—	—	—	—	—	—	—	4	9	8	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	19	1	2	—	1	1	1	1	3	2	3	4	—
			F.	20	2	1	—	—	2	1	1	1	8	2	2	—
400-402	79	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
		Heart Disease (Total 410-443)	M.	1,768	—	—	—	—	3	11	36	181	346	511	680	—
			F.	1,602	1	—	—	—	2	10	35	68	216	455	815	—
410-416	80	Chronic rheumatic heart disease	M.	33	—	—	—	—	—	4	4	9	6	8	2	—
			F.	99	—	—	—	—	1	9	20	24	25	11	9	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	996	—	—	—	—	1	4	30	152	276	305	228	—
			F.	600	—	—	—	—	—	1	11	30	135	233	190	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	20	—	—	—	—	—	2	1	1	5	4	7	—
			F.	21	—	—	—	—	—	—	—	1	3	7	10	—
422.0	81*c*	Fatty degeneration of heart	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	—	—	3	1	—

Table 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	302	—	—	—	—	—	—	—	5	18	71	208	—
			F.	396	—	—	—	—	—	—	1	1	12	63	319	—
422.2	81*e*	Other myocardial degeneration	M.	266	—	—	—	—	1	—	—	6	20	75	164	—
			F.	294	—	—	—	—	—	—	—	6	13	69	206	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	12	—	—	—	—	—	—	1	—	4	5	2	—
			F.	10	—	—	—	—	—	—	1	—	2	5	2	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	43	—	—	—	—	1	1	—	2	8	9	22	—
			F.	44	1	—	—	—	1	—	1	2	5	9	25	—
440-443	83	Hypertensive heart disease	M.	96	—	—	—	—	—	—	—	6	9	34	47	—
			F.	134	—	—	—	—	—	—	1	4	21	55	53	—
444-447	84	Other hypertensive disease	M.	42	—	—	—	—	—	2	—	7	9	14	10	—
			F.	57	—	—	—	—	—	—	1	6	9	15	26	—
450	85*a*	General arteriosclerosis	M.	81	—	—	—	—	—	—	—	1	3	16	61	—
			F.	84	—	—	—	—	—	—	—	—	—	19	65	—
451-456	85*b*	Other diseases of arteries	M.	18	—	—	—	—	1	—	3	1	4	5	4	—
			F.	16	—	—	—	—	—	—	3	2	2	4	5	—
460-468	86	Other diseases of circulatory system	M.	16	—	—	—	—	—	—	3	1	6	4	2	—
			F.	20	—	—	—	—	—	1	1	1	6	3	8	—
470-475	87	Acute upper respiratory infections	M	3	1	—	1	—	—	—	—	—	1	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	5	—	—	—	—	—	3	—	—	1	1	—	—
			F.	8	2	1	—	—	1	—	—	—	1	2	1	—
		Pneumonia (Total 490-493)	M.	176	32	4	1	—	2	2	2	13	14	49	57	—
			F.	153	23	9	—	1	1	1	2	9	13	34	60	—
490	89	Lobar pneumonia	M.	38	1	1	—	—	1	1	1	4	5	11	13	—
			F.	29	—	—	—	—	—	—	1	3	3	8	14	—
491	90	Bronchopneumonia	M.	121	28	3	1	—	1	1	1	6	9	33	38	—
			F.	117	22	8	—	1	1	1	—	6	10	25	43	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	17	3	—	—	—	—	—	—	3	—	5	6	—
			F.	7	1	1	—	—	—	—	1	—	—	1	3	—
		Bronchitis (Total 500-502)	M.	252	4	2	—	—	—	—	3	23	79	99	42	—
			F.	98	—	1	—	—	—	3	3	9	16	25	41	—
500	92	Acute bronchitis	M.	19	4	2	—	—	—	—	1	1	2	5	4	—
			F.	13	—	1	—	—	—	—	1	—	1	3	7	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	162	—	—	—	—	—	—	1	14	55	64	28	—
			F.	60	—	—	—	—	—	—	2	4	11	17	26	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	71	—	—	—	—	—	—	1	8	22	30	10	—
			F.	25	—	—	—	—	—	3	—	5	4	5	8	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	1	—	—	—	—	—	—	—	—	—	—

518, 521	95	Empyema and abscess of lung	F.	4	—	—	—	—	1	—	1	—	1	—	—
519	96	Pleurisy	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
523, 524	97*a*	Pneumoconiosis	M.	46	—	—	—	—	—	—	—	1	15	16	14	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	29	—	—	—	—	—	—	1	6	8	8	6	—
			F.	16	—	—	—	—	—	1	2	3	3	4	3	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	27	—	—	—	—	—	—	2	3	9	7	6	—
			F.	12	—	—	—	—	—	1	—	1	2	3	5	—
541	100	Ulcer of duodenum	M.	40	—	—	—	—	—	—	3	4	16	11	6	—
			F.	6	—	—	—	—	—	—	—	1	1	—	4	—
543	101	Gastritis and duodenitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	1	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	8	—	1	—	1	3	—	—	1	—	1	1	—
			F.	10	—	2	—	—	—	—	2	—	1	2	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	30	3	1	—	—	—	1	—	4	4	5	12	—
			F.	38	4	—	—	—	—	1	2	3	5	7	16	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	8	7	1	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	5	—	—	—	—	1	—	—	—	1	1	2	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	9	—	—	—	—	—	—	—	2	2	3	2	—
			F.	16	—	—	—	—	3	—	—	—	3	4	6	—
581	105	Cirrhosis of liver	M.	14	—	—	—	—	—	—	1	3	7	1	2	—
			F.	23	—	—	—	—	1	—	—	4	6	8	4	—
584, 585	106	Cholelithiasis and cholecystitis	M.	7	—	—	—	—	—	—	—	—	2	3	2	—
			F.	28	—	—	—	—	—	1	—	3	4	8	12	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	6	1	—	—	—	—	—	—	3	1	—	1	—
			F.	5	—	—	—	—	1	—	—	1	1	2	—	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	11	—	1	—	—	—	—	1	1	3	2	3	—
			F.	12	2	—	—	—	—	—	—	1	1	3	5	—
590	108	Acute nephritis	M.	2	—	—	—	—	1	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	30	—	—	—	1	3	3	2	4	8	4	5	—
			F.	33	1	—	—	—	—	1	—	4	13	8	6	—
600	110	Infections of kidney	M.	12	—	—	—	—	—	—	1	—	1	4	6	—
			F.	28	—	—	—	—	1	2	2	2	9	9	3	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	—	1	—	1	3	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	53	—	—	—	—	—	—	—	—	3	10	40	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—

Table 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	5	—	—	—	—	—	1	2	—	—	2	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	3	—	—	—	—	—	—	—	—	—	—	3	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
720-725	122	Arthritis and spondylitis	M.	9	—	—	—	—	—	—	—	1	3	4	1	—
			F.	23	—	—	—	—	—	—	—	1	4	8	10	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	1	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	—	—	—	—	1	—	—	—	1	3	1	—
			F.	6	—	—	—	—	2	—	—	2	1	—	1	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	216	205	3	1	—	—	3	2	1	1	—	—	—
			F.	181	164	8	—	2	1	1	1	3	1	—	—	—
751	127	Spina bifida and meningocele	M.	13	13	—	—	—	—	—	—	—	—	—	—	—
			F.	17	14	2	—	1	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	23	20	1	—	—	—	1	—	—	1	—	—	—
			F.	23	16	2	—	1	1	1	1	1	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	28	20	2	1	—	—	2	2	1	—	—	—	—
			F.	30	23	4	—									

760, 761	130	Birth injuries	M.	26	26	—	—	—	—	—	—	—	—	—	—
			F.	24	24	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	60	60	—	—	—	—	—	—	—	—	—	—
			F.	40	40	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	12	12	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	10	10	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	38	38	—	—	—	—	—	—	—	—	—	—
			F.	27	27	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	24	—	—	—	—	—	—	—	—	—	24	—
			F.	45	—	—	—	—	—	—	—	—	4	41	—
780-793, 795	137	Ill-defined and unknown causes	M.	24	2	—	—	—	—	1	2	1	6	6	—
			F.	16	7	—	—	—	—	—	—	—	3	1	5	—
		Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	278	24	10	11	7	27	27	29	45	30	26	42	—
			F.	160	14	5	2	—	3	7	16	21	15	28	49	—
E810-E835	138	Motor vehicle accidents	M.	66	—	3	6	1	16	8	8	9	6	5	4	—
			F.	27	—	3	1	—	1	2	3	1	5	5	6	—
E840-E845	139*a*	Other road vehicle accidents	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	1	—	—	—	—	—	1	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	9	—	—	—	—	3	2	—	2	2	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
E870-E895	140	Accidental poisoning	M.	26	—	2	—	—	2	1	1	4	6	7	3	—
			F.	20	—	—	—	—	1	2	3	5	1	4	4	—
E900-E904	141	Accidental falls	M.	46	—	—	1	1	2	6	2	2	3	3	26	—
			F.	48	—	—	—	—	—	1	—	1	2	14	30	—
E912	142	Accident caused by machinery	M.	6	—	—	—	—	—	—	2	2	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	4	—	—	—	1	—	—	—	—	—	3	—	—
			F.	8	—	—	1	—	—	—	—	2	1	1	3	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	21	—	3	4	3	—	1	3	1	3	1	2	—
			F.	4	—	1	—	—	—	—	1	1	1	—	—	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	26	23	—	—	—	—	—	—	—	2	—	1	—
			F.	15	13	1	—	—	—	—	—	—	—	—	1	—
E910 E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	M.	11	—	1	—	1	1	4	1	1	1	1	—	—
			F.	4	1	—	—	—	—	—	1	1	1	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	56	—	—	—	—	2	5	11	23	5	4	6	—
			F.	28	—	—	—	—	—	2	7	8	4	3	4	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	5	1	1	—	—	1	—	1	1	—	—	—	—
			F.	2	—	—	—	—	—	—	1	1	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		11,251	382	40	30	39	73	121	274	787	1,698	3,005	4,802	—
		Males		5,521	221	20	22	30	49	66	155	466	1,023	1,518	1,951	—
		Females		5,730	161	20	8	9	24	55	119	321	675	1,487	2,851	—
		All Tuberculosis (Total 001-019)	M.	39	—	1	—	—	1	3	4	7	14	9	—	—
			F.	23	1	—	—	—	—	5	3	3	5	4	2	—
001-008	1	Respiratory system	M.	35	—	1	—	—	—	2	4	6	13	9	—	—
			F.	22	1	—	—	—	—	5	3	3	4	4	2	—
010	2	Meninges and central nervous system	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
		Syphilis (Total 020-029)	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
050	17	Scarlet fever	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	F.	1	—	—	—	—	—	—	—	—	—	1	—	—
			M.	2	1	—	—	—	—	—	—	—	—	1	—	—
053	20	Septicæmia and pyæmia	F.	1	1	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	F.	1	1	—	—	—	—	—	—	—	—	—	—	—
			M.	1	1	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	F.	2	1	1	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
058	24	Plague	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	4	—	—	1	—	2	—	—	1	—	—	—	—
080	28	Acute poliomyelitis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	1	—	—	—	—	—	1	—	—	—	—	—	—
082	29	Acute infectious encephalitis	F.	3	—	1	—	—	1	1	—	—	—	—	—	—
		Late effects of acute poliomyelitis and acute infectious	M.	2	—	—	—	—	1	—	—	—	1	—	—	—
081, 083	30	encephalitis	F.	3	—	—	—	—	1	—	—	1	—	—	1	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	2	1	1	—	—	—	—	—	—	—	—	—	—
085	32	Measles	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	2	—	—	1	—	—	—	—	—	—	—	1	—
092	34	Infectious hepatitis	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
094	35	Rabies	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	1	—	—	3	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	1,011	1	3	4	5	6	10	28	114	265	311	264	—
			F.	973	1	4	2	1	7	12	37	131	200	302	276	—
140-148	44	Buccal cavity and pharynx	M.	32	—	—	—	—	—	1	2	2	3	9	15	—
			F.	15	—	—	—	—	—	—	—	2	1	6	6	—
150	45	Œsophagus	M.	36	—	—	—	—	—	—	—	4	10	10	12	—
			F.	30	—	—	—	—	—	—	—	2	7	8	13	—
151	46	Stomach	M.	166	—	—	—	—	—	2	—	18	45	63	38	—
			F.	140	—	—	—	—	1	1	1	13	21	43	60	—
152, 153	47	Intestine, except rectum	M.	104	—	—	—	—	—	—	3	13	20	24	44	—
			F	161	—	—	—	—	—	1	4	8	29	61	58	—
154	48	Rectum	M.	56	—	—	—	—	—	—	2	4	8	21	21	—
			F.	36	—	—	—	—	—	—	—	4	9	13	10	—
161	49	Larynx	M.	9	—	—	—	—	—	—	—	—	1	1	7	—
			F.	4	—	—	—	—	—	—	—	1	1	2	—	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	278	—	—	—	—	—	2	13	38	108	82	35	—
			F.	52	—	—	—	—	—	—	1	9	11	21	10	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	170	—	—	—	—	—	3	14	41	35	39	38	—
171	52	Cervix uteri	F.	42	—	—	—	—	—	1	7	7	9	8	10	—
172-174	53	Other and unspecified parts of uterus	F.	46	—	—	—	—	—	3	2	8	17	10	6	—
177	54	Prostate	M.	73	—	—	—	—	—	—	—	1	6	30	36	—
190, 191	55	Skin	M.	7	—	—	—	—	—	2	—	—	1	1	3	—
			F.	18	—	—	—	—	1	—	1	4	—	5	7	—
196, 197	56	Bone and connective tissue	M.	16	—	—	—	1	1	—	—	3	3	5	3	—
			F.	14	—	—	—	1	—	1	—	2	3	5	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	181	1	—	1	1	1	2	6	25	46	53	45	—
			F.	193	—	2	1	—	1	1	5	26	47	68	42	—
204	58	Leukæmia and aleukæmia	M.	21	—	2	2	3	2	1	—	2	3	5	1	—
			F.	23	1	1	1	—	1	1	1	2	5	4	6	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M	31	—	1	1	—	2	—	2	4	10	7	4	—
			F.	29	—	1	—	—	3	—	1	2	5	9	8	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	9	—	—	—	—	—	—	2	1	2	2	2	—
			F.	13	—	—	—	1	—	1	3	1	2	4	1	—
250, 251	61	Non-toxic goitre	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
260	63	Diabetes mellitus	M.	29	—	—	—	—	1	—	2	2	3	10	11	—
			F.	69	—	—	—	—	1	—	2	4	16	28	18	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

280-286	64	Avitaminosis and other deficiency states	F.	2	—	—	—	—	—	—	—	—	2	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	12	—	—	—	—	—	—	—	—	3	2	7	—
			F.	34	—	—	—	—	—	—	1	1	2	6	24	—
291-293	65*b*	Other anæmias	M.	6	—	1	—	—	—	—	—	1	1	3	—	—
			F.	12	—	—	—	—	—	—	—	—	3	5	4	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	32	1	—	—	1	1	2	2	5	9	10	1	—
			F.	40	—	—	—	—	3	1	1	5	11	11	8	—
300-309	67	Psychoses	M.	5	—	—	—	—	—	—	1	—	1	2	1	—
			F.	11	—	—	—	—	—	—	—	—	—	3	8	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
325	69	Mental deficiency	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	776	—	1	—	—	—	2	10	44	103	225	391	—
			F.	1,139	1	1	—	2	—	3	13	41	108	325	645	—
330	70*a*	Subarachnoid hæmorrhage	M.	21	—	—	—	—	—	1	4	8	5	1	2	—
			F.	26	—	—	—	1	—	2	4	8	5	5	1	—
331	70*b*	Cerebral hæmorrhage	M.	299	—	1	—	—	—	1	4	25	49	95	124	—
			F.	465	1	1	—	1	—	1	6	23	62	157	213	—
332	70*c*	Cerebral embolism and thrombosis	M.	398	—	—	—	—	—	—	2	10	45	114	227	—
			F.	557	—	—	—	—	—	—	3	10	36	145	363	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	58	—	—	—	—	—	—	—	1	4	15	38	—
			F.	91	—	—	—	—	—	—	—	—	5	18	68	—
340	71	Non-meningococcal meningitis	M.	5	2	—	—	—	—	—	1	1	1	—	—	—
			F.	5	3	—	—	1	—	—	—	—	—	1	—	—
345	72	Multiple sclerosis	M.	12	—	—	—	—	—	1	2	5	2	1	1	—
			F.	16	—	—	—	—	—	2	3	3	3	3	2	—
353	73	Epilepsy	M.	6	—	—	1	1	—	—	—	—	1	—	3	—
			F.	9	—	1	—	—	—	1	2	2	1	1	1	—
391-393	77	Otitis media and mastoiditis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	14	—	—	—	—	—	—	—	—	2	6	6	—
			F.	16	—	—	—	—	—	—	—	1	1	5	9	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	30	2	—	2	1	—	—	4	—	6	7	8	—
			F.	33	—	1	—	—	2	1	4	4	3	6	12	—
400-402	79	Rheumatic fever	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	3	—	—	1	—	—	1	—	—	1	—	—	—
		Heart Disease (Total 410-443)	M.	2,040	—	—	—	—	2	9	47	173	396	624	789	—
			F.	2,125	—	—	—	—	1	5	22	60	208	534	1,295	—
410-416	80	Chronic rheumatic heart disease	M.	39	—	—	—	—	1	2	7	5	13	7	4	—
			F.	77	—	—	—	—	—	5	6	13	14	23	16	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	1,198	—	—	—	—	—	2	36	152	311	410	287	—
			F.	775	—	—	—	—	—	—	13	30	117	262	353	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	30	—	—	—	—	—	1	—	4	8	7	10	—
			F.	32	—	—	—	—	—	—	—	1	6	8	17	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	9	—	—	—	—	—	—	—	—	2	7	—	—

Table 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	386	—	—	—	—	—	—	—	1	15	86	284	—
			F.	627	—	—	—	—	—	—	1	3	9	86	528	—
422.2	81*e*	Other myocardial degeneration	M.	236	—	—	—	—	1	—	2	5	22	61	145	—
			F.	357	—	—	—	—	—	—	1	5	24	86	241	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	9	—	—	—	—	—	3	1	—	2	1	2	—
			F.	18	—	—	—	—	—	—	1	2	3	7	5	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	61	—	—	—	—	—	1	—	2	7	20	31	—
			F.	88	—	—	—	—	1	—	—	4	14	21	48	—
440-443	83	Hypertensive heart disease	M.	80	—	—	—	—	—	—	1	4	18	31	26	—
			F.	142	—	—	—	—	—	—	—	2	19	34	87	—
444-447	84	Other hypertensive disease	M.	59	—	—	—	—	1	—	6	5	11	20	16	—
			F.	68	—	—	—	—	—	1	—	7	7	18	35	—
450	85*a*	General arteriosclerosis	M.	116	—	—	—	—	—	—	—	1	1	24	90	—
			F.	121	—	—	—	—	—	—	—	—	4	20	97	—
451-456	85*b*	Other diseases of arteries	M.	18	—	—	—	—	1	—	1	2	2	6	6	—
			F.	17	—	—	—	—	1	—	—	1	1	5	9	—
460-468	86	Other diseases of circulatory system	M.	17	—	—	—	—	1	—	—	3	4	4	5	—
			F.	26	—	—	—	—	—	—	1	5	6	6	8	—
470-475	87	Acute upper respiratory infections	M	2	—	—	—	1	—	—	—	—	—	—	1	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	9	—	—	—	—	—	—	—	3	2	3	1	—
			F.	12	2	—	—	—	—	—	2	—	2	3	3	—
		Pneumonia (Total 490-493)	M.	150	19	1	—	2	—	2	3	8	19	39	57	—
			F.	143	13	2	1	—	1	1	2	8	9	33	73	—
490	89	Lobar pneumonia	M.	33	3	—	—	—	—	2	1	1	6	10	10	—
			F.	23	1	—	—	—	—	—	—	3	2	8	9	—
491	90	Bronchopneumonia	M.	101	15	1	—	2	—	—	2	6	11	22	42	—
			F.	109	11	1	1	—	1	1	2	4	5	23	60	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	16	1	—	—	—	—	—	—	1	2	7	5	—
			F.	11	1	1	—	—	—	—	—	1	2	2	4	—
		Bronchitis (Total 500-502)	M.	219	2	—	—	1	—	2	3	23	63	63	62	—
			F.	87	2	—	1	—	—	2	1	3	10	26	42	—
500	92	Acute bronchitis	M.	22	2	—	—	1	—	—	1	1	3	4	10	—
			F.	22	2	—	1	—	—	1	—	2	1	6	9	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	133	—	—	—	—	—	1	2	15	43	41	31	—
			F.	37	—	—	—	—	—	1	—	—	6	12	18	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	64	—	—	—	—	—	1	—	7	17	18	21	—
			F.	28	—	—	—	—	—	—	1	1	3	8	15	—
510	**94**	**Hypertrophy of tonsils and adenoids**	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—												

519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
523, 524	97*a*	Pneumoconiosis	M.	29	—	—	—	—	—	—	—	—	10	15	4	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	29	—	—	—	—	—	—	—	4	12	7	6	—
			F.	16	—	—	—	—	—	1	2	3	3	2	5	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	23	—	—	—	—	1	—	1	3	4	5	9	—
			F.	5	—	—	—	—	—	—	—	—	1	3	1	—
541	100	Ulcer of duodenum	M.	40	—	—	—	—	—	—	3	5	6	13	13	—
			F.	14	—	—	—	—	—	—	1	1	3	7	2	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	7	—	—	1	—	1	—	—	2	1	1	1	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	29	2	—	—	—	—	—	1	2	5	11	8	—
			F.	34	3	—	—	—	—	2	1	2	3	8	15	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	6	—	—	1	—	—	—	1	—	—	1	3	—
			F.	4	—	—	—	—	—	—	—	—	—	3	1	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	12	—	—	—	—	—	—	1	—	1	4	6	—
			F.	12	—	—	—	—	—	—	—	2	1	5	4	—
581	105	Cirrhosis of liver	M.	17	—	—	—	—	—	2	1	3	5	4	2	—
			F.	21	—	—	—	—	—	—	—	1	4	12	4	—
584, 585	106	Cholelithiasis and cholecystitis	M.	9	—	—	—	—	—	—	—	—	2	3	4	—
			F.	32	—	—	—	—	—	—	1	1	4	9	17	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	7	1	—	—	—	—	—	—	—	2	—	4	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	13	—	—	—	—	—	1	2	3	1	1	5	—
			F.	10	—	—	—	—	—	1	—	1	3	3	2	—
590	108	Acute nephritis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	3	—	—	1	—	—	—	—	—	—	1	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	42	—	—	2	—	3	2	4	5	5	11	10	—
			F.	36	—	—	—	—	2	1	3	1	10	11	8	—
600	110	Infections of kidney	M.	14	—	—	—	—	—	1	—	1	2	5	5	—
			F.	24	—	—	—	—	—	1	2	1	5	9	6	—
602, 604	111	Calculi of urinary system	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	80	—	—	—	—	—	—	—	1	3	20	56	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	5	—	—	—	—	—	—	—	1	—	1	3	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—

Table 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	6	—	—	—	—	—	—	—	—	—	2	4	—
			F.	15	1	—	—	—	—	—	3	—	—	7	4	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	1	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	8	—	—	—	—	—	—	—	—	4	2	2	—
			F.	31	—	—	—	—	—	2	—	—	—	13	16	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	5	—	—	—	1	—	—	—	—	1	2	1	—
			F.	7	—	1	—	1	—	—	1	—	2	1	1	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	178	169	1	2	2	1	—	1	1	1	—	—	—
			F.	119	108	5	1	—	—	—	—	4	—	1	—	—
751	127	Spina bifida and meningocele	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	19	13	1	—	2	1	—	1	1	—	—	—	—
			F.	13	7	4	—	—	—	—	—	2	—	—	—	—

762	131	Postnatal asphyxia and atelectasis	M.	48	48	—	—	—	—	—	—	—	—	—
			F.	28	28	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	6	6	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	8	8	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	9	9	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	40	40	—	—	—	—	—	—	—	—	—
			F.	26	26	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	47	—	—	—	—	—	—	—	—	2	45
			F.	94	—	—	—	—	—	—	—	—	6	88
780-793, 795	137	Ill-defined and unknown causes	M.	21	1	1	—	—	—	1	1	3	3	8	3	—
			F.	24	4	—	—	—	—	—	—	2	2	9	7	—
		Accidents, Poisonings and Violence (External Cause) (Total E800-E999)	M.	250	16	10	7	14	26	26	21	31	40	25	34	—
			F.	183	11	1	1	3	2	6	7	20	25	23	84	—
E810-E835	138	Motor vehicle accidents	M.	55	—	4	4	4	9	3	5	11	8	4	3	—
			F.	13	—	1	1	1	1	2	1	—	2	2	2	—
E840-E845	139*a*	Other road vehicle accidents	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	12	—	—	—	—	4	1	1	3	1	2	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
E870-E895	140	Accidental poisoning	M.	13	1	—	—	1	—	1	2	2	2	1	3	—
			F.	31	1	—	—	—	—	2	3	6	5	3	11	—
E900-E904	141	Accidental falls	M.	48	1	—	—	—	2	5	1	2	11	8	18	—
			F.	84	1	—	—	—	—	—	—	1	4	14	64	—
E912	142	Accident caused by machinery	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	8	—	2	—	—	—	2	1	—	1	—	2	—
			F.	9	1	—	—	1	—	—	—	—	2	1	4	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
E919	145	Accident caused by firearm	M.	4	—	—	—	1	1	—	—	1	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	32	—	2	2	8	6	3	3	2	2	2	2	—
			F.	8	—	—	—	1	—	—	—	2	3	2	—	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	14	12	1	—	—	—	—	—	1	—	—	—	—
			F.	9	8	—	—	—	—	—	—	1	—	—	—	—
E910, E911, E913-E915, E920, E923, E926-E928 E930-E962	147*b*	All other accidental causes	M.	19	—	1	1	—	1	4	5	2	3	—	2	—
			F.	4	—	—	—	—	—	—	—	1	1	1	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	38	—	—	—	—	2	6	2	7	10	8	3	—
			F.	21	—	—	—	—	1	2	3	9	6	—	—	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	3	2	—	—	—	—	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		17,237	735	102	66	60	204	253	551	1,341	2,558	4,242	7,125	—
		Males		8,992	459	60	39	35	136	150	318	780	1,462	2,304	3,249	—
		Females		8,245	276	42	27	25	68	103	233	561	1,096	1,938	3,876	—
		All Tuberculosis (Total 001-019)	M.	102	—	1	—	1	1	9	11	24	32	18	5	—
			F.	35	—	—	1	—	3	8	8	5	3	3	4	—
001-008	1	Respiratory system	M.	97	—	—	—	—	—	8	11	23	32	18	5	—
			F.	30	—	—	—	—	2	8	7	3	3	3	4	—
010	2	Meninges and central nervous system	M.	3	—	1	—	1	—	1	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	1	—	1	1	—	—	—	—
		Syphilis (Total 020-029)	M.	11	—	—	—	—	—	—	—	—	6	4	1	—
			F.	5	—	—	—	—	—	—	—	1	1	3	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
025	9	General paralysis of insane	M.	5	—	—	—	—	—	—	—	—	3	1	1	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	6	—	—	—	—	—	—	—	—	3	3	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	1	1	1	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	4	2	—	—	—	—	—	—	2	—	—	—
			F.	2	—	1	—	—	—	—	—	1	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	5	2	3	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	6	1	—	—	1	—	2	1	1	—	—	—
			F.	2	—	1	—	—	—	1	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	—	—	—	—	—	—	2	—	1	1
			F.	7	—	—	—	—	—	1	—	1	4	—	1
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	2	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	1	1	—	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	8	—	—	1	—	—	—	1	1	1	3	1
			F.	3	1	—	—	—	—	—	—	—	—	—	2

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	1,399	—	6	5	2	14	27	63	175	314	412	381	—
			F.	1,312	5	4	5	5	10	20	71	195	300	359	338	—
140-148	44	Buccal cavity and pharynx	M.	36	—	—	—	—	—	—	1	4	4	12	15	—
			F.	22	—	—	—	—	—	—	—	3	5	7	7	—
150	45	Œsophagus	M.	46	—	—	—	—	—	—	2	3	8	13	20	—
			F.	39	—	—	—	—	—	1	1	3	8	13	13	—
151	46	Stomach	M.	223	—	—	—	—	2	1	6	26	43	75	70	—
			F.	210	—	—	—	—	—	1	4	18	40	60	87	—
152, 153	47	Intestine, except rectum	M.	157	—	—	—	—	1	2	3	17	16	49	69	—
			F.	194	—	—	—	—	—	1	8	17	51	49	68	—
154	48	Rectum	M.	94	—	—	—	—	—	2	4	10	18	33	27	—
			F.	62	—	—	—	—	—	—	4	3	14	20	21	—
161	49	Larynx	M.	12	—	—	—	—	—	—	—	2	3	3	4	—
			F.	6	—	—	—	—	—	—	—	—	1	5	—	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	337	—	—	—	—	1	3	20	59	132	94	28	—
			F.	65	—	—	—	—	—	1	4	16	15	16	13	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	220	—	—	—	—	—	3	21	42	55	59	40	—
171	52	Cervix uteri	F.	43	—	—	—	—	—	4	8	13	10	4	4	—
172-174	53	Other and unspecified parts of uterus	F.	65	—	—	—	—	—	—	3	11	18	23	10	—
177	54	Prostate	M.	108	—	—	—	—	—	—	—	1	9	40	58	—
190, 191	55	Skin	M.	25	—	—	—	—	—	1	1	—	7	5	11	—
			F.	14	—	—	—	—	—	1	—	2	4	3	4	—
196, 197	56	Bone and connective tissue	M.	14	—	—	—	—	3	1	—	3	2	1	4	—
			F.	16	—	—	1	—	1	1	1	2	3	2	5	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	241	—	1	3	1	1	5	14	34	49	70	63	—
			F.	285	3	—	1	3	3	2	13	55	69	80	56	—
204	58	Leukæmia and aleukæmia	M.	43	—	5	1	1	4	5	2	5	7	5	8	—
			F.	35	2	4	3	1	3	2	1	3	4	8	4	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	62	—	—	1	—	2	7	10	11	16	11	4	—
			F.	36	—	—	—	1	3	3	3	7	3	10	6	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	7	1	—	—	—	1	—	—	1	1	2	1	—
			F.	10	1	—	—	1	—	1	1	—	—	2	4	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	6	—	—	—	—	—	—	—	3	1	1	1	—

280-286	64	Avitaminosis and other deficiency states	F.	4	—	—	—	—	—	—	—	—	—	1	1	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	14	—	—	—	—	—	—	—	—	—	1	4	9	—
			F.	29	—	—	—	—	—	1	—	2	1	6	19	—
291-293	65*b*	Other anæmias	M.	10	—	—	—	—	—	—	—	—	6	3	1	—
			F.	16	—	—	—	—	1	—	—	—	4	4	7	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	40	—	1	—	1	2	6	2	5	8	8	7	—
			F.	41	—	—	—	—	1	1	5	10	8	12	4	—
300-309	67	Psychoses	M.	18	—	—	—	—	—	—	1	2	1	4	10	—
			F.	12	—	—	—	—	—	—	—	1	2	3	6	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	4	—	—	—	—	—	—	1	1	—	2	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
325	69	Mental deficiency	M.	5	2	—	1	—	1	1	—	—	—	—	—	—
			F.	5	—	1	—	—	—	—	2	1	1	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	1,226	3	1	—	—	3	6	9	59	144	364	637	—
			F.	1,627	—	—	—	—	6	6	27	89	202	444	853	—
330	70*a*	Subarachnoid hæmorrhage	M.	27	—	—	—	—	1	3	6	1	9	4	3	—
			F.	58	—	—	—	—	3	5	11	13	12	11	3	—
331	70*b*	Cerebral hæmorrhage	M.	498	3	—	—	—	1	3	2	42	76	162	209	—
			F.	723	—	—	—	—	3	1	13	59	115	226	306	—
332	70*c*	Cerebral embolism and thrombosis	M.	616	—	1	—	—	1	—	1	14	55	178	366	—
			F.	741	—	—	—	—	—	—	2	14	70	189	466	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	85	—	—	—	—	—	—	—	2	4	20	59	—
			F.	105	—	—	—	—	—	—	1	3	5	18	78	—
340	71	Non-meningococcal meningitis	M.	10	2	2	1	1	1	1	2	—	—	—	—	—
			F.	9	2	—	—	1	1	—	—	1	2	1	1	—
345	72	Multiple sclerosis	M.	26	—	—	—	—	1	1	6	4	5	7	2	—
			F.	26	—	—	—	—	—	2	2	9	9	3	1	—
353	73	Epilepsy	M.	11	—	—	2	—	1	6	—	—	1	1	—	—
			F.	20	1	1	—	1	3	1	5	3	1	1	3	—
391-393	77	Otitis media and mastoiditis	M.	3	—	—	—	—	1	—	—	1	1	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	19	—	—	—	—	—	—	—	—	3	7	9	—
			F.	24	—	—	—	—	—	—	1	4	2	10	7	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	39	2	—	1	1	2	2	1	10	6	12	2	—
			F.	45	—	3	—	2	2	1	3	4	9	10	11	—
400-402	79	Rheumatic fever	M.	3	—	—	—	—	—	1	2	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
		Heart Disease (Total 410-443)	M.	3,147	—	—	—	—	6	14	87	269	560	908	1,303	—
			F.	2,902	—	—	—	1	3	13	37	110	316	719	1,703	—
410-416	80	Chronic rheumatic heart disease	M.	71	—	—	—	—	1	7	9	9	18	21	6	—
			F.	126	—	—	—	—	1	8	13	21	36	21	26	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	1,808	—	—	—	—	—	6	75	225	441	588	473	—
			F.	1,047	—	—	—	—	—	1	15	59	191	351	430	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	43	—	—	—	—	1	—	1	7	8	11	15	—
			F.	49	—	—	—	—	—	2	4	3	3	18	19	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	7	—	—	—	—	—	—	—	—	2	5	—	—

Table 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	571	—	—	—	—	—	—	—	3	20	104	444	—
			F.	778	—	—	—	—	1	—	—	4	25	120	628	—
422.2	81*e*	Other myocardial degeneration	M.	410	—	—	—	—	1	—	—	11	28	117	253	—
			F.	563	—	—	—	—	1	1	2	9	23	110	417	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	12	—	—	—	—	2	1	—	—	1	3	5	—
			F.	13	—	—	—	—	—	—	—	2	1	4	6	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	108	—	—	—	—	1	—	2	7	18	26	54	—
			F.	116	—	—	—	1	—	1	2	2	12	30	68	—
440-443	83	Hypertensive heart disease	M.	123	—	—	—	—	—	—	—	7	26	38	52	—
			F.	203	—	—	—	—	—	—	1	10	23	60	109	—
444-447	84	Other hypertensive disease	M.	96	—	—	—	—	—	—	3	7	14	17	55	—
			F.	102	—	—	—	—	3	1	2	12	18	29	37	—
450	85*a*	General arteriosclerosis	M.	206	—	—	—	—	—	—	—	—	2	34	170	—
			F.	210	—	—	—	—	—	—	—	—	1	20	189	—
451-456	85*b*	Other diseases of arteries	M.	32	—	—	—	—	—	—	1	3	10	10	8	—
			F.	21	—	—	—	—	—	—	2	4	1	5	9	—
460-468	86	Other diseases of circulatory system	M.	36	—	—	—	—	—	—	—	9	7	9	11	—
			F.	40	—	—	—	—	—	—	4	1	10	13	12	—
470-475	87	Acute upper respiratory infections	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	28	—	—	—	—	2	1	—	1	4	7	13	—
			F.	26	—	—	—	—	—	1	2	1	5	4	13	—
		Pneumonia (Total 490-493)	M.	252	31	5	1	5	3	1	8	15	21	57	105	—
			F.	239	31	5	—	1	2	3	3	13	19	46	116	—
490	89	Lobar pneumonia	M.	43	2	2	—	1	1	—	1	1	6	13	16	—
			F.	40	2	—	—	—	—	—	1	4	4	6	23	—
491	90	Bronchopneumonia	M.	180	24	2	1	3	2	1	6	13	10	36	82	—
			F.	183	28	4	—	1	2	3	2	9	13	36	85	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	29	5	1	—	1	—	—	1	1	5	8	7	—
			F.	16	1	1	—	—	—	—	—	—	2	4	8	—
		Bronchitis (Total 500-502)	M.	309	4	3	—	—	1	—	5	24	82	101	89	—
			F.	133	4	1	—	—	—	—	—	8	22	33	65	—
500	92	Acute bronchitis	M.	37	4	3	—	—	1	—	—	2	4	10	13	—
			F.	34	4	1	—	—	—	—	—	1	7	5	16	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	165	—	—	—	—	—	—	4	10	52	56	43	—
			F.	61	—	—	—	—	—	—	—	5	8	20	28	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	107	—	—	—	—	—	—	1	12	26	35	33	—
			F.	38	—	—	—	—	—	—	—	2	7	8	21	—

			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	4	—	—	—	—	—	—	1	—	1	—	2	—
523, 524	97*a*	Pneumoconiosis	M.	165	—	—	—	—	—	—	1	5	40	80	39	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	40	—	—	—	—	—	—	5	5	8	16	6	—
			F.	39	—	—	1	—	1	—	3	2	6	9	17	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	31	—	—	—	—	—	1	3	2	6	10	9	—
			F.	26	—	—	—	—	1	—	—	2	3	8	12	—
541	100	Ulcer of duodenum	M.	69	—	—	—	—	—	—	5	9	22	15	18	—
			F.	16	—	—	—	—	—	1	2	2	4	2	5	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Appendicitis	M.	11	—	1	—	—	1	1	—	2	4	1	1	—
			F.	8	—	—	—	1	—	—	—	3	1	1	2	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	53	4	3	—	—	—	2	1	4	8	15	16	—
			F.	47	1	—	1	—	—	—	3	6	8	9	19	—
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	11	10	1	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	10	—	1	—	—	—	—	—	—	2	3	4	—
			F.	13	—	1	1	1	—	—	—	1	3	1	5	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	13	1	—	—	—	2	—	1	3	2	—	4	—
			F.	32	—	—	—	—	—	3	2	2	7	6	12	—
581	105	Cirrhosis of liver	M.	25	—	—	1	—	1	—	—	2	5	9	7	—
			F.	26	—	—	1	—	—	—	3	5	6	9	2	—
584, 585	106	Cholelithiasis and cholecystitis	M.	20	—	—	—	—	—	—	—	2	1	8	9	—
			F.	48	—	—	—	—	1	1	1	1	13	14	17	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	10	—	1	—	—	1	—	—	—	2	1	5	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	27	1	—	1	1	1	—	1	3	10	7	2	—
			F.	26	2	—	—	—	—	—	1	4	5	7	7	—
590	108	Acute nephritis	M.	8	—	—	—	1	—	1	2	2	1	1	—	—
			F.	6	—	—	—	—	1	2	1	—	2	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	66	—	—	2	—	5	7	5	14	11	10	12	—
			F.	51	1	—	—	—	2	4	4	6	5	9	20	—
600	110	Infections of kidney	M.	21	1	1	—	—	—	—	1	3	2	9	4	—
			F.	41	—	—	—	—	—	2	3	4	12	10	10	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	—	—	2	1	2	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
610	112	Hyperplasia of prostate	M.	133	—	—	—	—	—	—	—	1	6	34	92	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	9	—	—	—	—	—	—	—	—	—	3	6	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—

Table 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	10	—	—	1	1	—	—	—	1	1	—	6	—
			F.	22	—	—	1	—	—	1	1	5	6	6	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	4	—	—	—	—	1	1	2	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	6	—	—	—	—	—	3	3	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	—	—	1	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	3	—	—	—	—	1	2	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
651	119	Abortion with sepsis	F	—	—	—	—	—	—	—	—	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	8	—	—	—	—	—	5	2	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	—	—	—	—	—	—	—	—	1	3	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	17	—	—	—	—	—	—	—	4	3	4	6	—
			F.	51	—	—	—	—	—	1	1	—	8	17	24	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	2	—	—	—	—	—	1	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
730	124	Osteomyelitis and periostitis	M.	3	—	—	1	—	—	—	—	1	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	9	—	—	—	—	1	1	—	3	2	2	—	—
			F.	8	—	—	—	—	1	2	2	—	1	1	1	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	384	361	7	1	2	6	1	2	1	1	1	1	—
			F.	217	195	5	3	5	2	3	2	—	1	1	—	—
751	127	Spina bifida and meningocele	M.	24	23	—	—	—	1	—	—	—	—	—	—	—
			F.	20	18	1	—	1	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	32	26	1	—	2	1	1	—	1	—	—	—	—
			F.	29	15	3	1	4	2	2	2	—	—	—	—	—
752, 752, 753 755-759	129	All other congenital malformations	M.	40	24	6	1	—	4	—	2	—	1	1	1	—

762	131	Postnatal asphyxia and atelectasis	M.	97	97	—	—	—	—	—	—	—	—	—	—
			F.	49	49	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	20	20	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	11	11	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	23	23	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	89	89	—	—	—	—	—	—	—	—	—	—
			F.	41	41	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	86	—	—	—	—	—	—	—	—	—	4	82
			F.	155	—	—	—	—	—	—	—	—	—	3	152
780-793, 795	137	Ill-defined and unknown causes	M.	73	7	1	—	1	2	—	5	8	19	14	16
			F.	36	7	1	—	—	1	—	2	1	9	7	8
		Accidents, Poisonings and Violence (*External Cause*) (Total E800-E999)	M.	546	22	20	18	17	77	56	77	88	59	45	67
			F.	284	13	11	13	6	18	9	15	29	28	38	104
E810-E835	138	Motor vehicle accidents	M.	176	—	9	9	3	41	25	24	32	13	14	6
			F.	59	1	4	7	3	12	2	7	8	6	4	5
E840-E845	139*a*	Other road vehicle accidents	M.	8	—	—	—	2	—	1	—	1	1	3	—
			F.	4	—	—	1	—	—	—	—	1	1	1	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	31	—	1	1	1	6	7	6	4	4	1	—
			F.	3	—	—	1	—	—	—	—	1	1	—	—
E870-E895	140	Accidental poisoning	M.	17	—	—	—	—	1	2	2	4	2	2	4
			F.	22	—	—	—	—	—	3	—	5	3	5	6
E900-E904	141	Accidental falls	M.	79	—	—	—	2	9	3	3	6	9	7	40
			F.	109	—	1	—	1	1	1	1	2	5	15	82
E912	142	Accident caused by machinery	M.	8	—	—	—	—	—	3	1	2	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	9	—	—	1	1	—	—	—	2	2	1	2
			F.	27	1	5	2	—	2	—	1	2	3	3	8
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	3	—	1	—	—	—	—	1	—	—	—	1
			F.	1	—	—	—	—	—	—	—	1	—	—	—
E919	145	Accident caused by firearm	M.	5	—	—	—	—	1	—	2	—	1	1	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	64	1	6	7	7	6	4	9	7	4	3	10
			F.	9	—	—	—	2	—	—	1	2	2	1	1
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	28	21	2	—	—	1	—	2	—	1	1	—
			F.	12	11	—	—	—	—	—	1	—	—	—	—
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	M.	50	—	—	—	—	9	6	14	10	6	2	3
			F.	11	—	—	2	—	2	—	1	1	2	1	2
E963, E970-E979	148	Suicide and self-inflicted injury	M.	59	—	—	—	—	2	4	11	17	14	10	1
			F.	21	—	—	—	—	—	1	2	5	5	8	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	8	—	1	—	1	1	1	1	3	—	—	—
			F.	5	—	1	—	—	1	1	1	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

Table 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		21,468	1,265	139	71	49	183	357	779	1,939	3,896	5,679	7,111	—
		Males		11,417	704	68	43	36	117	190	395	1,215	2,376	3,077	3,196	—
		Females		10,051	561	71	28	13	66	167	384	724	1,520	2,602	3,915	—
		All Tuberculosis (Total 001-019)	M.	273	1	1	2	1	2	17	27	62	85	55	20	—
			F.	137	—	—	—	—	4	33	46	16	14	15	9	—
001-008	1	Respiratory system	M.	256	—	—	—	—	1	17	26	59	81	53	19	—
			F.	128	—	—	—	—	4	33	43	14	12	14	8	—
010	2	Meninges and central nervous system	M.	5	1	1	2	1	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
011	3	Intestines, peritoneum, and mesenteric glands	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
			F.	2	—	—	—	—	—	—	1	1	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	8	—	—	—	—	1	—	1	3	3	—	—	—
			F.	5	—	—	—	—	—	—	1	1	1	1	1	—
		Syphilis (Total 020-029)	M.	10	—	—	—	—	—	—	2	1	3	2	2	—
			F.	6	—	—	—	—	—	—	—	2	3	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	3	—	—	—	—	—	—	—	2	—	1	—	—
022, 023, 026-029	10	All other syphilis	M.	6	—	—	—	—	—	—	2	1	—	1	2	—
			F.	3	—	—	—	—	—	—	—	—	3	—	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	1	—	—	—	—	—	—	—	—	—	—	—

051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—
053	20	Septicæmia and pyæmia	M.	4	2	1	—	—	—	—	—	—	1	—	—
			F.	3	1	—	1	—	—	—	1	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	4	2	1	—	—	—	—	—	1	—	—	—
			F.	8	6	2	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	4	1	—	—	—	1	1	—	1	—	—	—
			F.	2	—	—	—	—	—	2	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	7	—	—	—	—	—	—	—	4	2	1	—
			F.	5	—	—	—	—	—	—	—	1	2	—	2
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	3	—	—	1	—	—	—	2	—	—	—	—
			F.	4	—	—	—	—	—	1	1	1	1	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	M.	3	—	1	—	—	—	—	—	—	—	1	1	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		Malignant Neoplasms (Total 140-205)	M.	2,164	—	10	3	3	14	39	83	317	615	643	437	—
			F.	1,602	4	10	4	2	9	32	105	238	384	462	352	—
140-148	44	Buccal cavity and pharynx	M.	37	—	—	—	—	—	—	1	3	4	12	17	—
			F.	20	—	—	—	—	—	—	1	4	4	4	7	—
150	45	Œsophagus	M.	66	—	—	—	—	—	—	5	8	16	17	20	—
			F.	37	—	—	—	—	—	—	—	3	9	13	12	—
151	46	Stomach	M.	353	—	—	—	—	—	6	7	55	95	112	78	—
			F.	267	—	—	—	—	1	2	10	25	43	87	99	—
152, 153	47	Intestine, except rectum	M.	180	—	—	—	—	—	5	4	19	40	55	57	—
			F.	199	—	—	—	—	—	—	2	28	36	73	60	—
154	48	Rectum	M.	106	—	—	—	—	—	4	7	9	22	37	27	—
			F.	76	—	—	—	—	—	—	3	12	14	30	17	—
161	49	Larynx	M.	36	—	—	—	—	—	—	—	4	9	11	12	—
			F.	9	—	—	—	—	—	—	—	1	3	4	1	—
162, 163	50	Trachea, bronchus and lung, not specified as secondary	M.	814	—	—	—	—	1	1	44	147	309	241	71	—
			F.	134	—	—	—	—	2	3	13	23	40	34	19	—
170	51	Breast	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	283	—	—	—	—	—	4	30	57	79	65	48	—
171	52	Cervix uteri	F.	77	—	—	—	—	—	1	20	18	23	13	2	—
172-174	53	Other and unspecified parts of uterus	F.	45	—	—	—	—	1	2	3	5	15	10	9	—
177	54	Prostate	M.	111	—	—	—	—	—	—	—	1	4	47	59	—
190, 191	55	Skin	M.	24	—	—	—	—	—	1	—	4	3	2	14	—
			F.	27	—	—	—	—	1	—	2	3	8	3	10	—
196, 197	56	Bone and connective tissue	M.	25	—	—	1	2	5	—	—	1	1	9	6	—
			F.	12	—	1	—	1	—	—	1	—	4	3	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	309	—	7	1	—	1	12	11	51	86	80	60	—
			F.	336	3	3	2	1	3	12	16	47	89	105	55	—
204	58	Leukæmia and aleukæmia	M.	53	—	3	1	1	5	4	2	9	9	8	11	—
			F.	41	1	5	2	—	—	4	1	7	7	8	6	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	47	—	—	—	—	2	6	2	6	16	11	4	—
			F.	39	—	1	—	—	1	4	3	5	10	10	5	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature	M.	12	—	2	—	—	—	3	1	3	—	2	1	—
			F.	14	1	1	—	1	—	2	1	1	3	4	—	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	11	—	—	—	—	—	1	—	2	5	2	1	—
260	63	Diabetes mellitus	M.	40												

280-286	64	Avitaminosis and other deficiency states	F.	13	—	—	—	—	—	—	2	—	2	5	4	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	14	—	—	—	—	—	—	—	—	3	3	8	—
			F.	37	—	—	—	—	—	—	3	1	1	10	22	—
291-293	65*b*	Other anæmias	M.	6	—	—	—	—	1	—	—	—	2	1	2	—
			F.	12	—	—	—	—	—	—	2	—	—	4	6	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	35	1	—	—	1	1	4	5	11	4	5	3	—
			F.	63	2	—	1	—	1	3	3	6	18	16	13	—
300-309	67	Psychoses	M.	27	—	—	—	—	—	—	—	—	4	10	13	—
			F.	13	—	—	—	—	—	—	—	—	3	6	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	4	—	—	—	—	—	—	2	1	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
325	69	Mental deficiency	M.	4	1	—	1	—	—	—	—	2	—	—	—	—
			F.	6	1	2	1	—	—	—	2	—	—	—	—	—
		Vascular lesions affecting central nervous system (Total 330-334)	M.	1,381	1	1	1	1	2	7	18	70	227	437	616	—
			F.	1,901	—	—	—	1	1	7	30	104	241	557	960	—
330	70*a*	Subarachnoid hæmorrhage	M.	34	—	—	—	—	1	2	7	10	8	4	2	—
			F.	53	—	—	—	—	—	1	9	14	12	13	4	—
331	70*b*	Cerebral hæmorrhage	M.	538	1	—	1	1	1	5	6	44	119	192	168	—
			F.	804	—	—	—	1	1	2	12	65	139	245	339	—
332	70*c*	Cerebral embolism and thrombosis	M.	648	—	1	—	—	—	—	5	13	88	200	341	—
			F.	885	—	—	—	—	—	3	8	22	84	264	504	—
333, 334	70*d*	Other vascular lesions affecting central nervous system	M.	161	—	—	—	—	—	—	—	3	12	41	105	—
			F.	159	—	—	—	—	—	1	1	3	6	35	113	—
340	71	Non-meningococcal meningitis	M.	12	5	1	—	1	—	—	2	1	1	1	—	—
			F.	11	8	—	—	1	—	—	—	1	1	—	—	—
345	72	Multiple sclerosis	M.	34	—	—	—	—	1	1	5	9	9	7	2	—
			F.	32	—	—	—	—	1	3	5	8	11	3	1	—
353	73	Epilepsy	M.	17	—	1	3	1	5	4	1	1	1	—	—	—
			F.	15	—	—	1	—	2	4	3	2	1	—	2	—
391-393	77	Otitis media and mastoiditis	M.	5	1	—	—	—	—	1	1	—	1	1	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	22	—	—	—	—	—	—	—	2	3	8	9	—
			F.	34	—	—	—	—	—	—	—	1	9	14	10	—
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	M.	48	6	2	—	—	3	1	5	7	5	12	7	—
			F.	53	4	6	1	—	3	4	5	2	10	12	6	—
400-402	79	Rheumatic fever	M.	3	—	—	—	1	1	1	—	—	—	—	—	—
			F.	6	—	—	1	—	1	—	2	2	—	—	—	—
		Heart Disease (Total 410-443)	M.	3,615	—	—	—	—	9	21	92	391	796	1,096	1,210	—
			F.	3,306	1	—	—	1	9	19	80	172	484	922	1,618	—
410-416	80	Chronic rheumatic heart disease	M.	95	—	—	—	—	5	12	12	22	16	23	5	—
			F.	261	—	—	—	1	4	19	44	63	71	39	20	—
420	81*a*	Arteriosclerotic heart disease, including coronary disease	M.	2,087	—	—	—	—	1	5	73	309	620	680	399	—
			F.	1,176	—	—	—	—	1	—	22	81	246	444	382	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	50	—	—	—	—	1	3	1	12	10	11	12	—
			F.	69	—	—	—	—	—	—	5	2	11	22	29	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	3	—	—	—	—	—	—	—	—	—	3	—	—

Table 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	574	—	—	—	—	—	—	—	6	27	128	413	—
			F.	777	—	—	—	—	—	—	1	3	31	118	624	—
422.2	81*e*	Other myocardial degeneration	M.	538	—	—	—	—	1	—	1	23	75	172	266	—
			F.	638	—	—	—	—	1	—	2	7	56	164	408	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	14	—	—	—	—	—	—	1	2	3	4	4	—
			F.	14	—	—	—	—	1	—	1	1	4	6	1	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	102	—	—	—	—	1	1	2	9	18	26	45	—
			F.	122	1	—	—	—	2	—	4	5	18	38	54	—
440-443	83	Hypertensive heart disease	M.	153	—	—	—	—	—	—	2	8	26	52	65	—
			F.	246	—	—	—	—	—	—	1	10	47	88	100	—
444-447	84	Other hypertensive disease	M.	102	—	—	—	—	—	2	3	18	24	26	29	—
			F.	116	—	—	—	—	1	1	2	10	15	39	48	—
450	85*a*	General arteriosclerosis	M.	176	—	—	—	—	—	—	—	1	7	35	133	—
			F.	195	—	—	—	—	—	—	—	—	2	31	162	—
451-456	85*b*	Other diseases of arteries	M.	40	—	—	—	—	1	—	2	2	11	16	8	—
			F.	26	—	—	—	—	—	1	1	2	5	8	9	—
460-468	86	Other diseases of circulatory system	M.	27	—	—	—	—	—	—	1	7	12	3	4	—
			F.	32	—	—	—	—	—	—	—	4	7	11	10	—
470-475	87	Acute upper respiratory infections	M	5	2	1	—	—	—	1	—	—	—	1	—	—
			F.	6	2	2	—	—	1	—	—	—	—	1	—	—
480-483	88	Influenza	M.	23	2	—	—	—	—	1	1	2	2	4	11	—
			F.	24	1	—	—	—	—	—	—	2	3	7	11	—
		Pneumonia (Total 490-493)	M.	455	81	13	1	3	2	5	11	31	62	110	136	—
			F.	374	61	15	—	1	3	1	6	18	33	83	153	—
490	89	Lobar pneumonia	M.	96	11	2	—	—	—	—	4	5	16	31	27	—
			F.	75	9	—	—	—	1	—	2	7	13	18	25	—
491	90	Bronchopneumonia	M.	316	65	11	1	2	2	4	7	21	42	63	98	—
			F.	272	50	11	—	1	2	1	4	11	18	60	114	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	43	5	—	—	1	—	1	—	5	4	16	11	—
			F.	27	2	4	—	—	—	—	—	—	2	5	14	—
		Bronchitis (Total 500-502)	M.	814	12	1	—	—	1	1	13	90	245	295	156	—
			F.	363	10	3	3	—	—	6	12	25	69	99	136	—
500	92	Acute bronchitis	M.	39	12	1	—	—	1	—	1	2	7	6	9	—
			F.	64	10	3	3	—	—	—	1	2	5	14	26	—
501b, 502b	93*a*	Chronic and unqualified bronchitis with heart disease secondary	M.	495	—	—	—	—	—	1	8	53	149	188	96	—
			F.	193	—	—	—	—	—	1	8	11	39	58	76	—
501a, 502a	93*b*	Chronic and unqualified bronchitis otherwise defined	M.	280	—	—	—	—	—	—	4	35	89	101	51	—
			F.	106	—	—	—	—	—	5	3	12	25	27	34	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—

			M.	4	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	F.	5	—	—	—	—	1	—	2	—	—	2	—
			M.	6	—	—	—	—	—	1	—	—	—	4	1
519	96	Pleurisy	F.	6	—	—	—	—	—	1	1	—	2	1	1
			M.	93	—	—	—	—	—	—	1	4	24	38	26
523, 524	97*a*	Pneumoconiosis	F.	—	—	—	—	—	—	—	—	—	—	—	—
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	M.	56	1	—	—	—	—	2	3	10	13	14	13
			F.	31	1	—	1	—	1	2	3	5	5	8	5
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	56	—	—	—	—	1	1	2	5	16	19	12
			F.	31	—	—	—	—	—	1	3	2	6	11	8
541	100	Ulcer of duodenum	M.	85	—	—	—	—	—	2	5	13	26	20	19
			F.	15	—	—	—	—	—	—	2	2	2	4	5
543	101	Gastritis and duodenitis	M.	2	—	—	—	—	—	—	—	—	—	—	2
			F.	1	—	—	—	—	—	—	—	—	—	—	1
550-553	102	Appendicitis	M.	19	1	2	2	—	3	—	—	3	1	5	2
			F.	19	—	3	—	1	—	1	1	1	1	6	5
560, 561, 570	103	Intestinal obstruction and hernia	M.	63	7	1	—	—	—	—	1	4	9	15	26
			F.	61	4	—	—	—	—	1	5	2	11	18	20
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	M.	15	15	—	—	—	—	—	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis, ages 2 years and over	M.	13	—	—	—	—	1	1	—	—	3	2	6
			F.	4	—	—	—	—	—	—	—	—	1	1	2
572	104*c*	Chronic enteritis and ulcerative colitis	M.	20	—	—	—	—	1	2	—	6	5	3	3
			F.	45	—	—	—	—	4	1	2	5	7	11	15
581	105	Cirrhosis of liver	M.	39	—	—	—	2	1	—	2	3	14	9	8
			F.	48	—	—	1	—	—	—	2	7	13	17	8
584, 585	106	Cholelithiasis and cholecystitis	M.	20	—	—	—	—	—	—	—	1	4	7	8
			F.	49	—	—	—	—	1	—	—	4	14	15	15
580, 582, 583, 586	107*a*	Other diseases of liver	M.	9	1	—	—	—	1	1	1	3	1	—	1
			F.	11	—	1	—	—	—	1	—	1	1	3	4
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	26	2	1	—	—	1	1	3	2	4	8	4
			F.	18	4	—	—	—	—	—	—	—	4	3	7
590	108	Acute nephritis	M.	5	—	—	—	1	2	1	—	1	—	—	—
			F.	6	1	—	—	—	—	2	—	—	2	1	—
591-594	109	Chronic, other and unspecified nephritis	M.	58	—	—	—	2	6	6	6	9	8	11	10
			F.	69	1	—	—	1	3	3	2	7	24	17	11
600	110	Infections of kidney	M.	20	2	—	—	—	—	—	—	3	4	5	6
			F.	50	—	—	—	—	—	1	3	3	17	19	7
602, 604	111	Calculi of urinary system	M.	7	—	—	—	—	—	1	—	1	2	—	3
			F.	2	—	—	—	—	—	—	1	—	—	1	—
610	112	Hyperplasia of prostate	M.	102	—	—	—	—	—	—	—	1	6	32	63
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	5	—	—	1	—	—	—	1	—	—	1	2
			F.	1	—	—	—	—	—	—	—	—	—	—	1

Table 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	12	2	—	—	—	—	1	1	—	1	2	5	—
			F.	20	1	—	1	—	—	1	3	1	6	5	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	3	—	—	—	—	—	3	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	4	—	—	—	—	1	2	1	—	—	—	—	—
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	F.	8	—	—	—	—	—	3	4	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	5	—	—	—	—	—	—	—	—	1	1	3	—
			F.	4	—	—	—	—	—	—	—	—	1	1	2	—
720-725	122	Arthritis and spondylitis	M.	12	—	—	—	—	—	—	—	4	5	1	2	—
			F.	56	—	—	—	—	—	1	2	2	6	14	31	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	7	1	—	—	—	—	—	—	1	1	1	3	—
			F.	13	—	—	—	—	3	—	1	1	2	2	4	—
		Congenital malformations and certain diseases of early infancy (Total 750-776)	M.	530	503	5	3	2	5	3	2	4	—	2	1	—
			F.	414	389	10	3	1	—	2	2	5	2	—	—	—
751	127	Spina bifida and meningocele	M.	25	23	1	—	—	—	—	1	—	—	—	—	—
			F.	34	32	2	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	37	27	2	—	2	3	3	—	—	—	—	—	—
			F.	53	40	4	2	1	—	2	2	2	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	65	50	2	3	—	2	—	1	4	—	2	1	—
			F.	58	48	4	1	—	—	—	—	—	—	—	—	—

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
760, 761	130	Birth injuries	M.	66	66	—	—	—	—	—	—	—	—	—	—
			F.	36	36	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	170	170	—	—	—	—	—	—	—	—	—	—
			F.	111	111	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	32	32	—	—	—	—	—	—	—	—	—	—
			F.	16	16	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	15	15	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	14	14	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	M.	99	99	—	—	—	—	—	—	—	—	—	—
			F.	84	84	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	43	—	—	—	—	—	—	—	—	—	2	41
			F.	93	—	—	—	—	—	—	—	—	—	6	87
780-793, 795	137	Ill-defined and unknown causes	M.	41	10	3	—	—	—	1	2	7	7	7	4
			F.	35	12	1	—	—	—	1	—	1	6	8	6
		Accidents, Poisonings and Violence (*External Cause*) (Total E800-E999)	M.	631	40	20	24	17	51	51	85	89	83	74	97
			F.	343	30	13	8	3	14	17	29	44	32	56	97
E810-E835	138	Motor vehicle accidents	M.	149	1	9	14	4	18	12	23	19	18	18	13
			F.	58	1	8	3	2	7	5	5	5	5	9	8
E840-E845	139*a*	Other road vehicle accidents	M.	16	—	—	—	2	1	1	2	1	2	3	4
			F.	8	—	—	—	—	1	2	1	—	1	1	2
E800-E802, E850-E866	139*b*	Other transport accidents	M.	20	—	—	—	—	4	2	6	3	5	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	76	—	3	—	—	5	6	15	12	14	12	9
			F.	46	1	1	—	1	1	2	3	10	7	12	8
E900-E904	141	Accidental falls	M.	121	—	—	3	2	6	6	8	8	16	19	53
			F.	90	—	1	1	—	1	1	2	2	5	14	63
E912	142	Accident caused by machinery	M.	9	—	—	—	—	1	3	4	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	12	—	—	—	1	—	1	1	2	2	2	3
			F.	27	—	1	3	—	—	1	2	3	3	4	10
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	2	—	—	—	—	—	—	—	1	—	—	1
			F.	1	1	—	—	—	—	—	—	—	—	—	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	49	—	4	6	6	2	1	4	7	7	5	7
			F.	14	2	1	—	—	—	—	3	4	—	4	—
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	M.	39	37	1	—	—	—	—	—	1	—	—	—
			F.	28	23	—	—	—	—	—	1	1	—	3	—
E910, E911, E913-E915, E920, F923 E926-E928, E930-E962	147*b*	All other accidental causes	M.	19	1	—	1	1	5	4	5	2	—	—	—
			F.	4	—	1	—	—	—	—	1	—	—	—	2
E963, E970-E979	148	Suicide and self-inflicted injury	M.	101	—	—	—	—	7	14	15	29	17	12	7
			F.	57	—	—	—	—	2	5	11	17	11	8	3
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	16	1	3	—	1	2	1	2	4	—	2	—
			F.	10	2	—	1	—	2	1	—	2	—	1	1
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	—	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
		ALL CAUSES	62065	2113	1579	2180	236	985	971	577	507	2815	590	336	269	315	439	324	711	484	271	1190	605	490	524	2603	312	718	332	99	390
		All Tuberculosis (Total 001-019)	687	14	1	20	1	14	6	4	1	12	4	–	3	2	4	1	4	10	3	9	4	2	4	14	5	6	1	2	3
001-008	1	Respiratory system	638	13	1	18	1	13	6	4	1	11	4	–	2	1	4	1	3	9	3	9	4	2	2	14	5	5	1	2	3
010	2	Meninges and central nervous system	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	7	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014-019	5	All other forms	23	1	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
		Syphilis (Total 020-029)	58	8	1	3	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	3	–	–	2	4	–	3	–	–	1
020	6	Congenital syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	7	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
025	9	General paralysis of insane	19	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–	–
022, 023, 026-029	10	All other syphilis	32	5	1	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	2	2	–	1	–	–	1
030-035	11	Gonococcal infection	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
040	12	Typhoid fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other Salmonella infections	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	20	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
055	21	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	4	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
057	23	Meningococcal infections	25	–	–	2	–	–	–	–	–	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	16	1	–	–	–	–	1	–	–	3	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
082	29	Acute infectious encephalitis	8	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	28	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
092	34	Infectious hepatitis	26	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) applied to the Special List

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES	13453	356	563	497	772	306	3622	6023	1164	535	125	294	214	528	1117	880	1187	211	1669	797	590	312	464	319	1320	198	922	387	275
		All Tuberculosis (Total 001-019)	292	3	14	10	13	3	57	35	8	2	1	–	–	5	3	16	15	5	12	4	1	1	6	6	9	4	5	2	1
001-008	1	Respiratory system	277	2	14	9	10	3	53	29	8	2	1	–	–	5	3	16	15	4	9	4	1	1	6	5	9	4	4	1	1
010	2	Meninges and central nervous system	5	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	2	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
014-019	5	All other forms	8	1	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
		Syphilis (Total 020-029)	12	–	1	–	1	–	1	8	1	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
020	6	Congenital syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	4	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
022, 023, 026-029	10	All other syphilis	6	–	1	–	1	–	1	3	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other Salmonella infections	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	4	–	–	–	–	–	2	2	–	1	–	–	–	–	1	1	2	–	1	–	–	–	–	–	1	–	–	–	–
055	21	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
057	23	Meningococcal infections	9	–	–	–	1	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
061	26	Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
080	28	Acute poliomyelitis	3	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–
082	29	Acute infectious encephalitis	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	8	–	1	–	–	–	3	3	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	4	–	–	–	–	2	1	7	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	25	2	1	–	–	–	1	–	–	3	2	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
		Malignant Neoplasms (Total 140-205)	10831	431	271	440	49	169	156	109	80	455	109	59	55	38	76	54	108	70	34	227	111	71	97	407	58	112	54	21	64
140-148	44	Buccal cavity and pharynx	234	6	6	16	2	5	5	3	3	7	2	4	1	1	3	1	5	3	1	5	3	1	1	9	2	6	–	–	–
150	45	Œsophagus	314	13	8	13	1	4	4	2	2	16	9	4	1	3	1	1	3	4	1	9	5	2	5	11	3	6	–	1	7
151	46	Stomach	1661	60	40	66	7	24	23	16	17	73	14	4	5	6	9	7	19	13	3	33	18	9	15	74	6	20	7	3	6
152, 153	47	Intestine, except rectum	1242	54	37	30	3	31	17	15	10	56	11	12	9	7	4	5	13	3	5	26	16	12	7	41	8	21	8	3	9
154	48	Rectum	570	27	9	29	5	9	5	3	5	21	10	7	3	–	7	1	6	1	2	7	9	3	8	20	5	5	6	1	7
161	49	Larynx	94	7	2	4	1	1	1	1	1	1	1	–	–	–	–	1	–	1	1	3	–	–	–	2	–	–	–	–	–
162, 163	50	Trachea, bronchus and lung, not specified as secondary	2226	96	28	97	13	25	25	20	11	70	17	3	7	2	13	15	13	20	11	37	27	14	24	68	10	10	3	1	7
170	51	Breast	875	29	25	52	–	11	10	10	9	40	12	6	9	1	7	5	10	6	2	32	7	4	8	36	10	9	7	–	6
171	52	Cervix uteri	218	10	7	19	–	4	6	3	–	10	3	1	1	–	4	5	2	2	1	2	–	1	1	6	2	2	1	–	4
172-174	53	Other and unspecified parts of uterus	194	8	10	6	–	3	4	–	–	15	2	–	1	3	1	1	1	1	–	–	–	2	–	12	–	3	2	1	4
177	54	Prostate	376	15	16	8	2	5	12	2	–	14	1	5	4	1	7	–	6	2	–	8	5	–	4	18	1	1	2	2	3
190, 191	55	Skin	140	5	6	4	–	1	3	1	–	6	1	–	–	3	1	1	3	–	–	5	–	–	1	4	1	2	–	2	–
196, 197	56	Bone and connective tissue	118	3	5	6	–	4	–	1	1	8	1	–	2	1	1	1	2	–	–	1	1	1	1	3	1	2	–	1	–
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	2009	82	55	74	15	35	31	28	13	92	19	10	10	8	14	8	19	10	7	43	15	17	19	77	7	21	11	4	10
204	58	Leukæmia and aleukæmia	259	10	7	7	–	1	2	1	4	12	3	–	–	2	3	1	3	1	–	6	3	1	1	12	1	1	7	–	1
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	301	6	10	9	–	6	8	3	4	14	3	3	2	–	1	1	3	3	–	10	2	4	2	14	1	3	–	2	–
210-239	60	Benign neoplasms and neoplasms of unspecified nature	94	2	3	9	–	2	1	2	–	7	3	–	–	–	–	1	–	–	1	2	1	–	1	–	–	–	1	–	2
250, 251	61	Non-toxic goitre	5	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre	24	–	1	3	–	–	–	–	1	1	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
260	63	Diabetes mellitus	528	30	17	16	1	8	10	3	5	31	3	3	1	2	5	2	4	5	7	9	6	9	7	21	3	7	4	–	1
280-286	64	Avitaminosis and other deficiency states	41	–	1	–	–	–	–	–	–	2	–	–	1	1	–	–	1	–	–	1	1	–	–	–	–	2	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	161	3	5	9	1	5	–	1	2	10	1	–	–	3	1	–	2	2	2	4	1	–	2	12	–	1	2	1	–
291-293	65*b*	Other anæmias	78	3	1	8	–	3	3	2	–	5	–	–	1	2	1	–	1	1	–	–	3	–	–	2	1	3	1	–	1
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	339	10	12	20	2	5	2	4	5	17	5	3	2	4	2	1	1	4	4	7	1	–	5	10	4	3	2	–	5

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1951

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-138	43	All other diseases classified as infective and parasitic (A38-A42)	1	–	–	–	1	–	1	3	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1
		Malignant Neoplasms (Total 140-205)	2433	55	96	78	114	51	537	1159	199	79	26	39	21	93	212	163	210	33	304	122	102	61	95	63	220	26	153	61	41
140-148	44	Buccal cavity and pharynx	40	–	1	–	1	–	7	31	2	2	1	3	1	4	4	3	4	1	2	3	4	2	3	2	5	–	5	1	1
150	45	Œsophagus	62	1	2	1	2	–	19	27	5	4	1	–	3	1	4	2	10	2	8	3	3	1	5	1	2	1	2	2	1
151	46	Stomach	383	11	20	21	16	10	93	155	35	11	5	8	2	13	31	26	31	6	54	10	22	9	6	5	36	5	24	7	9
152, 153	47	Intestine, except rectum	239	4	11	2	13	9	71	117	21	11	2	7	1	11	35	17	22	5	35	20	15	11	14	10	37	2	18	5	4
154	48	Rectum	127	2	2	5	7	2	34	52	8	3	1	–	1	8	10	8	11	1	8	10	8	4	4	4	12	–	10	3	4
161	49	Larynx	27	–	1	–	–	2	7	9	–	1	–	–	1	1	1	1	5	–	2	2	1	–	–	–	2	1	2	–	–
162, 163	50	Trachea, bronchus and lung, not specified as secondary	663	9	25	17	17	12	96	279	44	13	4	2	3	18	29	37	48	8	71	21	11	7	22	8	29	1	32	9	4
170	51	Breast	180	10	5	7	11	3	33	82	10	6	3	2	2	6	17	14	16	1	19	10	11	4	8	5	20	5	9	8	5
171	52	Cervix uteri	55	–	–	2	2	–	8	17	2	2	1	–	1	4	1	1	4	–	5	2	1	2	1	3	2	–	2	3	–
172-174	53	Other and unspecified parts of uterus	32	1	1	–	1	–	9	19	8	3	3	–	–	2	8	1	4	–	2	1	–	4	2	2	3	–	3	5	–
177	54	Prostate	65	2	4	1	8	2	13	52	11	2	–	2	1	4	6	9	5	1	14	4	4	1	4	4	5	–	5	1	2
190, 191	55	Skin	30	3	1	5	1	1	4	12	1	–	–	–	–	1	3	2	3	–	2	5	–	2	2	2	5	–	3	–	2
196, 197	56	Bone and connective tissue	22	2	2	3	1	–	4	10	3	2	–	–	1	–	3	1	2	–	4	1	3	3	–	–	1	–	3	–	–
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	393	8	17	11	24	9	112	248	31	14	3	11	3	16	44	33	38	6	60	23	18	9	15	11	44	8	22	16	8
204	58	Leukæmia and aleukæmia	64	–	3	1	8	–	11	18	9	–	1	1	–	1	11	4	2	2	7	3	1	–	4	3	10	1	4	–	–
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	51	2	1	2	2	1	16	31	9	5	1	3	1	3	5	4	5	–	11	4	–	2	5	3	7	2	9	1	1
210-239	60	Benign neoplasms and neoplasms of unspecified nature	16	2	3	–	–	–	2	12	3	–	–	–	–	1	1	1	2	1	1	2	–	2	–	1	1	–	2	2	1
250, 251	61	Non-toxic goitre	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre	7	1	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	63	Diabetes mellitus	97	4	9	2	7	3	28	46	12	5	1	4	3	3	8	4	13	–	8	7	4	3	3	2	13	2	9	3	5
280-286	64	Avitaminosis and other deficiency states	25	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	25	1	1	–	3	–	15	12	4	2	–	1	–	3	3	1	3	–	5	–	4	3	–	1	2	1	1	–	–
291-293	65*b*	Other anæmias	13	–	–	–	–	–	2	5	–	–	–	1	2	–	–	–	1	–	2	2	3	–	–	–	3	1	–	–	1
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	52	1	5	7	3	2	17	39	5	3	2	3	3	3	5	3	7	1	7	6	–	4	1	3	4	–	4	6	3

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
300-309	67	Psychoses	124	18	9	4	–	1	–	3	3	7	1	–	–	–	–	1	1	–	–	6	1	–	1	5	1	2	–	–	–
310-324, 326	68	Psychoneuroses and disorders of personality	25	2	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
325	69	Mental deficiency	22	–	1	2	–	2	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
		Vascular lesions affecting central nervous system (Total 330-334)	9982	319	318	344	42	150	183	91	88	456	78	59	45	45	71	74	123	73	39	206	118	91	81	451	56	124	54	11	66
330	70*a*	Subarachnoid hæmorrhage	273	7	3	10	1	2	8	2	3	11	–	4	1	2	3	2	4	4	3	5	1	1	–	9	2	2	2	–	5
331	70*b*	Cerebral hæmorrhage	3998	115	121	91	11	55	86	32	36	193	39	31	22	26	43	24	51	34	12	85	40	25	39	181	21	43	25	3	21
332	70*c*	Cerebral embolism and thrombosis	4873	185	181	204	27	74	73	53	38	212	31	18	20	15	20	47	56	29	22	107	66	56	36	229	29	73	27	6	36
333, 334	70*d*	Other vascular lesions affecting central nervous system	838	12	13	39	3	19	16	4	11	40	8	6	2	2	5	1	12	6	2	9	11	9	6	32	4	6	–	2	4
340	71	Non-meningococcal meningitis	58	2	–	2	–	–	–	–	1	4	1	–	1	1	1	–	2	–	–	2	–	1	1	1	1	–	–	1	1
345	72	Multiple sclerosis	169	2	5	4	–	3	4	1	2	10	1	2	2	–	–	–	1	3	–	6	1	2	1	6	–	2	1	–	–
353	73	Epilepsy	90	1	1	2	1	2	3	2	1	2	1	1	–	–	1	–	1	1	1	–	–	–	1	2	–	1	–	–	–
391-393	77	Otitis media and mastoiditis	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
350	78*a*	Paralysis agitans	177	4	8	6	1	4	5	2	5	4	2	1	–	–	1	–	–	4	1	1	1	–	2	5	2	4	1	–	1
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	280	1	6	9	1	12	7	1	–	8	4	–	5	2	2	–	3	–	–	5	2	1	4	6	2	2	1	–	3
400-402	79	Rheumatic fever	17	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
		Heart Disease (Total 410-443)	21346	751	538	704	76	361	373	216	174	1039	234	128	87	101	145	103	250	168	93	401	199	167	186	923	103	236	133	34	132
410-416	80	Chronic rheumatic heart disease	815	30	10	36	1	10	7	9	6	33	3	1	2	2	4	2	10	12	7	16	7	5	10	22	1	4	2	–	1
420	81*a*	Arteriosclerotic heart disease, including coronary disease	10317	418	304	358	45	183	173	100	76	489	98	55	42	30	70	64	123	84	40	194	99	80	93	442	46	106	86	12	56
421	81*b*	Chronic endocarditis not specified as rheumatic	315	7	5	6	–	8	4	–	1	12	8	3	1	–	1	1	3	2	1	6	2	1	–	16	4	7	3	–	1
422.0	81*c*	Fatty degeneration of heart	27	–	1	1	–	1	2	–	–	1	–	–	–	–	2	–	1	–	–	1	–	–	1	3	–	1	–	–	–
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4581	184	132	123	8	70	56	36	54	246	63	26	14	34	26	21	62	29	18	85	39	17	40	222	29	38	28	11	38
422.2	81*e*	Other myocardial degeneration	3267	47	38	134	12	63	93	44	21	154	41	32	23	26	24	6	28	25	14	58	29	43	25	112	10	59	8	4	25
430-432	82*a*	Acute non-rheumatic heart disease	101	3	1	2	–	1	1	–	2	5	3	1	–	1	1	–	–	1	–	–	1	7	1	6	–	–	1	1	–
433, 434	82*b*	Other and unspecified diseases of heart	685	16	13	16	–	11	16	4	6	39	8	4	–	4	6	3	13	7	6	16	12	4	3	36	1	10	3	4	5
440-443	83	Hypertensive heart disease	1238	46	34	28	10	14	21	23	8	60	10	6	5	4	11	6	10	8	7	25	10	10	13	64	12	11	2	2	6
444-447	84	Other hypertensive disease	637	19	13	14	1	7	5	5	10	48	11	6	1	3	5	4	9	6	5	9	8	7	5	39	2	9	4	–	4
450	85*a*	General arteriosclerosis	1237	26	39	28	1	11	14	11	7	58	13	9	7	11	18	2	16	4	4	27	19	3	17	76	3	12	11	2	9
451-456	85*b*	Other diseases of arteries	223	13	6	11	2	8	2	1	2	10	–	3	–	–	–	1	4	2	–	1	2	3	1	8	–	2	1	–	1
460-468	86	Other diseases of circulatory system	236	9	11	9	1	8	3	1	2	11	2	2	–	–	2	–	3	–	–	–	3	1	4	14	4	2	1	–	1
470-475	87	Acute upper respiratory infections	26	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	1	–	–	1	–	–
480-483	88	Influenza	143	2	2	4	–	3	8	1	–	4	2	–	–	4	1	–	–	–	1	5	2	1	3	7	1	7	–	–	–

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued.*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
300-309	67	Psychoses	34	–	–	1	–	–	2	11	1	–	–	–	–	–	1	–	1	–	2	2	1	–	–	–	2	1	1	–	–
310-324, 326	68	Psychoneuroses and disorders of personality	3	–	–	–	1	–	1	6	1	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–
325	69	Mental deficiency	5	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
		Vascular lesions affecting central nervous system (Total 330-334)	1992	46	91	81	114	51	559	939	166	94	30	49	50	69	189	123	233	31	269	143	100	71	91	55	194	31	146	75	44
330	70*a*	Subarachnoid hæmorrhage	54	–	1	5	2	–	18	32	8	3	1	–	–	–	5	3	4	1	8	10	1	2	3	1	6	1	3	1	3
331	70*b*	Cerebral hæmorrhage	784	20	43	45	46	18	257	361	66	42	6	25	24	24	74	62	88	10	99	49	46	23	41	31	88	15	63	28	15
332	70*c*	Cerebral embolism and thrombosis	919	22	40	28	58	25	256	439	78	36	19	21	20	37	98	51	131	20	149	75	41	40	44	21	88	13	68	43	23
333, 334	70*d*	Other vascular lesions affecting central nervous system	235	4	7	3	8	8	28	107	14	13	4	3	6	8	12	7	10	–	13	9	12	6	3	2	12	2	12	3	3
340	71	Non-meningococcal meningitis	13	1	–	–	1	–	7	3	1	–	–	–	–	–	1	2	–	–	3	–	–	–	1	–	1	–	–	1	–
345	72	Multiple sclerosis	41	1	4	1	2	–	10	13	3	3	–	3	–	2	2	5	2	1	5	2	1	–	2	–	3	1	2	–	1
353	73	Epilepsy	18	1	2	1	2	–	9	6	3	3	–	1	–	–	–	2	1	1	4	2	–	–	–	–	5	–	3	1	–
391-393	77	Otitis media and mastoiditis	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
350	78*a*	Paralysis agitans	40	1	–	1	1	–	8	20	2	2	2	2	–	3	3	4	3	1	5	1	1	–	–	3	6	2	–	1	–
341-344, 351, 352, 354-390, 394-398	78*b*	All other diseases of the nervous system and sense organs (A74, A75, A76)	63	4	2	5	3	1	19	21	8	5	1	2	1	2	10	3	4	2	7	2	3	–	3	1	12	1	4	2	3
400-402	79	Rheumatic fever	6	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		Heart Disease (Total 410-443)	4202	134	196	162	268	115	1203	2105	437	202	41	90	83	188	423	320	387	67	609	316	259	107	150	97	500	67	301	146	116
410-416	80	Chronic rheumatic heart disease	231	6	7	8	7	9	45	73	11	5	1	1	1	7	10	5	16	3	31	5	8	2	7	4	25	2	18	12	2
420	81*a*	Arteriosclerotic heart disease, including coronary disease	2007	62	63	86	145	38	557	1110	229	90	23	41	33	101	197	124	184	36	278	128	116	44	72	57	230	23	154	66	57
421	81*b*	Chronic endocarditis not specified as rheumatic	74	2	3	2	4	2	21	33	2	4	–	1	1	7	9	2	5	1	12	5	3	6	–	3	6	–	4	–	–
422.0	81*c*	Fatty degeneration of heart	3	–	1	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
422.1	81*d*	Myocardial degeneration with arteriosclerosis	742	32	56	32	43	26	239	472	119	47	6	27	32	41	127	72	87	10	162	71	78	24	40	7	130	6	49	26	29
422.2	81*e*	Other myocardial degeneration	739	22	50	28	38	27	212	221	50	33	8	12	8	18	66	70	62	9	73	56	31	20	21	15	62	31	48	23	16
430-432	82*a*	Acute non-rheumatic heart disease	16	–	–	–	5	–	8	6	3	1	–	–	1	1	3	2	1	–	3	1	1	–	1	1	4	1	2	–	1
433, 434	82*b*	Other and unspecified diseases of heart	141	2	5	1	9	7	47	52	7	10	2	2	3	4	3	10	10	1	20	11	12	10	2	2	20	3	8	9	6
440-443	83	Hypertensive heart disease	249	8	11	5	16	6	72	137	16	11	1	6	4	9	8	35	22	7	29	39	10	1	6	8	22	1	18	10	5
444-447	84	Other hypertensive disease	138	5	3	4	6	1	47	42	5	5	–	3	1	5	11	8	12	5	23	10	7	2	4	1	13	3	10	2	2
450	85*a*	General arteriosclerosis	210	7	9	10	9	11	74	155	18	12	2	10	1	3	20	16	27	1	40	20	21	3	11	9	13	10	43	7	7
451-456	85*b*	Other diseases of arteries	42	2	2	1	1	3	13	35	1	1	2	1	1	–	4	7	1	1	3	1	3	2	1	3	2	–	6	–	–
460-468	86	Other diseases of circulatory system	32	–	–	1	4	1	10	31	3	3	–	1	–	6	8	3	5	1	9	1	6	–	1	1	7	–	4	1	3
470-475	87	Acute upper respiratory infections	10	–	–	–	–	–	–	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
480-483	88	Influenza	35	–	1	–	1	1	7	14	1	2	–	1	–	1	2	1	–	–	7	4	–	–	1	–	1	–	3	1	1

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
		Pneumonia (Total 490-493)	2108	72	42	108	10	24	20	16	14	70	13	10	6	9	11	22	34	20	5	40	16	19	15	51	6	20	9	1	19
490	89	Lobar pneumonia	371	8	5	15	–	4	2	4	2	12	1	3	2	2	1	3	6	3	–	8	5	3	5	5	–	2	2	–	5
491	90	Bronchopneumonia	1551	63	35	83	10	17	16	11	12	47	12	7	3	5	9	19	24	15	4	29	10	16	6	39	5	16	6	1	13
492, 493	91	Primary atypical, other and unspecified pneumonia	186	1	2	10	–	3	2	1	–	11	–	–	1	2	1	–	4	2	1	3	1	–	4	7	1	2	1	–	1
		Bronchitis (Total 500-502)	2294	72	37	77	5	30	16	26	19	71	5	6	4	2	16	14	22	16	11	34	15	20	11	77	5	9	9	5	7
500	92	Acute bronchitis	246	7	5	2	–	4	4	1	4	10	–	1	–	1	3	–	3	2	1	6	1	2	1	12	1	3	–	1	1
501*b*, 502*b*	93*a*	Chronic and unqualified bronchitis with heart disease secondary	1306	34	19	42	2	15	11	21	13	43	1	1	3	1	5	7	14	10	9	19	9	11	6	40	4	4	5	4	3
501*a*, 502*a*	93*b*	Chronic and unqualified bronchitis otherwise defined	742	31	13	33	3	11	1	4	2	18	4	4	1	–	8	7	5	4	1	9	5	7	4	25	–	2	4	–	3
510	94	Hypertrophy of tonsils and adenoids	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	21	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	–	–	–
519	96	Pleurisy	18	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
523, 524	97*a*	Pneumoconiosis	262	1	–	–	–	–	–	1	–	26	–	–	–	–	2	–	1	–	–	2	4	1	2	26	–	1	–	–	–
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	280	10	3	20	2	4	5	1	1	8	2	–	2	2	–	1	3	3	1	5	4	1	3	18	1	2	1	2	6
530-535	98	Diseases of teeth and supporting structures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	238	10	5	18	2	2	3	3	2	12	–	2	–	1	1	1	1	–	–	4	2	1	1	11	2	1	–	–	–
541	100	Ulcer of duodenum	296	13	7	15	–	12	6	1	2	9	3	4	–	1	1	2	2	4	1	9	1	1	2	17	3	4	2	–	1
543	101	Gastritis and duodenitis	10	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
550-553	102	Appendicitis	85	6	1	5	1	4	2	–	1	4	–	–	1	1	–	–	–	1	–	2	–	–	2	–	–	–	–	–	1
560, 561, 570	103	Intestinal obstruction and hernia	353	11	10	8	–	7	8	4	5	15	1	1	2	1	5	–	4	5	3	6	5	7	2	13	7	1	3	–	6
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	60	–	3	–	–	–	–	1	–	2	1	–	1	–	1	–	–	–	–	1	–	4	1	6	–	–	–	–	–
571.1	104*b*	Gastro-enteritis, ages 2 years and over	54	1	3	–	–	–	2	–	–	2	1	–	–	–	1	–	1	2	1	2	–	–	–	2	–	2	–	–	1
572	104*c*	Chronic enteritis and ulcerative colitis	160	5	5	4	3	–	3	–	–	10	2	1	–	–	–	–	3	1	–	6	–	2	3	6	2	1	1	–	–
581	105	Cirrhosis of liver	221	5	3	7	–	–	3	1	1	5	–	1	1	1	2	2	4	1	3	2	1	2	3	10	–	3	–	–	2
584, 585	106	Cholelithiasis and cholecystitis	216	6	2	5	–	5	3	3	–	8	2	3	2	1	2	3	3	2	1	6	1	3	2	14	–	3	–	1	–
580, 582, 583, 586	107*a*	Other diseases of liver	52	–	1	2	–	1	1	1	–	1	1	–	–	–	1	–	1	1	–	1	–	–	–	1	1	–	–	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	167	5	4	9	–	7	4	–	2	10	2	1	1	–	2	4	3	1	6	–	3	–	1	2	1	–	–	1
590	108	Acute nephritis	30	1	–	1	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	–	–	–	–	–	1	1	–	–
591-594	109	Chronic, other and unspecified nephritis	387	12	14	11	2	4	6	6	6	14	4	3	2	1	4	2	4	3	3	4	3	4	1	23	2	6	3	3	2
600	110	Infections of kidney	229	10	6	15	1	6	–	2	3	9	1	1	1	–	2	1	6	2	–	3	2	1	2	7	4	2	–	4	–
602, 604	111	Calculi of urinary system	22	2	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
610	112	Hyperplasia of prostate	382	13	8	15	4	9	6	3	3	28	5	2	–	1	5	1	2	2	1	9	3	4	–	19	2	4	8	2	2

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		Pneumonia (Total 490-493)	600	8	10	15	19	9	98	215	55	9	–	10	6	27	33	33	45	6	45	15	11	4	14	16	36	8	46	8	5
490	89	Lobar pneumonia	111	2	1	2	8	1	22	31	9	1	–	1	2	3	2	7	15	2	16	2	5	–	3	3	5	1	6	–	2
491	90	Bronchopneumonia	437	6	8	12	9	8	68	157	42	8	–	8	4	22	27	23	27	3	25	10	5	4	9	13	30	6	37	7	3
492, 493	91	Primary atypical, other and unspecified pneumonia	52	–	1	1	2	–	8	27	4	–	–	1	–	2	4	3	3	1	4	3	1	–	2	–	1	1	3	1	–
		Bronchitis (Total 500-502)	856	13	21	20	42	8	143	191	33	13	2	2	8	12	15	29	41	8	60	8	14	9	20	9	31	2	33	7	3
500	92	Acute bronchitis	61	3	–	2	6	1	22	29	4	2	–	–	–	–	5	3	3	–	11	2	1	–	1	1	6	–	4	2	1
501*b*, 502*b*	93*a*	Chronic and unqualified bronchitis with heart disease secondary	512	9	10	10	29	4	68	100	16	6	2	1	6	7	6	18	29	7	34	2	8	4	12	4	19	–	21	5	1
501*a*, 502*a*	93*b*	Chronic and unqualified bronchitis otherwise defined	283	1	11	8	7	3	53	62	13	5	–	1	2	5	4	8	9	1	15	4	5	5	7	4	6	2	8	–	1
510	94	Hypertrophy of tonsils and adenoids	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	6	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
519	96	Pleurisy	7	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
523, 524	97*a*	Pneumoconiosis	17	5	12	6	15	1	97	4	7	–	–	–	–	–	–	–	2	–	1	–	–	1	1	–	16	–	10	–	–
511-517, 520, 522, 525-527	97*b*	All other respiratory diseases	52	–	5	4	3	2	16	29	4	1	–	2	–	5	4	3	6	2	8	4	3	–	–	1	8	–	5	2	–
530-535	98	Diseases of teeth and supporting structures	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	57	1	1	2	4	–	17	29	1	1	1	–	–	5	4	–	5	1	6	1	–	1	4	4	2	1	2	2	1
541	100	Ulcer of duodenum	57	1	2	4	5	3	19	26	4	2	–	2	2	1	1	2	5	2	7	5	1	2	3	2	6	–	5	2	2
543	101	Gastritis and duodenitis	1	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
550-553	102	Appendicitis	22	2	–	1	–	–	7	5	–	–	–	1	–	2	1	2	6	–	–	–	–	–	–	–	3	–	–	1	–
560, 561, 570	103	Intestinal obstruction and hernia	72	1	4	1	6	3	23	31	7	2	–	2	–	4	7	3	5	4	11	5	2	2	3	1	8	1	1	2	2
571.0	104*a*	Gastro-enteritis, ages between 4 weeks and 2 years	18	2	3	–	–	1	7	2	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–	1	–	–
571.1	104*b*	Gastro-enteritis, ages 2 years and over	4	–	–	–	2	1	7	9	1	1	–	–	1	–	–	–	–	–	4	–	–	–	1	–	1	–	1	–	–
572	104*c*	Chronic enteritis and ulcerative colitis	43	–	1	1	6	–	9	14	3	2	–	–	2	2	1	–	3	1	2	3	–	1	–	–	2	–	4	1	1
581	105	Cirrhosis of liver	57	1	2	3	2	–	11	26	5	2	–	–	1	3	8	3	6	1	9	1	2	2	3	–	3	–	5	1	1
584, 585	106	Cholelithiasis and cholecystitis	41	3	–	4	1	1	13	20	5	2	–	1	1	–	5	3	2	3	4	2	2	2	3	1	4	1	7	4	–
580, 582, 583, 586	107*a*	Other diseases of liver	12	–	1	2	1	–	1	7	2	–	–	–	–	3	2	–	–	–	2	1	–	–	–	1	1	–	2	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	26	2	1	–	2	–	9	28	2	1	1	1	1	–	5	–	1	2	2	3	–	–	1	1	3	–	3	2	–
590	108	Acute nephritis	6	–	–	–	1	–	4	1	1	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	2	1	–
591-594	109	Chronic, other and unspecified nephritis	80	–	5	4	6	–	26	26	9	4	–	6	1	2	7	4	8	–	8	7	3	1	2	3	12	1	2	6	2
600	110	Infections of kidney	40	1	1	2	4	3	16	24	4	3	1	–	–	2	7	2	5	1	2	–	3	–	–	3	7	2	4	–	1
602, 604	111	Calculi of urinary system	5	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	–
610	112	Hyperplasia of prostate	54	–	1	2	10	1	25	34	8	2	–	10	–	5	9	3	5	–	14	3	2	2	3	3	14	2	3	4	2

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	30	–	3	1	–	1	–	–	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–	1	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	91	2	2	2	–	2	1	–	1	2	3	2	–	–	2	–	2	–	–	1	–	–	–	5	1	–	1	1	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth, and the puerperium	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	11	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
651	119	Abortion with sepsis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	14	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue	18	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1
720-725	122	Arthritis and spondylitis	211	6	8	9	2	7	1	–	1	9	–	1	3	3	2	–	2	2	2	4	4	2	4	15	–	3	–	–	3
726, 727	123	Muscular rheumatism and rheumatism unspecified	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	6	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	63	2	–	2	–	2	1	–	–	3	2	–	2	–	–	2	1	–	1	–	1	1	–	3	–	1	–	–	–
		Congenital malformations and certain diseases of early infancy (Total 750-776)	2157	54	41	62	5	24	19	12	22	104	22	4	5	13	15	7	26	25	16	34	19	17	13	83	8	17	9	1	13
751	127	Spina bifida and meningocele	134	1	1	5	–	–	–	–	1	7	–	–	–	–	–	2	3	3	–	4	3	3	–	8	1	–	–	–	1
754	128	Congenital malformations of circulatory system	229	8	5	7	–	5	4	3	2	9	1	1	1	3	1	2	3	2	1	1	3	–	2	9	–	2	–	–	2
750, 752, 753, 755-759	129	All other congenital malformations	285	6	8	11	3	2	3	1	1	5	4	1	1	3	1	1	3	4	3	3	1	3	1	13	1	2	1	–	2
760, 761	130	Birth injuries	245	7	6	7	–	2	3	1	6	10	2	1	–	3	2	1	4	3	1	4	3	1	4	8	3	3	–	–	1
762	131	Postnatal asphyxia and atelectasis	563	12	11	16	–	4	4	5	5	33	5	1	2	1	4	–	3	8	7	8	5	3	4	13	2	3	1	–	–
763	132*a*	Pneumonia of newborn	99	6	1	5	–	1	–	–	–	6	3	–	–	–	–	–	1	–	2	3	1	1	–	–	–	–	–	1	–

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	4	1	–	–	1	–	1	4	1	1	–	1	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	18	–	1	–	3	–	8	8	2	2	–	2	–	–	2	1	1	–	4	1	1	–	–	–	1	1	4	–	1
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth, and the puerperium	1	1	–	–	–	–	1	2	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
671, 672	117*b*	Postpartum hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-648, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth, and the puerperium. Delivery without mention of complication	3	–	–	–	–	–	4	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue	6	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
720-725	122	Arthritis and spondylitis	40	1	3	1	1	1	11	17	4	4	–	1	–	1	4	4	5	–	5	5	–	–	2	–	3	1	3	–	1
726, 727	123	Muscular rheumatism and rheumatism unspecified	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	9	–	1	1	1	–	6	9	2	–	–	–	–	1	3	–	1	–	1	–	–	–	1	2	–	–	–	1	–
		Congenital malformations and certain diseases of early infancy (Total 750-776)	585	26	27	34	33	9	156	161	50	12	3	6	4	23	21	41	46	13	55	18	6	4	14	6	51	7	38	11	7
751	127	Spina bifida and meningocele	31	2	3	–	3	–	10	12	4	1	–	–	–	1	–	4	5	1	4	1	–	–	1	–	5	–	2	1	–
754	128	Congenital malformations of circulatory system	52	4	5	3	4	1	13	23	4	2	–	–	–	3	1	2	6	2	6	6	1	–	2	2	3	1	3	2	1
750, 752, 753, 755-759	129	All other congenital malformations	69	4	7	8	4	1	22	28	5	1	–	2	1	2	5	6	6	1	7	2	1	–	–	1	5	2	6	1	–
760, 761	130	Birth injuries	74	1	–	4	1	2	18	11	5	2	–	–	–	5	3	9	4	2	3	4	–	–	1	1	4	1	3	1	–
762	131	Postnatal asphyxia and atelectasis	170	11	7	6	6	2	53	43	12	2	1	2	1	3	2	8	11	4	22	1	1	2	7	1	9	2	10	3	1
763	132*a*	Pneumonia of newborn	24	–	–	4	2	–	9	6	3	1	–	–	1	1	–	1	6	1	5	–	–	–	–	–	2	1	1	–	–

Table 45.—Causes of Death in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
764	132*b*	Diarrhœa of newborn	10	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	17	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
770	133	Hæmolytic disease of newborn	53	1	–	–	–	2	1	–	1	5	1	–	–	–	–	–	1	–	1	–	1	1	1	1	1	–	–	–	–
769, 771, 772	134	All other defined diseases of early infancy	89	2	4	2	–	1	1	–	3	5	2	–	–	–	–	–	1	–	–	1	–	1	–	5	–	2	1	–	1
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	433	11	5	8	2	7	3	2	2	22	4	–	1	3	7	1	7	5	1	9	2	4	1	25	–	5	6	–	6
794	136	Senility without mention of psychosis	558	3	15	2	3	11	17	5	5	27	7	9	6	18	3	1	13	2	9	10	6	1	1	16	4	29	1	5	12
780-793, 795	137	Ill-defined and unknown causes	252	2	4	2	–	2	18	3	5	22	6	2	7	11	2	–	1	–	–	1	1	3	1	11	–	8	2	–	–
		Accidents, Poisonings, and Violence (External Cause) (Total E800-E999)	2850	111	69	99	15	42	36	25	23	119	18	7	12	22	22	16	31	30	12	53	28	28	26	138	11	50	7	2	17
E810-E835	138	Motor vehicle accidents	598	15	18	14	5	14	7	5	5	21	3	2	1	5	5	4	10	11	1	16	7	7	3	17	1	17	2	2	6
E840-E845	139*a*	Other road vehicle accidents	34	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	78	3	1	1	1	1	2	–	–	2	3	–	–	–	1	–	1	2	–	4	1	1	2	1	–	2	–	–	–
E870-E895	140	Accidental poisoning	298	12	2	21	1	4	–	3	3	8	–	1	–	1	2	1	–	2	–	4	1	5	3	14	3	–	–	–	1
E900-E904	141	Accidental falls	721	39	15	26	1	9	9	5	2	32	2	2	5	8	3	4	12	7	1	13	12	4	9	40	1	19	1	–	2
E912	142	Accident caused by machinery	19	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	100	1	5	3	–	2	1	1	1	4	1	–	1	1	1	–	–	2	–	2	–	–	1	5	–	–	–	–	–
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	11	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
E919	145	Accident caused by firearm	10	–	–	–	–	–	1	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	146	Accidental drowning and submersion	197	7	11	1	–	3	6	2	–	11	2	–	2	4	2	1	–	1	1	5	1	–	1	12	4	7	3	–	1
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	171	3	1	6	1	2	1	4	1	11	1	–	1	–	1	4	1	4	4	2	1	2	–	8	1	2	–	–	–
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	119	2	3	4	–	–	3	2	1	7	1	–	–	1	3	–	1	–	–	1	1	1	2	13	–	1	–	–	3
E963, E970-E979	148	Suicide and self-inflicted injury	439	25	13	18	5	7	3	2	8	17	4	2	1	2	2	2	4	1	5	6	3	8	5	21	–	2	1	–	3
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	51	4	–	3	–	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	4	1	–	–	–	1
E965, E990-E999	150	Injury resulting from operations of war	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
764	132*b*	Diarrhœa of newborn	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
765-768	132*c*	Other infections of newborn	7	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–
770	133	Hæmolytic disease of newborn	12	1	1	4	1	–	4	–	1	–	1	–	–	–	1	1	1	1	1	1	–	–	–	–	1	–	3	–	–
769, 771, 772	134	All other defined diseases of early infancy	16	1	–	1	1	–	4	12	6	–	–	2	–	1	1	2	2	–	–	1	–	1	–	–	4	–	2	–	–
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	127	2	4	4	11	3	19	26	10	3	1	–	1	7	8	6	5	1	7	2	2	1	3	1	15	–	7	3	5
794	136	Senility without mention of psychosis	78	2	3	5	9	–	34	24	1	5	–	17	5	4	15	4	6	–	7	33	5	11	1	4	24	11	3	–	6
780-793, 795	137	Ill-defined and unknown causes	49	–	2	–	4	1	23	5	1	1	–	3	2	1	5	17	3	–	4	6	1	–	–	–	1	3	3	3	–
		Accidents, Poisonings, and Violence (*External Cause*) (Total E800-E999)	625	14	15	19	31	15	168	314	63	32	6	15	12	34	44	38	43	12	75	23	16	10	17	14	63	7	33	13	10
E810-E835	138	Motor vehicle accidents	128	3	2	5	5	1	48	45	14	8	3	1	6	6	20	9	11	5	14	11	3	1	1	3	12	1	6	2	–
E840-E845	139*a*	Other road vehicle accidents	16	–	–	–	–	1	4	–	1	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	14	–	–	1	1	–	5	3	2	8	–	–	–	–	1	–	–	–	–	1	–	–	1	1	1	3	3	–	4
E870-E895	140	Accidental poisoning	84	1	1	1	3	–	13	52	1	2	–	3	2	7	1	3	6	1	12	–	2	3	1	1	1	–	3	2	–
E900-E904	141	Accidental falls	135	1	5	3	8	4	34	107	23	4	1	5	1	8	9	5	10	5	16	3	3	2	8	3	16	1	8	6	4
E912	142	Accident caused by machinery	4	–	1	–	1	–	3	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	28	–	–	–	–	1	6	3	3	5	–	–	1	–	2	1	4	–	4	1	3	–	1	–	4	–	–	–	1
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	2	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E919	145	Accident caused by firearm	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	146	Accidental drowning and submersion	43	–	2	1	3	1	7	8	2	2	–	2	–	–	4	4	1	–	7	5	1	2	1	2	8	1	1	–	1
E921, E922, E924, E925	147*a*	Accidental mechanical suffocation	41	2	–	3	2	–	9	17	4	–	–	–	–	3	–	7	1	1	6	–	–	–	–	1	5	1	5	1	–
E910, E911, E913-E915, E920, E923, E926-E928, E930-E962	147*b*	All other accidental causes	11	–	2	–	2	1	14	3	5	1	1	2	–	1	5	2	–	–	2	2	1	–	1	–	10	–	3	–	–
E963, E970-E979	148	Suicide and self-inflicted injury	102	7	2	4	5	5	16	71	3	1	1	1	2	8	1	5	8	–	9	–	3	2	2	2	3	–	4	2	–
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	16	–	–	1	1	1	5	4	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–
E965, E990-E999	150	Injury resulting from operations of war	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	ABERDEEN COUNTY (excluding County of City): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		2113	44	13	6	4	5	11	22	57	188	387	539	607	230	1579	32	16	9	10	10	21	14	31	97	207	358	538	236
		Males		1038	26	9	5	3	2	5	12	32	118	211	288	254	73	758	19	6	5	6	7	13	7	14	63	107	190	238	83
		Females		1075	18	4	1	1	3	6	10	25	70	176	251	353	157	821	13	10	4	4	3	8	7	17	34	100	168	300	153
001-008	1	Tuberculosis of respiratory system	M.	11	–	–	–	–	–	–	–	2	3	4	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	6	–	–	–	–	–	–	–	–	1	–	4	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	6	–	1	–	–	–	–	–	–	2	1	1	1	–
140-205	18	Malignant neoplasms. Total	M.	216	–	–	–	–	–	1	2	8	38	59	60	41	7	125	–	–	–	1	2	1	3	3	15	25	32	32	11
			F.	215	–	–	–	–	–	3	1	9	36	62	47	48	9	146	–	–	–	–	–	2	1	8	13	39	33	42	8
160-165	—	Malignant neoplasms of respiratory system	M.	82	–	–	–	–	–	–	–	4	18	34	19	7	–	23	–	–	–	–	–	–	–	1	5	8	7	2	–
			F.	22	–	–	–	–	–	–	1	1	–	12	4	2	2	7	–	–	–	–	–	–	–	–	2	1	3	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	9	–	–	–	–	–	1	1	1	1	2	2	1	–	10	–	–	–	–	1	–	2	1	2	3	1	–	–
			F.	7	–	–	–	–	–	1	–	–	3	1	1	1	–	7	–	–	–	–	–	2	–	1	–	–	1	3	–
140-159, 170-199	—	Other malignant neoplasms	M.	125	–	–	–	–	–	–	1	3	19	23	39	33	7	92	–	–	–	1	1	1	1	1	8	14	24	30	11
			F.	186	–	–	–	–	–	2	–	8	33	49	42	45	7	132	–	–	–	–	–	–	1	7	11	38	29	38	8
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	1	–	–	1	–	–	–	–	1
260	20	Diabetes mellitus	M.	11	–	–	–	–	–	–	–	–	1	2	4	3	1	8	–	–	–	–	–	–	–	–	–	1	5	2	–
			F.	19	–	–	–	–	–	–	–	–	–	5	10	2	2	9	–	–	–	–	–	–	–	–	–	1	4	4	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	6	–	–	–	–	–	–	–	–	–	–	3	1	2	5	–	–	–	–	–	–	–	–	–	–	1	3	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	6	–	–	–	–	–	–	–	–	2	–	4	–	–	8	–	–	–	–	–	–	–	–	1	3	2	1	1
			F.	5	–	–	–	–	–	1	–	–	–	1	2	1	–	6	–	–	–	–	–	–	–	1	1	–	3	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	130	–	–	–	–	–	–	1	–	7	21	37	53	11	127	–	–	–	–	–	–	1	–	7	18	26	61	14
			F.	189	–	–	–	–	–	–	–	–	11	26	60	68	24	191	–	–	–	–	1	–	1	1	4	13	47	76	48
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	12	–	–	–	–	–	–	–	1	–	3	1	4	3	10	–	–	–	1	1	–	–	–	1	1	1	4	1
			F.	16	–	–	–	–	–	–	–	–	–	2	2	7	5	20	–	1	–	–	–	–	1	–	1	3	7	6	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	9	–	–	–	–	–	–	–	3	1	4	1	–	–	5	–	–	–	–	–	–	1	–	1	2	–	1	–
			F.	21	–	–	–	–	–	1	3	2	3	7	2	3	–	5	–	–	–	–	–	–	–	1	–	4	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	329	–	–	–	–	1	–	–	5	30	71	96	99	27	245	–	–	–	–	–	–	1	3	17	30	82	80	32
			F.	327	–	–	–	–	–	–	–	–	7	40	75	138	67	235	–	–	–	–	–	1	–	2	5	26	44	102	55
430-434	27	Other diseases of heart	M.	8	–	–	–	–	–	–	1	1	–	1	2	2	1	8	–	–	–	–	–	–	–	1	–	2	1	3	1
			F.	11	–	–	–	–	–	–	–	3	–	1	2	4	1	6	–	–	–	–	–	–	–	–	–	–	2	3	1
440-443	28	Hypertensive heart disease	M.	14	–	–	–	–	–	–	–	–	–	4	4	5	1	9	–	–	–	–	–	–	–	–	–	3	6	–	–
			F.	32	–	–	–	–	–	–	–	–	2	3	9	12	6	25	–	–	–	–	–	–	–	–	–	3	5	12	5

			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
490-493	31	Pneumonia (except of newborn)	M.	32	–	4	–	–	–	–	–	1	2	5	6	8	6	23	–	2	–	–	–	–	–	–	1	–	7	10	3
			F.	40	–	1	–	–	–	–	–	1	3	5	7	17	6	19	–	2	–	–	1	1	1	–	1	–	4	6	3
500-502	32	Bronchitis	M.	55	–	1	–	–	–	–	–	–	7	12	23	10	2	19	–	–	1	–	–	–	–	–	–	7	5	5	1
			F.	17	–	–	–	–	–	–	–	–	1	3	2	7	4	18	–	–	–	–	–	–	–	–	1	3	3	8	3
470-475, 510-527	46.3	Other respiratory diseases	M.	9	–	–	1	–	–	–	–	–	1	4	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	3	–	–	–	–	–	–	1	–	–	–	–	1	1
540, 541	33	Ulcer of stomach and duodenum	M.	14	–	–	–	–	–	–	1	–	1	2	8	2	–	10	–	–	–	–	–	–	–	1	–	1	3	5	–
			F.	9	–	–	–	–	–	–	–	–	2	2	2	3	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	7	–	–	–	–	–	–	–	–	–	2	2	2	1
			F.	7	–	1	–	–	–	–	–	–	1	–	3	1	1	3	–	–	–	–	–	–	–	–	–	–	2	–	1
543	36.0	Gastritis and duodenitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	6	–	2	–	–	–	1	–	1	–	1	–	1	–
			F.	4	–	–	–	–	–	–	1	2	–	–	–	–	1	5	–	1	–	1	–	–	1	–	1	1	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	1	1	–	1	–	–
580, 582-586	46.4	Other diseases of liver	M.	4	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	1	–	–	–	–	1	–	1
530–539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1
590-594	38	Nephritis and nephrosis	M.	7	–	–	–	1	–	1	–	1	2	1	–	1	–	12	–	–	–	1	–	3	1	–	4	–	2	–	1
			F.	6	–	–	–	–	2	–	1	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–
610	39	Hyperplasia of prostate	M.	13	–	–	–	–	–	–	–	–	–	1	5	4	3	8	–	–	–	–	–	–	–	–	–	–	4	3	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	–	–	1	3	2	1	1	6	–	–	–	–	–	–	–	–	1	1	–	3	1
			F.	6	–	–	–	–	–	–	–	–	2	1	1	1	1	5	–	–	–	–	–	–	–	–	–	1	2	2	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	1	–	1	1	–	–	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	5	–	–	–	–	1	–	–	–	–	2	1	1	–	5	–	1	–	–	–	–	–	–	–	–	–	4	–
750-759	41	Congenital malformations	M.	8	2	2	1	–	–	–	1	–	2	–	–	–	–	5	3	2	–	–	–	–	–	–	–	–	–	–	–
			F.	7	4	–	1	–	–	–	–	1	–	–	1	–	–	9	2	3	2	2	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	8	7	–	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	–	–	–	2	4
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	9	–	–	–	–	–	–	–	–	–	–	–	3	6
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	17	–	–	–	–	–	1	–	2	5	3	5	1	–	10	–	–	–	–	–	–	–	2	4	3	1	–	–
			F.	8	–	–	–	–	–	–	–	3	–	2	2	1	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
E810-E835	E47	Motor vehicle accidents	M.	13	–	–	2	1	–	–	1	1	3	2	2	1	–	15	–	–	1	2	1	5	–	2	1	1	2	–	–
			F.	2	–	–	–	1	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	2	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	9	–	1	–	–	–	–	–	–	–	2	2	3	1	8	–	–	–	–	1	1	–	–	2	–	1	1	2
			F.	37	–	1	–	–	–	–	–	–	–	3	5	20	8	12	–	–	1	–	–	–	–	–	–	3	–	5	3
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	18	–	–	–	1	1	1	4	4	2	1	2	2	–	15	–	–	3	1	2	1	–	1	1	–	1	4	1
			F.	7	–	–	–	–	–	–	1	1	–	–	–	4	1	3	–	–	–	–	–	–	–	–	–	1	–	2	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUNDEE COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	ARBROATH BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		2180	54	17	13	7	5	11	20	57	169	392	588	628	219	236	3	2	3	1	–	1	2	7	15	33	63	75	31
		Males		1035	24	10	7	3	3	10	11	32	94	237	287	252	65	109	1	1	1	1	–	–	2	4	11	21	26	30	11
		Females		1145	30	7	6	4	2	1	9	25	75	155	301	376	154	127	2	1	2	–	–	1	–	3	4	12	37	45	20
001-008	1	Tuberculosis of respiratory system	M.	12	–	–	–	–	–	–	1	3	–	3	4	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	1	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms. Total	M.	228	–	–	–	1	–	1	1	9	32	75	58	46	5	29	–	–	–	–	–	–	–	–	4	7	9	9	–
			F.	212	–	–	–	1	–	–	2	6	39	44	64	47	9	20	–	–	–	–	–	–	–	–	1	3	9	7	–
160-165	—	Malignant neoplasms of respiratory system	M.	91	–	–	–	–	–	–	1	3	20	36	21	10	–	13	–	–	–	–	–	–	–	–	2	4	4	3	–
			F.	14	–	–	–	–	–	–	–	–	5	2	3	4	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	9	–	–	–	–	–	–	–	1	1	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	128	–	–	–	1	–	1	–	5	11	35	36	34	5	16	–	–	–	–	–	–	–	–	2	3	5	6	–
			F.	191	–	–	–	1	–	–	1	5	33	42	58	42	9	18	–	–	–	–	–	–	–	–	1	2	9	6	–
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	–	–	1	6	2	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	13	–	–	1	–	1	–	–	–	–	1	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	8	–	–	–	–	–	–	–	–	1	3	3	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	15	–	–	–	–	–	–	–	–	1	5	4	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	110	–	–	–	–	–	1	–	2	4	13	45	37	8	9	–	–	–	–	–	–	1	–	–	1	4	2	1
			F.	234	–	–	–	–	–	–	3	4	7	20	53	108	39	33	–	–	–	–	–	–	–	–	–	3	9	16	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	14	–	–	1	–	1	1	–	1	2	4	1	3	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	15	–	–	–	1	–	–	–	1	1	4	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	30	–	–	–	–	–	–	2	5	8	3	6	5	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	315	–	–	–	–	–	–	–	3	25	73	106	79	29	31	–	–	–	–	–	–	–	1	2	7	7	8	6
			F.	307	–	–	–	–	–	–	2	–	4	33	86	119	63	34	–	–	–	–	–	–	–	–	–	1	14	12	7
430-434	27	Other diseases of heart	M.	11	–	–	–	–	–	–	–	1	–	4	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	9	–	–	–	–	–	–	–	–	–	4	3	1	1	3	–	–	–	–	–	–	–	–	–	–	3	–	–

480-483	30	Influenza	M.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	56	–	4	2	1	–	–	–	1	4	4	11	24	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	52	–	3	–	–	–	–	–	–	–	4	10	25	10	5	–	1	1	–	–	–	–	–	–	1	–	3	1
500-502	32	Bronchitis	M.	52	–	–	–	–	–	–	–	–	7	17	20	7	1	3	–	–	–	–	–	–	–	–	–	1	–	1	1
			F.	25	–	–	–	–	–	–	–	1	1	10	7	4	2	2	–	–	–	–	–	–	–	–	–	1	1	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	13	–	–	–	–	–	–	–	1	1	6	2	3	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	8	–	–	–	–	–	–	–	–	1	–	3	3	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	27	–	–	–	–	–	–	1	1	4	8	8	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	2	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	4	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	5	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530–539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	1	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	9	–	–	–	–	–	–	–	1	3	1	3	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	15	–	–	–	–	–	–	–	–	–	1	3	8	3	4	–	–	–	–	–	–	–	–	–	–	–	3	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	11	–	–	–	–	–	–	–	–	2	2	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	4	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	4	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	1	1	5	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations	M.	10	3	2	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
			F.	13	9	1	1	1	–	–	–	–	1	–	–	–	–	3	1	–	1	–	–	–	–	1	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	11	–	–	–	–	–	1	1	4	3	1	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	7	–	–	–	–	–	1	–	2	1	2	1	–	–	3	–	–	–	–	–	–	1	1	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	10	–	–	–	–	–	3	–	3	–	–	1	3	–	4	–	–	–	1	–	–	1	1	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	15	–	2	–	–	–	–	1	1	1	3	–	5	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	33	1	2	1	–	–	–	–	2	2	4	6	9	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	9	–	–	–	–	–	1	2	–	–	1	–	5	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	9	1	–	–	–	1	–	–	1	1	1	1	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptoccocal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	ARGYLL COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		985	17	10	3	1	2	11	7	23	65	130	248	321	147	971	14	3	7	1	4	5	16	20	59	148	267	308	119
		Males		482	10	7	2	1	–	9	3	16	38	70	132	138	56	518	8	2	5	1	4	2	11	10	40	90	155	147	43
		Females		503	7	3	1	–	2	2	4	7	27	60	116	183	91	453	6	1	2	–	–	3	5	10	19	58	112	161	76
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	–	1	2	2	3	–	–	4	–	–	–	–	–	–	–	1	1	1	1	1	–
			F.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	87	–	–	–	–	–	1	–	4	11	19	29	18	5	89	–	–	–	–	–	–	2	–	10	21	30	22	4
			F.	82	–	–	–	–	–	–	2	4	13	11	29	16	7	67	–	–	–	–	–	–	–	2	7	13	26	13	6
160-165	—	Malignant neoplasms of respiratory system	M.	22	–	–	–	–	–	–	–	1	2	11	6	1	1	17	–	–	–	–	–	–	–	–	1	7	7	2	–
			F.	5	–	–	–	–	–	–	–	1	1	–	1	2	–	9	–	–	–	–	–	–	–	–	–	2	5	2	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	8	–	–	–	–	–	–	–	–	1	4	2	–	1
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	61	–	–	–	–	–	1	–	3	8	8	21	16	4	64	–	–	–	–	–	–	2	–	8	10	21	20	3
			F.	74	–	–	–	–	–	–	2	3	12	10	27	13	7	56	–	–	–	–	–	–	–	2	6	11	20	11	6
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
			F.	7	–	–	–	–	–	–	–	1	–	–	3	2	1	6	–	–	–	–	–	–	–	–	–	2	2	2	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	–	4	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	55	–	–	–	–	–	–	–	–	3	6	11	25	10	90	–	–	–	–	–	–	2	–	3	17	27	35	6
			F.	95	–	–	–	–	–	–	–	–	2	10	24	42	17	93	–	–	–	–	–	–	–	2	3	15	26	35	12
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	14	–	–	–	–	–	1	1	1	–	4	5	2	–	8	–	–	–	–	–	–	1	–	1	–	2	4	–
			F.	10	–	–	–	–	1	–	–	–	–	2	5	2	–	11	–	–	1	–	–	–	–	2	1	–	1	5	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	1	–	–	2	1	–
			F.	7	–	–	–	–	–	–	–	–	–	3	1	2	1	3	–	–	–	–	–	–	–	–	1	1	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	167	–	–	–	–	–	–	–	7	13	19	50	55	23	183	–	–	–	–	–	–	–	4	16	31	60	51	21
			F.	158	–	–	–	–	–	1	–	–	1	20	30	67	39	145	–	–	–	–	–	–	1	1	2	10	30	65	36
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	8	–	–	–	–	–	–	–	–	–	1	2	4	1
			F.	7	–	–	–	–	–	–	–	–	–	–	2	5	–	9	–	–	–	–	–	–	–	–	–	–	4	5	–
440-443	28	Hypertensive heart disease	M.	6	–	–	–	–	–	–	–	–	–	2	1	3	–	10	–	–	–	–	–	–	–	–	–	2	2	5	1
			F.	8	–	–	–	–	–	–	–	–	1	2	1	3	1	11	–	–	–	–	–	–	–	–	–	3	2	5	1

480-483	30	Influenza	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	–	1	–	–	–	–	2	2	–
490-493	31	Pneumonia (except of newborn)	M.	12	–	2	–	–	–	–	–	1	1	2	2	4	–	8	–	2	1	–	1	–	–	–	–	–	2	2	–
			F.	12	–	1	–	–	–	–	–	–	1	1	–	8	1	12	–	–	1	–	–	–	–	–	–	1	2	3	5
500-502	32	Bronchitis	M.	20	–	1	–	–	–	–	–	–	2	3	6	7	1	11	–	–	–	–	–	–	–	–	2	3	3	2	1
			F.	10	–	–	–	–	–	–	–	–	–	1	5	2	2	5	–	–	–	–	–	–	–	–	1	–	2	2	–
470-475, 510-527	46.3	Other respiratory diseases	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	–	–	–	1	–	4	4	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	6	–	–	–	–	–	–	–	–	1	2	1	2	–
550-553	34	Appendicitis	M.	3	–	–	–	–	–	1	–	–	1	1	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	6	–	–	1	–	–	–	–	–	–	–	2	3	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	1	5	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
530–539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	5	–	–	–	–	1	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1
590-594	38	Nephritis and nephrosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	–	1	1	1	1	2	–
610	39	Hyperplasia of prostate	M.	9	–	–	–	–	–	–	–	–	–	1	3	2	3	6	–	–	–	–	–	–	–	–	–	–	3	2	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	6	–	–	–	–	–	–	–	1	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	1	–	–	1	–	–	–	1	3	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
750-759	41	Congenital malformations	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	2	–	–	–	–	–	–	–	–
			F.	4	1	–	–	–	1	–	1	–	–	–	1	–	–	4	2	–	–	–	–	1	1	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	7	–	–	–	–	–	–	–	–	–	–	–	–	7	15	–	–	–	–	–	–	–	–	–	–	–	6	9
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	12	–	–	1	–	–	–	–	–	–	4	5	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	1	–	–	1	1	1	2	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	4	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	10	–	–	1	–	–	3	–	2	2	1	1	–	–	6	–	–	–	–	–	1	–	–	1	2	2	–	–
			F.	4	–	–	–	–	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	5	–	1	–	–	–	–	–	–	–	1	1	1	1	5	–	–	–	–	–	–	–	–	1	–	1	1	2
			F.	10	–	1	–	–	–	–	–	–	–	–	–	5	4	5	–	1	–	–	–	–	–	–	–	–	1	1	2
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	6	–	–	–	1	–	1	1	–	–	–	1	2	–	13	–	–	1	–	–	1	4	2	2	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		AYR BURGH: Ages All	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KILMARNOCK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		577	12	7	5	2	–	5	7	9	49	97	151	178	55	507	20	10	3	2	1	3	11	20	51	87	116	143	40
		Males		304	8	3	3	2	–	4	4	6	32	54	77	82	29	247	8	5	3	1	1	3	4	14	29	45	50	64	20
		Females		273	4	4	2	–	–	1	3	3	17	43	74	96	26	260	12	5	–	1	–	–	7	6	22	42	66	79	20
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	60	–	–	–	–	–	1	–	2	9	16	16	12	4	40	–	–	–	–	–	1	–	4	6	14	8	4	3
			F.	49	–	–	–	–	–	–	–	1	8	18	14	7	1	40	–	–	–	1	–	–	2	2	8	9	11	7	–
160-165	—	Malignant neoplasms of respiratory system	M.	19	–	–	–	–	–	–	–	1	4	7	5	2	–	10	–	–	–	–	–	–	–	1	2	5	1	–	1
			F.	4	–	–	–	–	–	–	–	–	–	4	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	5	–	–	–	1	–	–	1	–	–	1	2	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	39	–	–	–	–	–	1	–	–	5	9	11	9	4	27	–	–	–	–	–	1	–	2	4	7	7	4	2
			F.	43	–	–	–	–	–	–	–	1	7	14	13	7	1	33	–	–	–	–	–	–	1	2	8	7	8	7	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
290-293	21	Anæmias	M.	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	4	–	–	–	–	–	1	–	–	2	–	–	1	–	4	–	–	1	–	–	–	–	3	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	35	–	–	–	–	–	–	–	–	–	9	15	10	1	27	–	–	–	–	–	–	–	2	1	3	6	12	3
			F.	56	–	–	–	–	–	–	1	–	3	8	19	17	8	61	–	–	–	–	–	–	–	–	4	4	21	26	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	5	–	–	–	–	–	–	–	–	1	1	1	1	1	5	–	–	1	–	–	–	–	–	1	1	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	6	–	–	–	–	–	–	–	1	–	–	3	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	–	2	2	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	2	–	–	2	–	–	–	5	–	–	–	–	–	–	–	–	2	1	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	98	–	–	–	–	–	–	–	1	7	15	22	40	13	81	–	–	–	–	–	–	–	–	7	16	17	32	9
			F.	82	–	–	–	–	–	–	–	1	1	9	21	37	13	71	–	–	–	–	–	–	–	1	4	10	18	29	9
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	5	–	–	–	–	–	–	–	–	–	2	1	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
440-443	28	Hypertensive heart disease	M.	11	–	–	–	–	–	–	–	–	–	–	3	7	1	4	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	12	–	–	–	–	–	–	–	–	1	–	5	6	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
			M.	3										1																	

480-483	30	Influenza	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	7	–	–	–	–	–	1	–	–	–	1	3	–	2	7	–	1	–	1	–	–	2	–	1	–	2	–	–
			F.	9	–	1	1	–	–	1	–	–	–	–	2	4	–	7	–	2	–	–	–	–	–	–	–	3	–	1	1
500-502	32	Bronchitis	M.	17	–	–	–	–	–	–	–	–	1	5	9	1	1	12	–	2	–	–	–	–	–	–	1	5	3	1	–
			F.	9	–	–	–	–	–	–	–	–	1	1	2	5	–	7	–	–	–	–	–	–	–	–	–	2	2	2	1
470-475, 510-527	46.3	Other respiratory diseases	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	1	2	–	1	–	4	–	–	–	–	–	–	–	1	–	2	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	2	–	–	–	–	1	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530–539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	2	–	–	2	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–	2	–	–	–
610	39	Hyperplasia of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	1	1	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	3	1	1	1	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	2	1	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	6	–	–	–	–	–	–	1	2	1	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
E810-E835	E47	Motor vehicle accidents	M.	4	–	–	–	–	–	1	2	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	8	–	1	1	1	–	–	–	–	2	–	1	1	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	6	1	2	–	–	–	–	–	–	–	–	1	1	1	4	–	1	–	–	–	–	2	–	–	–	–	–	1
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	3	1	–	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		AYR COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	BANFF COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		2815	97	38	14	6	18	31	35	100	226	436	731	836	247	590	19	12	2	2	–	3	4	15	27	88	150	196	72
		Males		1430	67	20	11	3	14	19	19	54	119	251	389	368	96	293	13	6	–	2	–	2	3	7	15	49	78	90	28
		Females		1385	30	18	3	3	4	12	16	46	107	185	342	468	151	297	6	6	2	–	–	1	1	8	12	39	72	106	44
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	1	–	–	–	–	1	6	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	3	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	5	–	2	–	–	–	1	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms. Total	M.	223	–	–	3	1	1	5	2	11	23	51	79	41	6	51	–	–	–	1	–	–	1	1	5	12	13	16	2
			F.	232	–	–	1	–	1	1	3	13	45	50	74	38	6	58	–	–	–	–	–	–	–	4	6	15	17	13	3
160-165	—	Malignant neoplasms of respiratory system	M.	62	–	–	–	–	–	–	1	2	7	19	30	3	–	14	–	–	–	–	–	–	1	1	3	4	4	1	–
			F.	12	–	–	–	–	–	–	–	1	2	–	8	1	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	15	–	–	3	1	–	1	–	2	1	4	2	1	–	3	–	–	–	1	–	–	–	–	–	–	1	1	–
			F.	11	–	–	1	–	1	1	–	–	2	2	4	–	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
140-159, 170-199	—	Other malignant neoplasms	M.	146	–	–	–	–	1	4	1	7	15	28	47	37	6	34	–	–	–	–	–	–	–	–	2	8	8	14	2
			F.	209	–	–	–	–	–	–	3	12	41	48	62	37	6	51	–	–	–	–	–	–	–	4	5	15	15	9	3
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	1	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	1	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	–	–	–	–	–	2	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	22	–	–	–	–	–	–	–	1	–	6	7	7	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	–	–	–	–	–	2	1	8	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	5	–	–	–	–	–	–	1	1	–	3	–	–	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–
			F.	17	–	–	–	–	–	–	–	–	3	6	5	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	175	–	1	–	–	–	–	–	–	13	19	50	76	16	30	–	–	–	–	–	–	–	–	–	2	9	18	1
			F.	281	–	–	–	–	1	1	1	4	14	30	69	130	31	48	–	1	1	–	–	1	–	1	2	5	13	21	3
340	23	Non-meningococcal meningitis	M.	3	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	17	–	–	–	–	1	–	1	–	2	3	5	3	2	5	–	–	–	–	–	–	–	–	1	2	2	–	–
			F.	17	–	1	–	–	–	2	1	2	3	2	2	3	1	6	–	–	–	–	–	–	–	1	–	1	–	3	1
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	12	–	–	–	–	–	–	2	2	1	4	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	21	–	–	–	–	–	–	1	4	3	4	7	–	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	479	–	–	–	–	–	–	3	13	50	96	147	129	41	105	–	–	–	–	–	–	–	2	3	20	33	33	14
			F.	423	–	–	–	–	–	–	1	5	16	45	110	169	77	105	–	–	–	–	–	–	–	1	1	9	21	49	24
430-434	27	Other diseases of heart	M.	19	–	–	–	–	–	–	1	–	1	3	6	5	3	4	–	–	–	–	–	–	1	–	–	1	1	1	–
			F.	25	–	–	–	–	–	–	1	1	3	7	4	8	1	7	–	–	–	–	–	–	–	–	–	1	2	2	2
440-443	28	Hypertensive heart disease	M.	19	–	–	–	–	–	–	–	–	–	6	6	6	1	6	–	–	–	–	–	–	–	1	–	2	–	3	–
			F.	41	–	–	–	–	–	–	–	–	2	5	14	15	5	4	–	–	–	–	–	–	–	–	–	1	1	2	–

480-483	30	Influenza	F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
490-493	31	Pneumonia (except of newborn)	M.	40	–	8	–	2	–	1	2	2	8	8	3	6	–	1	–	–	–	–	–	–	–	2	2	1	–
			F.	30	–	6	1	–	–	1	1	–	2	6	10	3	7	–	–	–	–	–	–	–	–	–	3	3	1
500-502	32	Bronchitis	M.	55	–	1	–	–	1	–	–	2	5	15	21	9	1	3	–	–	–	–	–	–	–	–	–	2	1
			F.	16	–	–	–	–	–	–	–	–	–	3	6	5	2	2	–	–	–	–	–	–	–	–	1	–	1
470-475, 510-527	46.3	Other respiratory diseases	M.	29	–	–	–	–	–	–	–	–	–	4	18	6	1	2	–	–	–	–	–	–	–	1	–	1	–
			F.	5	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	18	–	–	–	–	–	1	–	–	1	2	5	8	1	1	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	6	1	–	–	–	–	–	–	–	2	–	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	9	–	–	–	–	–	–	–	–	–	–	1	6	2	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M	6	–	2	–	–	–	–	–	–	1	–	1	2	–	3	–	1	–	–	–	1	–	–	–	1	–	–
			F.	8	–	1	–	–	–	–	–	1	1	2	1	–	2	1	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	7	1	–	–	–	–	–	–	–	1	1	2	2	–	2	–	–	–	–	–	–	1	–	–	1	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	5	–	–	–	–	1	–	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	1	–	1	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis	M.	8	–	–	–	–	–	–	–	1	1	2	2	2	–	2	–	–	–	–	–	–	–	1	–	1	–
			F.	6	–	–	–	–	–	1	–	2	–	2	–	1	–	3	–	–	–	–	–	–	–	–	1	2	–
610	39	Hyperplasia of prostate	M.	28	–	–	–	–	–	–	–	–	1	3	7	14	3	5	–	–	–	–	–	–	1	–	1	1	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	5	–	–	–	–	–	–	–	–	2	1	2
			F.	8	–	–	–	–	–	–	–	1	2	–	2	3	–	1	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	1	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	8	–	–	–	–	1	–	–	–	–	–	2	5	–	1	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations	M.	12	7	2	2	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–
			F.	9	3	3	1	1	–	–	–	–	1	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	29	29	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
			F.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	24	24	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	10	–	–	–	–	–	–	–	–	–	–	–	4	6	3	–	–	–	–	–	–	–	–	–	2	1
			F.	17	–	–	–	–	–	–	–	–	–	–	–	11	6	4	–	–	–	–	–	–	–	–	–	1	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	18	1	1	–	–	–	–	–	2	2	5	–	5	2	3	–	1	–	–	–	–	1	–	1	–	–
			F.	4	–	1	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	1	2	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	12	–	–	–	–	–	–	1	3	3	3	2	–	–	3	–	–	–	–	–	–	–	2	–	1	–	–
			F.	5	–	–	–	–	–	1	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	13	–	–	1	1	2	2	1	1	1	1	2	1	–	3	–	–	–	–	–	–	–	1	1	–	1	–
			F.	8	–	–	–	–	–	3	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	21	–	2	1	–	1	–	1	3	–	3	2	7	1	4	–	1	–	1	–	–	–	–	1	–	1
			F.	27	1	4	–	1	–	–	–	–	2	4	2	5	8	2	–	–	–	–	–	–	–	1	–	–	1
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	25	–	–	–	–	3	6	2	6	1	5	1	1	–	4	–	–	–	–	–	1	–	–	1	1	–
			F.	8	–	–	–	1	–	–	–	1	–	2	1	3	–	1	–	–	–	–	–	–	–	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued.*

International Classification		Causes of Death		BERWICK COUNTY															BUTE COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		336	2	–	1	1	–	1	1	8	21	40	103	120	38	269	4	2	1	–	1	–	5	7	21	32	85	85	26
		Males		161	2	–	–	–	–	–	–	5	13	20	55	52	14	115	3	–	–	–	–	–	3	2	11	14	43	32	7
		Females		175	–	–	1	1	–	1	1	3	8	20	48	68	24	154	1	2	1	–	1	–	2	5	10	18	42	53	19
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	28	–	–	–	–	–	–	–	–	3	5	13	5	2	26	–	–	–	–	–	–	1	1	2	4	9	9	–
			F.	31	–	–	–	–	–	–	–	1	4	9	6	9	2	29	–	–	–	–	–	–	–	3	3	6	10	6	1
160-165	—	Malignant neoplasms of respiratory system	M.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	7	–	–	–	–	–	–	–	–	–	3	3	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	23	–	–	–	–	–	–	–	–	1	2	13	5	2	18	–	–	–	–	–	–	1	1	2	–	6	8	–
			F.	30	–	–	–	–	–	–	–	–	4	9	6	9	2	28	–	–	–	–	–	–	–	3	3	6	10	5	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	20	–	–	–	–	–	–	–	1	–	–	3	15	1	12	–	–	–	–	–	–	–	–	–	–	5	6	1
			F.	39	–	–	–	–	–	–	–	1	1	2	16	17	2	33	–	–	–	–	–	–	1	1	–	3	8	13	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	1	–	–	1	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	63	–	–	–	–	–	–	–	1	3	10	27	15	7	40	–	–	–	–	–	–	–	–	3	3	17	13	4
			F.	53	–	–	–	–	–	–	–	–	2	5	15	21	10	40	–	–	–	–	–	–	–	–	3	3	15	15	4
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–

490-493	31	Pneumonia (except of newborn)	M.	5	–	–	–	–	–	–	–	–	–	2	3	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	1	2	2	4	–	–	–	–	–	–	–	–	–	1	3	–
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
470-475, 510-527	46.3	Other respiratory diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	–	–	–	1	1
750-759	41	Congenital malformations	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	1	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	6	–	–	–	–	–	–	–	–	–	1	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–	–	–	–	–	–	2	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	1	1	1
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	7	–	1	–	–	–	–	–	–	–	1	3	2
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification		Causes of Death		CAITHNESS COUNTY														CLACKMANNAN COUNTY														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		315	9	9	4	2	3	6	7	10	16	43	74	96	36	439	13	5	2	4	2	5	9	14	34	74	118	127	32
		Males		161	9	4	3	2	1	4	3	8	11	25	37	44	10	238	10	3	1	3	–	5	4	13	22	48	55	60	14
		Females		154	–	5	1	–	2	2	4	2	5	18	37	52	26	201	3	2	1	1	2	–	5	1	12	26	63	67	18
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	3	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms . Total	M.	14	–	–	–	1	–	–	–	1	–	3	7	2	–	44	–	–	–	–	–	–	–	2	1	15	11	14	1
			F.	24	–	–	–	–	–	2	–	–	1	7	6	5	3	32	–	1	1	–	–	–	2	–	3	5	11	8	2
160-165	—	Malignant neoplasms of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	12	–	–	–	–	–	–	–	1	–	7	4	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	11	–	–	–	–	–	–	–	1	–	2	6	2	–	30	–	–	–	–	–	–	–	1	1	6	7	14	1
			F.	23	–	–	–	–	–	2	–	–	1	6	6	5	3	29	–	–	–	–	–	–	2	–	3	3	11	8	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
290-293	21	Anæmias	M.	3	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	4	–	–	–	–	–	–	3	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	16	–	–	–	–	–	–	–	–	–	2	4	8	2	27	–	–	–	–	–	–	–	1	4	5	9	6	2
			F.	29	–	–	–	–	–	–	–	2	–	2	9	13	3	44	–	–	–	–	–	–	1	–	3	6	15	13	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	53	–	–	–	–	–	–	–	–	1	10	17	22	3	71	–	–	–	–	–	–	1	7	10	10	21	18	4
			F.	37	–	–	–	–	–	–	–	–	–	1	13	13	10	52	–	–	–	–	–	–	–	–	1	6	17	24	4
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	1	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–

480-483	30	Influenza	F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	7	–	2	–	–	–	–	–	2	1	1	1	–	–	5	–	–	–	–	–	–	–	–	1	–	1	2	1
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	6	–	–	–	–	–	–	1	–	–	1	2	1
500-502	32	Bronchitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	14	–	–	–	–	–	–	–	–	1	5	3	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	1	–	3	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
610	39	Hyperplasia of prostate	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	3	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations	M.	4	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	6	–	–	–	–	–	–	–	–	–	–	–	3	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	12	–	–	–	–	–	–	–	–	–	–	–	7	5	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Ill-defined and unknown causes	M.	9	–	–	1	–	–	1	–	1	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	2	–	–	–	–	1	–	1	–	–	–	–	–	–	4	–	–	1	1	–	–	–	1	–	1	–	–	–
			F.	3	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	2	–	–	–	1	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	2	1	1	3	3	–	–	–	–	–	–	–	–	–	–	1	–	2
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	5	–	–	1	–	1	–	–	1	–	1	1	–	–	7	–	–	–	1	–	1	–	–	1	3	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUMFRIES BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMFRIES COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		324	5	6	3	1	–	1	2	9	27	54	90	92	34	711	20	10	3	4	1	6	8	19	35	114	185	231	75
		Males		156	4	2	2	1	–	1	–	8	18	31	41	37	11	358	13	4	2	2	–	6	5	9	19	71	92	108	27
		Females		168	1	4	1	–	–	–	2	1	9	23	49	55	23	353	7	6	1	2	1	–	3	10	16	43	93	123	48
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	25	–	–	–	–	–	–	–	1	1	11	8	3	1	52	–	–	1	–	–	1	–	3	3	13	15	14	2
			F.	29	–	–	–	–	–	–	–	1	2	8	12	6	–	56	–	–	–	–	–	–	2	4	8	11	17	12	2
160-165	—	Malignant neoplasms of respiratory system	M.	14	–	–	–	–	–	–	–	–	–	9	4	1	–	13	–	–	–	–	–	–	–	2	–	6	4	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	1	–	–	1	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	10	–	–	–	–	–	–	–	–	1	2	4	2	1	36	–	–	–	–	–	–	–	–	3	7	11	13	2
			F.	26	–	–	–	–	–	–	–	1	2	7	11	5	–	51	–	–	–	–	–	–	2	3	6	10	17	11	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	31	–	–	–	–	–	–	–	–	–	3	13	12	3	51	–	–	–	–	–	–	–	1	1	7	17	19	6
			F.	43	–	–	–	–	–	–	–	–	2	6	17	13	5	72	–	–	–	–	–	–	–	–	2	10	23	26	11
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	1	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	1	–	–	1	1	4	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	44	–	–	–	–	–	–	–	2	12	6	12	10	2	112	–	–	–	–	–	–	–	–	7	22	37	37	9
			F.	48	–	–	–	–	–	–	–	–	1	4	14	17	12	105	–	–	–	–	–	–	–	1	2	11	27	44	20
430-434	27	Other diseases of heart	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	1	–	–	–	–	–	5	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–

480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	10	–	–	–	–	–	–	–	–	1	1	1	5	2	16	–	–	–	–	–	–	–	1	1	2	3	7	2
			F.	12	–	2	–	–	–	–	–	–	–	2	5	3		18	–	2	–	–	–	–	–	–	–	–	7	8	1
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	4	2	2	1		14	–	1	–	–	–	–	–	–	–	6	3	4	–
			F.	5	–	–	–	–	–	–	–	3	–	1	1	–		8	–	–	–	–	–	–	–	1	–	1	1	3	2
470-475, 510-527	46.3	Other respiratory diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–		3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	2	–	–		3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	–	1	–	–	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	–	–	1	–	1	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	2	–	–	–	–		2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	–	1	–	–	1	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	1	–	–	–	2	–		3	–	–	–	–	–	–	–	–	–	–	1	1	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	1	–	–	–	–	–	–	–	–	–		3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–		1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		3	–	–	–	–	–	–	–	–	1	1	–	–	1
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–		3	–	–	–	–	–	–	–	–	–	–	1	1	1
610	39	Hyperplasia of prostate	M.	1	–	–	–	–	–	–	–	–	–	–	1	–		2	–	–	–	–	–	–	–	–	–	–	1	1	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–		4	–	1	–	–	–	–	–	–	–	–	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		5	–	–	–	1	–	–	–	–	–	1	2	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	–	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	1	1	–	–		1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		3	–	–	–	–	–	–	1	–	–	2	–	–	–
750-759	41	Congenital malformations	M.	4	2	1	1	–	–	–	–	–	–	–	–	–		5	1	2	–	1	–	–	–	–	1	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–		4	2	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–		4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	1	1	–	–	–	–	–	–	–	–	–	–	–		8	8	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1		6	–	–	–	–	–	–	–	–	–	–	–	4	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		7	–	–	–	–	–	–	–	–	–	–	–	5	2
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	1	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	–	–	1	–	–	–	1	–		4	–	–	–	–	–	–	1	–	2	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	4	–	–	–	1	–	–	1	1	1	–	–	–		8	–	–	–	–	3	2	1	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	1	–	–	–	–	1	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	4	–	1	–	–	–	–	–	–	2	–	1	–		3	–	–	–	–	–	–	1	–	2	–	–	–	–
			F.	4	–	1	–	–	–	–	–	–	–	1	2	–		8	–	1	–	–	–	–	–	–	–	–	1	4	2
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	1	–	–	–	–	–	–	1	–	–	–	–	–		6	–	–	–	–	–	1	2	–	2	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		CLYDEBANK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMBARTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		484	20	13	4	1	2	6	6	22	55	89	128	109	29	271	15	10	–	1	–	1	3	8	20	53	79	60	21
		Males		289	11	8	2	1	1	6	4	11	38	59	80	56	12	137	9	6	–	1	–	–	1	3	10	26	43	25	13
		Females		195	9	5	2	–	1	–	2	11	17	30	48	53	17	134	6	4	–	–	–	1	2	5	10	27	36	35	8
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	–	–	2	2	3	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms. Total	M.	43	–	–	–	–	–	–	–	1	11	12	14	5	–	20	–	–	–	–	–	–	–	–	2	9	5	3	1
			F.	27	–	–	–	–	–	–	–	4	3	5	9	3	3	14	–	–	–	–	–	–	–	2	4	4	1	3	–
160-165	—	Malignant neoplasms of respiratory system	M.	18	–	–	–	–	–	–	–	–	7	5	6	–	–	10	–	–	–	–	–	–	–	–	1	7	1	1	–
			F.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	21	–	–	–	–	–	–	–	1	3	5	7	5	–	10	–	–	–	–	–	–	–	–	1	2	4	2	1
			F.	23	–	–	–	–	–	–	–	3	3	4	7	3	3	12	–	–	–	–	–	–	–	2	3	3	1	3	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	6	–	–	–	–	–	–	–	–	–	2	3	1	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	5	–	–	–	–	–	–	1	–	1	3	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	39	–	–	–	–	–	–	–	1	3	7	15	11	2	19	–	–	–	–	–	–	–	–	1	–	8	6	4
			F.	34	–	–	–	–	–	–	1	1	3	3	8	13	5	20	–	–	–	–	–	–	–	–	2	8	6	3	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	2	4	1	–	1	–	7	–	–	–	–	–	–	–	3	1	–	2	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	83	–	–	–	–	1	–	3	11	17	27	21	3		37	–	–	–	–	–	–	–	1	3	8	16	8	1
			F.	57	–	–	–	–	–	–	–	1	1	11	15	20	9	36	–	–	–	–	–	–	–	–	1	4	12	18	1
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
440-443	28	Hypertensive heart disease	M.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	5	–	–	–	–	–	–	–	–	–	2	3		

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	9	–	1	1	–	–	–	–	–	–	3	2	2	–	4	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	11	–	3	–	–	1	–	–	1	2	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
500-502	32	Bronchitis	M.	15	–	–	–	–	–	–	–	–	–	4	9	2	–	8	–	–	–	–	–	–	–	–	1	3	3	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	4	–	1	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	3	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
530–539, 542, 544 545, 573-578, 587,	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
750-759	41	Congenital malformations	M.	5	1	3	–	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	–	1	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	1
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	11	–	–	1	1	1	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	10	–	3	–	–	–	1	–	–	–	–	1	2	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	4	–	1	–	–	–	–	–	–	1	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	4	–	–	–	–	–	1	1	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptoccocal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification		Causes of Death		DUNBARTON COUNTY (excluding Large Burghs)														EAST LOTHIAN COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		1190	30	16	3	5	4	9	17	35	102	190	312	352	115	605	14	8	1	1	1	4	5	14	56	84	165	183	69
		Males		598	20	9	1	3	2	8	9	14	54	103	168	162	45	298	5	5	–	–	1	3	4	8	32	49	80	82	29
		Females		592	10	7	2	2	2	1	8	21	48	87	144	190	70	307	9	3	1	1	–	1	1	6	24	35	85	101	40
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	–	–	1	3	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	3	–	–	–	–	–	–	1	1	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
140-205	18	Malignant neoplasms . Total	M	100	–	–	–	1	1	2	2	12	23	28	29	2		63	–	–	–	–	1	–	1	1	9	14	20	16	1
			F.	127	–	–	2	1	1	–	–	6	28	35	32	17	5	48	–	–	–	–	–	–	–	1	9	6	13	17	2
160-165	—	Malignant neoplasms of respiratory system	M.	31	–	–	–	–	–	–	–	–	3	13	7	8	–	23	–	–	–	–	–	–	–	1	5	9	5	3	–
			F.	9	–	–	–	–	–	–	–	2	5	1	1	–	–	4	–	–	–	–	–	–	–	–	2	2	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	8	–	–	–	1	1	–	1	3	1	1	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
			F.	8	–	–	2	–	1	–	–	1	2	2	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
140-159, 170-199	—	Other malignant neoplasms	M.	61	–	–	–	–	–	–	2	1	6	9	20	21	2	38	–	–	–	–	–	–	1	–	3	5	15	13	1
			F.	110	–	–	–	1	–	–	–	5	24	28	31	16	5	41	–	–	–	–	–	–	–	1	7	3	13	15	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	1	–	–	–	1	3	2	–	6	–	–	–	–	–	–	–	–	1	3	2	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	–	1	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	103	–	–	–	–	–	–	–	2	5	5	39	39	13	42	–	1	–	–	–	–	–	1	6	5	14	10	5
			F.	103	–	–	–	–	–	–	–	1	2	15	29	42	14	76	–	–	–	–	–	–	–	2	3	9	25	25	12
340	23	Non-meningococcal meningitis	M.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	11	–	–	–	–	–	–	–	–	3	1	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	2	3	–	2	–	4	–	–	–	–	–	1	–	–	–	1	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	1	3	1	3	4	2	–	6	–	–	–	–	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	184	–	–	–	–	–	–	1	4	19	40	54	50	16	93	–	–	–	–	–	–	–	2	9	19	19	30	14
			F.	160	–	–	–	–	–	–	–	5	8	16	39	60	32	76	–	–	–	–	–	–	–	–	6	5	24	30	11
430-434	27	Other diseases of heart	M.	7	–	–	–	–	–	–	–	1	–	1	4	1	–	9	–	–	–	–	–	–	–	–	–	1	4	3	1
			F.	9	–	–	–	–	–	–	–	–	–	1	4	4	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–
440-443	28	Hypertensive heart disease	M.	8	–	–	–	–	–	–	–	–	–	1	3	4	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–
			F.	17	–	–	–	–	–	–	–	–	–	2	4	10	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–
490-493	31	Pneumonia (except of newborn)	M.	19	–	3	–	–	–	1	–	1	2	2	4	6	–	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	3	–
			F.	21	–	3	–	–	–	–	–	–	1	2	6	7	2	10	–	–	–	–	–	–	1	–	1	1	1	5	1
500-502	32	Bronchitis	M.	24	–	–	1	–	–	–	–	–	2	5	12	2	2	11	–	–	–	–	–	–	–	–	–	–	3	4	3	1
			F.	10	–	–	–	–	–	–	–	–	2	3	1	4	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	6	–	1	–	–	–	–	–	–	–	3	1	1	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	–	–	–	1	–	5	3	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–	–	–	2	–	1
			F.	3	–	1	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	4	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	3	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	4	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	3	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
610	39	Hyperplasia of prostate	M.	9	–	–	–	–	–	–	–	–	–	1	2	4	2	3	–	–	–	–	–	–	–	–	–	–	–	2	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
750-759	41	Congenital malformations	M.	5	2	3	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	4	2	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	8	–	–	–	–	–	–	–	–	–	–	1	2	5	5	–	–	–	–	–	–	–	–	–	1	1	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	4	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
E810-E835	E47	Motor vehicle accidents	M.	13	–	–	–	2	–	2	3	1	2	2	–	1	–	6	–	–	–	–	–	1	2	1	1	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	4	1	–	–	–	–	–	–	–	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	13	–	1	–	–	–	–	–	–	1	1	1	6	3	11	–	–	–	–	–	–	–	–	1	2	4	3
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	9	–	–	–	–	–	1	1	2	2	3	–	–	–	4	–	–	–	–	–	–	–	1	2	1	–	–	–
			F.	5	–	–	–	–	1	–	–	–	1	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUNFERMLINE BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KIRKCALDY BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		490	16	10	2	3	–	3	10	12	43	83	109	151	48	524	13	7	4	2	–	3	4	10	34	90	159	162	36
		Males		251	7	7	2	2	–	3	9	6	26	47	56	65	21	269	7	2	1	1	–	2	3	5	16	53	89	80	10
		Females		239	9	3	–	1	–	–	1	6	17	36	53	86	27	255	6	5	3	1	–	1	1	5	18	37	70	82	26
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	37	–	–	1	–	–	–	2	–	6	7	15	6	–	53	–	–	–	–	–	–	–	1	4	14	22	12	–
			F.	34	–	–	–	–	–	–	–	2	7	9	5	11	–	44	–	–	–	–	–	–	–	2	4	13	11	12	2
160-165	—	Malignant neoplasms of respiratory system	M.	12	–	–	–	–	–	–	–	–	3	1	8	–	–	20	–	–	–	–	–	–	–	1	1	11	4	3	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	–	–	–	3	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	22	–	–	1	–	–	–	1	–	2	6	7	5	–	32	–	–	–	–	–	–	–	–	2	3	18	9	–
			F.	30	–	–	–	–	–	–	–	2	7	6	4	11	–	38	–	–	–	–	–	–	–	2	4	9	9	12	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	2	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	6	–	–	–	–	–	–	–	1	1	1	2	1	–	5	–	–	–	–	–	–	–	–	–	–	5	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	1	–	–	–	1	1	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	39	–	–	–	–	–	–	–	–	1	5	8	21	4	38	–	–	–	–	–	–	–	–	1	4	12	19	2
			F.	52	–	–	–	–	–	–	–	–	4	7	9	23	9	43	–	–	–	–	–	–	–	–	2	6	17	15	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	5	–	1	–	1	–	–	–	–	1	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	–	1	2	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
			F.	5	–	–	–	–	–	–	–	1	1	2	1	–	–	7	–	–	–	–	–	–	–	–	3	1	1	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	68	–	–	–	–	–	–	–	1	7	17	18	17	8	88	–	–	–	–	–	–	2	–	5	18	28	30	5
			F.	73	–	–	–	–	–	–	–	–	–	9	17	35	12	71	–	–	–	–	–	–	1	1	–	7	16	34	12
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	11	–	–	–	–	–	–	–	–	–	2	8	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–

480-483	30	Influenza	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	1	4	2	2
490-493	31	Pneumonia (except of newborn)	M.	14	–	4	–	–	–	–	1	–	–	2	5	2	10	–	1	–	–	–	–	–	–	–	–	1	–	2	–
			F.	5	–	–	–	–	–	–	–	–	–	1	3	1	5	–	2	–	–	–	–	–	–	–	3	3	2	1	–
500-502	32	Bronchitis	M.	17	–	–	1	–	–	–	–	1	5	6	3	1	10	–	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–
470-475, 510-527	46.3	Other respiratory diseases	M.	2	–	–	–	1	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	5	–	3	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
610	39	Hyperplasia of prostate	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–	3	–	1
750-759	41	Congenital malformations	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	4	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	5	–	–	–	–	–	–	2	–	2	–	–	1	–	4	–	–	–	–	–	–	–	1	1	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E810-E835	E47	Motor vehicle accidents	M.	5	–	–	–	1	–	3	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	3	–	2	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	6	–	–	–	–	–	–	–	–	–	1	2	1	2	11	1	–	–	–	–	–	–	–	1	–	2	4	3
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		FIFE COUNTY (excluding large burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	INVERNESS BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		2603	74	41	15	9	5	19	31	65	201	415	685	769	274	312	7	3	–	1	1	4	5	11	24	47	79	102	28
		Males		1342	44	17	8	5	4	10	15	45	118	251	362	365	98	154	5	2	–	–	1	2	5	5	12	24	39	49	10
		Females		1261	30	24	7	4	1	9	16	20	83	164	323	404	176	158	2	1	–	1	–	2	–	6	12	23	40	53	18
001-008	1	Tuberculosis of respiratory system	M.	11	–	–	–	–	–	–	–	1	–	4	5	1	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	2	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms . Total	M.	201	–	1	1	1	–	1	3	8	23	54	61	41	7	28	–	–	–	–	1	–	2	–	4	4	9	8	–
			F.	206	–	1	2	2	1	2	1	2	33	44	63	42	13	30	–	–	–	1	–	–	–	2	4	8	6	6	3
160-165	—	Malignant neoplasms of respiratory system	M.	62	–	–	–	–	–	–	–	2	8	24	20	7	1	9	–	–	–	–	–	–	–	–	1	2	2	4	–
			F.	9	–	–	–	–	–	–	–	–	1	2	4	2	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	14	–	–	1	–	–	–	3	1	1	2	4	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	12	–	1	–	1	–	1	–	1	2	3	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	125	–	1	–	1	–	1	–	5	14	28	37	32	6	18	–	–	–	–	1	–	1	–	3	2	7	4	–
			F.	185	–	–	2	1	1	1	1	1	30	39	58	38	13	27	–	–	–	–	–	–	–	2	4	6	6	6	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	18	–	–	–	–	–	–	1	1	1	4	6	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	7	–	–	–	–	–	1	–	1	–	2	2	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	198	–	–	–	–	–	–	–	2	10	24	70	77	15	24	–	–	–	–	–	–	1	–	–	3	6	13	1
			F.	253	–	–	–	–	–	–	1	1	13	32	75	94	37	32	–	–	–	–	–	–	–	–	3	–	11	15	3
340	23	Non-meningococcal meningitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	12	1	–	–	1	–	–	1	2	1	–	3	2	1	4	–	–	–	–	–	–	–	–	–	1	1	2	–
			F.	14	–	–	–	–	–	–	–	1	2	2	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	11	–	–	–	–	–	1	1	1	1	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	2	–	3	–	5	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	429	–	–	–	–	–	–	–	14	42	82	115	136	40	39	–	–	–	–	–	–	–	2	3	7	10	15	2
			F.	366	–	–	–	–	–	–	–	2	13	39	99	143	70	50	–	–	–	–	–	–	–	–	3	6	14	19	8
430-434	27	Other diseases of heart	M.	16	–	–	–	–	–	–	–	–	–	3	4	9	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	26	–	–	–	–	–	1	–	–	1	1	4	12	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	20	–	–	–	–	–	–	–	–	–	6	8	6	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	44	–	–	–	–	–	–	–	–	1	2	9	28	4	10	–	–	–	–	–	–	–	1	–	1	5	2	1
444-447	29	Other hypertensive disease	M.	16	–	–	–	–	–	–	–	1	1	3	5	4	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–

480-483	30	Influenza	M.	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			F.	3	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	30	–	2	–	–	–	–	–	1	5	3	8	8	3	4	–	–	–	–	–	–	–	–	1	–	2	–	1
			F.	21	–	7	–	–	–	–	–	–	1	–	4	7	2	2	–		–	–	–	–	–	–	–	–	–	1	1
500-502	32	Bronchitis	M.	63	–	1	–	–	–	–	1	1	5	18	15	17	5	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	14	–	–	–	–	–	–	–	–	–	1	4	6	3	2	–	–	–	–	–	–	–	–	–	1	–	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	42	–	–	–	–	–	–	–	1	5	13	20	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	5	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	19	–	–	–	–	–	–	–	1	3	4	6	4	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	9	–	–	–	–	–	1	1	–	–	2	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	8	2	–	1	–	–	–	–	–	1	2	1	1	–	4	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	5	1	–	–	1	–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	7	–	2	–	1	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	7	–	4	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	5	3	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
530–539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
590-594	38	Nephritis and nephrosis	M.	11	–	–	–	1	–	–	1	–	1	5	1	2	1	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	12	–	–	–	–	–	–	2	1	–	2	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	19	–	–	–	–	–	–	–	–	–	–	6	6	7	2	–	–	–	–	–	–	–	–	–	–	–	–	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	8	–	–	–	–	–	–	1	–	2	1	2	2	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
			F.	7	–	–	–	–	–	–	1	–	–	3	2	1	–	3	–	–	–	–	–	1	–	1	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	3	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	7	–	–	–	–	–	–	1	–	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	1	1	–	1	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	12	5	4	1	–	–	–	–	1	1	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–
			F.	18	9	5	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	13	–	–	–	–	–	–	–	–	–	–	1	4	8	2	–	–	–	–	–	–	–	–	–	–	–	1	1
780-793, 795	45.1	Ill-defined and unknown causes	M.	5	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	1	3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	12	–	–	–	–	–	–	2	2	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	1	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	14	–	–	2	–	–	2	–	2	3	2	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	21	–	5	–	–	1	–	–	–	–	5	1	6	3	4	–	1	–	–	–	–	–	–	–	1	1	1	–
			F.	39	1	3	–	1	–	–	2	1	1	6	4	13	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	32	1	–	2	1	3	4	3	5	7	3	–	3	–	4	–	–	–	–	–	–	1	1	1	1	–	–	–
			F.	7	–	–	1	–	–	1	1	–	2	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		INVERNESS COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	INSULAR PORTION OF INVERNESS COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		718	17	3	3	1	2	18	10	17	43	89	164	228	123	271	7	–	–	1	1	2	2	6	14	25	51	97	65
		Males		370	8	1	3	1	2	16	8	10	28	43	86	113	51	143	4	–	–	1	1	2	1	4	11	12	30	50	27
		Females		348	9	2	–	–	–	2	2	7	15	46	78	115	72	128	3	–	–	–	–	–	1	2	3	13	21	47	38
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms Total	M.	61	–	–	–	–	–	1	–	2	8	6	23	17	4	22	–	–	–	–	–	–	–	1	2	2	9	6	2
			F.	51	–	1	–	–	–	–	–	3	3	16	14	10	4	16	–	–	–	–	–	–	–	1	–	5	3	5	2
160-165	—	Malignant neoplasms of respiratory system	M.	9	–	–	–	–	–	–	–	–	1	2	5	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	–	–	2	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	48	–	–	–	–	–	1	–	–	7	4	17	15	4	17	–	–	–	–	–	–	–	–	1	2	7	5	2
			F.	49	–	1	–	–	–	–	–	3	3	16	13	9	4	16	–	–	–	–	–	–	–	1	–	5	3	5	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	5	–	–	2	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	51	–	–	–	–	–	–	–	–	1	4	15	22	9	20	–	–	–	–	–	–	–	–	–	1	3	9	7
			F.	73	–	–	–	–	–	–	–	–	6	10	19	26	12	36	–	–	–	–	–	–	–	–	3	4	5	15	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	8	–	–	–	–	–	–	–	–	1	2	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	109	–	–	–	–	–	–	–	2	11	11	24	46	15	40	–	–	–	–	–	–	–	1	5	3	7	19	5
			F.	102	–	–	–	–	–	–	–	–	–	9	32	39	22	33	–	–	–	–	–	–	–	–	–	1	8	13	11
430-434	27	Other diseases of heart	M.	7	–	–	–	–	–	–	–	–	1	1	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
440-443	28	Hypertensive heart disease	M.	6	–	–	–	–	–	–	–	–	–	1	1	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–

			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	8	–	–	–	–	–	–	–	–	–	–	2	3	3	5	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
			F.	12	–	1	–	–	–	–	–	–	–	–	1	7	3	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
500-502	32	Bronchitis	M.	5	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	5	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
610	39	Hyperplasia of prostate	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	11	–	–	–	–	–	–	–	–	–	–	–	3	8	11	–	–	–	–	–	–	–	–	–	–	–	–	3	8	–	–	–	–
			F.	18	–	–	–	–	–	–	–	–	–	–	–	5	13	10	–	–	–	–	–	–	–	–	–	–	–	–	1	9	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	7	–	–	–	–	–	–	–	–	–	3	2	2	–	5	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	13	–	–	–	–	–	6	3	3	–	1	–	–	–	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
			F.	4	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	4	1	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	20	–	–	–	1	2	8	5	1	1	–	1	–	1	5	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		KINCARDINE COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KINROSS COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		332	8	2	1	2	–	–	6	9	18	43	71	116	56	99	1	1	–	–	–	2	–	1	7	15	29	38	5
		Males		169	6	1	1	2	–	–	3	6	9	23	34	59	25	52	1	–		–	–	–	–	–	5	11	16	18	1
		Females		163	2	1	–	–	–	–	3	3	9	20	37	57	31	47	–	1	–	–	–	2	–	1	2	4	13	20	4
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms Total	M.	23	–	–	–	1	–	–	–	–	1	5	5	10	1	13	–	–	–	–	–	–	–	–	2	3	5	3	–
			F.	31	–	–	–	–	–	–	–	–	3	7	10	10	1	8	–	–	–	–	–	1	–	1	–	–	4	2	–
160-165	—	Malignant neoplasms of respiratory system	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	19	–	–	–	–	–	–	–	–	1	4	4	9	1	12	–	–	–	–	–	–	–	–	1	3	5	3	–
			F.	25	–	–	–	–	–	–	–	–	2	5	9	8	1	6	–	–	–	–	–	–	–	1	–	–	3	2	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	–	2	2	3	4	8	3	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	32	–	–	–	–	–	–	–	–	2	3	8	11	8	8	–	–	–	–	–	–	–	–	1	–	4	2	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	68	–	–	–	–	–	–	–	2	1	11	19	26	9	16	–	–	–	–	–	–	–	–	1	4	4	7	–
			F.	57	–	–	–	–	–	–	–	1	1	4	12	25	14	11	–	–	–	–	–	–	–	–	–	1	2	6	2
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	–	2	–	1	–
440-443	28	Hypertensive heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–

490-493	31	Pneumonia (except of newborn)	M.	6	–	1	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	5	–	–	–	–	–	–	–	–	–	–	4	1	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
470-475, 510-527	46.3	Other respiratory diseases	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	3	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
610	39	Hyperplasia of prostate	M.	8	–	–	–	–	–	–	–	–	–	2	3	3	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	2	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		KIRKCUDBRIGHT COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	GLASGOW COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		390	13	4	1	1	1	3	4	15	19	62	103	108	56	13453	525	275	86	46	21	105	231	496	1223	2505	3608	3354	978
		Males		193	6	3	–	–	1	2	4	5	14	36	53	49	20	7136	283	143	44	27	14	65	125	263	787	1546	1954	1543	342
		Females		197	7	1	1	1	–	1	–	10	5	26	50	59	36	6317	242	132	42	19	7	40	106	233	436	959	1654	1811	636
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	175	–	–	–	–	–	1	11	17	46	51	37	12	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	102	–	–	–	–	–	4	25	35	11	10	11	6	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	–	2	–	1	–	1	3	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	3	–	1	1	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	1	1	3	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	5	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	1	–	–	–	–	2	4	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	2	–	1	–	–	–	–	2	2	–	2	–
140-205	18	Malignant neoplasms . Total	M.	37	–	–	–	–	–	–	1	2	1	11	8	13	1	1409	–	–	8	3	2	7	27	51	209	413	422	239	28
			F.	27	–	–	–	–	–	–	–	2	2	7	10	4	2	1024	–	1	8	3	–	5	17	61	149	251	300	187	42
160-165	—	Malignant neoplasms of respiratory system	M.	7	–	–	–	–	–	–	1	1	–	4	1	–	–	596	–	–	–	–	–	–	1	26	103	221	191	52	2
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	105	–	–	–	–	–	2	2	10	14	34	28	11	4
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	63	–	–	3	1	–	4	8	3	6	14	13	10	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52	–	–	4	1	–	–	7	2	9	13	11	5	–
140-159, 170-199	—	Other malignant neoplasms	M.	29	–	–	–	–	–	–	–	1	1	6	7	13	1	750	–	–	5	2	2	3	18	22	100	178	218	177	25
			F.	26	–	–	–	–	–	–	–	2	2	7	9	4	2	867	–	1	4	2	–	3	8	49	126	204	261	171	38
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	8	–	–	1	–	–	–	3	–	2	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	1	–	1	1	1	2	2	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	25	–	–	–	–	–	–	3	1	3	3	7	8	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	72	–	–	–	–	–	–	–	–	6	15	32	18	1
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	1	–	–	–	1	1	7	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	28	–	–	–	–	–	–	–	3	–	1	11	5	8
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	34	–	–	–	–	–	1	1	4	9	8	6	4	1
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	50	–	1	–	1	–	–	2	3	1	13	16	12	1
330-334	22	Vascular lesions affecting central nervous system	M.	31	–	–	–	–	–	–	–	–	1	6	11	6	7	813	–	–	–	1	1	1	5	12	42	141	241	295	74
			F.	35	–	–	–	–	–	–	–	3	–	8	11	11	2	1179	–	–	–	–	1	–	5	19	63	148	346	464	133
340	23	Non-meningococcal meningitis	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	6	2	–	1	–	–	–	–	1	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	4	2	–	–	–	–	–	–	–	1	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	114	1	6	2	1	1	5	5	8	15	15	29	24	2
			F.	2	–	–	1	–	–	–	–	–	–	–	–	1	–	96	1	3	6	2	–	3	8	6	8	19	24	12	4
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	2	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	64	–	–	–	–	–	4	7	9	14	9	18	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	167	–	–	–	–	1	4	13	29	39	47	22	12	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	53	–	–	–	–	–	–	–	–	5	10	17	15	6	1938	–	–	–	–	–	1	3	45	201	458	626	476	128
			F.	67	–	–	–	–	–	–	–	–	–	7	15	27	18	1627	–	–	–	–	–	2	–	14	56	215	466	618	256
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	71	–	–	–	–	–	–	–	3	8	16	16	23	5
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	86	–	–	–	–	–	2	–	4	5	12	28	28	7
440-443	28	Hypertensive heart disease	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–														

490-493	31	Pneumonia (except of newborn)	M.	9	–	3	–	–	–	–	–	–	–	–	1	4	1	326	–	36	8	1	–	1	4	10	23	36	79	75	15
			F.	10	–	–	–	–	–	1	–	–	–	–	4	3	2	274	–	44	7	–	–	3	1	4	6	28	62	83	36
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	590	–	8	1	–	–	–	1	10	71	181	208	96	14
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	266	–	7	3	2	–	–	3	9	16	52	75	77	22
470-475, 510-527	46.3	Other respiratory diseases	M.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	65	–	2	1	–	–	–	4	3	8	12	19	14	2
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	27	–	3	2	–	–	2	2	1	3	3	7	2	2
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	82	–	–	–	–	–	1	3	1	9	17	28	23	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32	–	–	–	–	–	–	–	4	3	6	10	9	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	11	–	1	1	2	–	1	–	–	2	–	4	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	2	–	–	–	1	1	–	1	4	2	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	1	–	1	–	1	–	–	1	35	2	–	–	–	–	–	–	1	2	3	11	14	2
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	37	1	1	–	–	–	–	–	1	–	4	14	12	4
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29	–	11	–	–	–	1	3	–	5	6	1	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	36	–	7	–	–	–	1	–	2	4	3	7	11	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30	–	–	–	–	2	–	–	2	2	11	7	6	–
			F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	27	–	–	–	–	–	–	–	2	4	11	7	2	1
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22	–	–	–	–	–	1	1	1	3	3	6	6	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	31	–	–	–	–	–	–	1	–	3	11	9	6	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	15	–	2	1	–	–	1	1	2	1	1	5	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	2	–	–	–	–	–	–	–	3	1	4	1
590-594	38	Nephritis and nephrosis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	39	–	–	–	–	1	4	5	4	7	5	7	5	1
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	47	–	1	–	–	1	2	3	2	5	14	10	8	1
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	54	–	–	–	–	–	–	–	–	1	3	19	25	6
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33	3	1	–	1	–	–	2	2	3	5	6	6	4
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34	–	1	–	1	–	–	–	1	1	10	13	4	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	3	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	1	2	3	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	15	–	1	–	–	–	–	–	–	2	6	2	4	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	42	–	–	–	–	–	–	1	1	1	5	9	21	4
750-759	41	Congenital malformations	M.	2	1	–	–	–	1	–	–	–	–	–	–	–	–	62	28	18	4	1	1	2	2	1	3	–	2	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	90	49	26	5	3	1	–	1	–	4	1	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	146	145	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	98	98	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	87	82	5	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	2	25	–	–	–	–	–	–	–	–	–	–	2	10	13
			F.	9	–	–	–	–	–	–	–	–	–	1	3	5	5	53	–	–	–	–	–	–	–	–	–	–	2	24	27
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	7	3	–	–	–	–	1	6	5	4	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	–	7	–	–	–	–	1	–	1	2	6	3	1
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	63	–	–	–	–	–	3	11	10	20	10	5	3	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	39	–	–	–	–	–	2	3	7	11	8	7	1	–
E810-E835	E47	Motor vehicle accidents	M.	5	–	–	–	–	–	1	2	1	–	–	–	1	–	94	–	1	5	9	1	12	5	15	9	15	12	9	1
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	34	–	1	5	2	1	5	3	2	2	3	6	4	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	1	–	2	–	1	2	4	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	1	2	1	–	–	1	1	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	125	2	17	1	–	–	3	4	17	13	18	23	17	10
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	116	1	17	3	2	1	1	4	6	8	9	22	27	15
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	3	–	–	–	–	–	1	–	–	–	–	1	1	–	111	–	–	5	6	4	10	11	19	15	19	8	12	2
			F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	27	4	–	–	2	–	1	1	3	3	1	3	7	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		AIRDRIE BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	COATBRIDGE BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		356	22	13	3	2	–	4	6	7	30	57	93	92	27	563	22	10	6	–	–	5	11	26	37	99	144	160	43
		Males		185	16	5	2	–	–	3	1	4	19	30	49	43	13	309	12	7	2	–	–	4	4	9	20	62	83	80	26
		Females		171	6	8	1	2	–	1	5	3	11	27	44	49	14	254	10	3	4	–	–	1	7	17	17	37	61	80	17
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	10	–	–	–	–	–	–	–	2	1	4	2	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	2	–	1	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	32	–	–	–	–	–	1	–	–	6	7	10	7	1	58	–	–	–	–	–	1	–	1	6	19	19	11	1
			F.	23	–	–	–	–	–	–	1	1	3	6	5	7	–	38	–	–	–	–	–	–	2	4	6	8	7	9	2
160-165	—	Malignant neoplasms of respiratory system	M.	10	–	–	–	–	–	–	–	–	4	3	3	–	–	23	–	–	–	–	–	–	–	1	4	9	7	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	22	–	–	–	–	–	1	–	–	2	4	7	7	1	34	–	–	–	–	–	–	–	–	2	10	12	9	1
			F.	21	–	–	–	–	–	–	1	1	2	5	5	7	–	32	–	–	–	–	–	–	2	3	6	5	6	8	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–	1	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	6	–	–	–	–	–	–	–	–	–	1	2	3	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	4	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	–	–	–	1	9	10	2	46	–	–	–	–	–	–	–	–	4	3	15	16	8
			F.	24	–	–	–	–	–	–	–	–	–	4	6	11	3	45	–	–	–	–	–	–	–	–	2	5	15	19	4
340	23	Non-meningococcal meningitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	6	–	–	–	1	–	1	–	1	–	2	1	–	–	7	–	–	–	–	–	–	–	1	3	1	–	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	1	1	2	1	–	–	–	6	–	–	–	–	–	–	1	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	59	–	–	–	–	–	–	–	2	7	14	16	15	5	101	–	–	–	–	–	–	–	2	2	2	–	–	–
			F.	59	–	–	–	–	–	–	–	–	–	10	22	18	9	72	–	–	–	–	–	–	–	1	1	7	20	36	7
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	1	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
440-443	28	Hypertensive heart disease	M.	6	–	–	–	–	–	–	–	–	–	–	2	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	4	–	1	–	–	–	–	–	–	1	–	1	1	–	4	–	2	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	1	–	–	–	–	–	–	1	–	1	1	–	6	–	–	2	–	–	–	–	–	1	1	1	1	–
500-502	32	Bronchitis	M.	7	–	–	–	–	–	–	–	–	–	2	2	3	–	14	–	–	–	–	–	–	–	–	–	1	8	4	–	1
			F.	6	–	–	–	–	–	–	1	–	1	1	–	3	–	7	–	–	–	–	–	–	1	2	1	–	2	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	5	–	–	–	–	–	–	–	–	–	–	4	1	–	14	–	–	–	–	–	–	–	1	–	6	2	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	2	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	–	1	–	–	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
610	39	Hyperplasia of prostate	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
750-759	41	Congenital malformations	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	6	4	2	–	–	–	–	–	–	–	–	–	–	–
			F.	7	2	3	1	–	–	–	–	–	1	–	–	–	–	9	6	1	–	–	–	–	1	1	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1	–	2
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	6	–	–	–	–	–	–	–	1	3	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	7	–	–	1	–	–	2	–	1	1	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		HAMILTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	MOTHERWELL AND WISHAW BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		497	25	17	6	1	2	4	13	18	57	86	126	115	27	772	26	17	4	1	4	9	12	27	56	160	214	193	49
		Males		272	9	11	4	1	1	3	7	9	36	50	65	67	9	427	10	8	3	1	4	6	3	12	35	91	123	112	19
		Females		225	16	6	2	–	1	1	6	9	21	36	61	48	18	345	16	9	1	–	–	3	9	15	21	69	91	81	30
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	2	–	–	2	1	–	–	7	–	–	–	–	–	–	–	1	1	–	3	2	–
			F.	4	–	–	–	–	–	–	3	1	–	–	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	43	–	–	–	–	–	–	2	2	4	16	9	9	1	72	–	–	1	–	1	–	1	1	9	23	23	11	2
			F.	35	–	–	–	–	1	–	1	3	11	6	8	5	–	42	–	–	–	–	–	–	3	2	5	15	10	5	2
160-165	—	Malignant neoplasms of respiratory system	M.	16	–	–	–	–	–	–	–	2	1	8	3	1	1	17	–	–	–	–	–	–	–	1	3	7	4	2	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	8	–	–	–	–	1	–	–	–	2	4	1	–	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
140-159, 170-199	—	Other malignant neoplasms	M.	26	–	–	–	–	–	–	2	–	3	7	6	8	–	47	–	–	1	–	–	–	1	–	4	12	18	9	2
			F.	32	–	–	–	–	1	–	1	2	9	6	8	5	–	40	–	–	–	–	–	–	3	2	5	15	10	3	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	5	–	–	–	–	–	–	–	1	2	–	2	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	35	–	–	–	–	–	–	–	1	3	2	19	10	–	52	–	–	–	–	–	–	–	–	–	10	12	25	5
			F.	46	–	–	–	–	–	–	1	1	4	4	16	18	2	62	–	–	–	–	–	–	–	2	3	12	21	17	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	5	–	–	1	–	–	1	–	1	1	–	1	–	–	3	–	–	–	–	–	2	–	1	–	–	–	–	–
			F.	5	–	–	–	–	–	1	–	–	–	3	1	–	–	6	–	–	–	–	–	1	1	2	–	2	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	–	1	1	–	–	6	–	–	–	–	–	–	1	1	–	3	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	95	–	–	–	–	–	–	–	2	16	20	20	33	4	136	–	–	–	–	–	–	–	5	17	28	43	40	3
			F.	53	–	–	–	–	–	–	–	–	2	5	19	16	11	95	–	–	–	–	–	–	–	1	5	15	33	34	7
430-434	27	Other diseases of heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	–	1	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	10	–	–	–	–	–	–	–	1	–	4	3	2	–

490-493	31	Pneumonia (except of newborn)	M.	8	–	2	2	–	–	–	–	3	–	–	1	–	13	–	1	1	–	–	–	–	–	–	1	6	4	–
			F.	7	–	4	–	–	–	–	–	–	–	1	1	1	6	–	–	–	–	–	–	–	–	1	–	3	2	–
500-502	32	Bronchitis	M.	14	–	–	–	–	–	–	1	3	2	7	1	–	31	–	1	–	–	–	–	–	–	1	9	14	5	1
			F.	6	–	–	–	–	–	–	1	–	2	1	2	–	11	–	–	–	–	–	–	–	–	–	2	3	4	2
470-475, 510-527	46.3	Other respiratory diseases	M.	7	–	–	–	–	–	–	–	–	3	2	2	–	17	–	–	–	–	–	–	–	–	1	6	7	3	–
			F.	3	–	–	–	–	–	–	–	–	2	1	–	–	3	–	–	1	–	–	–	–	1	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	1	3	1	1	–	7	–	–	–	–	–	–	–	1	1	3	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–	–	–	–	–	–	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	–	–	1	1	2	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
580, 582-586	46.4	Other diseases of liver	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	3	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	1	–	–	4	1	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	10	–	–	–	–	–	–	–	–	–	2	3	4	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	6	–	–	–	–	–	–	2	1	–	–	3	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
750-759	41	Congenital malformations	M.	6	1	5	–	–	–	–	–	–	–	–	–	–	5	1	3	–	1	–	–	–	–	–	–	–	–	–
			F.	5	1	2	2	–	–	–	–	–	–	–	–	–	6	2	4	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	9	–	–	–	–	–	–	–	–	–	–	2	2	5
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	1	–	1	–	–	–	3	–	–	–	–	–	–	–	1	1	–	–	1	–
E810-E835	E47	Motor vehicle accidents	M.	4	–	–	–	–	–	2	1	–	–	–	1	–	4	–	–	–	–	–	2	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	5	–	3	1	–	–	–	–	–	–	1	–	–	8	–	2	–	–	–	1	–	–	–	–	–	3	2
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	1	–	1	1	2	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	2	–	–	–	1	–	1	–	–	–	–	–	–	8	–	–	–	–	3	1	1	1	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		RUTHERGLEN BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	LANARK CO. (ex County of City and Large Burghs): Ages All	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		306	8	3	1	–	–	1	6	5	33	47	77	102	23	3622	134	67	33	16	18	38	66	140	333	591	894	1013	279
		Males		144	6	1	–	–	–	–	2	1	17	30	33	44	10	1957	92	35	18	12	11	22	36	78	198	347	495	492	121
		Females		162	2	2	1	–	–	1	4	4	16	17	44	58	13	1665	42	32	15	4	7	16	30	62	135	244	399	521	158
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	41	–	–	–	–	–	–	5	3	7	14	10	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	1	4	3	1	–	1	2	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	1	–	–	–	–	2	–	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	5	–	1	–	–	–	–	–	–	1	2	1	–	–
140-205	18	Malignant neoplasms . Total	M.	26	–	–	–	–	–	–	–	–	3	7	6	10	–	307	–	–	2	1	–	3	5	23	46	71	83	65	8
			F.	25	–	–	–	–	–	–	1	–	3	6	10	4	1	230	–	3	–	–	2	3	8	20	34	52	55	48	5
160-165	—	Malignant neoplasms of respiratory system	M.	12	–	–	–	–	–	–	–	–	1	5	3	3	–	92	–	–	–	–	–	–	–	8	22	35	16	9	2
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	13	–	–	–	–	–	–	1	–	4	3	2	2	1
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	15	–	–	1	–	–	2	2	3	3	2	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	1	–	–	–	1	2	–	1	2	4	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	13	–	–	–	–	–	–	–	–	2	2	3	6	–	200	–	–	1	1	–	1	3	12	21	34	67	54	6
			F.	23	–	–	–	–	–	–	1	–	3	6	9	3	1	205	–	2	–	–	2	2	5	20	29	47	49	45	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	1	–	–	1	3	2	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	21	–	–	–	–	–	–	–	1	1	7	8	3	1
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	2	1	3	6	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	3	1	–	1	2	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	15	–	–	–	–	–	2	–	2	6	2	2	–	1
330-334	22	Vascular lesions affecting central nervous system	M.	17	–	–	–	–	–	–	–	–	4	3	3	6	1	231	–	–	1	–	–	1	2	2	9	42	72	84	18
			F.	34	–	–	–	–	–	–	–	–	3	2	11	16	2	328	–	–	–	–	–	1	2	7	27	37	90	125	39
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	1	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	1	1	–	–	–	–	–	–	1	–	–	1	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	19	–	–	–	2	1	2	2	3	–	4	4	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34	–	–	3	–	–	–	2	3	4	6	9	5	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	12	–	–	–	–	–	1	1	–	2	5	2	1	–
			F.	7	–	–	–	–	–	–	2	1	2	1	–	1	–	33	–	–	–	–	–	1	3	4	7	10	6	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	45	–	–	–	–	–	–	–	–	4	9	11	19	2	565	–	–	–	–	–	1	1	21	72	97	154	173	46
			F.	48	–	–	–	–	–	–	–	1	2	4	14	21	6	466	–	–	–	–	–	–	–	6	18	58	121	195	68
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	1	1	–	–	3	24	–	–	–	–	–	–	–	–	2	1	8	7	6
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	31	–	–	–	–	1	–	–	–	1	5	11	11	2
			M.	2											1	1		22									2	2	7	11	1

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			M.	7	–	–	–	–	–	–	–	1	2	2	–	2	55	–	12	2	1	1	–	1	–	–	4	14	16	4
490-493	31	Pneumonia (except of newborn)	F.	2	–	1	–	–	–	–	–	–	–	–	1	–	43	–	8	2	–	–	–	–	1	4	5	9	11	3
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	1	2	1	–	104	–	2	1	–	–	1	–	2	10	26	37	19	6
			F.	4	–	–	–	–	–	–	–	1	1	1	1	–	39	–	2	–	–	–	–	–	–	3	8	11	11	4
470-475, 510-527	46.3	Other respiratory diseases	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	105	–	–	–	–	–	–	–	2	5	24	44	29	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	1	–	–	–	3	–	1	1	4	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	28	–	–	–	–	–	–	–	3	5	12	6	1	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	8	–	–	–	–	–	–	–	–	1	1	1	4	1
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	–	2	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	13	2	–	–	–	–	–	–	–	1	2	5	2	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	10	–	1	–	–	–	–	–	1	1	6	–	1	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	3	1	–	–	–	–	–	–	1	2	3	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	13	–	4	–	–	–	–	1	–	–	2	5	1	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	1	–	–	–	1	–	2	2	2	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	–	–	1	–	–	–	3	3	5	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	3	3	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	1	1	–
590-594	38	Nephritis and nephrosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	–	–	1	1	1	3	5	3	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	1	1	1	2	2	3	3	–
610	39	Hyperplasia of prostate	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	25	–	–	–	–	–	–	–	–	–	1	8	11	5
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	–	–	–	–	–	1	2	1
			F.	3	–	–	–	–	–	–	–	–	2	1	–	–	20	–	1	–	–	–	–	2	1	3	7	5	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	4	2	1	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	11	–	–	–	1	–	–	1	–	2	3	4	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	1	–	2	–	4	2	1	1
750-759	41	Congenital malformations	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	26	11	9	–	1	1	2	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	19	7	6	3	–	1	–	–	1	–	1	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	49	49	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	–	–	–	–	–	–	–	–	–	–	8	8
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	–	–	–	–	–	–	–	–	1	11	6
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	11	–	2	–	–	1	–	–	1	2	2	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	12	–	3	1	–	–	–	–	–	1	3	3	1	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	13	–	–	–	–	–	–	2	3	2	3	3	–	–
			F.	4	–	–	–	–	–	–	–	2	1	–	1	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
E810-E835	E47	Motor vehicle accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	33	–	–	5	4	–	2	4	3	9	3	3	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	2	1	2	1	1	1	3	2	–	2	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	1	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	23	1	5	2	–	–	1	–	–	2	1	–	8	3
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	39	–	2	2	–	–	–	1	2	1	2	8	16	5
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	3	–	–	–	–	–	–	1	–	1	–	1	–	33	–	–	1	1	3	4	5	7	5	3	1	2	1
			F.	2	–	–	1	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	2	–	–	2	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		EDINBURGH COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	MIDLOTHIAN COUNTY (excluding County of City): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		6023	131	62	25	9	8	31	64	166	449	945	1620	1847	666	1164	44	16	5	3	5	8	20	37	106	203	291	340	86
		Males		2925	84	33	10	7	3	18	37	99	274	600	814	748	207	627	30	8	3	3	4	5	10	25	68	127	154	159	31
		Females		3098	47	29	15	2	5	13	27	76	175	345	806	1099	459	537	14	8	2	–	1	3	10	12	38	76	137	181	55
001-008	1	Tuberculosis of respiratory system	M.	19	–	–	1	–	–	–	2	1	4	4	5	2	–	5	–	–	–	–	–	–	–	1	–	2	2	–	–
			F.	10	–	–	–	–	–	–	4	2	1	–	1	1	1	3	–	–	–	–	–	–	–	1	–	1	–	–	1
010-019	2	Tuberculosis, other forms	M.	3	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	6	–	–	–	–	–	–	–	–	2	1	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	7	–	–	1	–	–	–	–	1	1	3	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	9	–	1	–	–	–	–	–	2	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
140-205	18	Malignant neoplasms. Total	M.	625	–	–	2	2	–	4	5	20	69	183	194	123	23	113	–	–	1	2	1	–	5	3	16	35	28	21	1
			F.	534	–	–	–	–	–	3	2	29	71	101	149	148	31	86	–	–	–	–	–	1	2	5	9	15	33	13	8
160-165	—	Malignant neoplasms of respiratory system	M.	245	–	–	–	–	–	–	1	8	34	90	85	24	3	39	–	–	–	–	–	–	1	3	7	14	10	4	–
			F.	51	–	–	–	–	–	–	–	3	5	13	15	12	3	5	–	–	–	–	–	–	–	1	1	–	3	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	20	–	–	1	1	–	1	4	2	1	6	1	3	–	11	–	–	1	1	1	–	4	–	–	2	1	1	–
			F.	29	–	–	–	–	–	–	–	2	6	5	10	5	1	7	–	–	–	–	–	1	1	–	–	–	4	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	360	–	–	1	1	–	3	–	10	34	87	108	96	20	63	–	–	–	1	–	–	–	–	9	19	17	16	1
			F.	454	–	–	–	–	–	3	2	24	60	83	124	131	27	74	–	–	–	–	–	–	1	4	8	15	26	12	8
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	10	–	–	–	–	–	–	–	5	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	19	–	–	–	–	–	–	–	–	6	1	6	6	–	5	–	–	–	–	–	–	–	2	–	1	1	1	–
			F.	27	–	–	–	–	–	–	–	1	1	8	6	11	–	7	–	–	–	–	–	–	–	–	–	2	4	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	–	–	1	3	1	7	2	4	–	–	–	–	–	–	–	–	–	–	–	4	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	15	–	–	–	–	–	1	1	–	3	4	4	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	29	–	1	1	–	–	2	3	1	3	3	7	7	1	3	–	–	–	–	–	–	–	–	1	1	–	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	377	–	–	–	–	1	–	1	6	18	55	110	151	35	78	–	–	–	–	–	–	–	–	5	11	27	33	2
			F.	562	–	–	–	–	–	1	2	2	18	62	159	236	82	88	–	–	–	–	–	–	1	2	6	13	21	34	11
340	23	Non-meningococcal meningitis	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	38	–	–	–	–	–	–	1	5	5	11	11	5	–	9	–	–	–	–	–	–	–	1	3	1	2	1	1
			F.	39	–	–	1	–	–	–	–	4	5	8	11	8	2	9	–	1	–	–	–	–	2	1	–	2	2	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	21	–	–	–	–	–	–	–	1	6	6	4	4	–	5	–	–	–	–	–	–	1	2	1	1	–	–	–
			F.	52	–	–	–	–	–	–	–	8	10	14	15	2	3	6	–	–	–	–	–	–	–	–	3	2	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	890	–	–	–	–	–	–	6	22	86	201	263	237	75	217	–	–	–	–	–	1	–	6	26	40	62	65	17
			F.	947	–	–	–	–	–	–	2	3	26	81	250	395	190	183	–	–	–	–	–	–	–	–	6	25	44	86	22
430-434	27	Other diseases of heart	M.	27	–	–	–	–	–	–	1	–	3	3	7	12	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	31	–	–	–	–	2	–	–	–	–	1	10	11	7	8	–	–	–	–	–	–	–	–	–	3	1	4	–
[illegible]	[illegible]	[illegible]	M.	57	–	–	–	–	–	–	–	–	3	3	20	25	6	6	–	–	–	–	–	–	–	–	–	1	2	3	–

480-483	30	Influenza	F.	5	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	104	–	6	2	–	–	1	2	–	7	13	31	30	12	22	–	1	–	–	–	–	–	–	–	3	7	8	3	–	–	–	–
			F.	111	–	6	–	1	–	–	1	2	1	8	23	44	25	33	–	4	–	–	–	–	–	–	3	3	8	11	4	–	–	–	–
500-502	32	Bronchitis	M.	133	–	1	1	–	–	–	–	1	13	45	40	26	6	25	–	–	–	–	–	–	–	–	1	9	8	6	1	–	–	–	–
			F.	58	–	1	–	–	–	–	1	1	2	5	21	17	10	8	–	1	1	–	–	–	1	–	–	–	1	3	1	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	30	–	2	–	–	–	–	3	2	2	5	12	4	–	10	–	–	–	–	–	–	–	–	–	6	3	1	–	–	–	–	–
			F.	12	–	1	–	–	–	–	1	–	1	2	4	2	1	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	36	–	–	–	–	–	–	–	1	4	8	12	10	1	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
			F.	19	–	–	–	–	–	–	–	–	2	–	10	5	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	5	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	17	1	–	–	–	–	–	1	–	–	2	6	5	2	5	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–
			F.	14	–	–	–	–	–	–	–	–	–	1	5	6	2	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	10	–	2	–	–	–	1	–	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	15	–	–	–	–	–	–	–	–	1	1	5	7	1	4	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	12	–	–	–	–	–	–	–	2	2	2	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	14	–	–	–	–	1	–	–	–	3	4	3	2	1	4	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	13	–	1	–	–	–	1	–	1	1	2	4	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	1	1	–	2	5	3	2	6	–	–	–	–	–	–	1	1	–	1	2	1	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	15	–	–	–	–	–	–	–	1	1	3	5	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	13	–	–	2	1	–	–	1	–	1	3	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	18	–	–	–	–	–	2	–	1	5	1	4	2	3	5	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–
			F.	9	–	–	–	–	–	–	1	–	–	2	2	4	–	5	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	34	–	–	–	–	–	–	–	–	–	1	8	19	6	8	–	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	18	–	2	–	–	–	–	–	1	–	2	5	6	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
			F.	19	–	–	–	–	–	–	1	1	1	3	8	4	1	5	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
			F.	25	–	–	–	–	–	–	–	1	1	3	10	9	1	4	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–
750-759	41	Congenital malformations	M.	35	20	10	–	1	–	–	1	–	1	2	–	–	–	8	4	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	28	12	8	4	–	1	1	–	–	–	–	2	–	–	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	35	35	–	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	18	1	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	26	26	–	–	–	–	–	–	–	–	–	–	–	–	14	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	12	–	–	–	–	–	–	–	–	–	–	1	5	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	–	–	–	–	–	–	1	5	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780-793, 795	45.1	Ill-defined and unknown causes	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	42	–	–	–	–	–	2	3	13	11	6	5	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	29	–	–	–	–	–	2	3	7	8	4	3	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	28	–	–	–	4	–	5	5	–	1	5	2	4	2	10	–	–	–	–	1	2	2	1	3	–	–	–	1	–	–	–	–
			F.	17	–	–	3	–	–	2	1	1	1	3	4	1	1	4	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	44	–	7	1	–	1	–	–	3	–	5	8	11	8	14	–	3	1	–	–	–	–	–	–	–	1	3	1	5	–	–	–
			F.	109	1	9	2	–	1	–	–	–	5	6	17	50	18	11	–	1	–	–	–	–	1	–	–	–	2	5	2	–	–	–	–
Remainder of E800-999	E48.2	Other violence (BE50)	M.	31	–	–	–	–	1	1	4	4	7	4	3	4	3	14	–	–	–	–	2	–	1	4	5	2	–	–	–	–	–	–	–
			F.	14	–	–	1	–	–	–	–	1	1	1	4	4	2	6	–	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		MORAY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	NAIRN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		535	13	8	6	–	2	8	11	16	37	56	155	159	64	125	3	–	2	1	1	2	2	3	12	17	27	42	13
		Males		265	9	6	5	–	–	7	8	11	20	32	78	66	23	56	3	–	1	1	–	2	1	2	8	8	12	15	3
		Females		270	4	2	1	–	2	1	3	5	17	24	77	93	41	69	–	–	1	–	1	–	1	1	4	9	15	27	10
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	37	–	–	–	–	–	–	1	1	7	6	12	9	1	12	–	–	–	–	–	–	1	–	–	5	2	4	–
			F.	42	–	–	–	–	–	–	1	1	8	7	13	11	1	14	–	–	–	–	–	–	–	–	2	7	2	3	–
160-165	—	Malignant neoplasms of respiratory system	M.	10	–	–	–	–	–	–	–	1	2	3	1	3	–	3	–	–	–	–	–	–	1	–	–	2	–	–	–
			F.	4	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	24	–	–	–	–	–	–	1	–	3	3	10	6	1	8	–	–	–	–	–	–	–	–	–	3	2	3	–
			F.	36	–	–	–	–	–	–	1	1	6	7	10	10	1	12	–	–	–	–	–	–	–	–	1	6	2	3	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	44	–	1	1	–	–	–	–	2	2	5	13	17	3	6	–	–	–	–	–	1	–	–	1	–	1	1	2
			F.	50	–	–	–	–	–	–	–	–	1	4	17	17	11	24	–	–	–	–	–	–	–	–	1	1	6	14	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	8	1	1	–	–	–	–	1	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	–	–	–	–	–	2	2	–	2	–	–	2	–	–	–	–	1	–	–	–	–	–	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	86	–	–	–	–	–	–	–	2	5	17	27	25	10	20	–	–	–	–	–	–	–	1	2	3	6	7	1
			F.	89	–	–	–	–	–	–	–	–	1	7	23	42	16	17	–	–	–	–	–	–	–	–	1	1	4	5	6
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	7	–	–	–	–	–	–	–	–	1	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–

480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	6	–	–	–	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	1	4	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis	M.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	8	–	–	1	–	–	3	1	–	2	–	1	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	3	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	1	–	–	1	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	12	1	–	–	–	–	4	3	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ORKNEY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PEEBLES COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		294	6	–	1	2	2	2	3	5	19	33	62	118	41	214	3	3	–	1	1	3	2	–	14	26	45	77	39
		Males		131	3	–	–	–	1	–	1	4	10	17	30	48	17	91	2	2	–	–	1	1	1	–	9	11	23	30	11
		Females		163	3	–	1	2	1	2	2	1	9	16	32	70	24	123	1	1	–	1	–	2	1	–	5	15	22	47	28
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms Total	M.	15	–	–	–	–	–	–	–	1	3	3	1	7	–	10	–	–	–	–	–	–	–	–	1	3	3	2	1
			F.	24	–	–	–	–	–	–	–	–	4	6	5	7	2	11	–	–	–	–	–	–	–	–	1	5	2	2	1
160-165	—	Malignant neoplasms of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	14	–	–	–	–	–	–	–	1	3	3	–	7	–	6	–	–	–	–	–	–	–	–	–	2	1	2	1
			F.	19	–	–	–	–	–	–	–	–	3	5	4	5	2	10	–	–	–	–	–	–	–	–	1	5	1	2	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	24	–	–	–	–	–	–	–	–	2	1	10	8	3	20	–	–	–	–	–	–	–	–	2	3	3	10	2
			F.	25	–	–	–	–	–	–	–	–	–	2	8	11	4	30	–	–	–	–	–	–	–	–	–	3	6	13	8
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	34	–	–	–	–	–	–	–	1	1	6	8	15	3	34	–	–	–	–	–	–	–	–	3	3	12	10	6
			F.	47	–	–	–	–	–	–	–	–	–	1	14	22	10	40	–	–	–	–	–	–	–	–	–	1	8	20	11
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–

490-493	31	Pneumonia (except of newborn)	M.	5	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	1	–	–	–	–	–	–	1	–	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1
500-502	32	Bronchitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	4	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	10	–	–	–	–	–	–	–	–	–	–	3	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	3	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	6	–	–	–	–	–	–	–	–	–	1	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	11	–	–	–	–	–	–	–	–	–	–	6	5	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4
780-793, 795	45.1	Ill-defined and unknown causes	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	1	1	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	1	1	1	–	1	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
			F.	3	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PERTH BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PERTH COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		528	18	6	4	1	1	1	6	17	41	76	160	137	60	1117	20	3	2	2	1	14	8	21	73	139	295	357	182
		Males		263	12	4	1	1	–	1	5	7	27	46	87	50	22	540	11	1	2	1	–	11	4	11	42	70	160	161	66
		Females		265	6	2	3	–	1	–	1	10	14	30	73	87	38	577	9	2	–	1	1	3	4	10	31	69	135	196	116
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	1	–	1	2	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	47	–	–	–	1	–	–	1	3	8	10	15	7	2	102	–	–	1	–	–	1	1	2	9	21	34	25	8
			F.	46	–	–	–	–	–	–	–	2	5	12	9	13	5	110	–	–	–	1	–	–	2	3	12	28	25	28	11
160-165	—	Malignant neoplasms of respiratory system	M.	16	–	–	–	–	–	–	–	–	4	4	6	1	1	23	–	–	–	–	–	–	–	1	2	9	9	2	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	8	–	–	–	–	–	–	–	–	–	3	3	2	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	–	1	–	–	1	2	–	–	9	–	–	1	–	–	1	–	1	2	2	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	1	–	–	1	–	2	1	–	1	1
140-159, 170-199	—	Other malignant neoplasms	M.	27	–	–	–	1	–	–	–	3	4	5	7	6	1	70	–	–	–	–	–	–	1	–	5	10	23	23	8
			F.	43	–	–	–	–	–	–	–	2	4	12	8	12	5	95	–	–	–	–	–	–	1	3	10	24	22	25	10
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	–	–	1	3	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	31	–	–	–	–	–	–	–	1	2	2	13	9	4	73	–	–	–	–	–	–	–	–	2	6	23	32	10
			F.	38	–	–	–	–	–	–	–	–	2	3	13	12	8	116	–	–	–	–	–	–	1	–	5	9	32	49	20
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	9	–	–	–	–	–	1	–	3	1	–	–	4	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	8	–	–	–	–	1	1	–	–	1	1	2	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	1	1	1	1	–	–	–
			F.	5	–	–	–	–	–	–	1	2	–	–	1	–	1	6	–	–	–	–	–	–	–	1	1	2	2	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	80	–	–	–	–	–	–	–	1	8	17	26	20	8	201	–	–	–	–	–	1	–	1	11	29	62	69	28
			F.	87	–	–	–	–	–	–	–	–	2	5	28	36	16	198	–	–	–	–	–	–	–	2	7	9	37	79	64
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	1	1	1	1	1
			M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–

490-493	31	Pneumonia (except of newborn)	M.	14	–	1	–	–	–	–	–	–	–	11	1	1	19	–	–	1	–	–	–	–	–	–	2	7	6	3
			F.	13	–	1	1	–	–	–	–	1	–	4	5	1	14	–	1	–	–	–	–	–	–	–	2	6	2	3
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	1	–	2	2	2	1	7	–	–	–	–	–	–	–	–	1	–	3	1	2
			F.	4	–	–	–	–	–	–	–	1	–	–	3	–	8	–	–	–	–	–	–	–	–	1	–	5	1	
470-475, 510-527	46.3	Other respiratory diseases	M.	5	–	–	–	–	–	–	–	2	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	
			F.	4	–	–	–	–	–	–	–	–	–	2	2	–	5	–	–	–	–	–	–	–	–	–	1	3	1	
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	5	–	–	–	–	–	–	–	–	–	2	2	–	1
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	2
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
590-594	38	Nephritis and nephrosis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	–	–	–	3	1	–
610	39	Hyperplasia of prostate	M.	5	–	–	–	–	–	–	–	–	–	1	3	–	9	–	–	–	–	–	–	–	–	–	1	–	5	3
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	1	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	1	1	2	3	2	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	3	1	–	–	–
			F.	3	–	–	–	–	1	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1
750-759	41	Congenital malformations	M.	3	1	1	1	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	1	–	–
			F.	3	1	1	1	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	7	–	–	–	–	–	–	–	–	–	–	1	1	5
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	8	–	–	–	–	–	–	–	–	–	–	–	1	7
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	6	–	–	–	–	–	–	1	4	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	16	–	–	–	–	–	5	1	2	6	–	1	1	–
			F.	4	–	–	–	–	–	–	1	–	2	1	–	–	4	–	–	–	–	–	1	–	1	–	1	1	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	7	–	1	–	–	–	–	–	–	1	2	1	2	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	9	–	–	–	–	–	–	2	–	–	3	4	–	5	–	1	–	–	–	–	–	1	–	–	3	–	
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	3	–	–	–	–	–	2	–	–	–	–	1	–	10	–	–	–	–	–	3	1	2	1	1	2	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		GREENOCK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PAISLEY BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		880	33	24	6	2	5	11	10	24	75	164	240	231	55	1187	37	23	6	3	–	11	16	43	101	202	330	328	87
		Males		440	13	11	3	2	1	5	4	13	45	100	122	100	21	610	26	13	2	2	–	6	10	19	60	122	176	152	22
		Females		440	20	13	3	–	4	6	6	11	30	64	118	131	34	577	11	10	4	1	–	5	6	24	41	80	154	176	65
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	1	2	2	1	2	–	–	11	–	–	–	–	–	–	–	–	2	6	3	–	–
			F.	8	–	–	–	–	–	–	2	2	–	2	2	–	–	4	–	–	–	–	–	–	3	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
140-205	18	Malignant neoplasms. Total	M.	96	–	–	–	1	–	2	1	2	16	35	20	18	1	114	–	–	–	–	–	1	2	8	12	31	36	22	2
			F.	67	–	–	–	–	2	1	1	2	11	16	19	14	1	96	–	–	–	–	–	–	1	8	13	18	31	20	5
160-165	—	Malignant neoplasms of respiratory system	M.	29	–	–	–	–	–	–	–	1	8	13	6	1	–	46	–	–	–	–	–	–	–	5	6	20	9	6	–
			F.	9	–	–	–	–	–	–	–	1	2	1	3	2	–	9	–	–	–	–	–	–	1	–	2	1	4	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	5	–	–	–	1	–	–	–	–	–	3	1	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
			F.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	1
140-159, 170-199	—	Other malignant neoplasms	M.	62	–	–	–	–	–	2	1	1	8	19	13	17	1	64	–	–	–	–	–	1	2	3	5	11	25	15	2
			F.	55	–	–	–	–	2	–	1	1	9	14	15	12	1	84	–	–	–	–	–	–	–	7	11	17	26	19	4
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	10	–	–	–	–	–	–	–	–	–	3	5	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	7	–	–	–	–	–	–	–	1	–	2	1	3	–
330-334	22	Vascular lesions affecting central nervous system	M.	40	–	–	–	–	–	–	–	–	5	4	14	15	2	95	–	1	–	–	–	–	–	–	5	15	36	33	5
			F.	83	–	–	–	–	1	1	–	–	3	10	29	35	4	138	–	–	–	–	–	–	–	–	8	17	40	52	21
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	8	–	–	–	–	–	–	–	1	3	1	2	1	–	9	–	–	–	1	–	–	–	–	2	2	2	1	1
			F.	6	–	–	1	–	–	–	–	1	1	1	–	1	1	3	–	1	–	–	–	–	–	–	–	1	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–	–	–
			F.	5	–	–	–	–	–	1	–	1	1	2	–	–	–	13	–	–	–	–	–	–	–	4	5	3	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	131	–	–	–	–	–	–	–	1	9	30	44	34	13	194	–	–	–	–	–	–	2	4	21	40	62	54	11
			F.	137	–	–	–	–	–	–	–	1	6	18	37	54	21	144	–	–	–	–	–	–	–	3	6	23	35	50	27
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	5	–	–	–	–	–	–	1	–	–	–	2	2	–
			F.	7	–	–	–	–	–	–	–	–	1	–	2	3	1	6	–	–	–	–	–	1	–	–	1	–	1	2	1

490-493	31	Pneumonia (except of newborn)	F.	14	–	3	–	–	–	–	1	–	–	2	4	4	–	23	–	2	3	–	–	–	–	–	1	1	8	6	2
500-502	32	Bronchitis	M.	23	–	–	–	–	–	–	–	1	4	6	9	3	–	27	–	1	–	–	–	–	–	–	4	9	10	3	–
			F.	6	–	–	–	–	–	–	–	–	–	2	1	2	1	14	–	–	–	–	–	–	1	–	1	1	5	3	3
470-475, 510-527	46.3	Other respiratory diseases	M.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	7	–	–	–	–	–	–	–	–	1	2	1	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	–	–	–	1	3	4	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	2	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	5	–	–	–	–	–	–	–	–	1	–	2	2	–
580, 582-586	46.4	Other diseases of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	5	–	–	–	–	–	1	1	1	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
610	39	Hyperplasia of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	–	–	–	1	4	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	2	–	1	2	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	1	–	–	–	2	1	2	–
750-759	41	Congenital malformations	M.	5	1	2	–	–	–	–	1	–	–	1	–	–	–	7	5	–	–	–	–	–	–	1	1	–	–	–	–
			F.	7	2	2	–	–	1	1	–	–	1	–	–	–	–	10	3	6	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	6	–	–	–	–	–	–	–	–	–	–	–	5	1
780-793, 795	45.1	Ill-defined and unknown causes	M.	9	–	–	–	–	–	–	–	–	–	4	3	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	8	–	4	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	4	–	–	–	–	–	–	–	1	1	1	1	–	–	6	–	–	–	–	–	1	1	1	2	–	–	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	7	–	–	1	1	–	2	–	1	–	–	2	–	–	7	–	–	–	–	–	1	2	1	1	–	1	1	–
			F.	2	–	–	1	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	1	–	2	–	–	–	1	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	6	–	3	–	–	–	–	–	–	–	1	1	1	–	7	–	–	–	–	–	–	–	1	–	1	1	3	1
			F.	7	1	2	1	–	–	1	1	–	–	–	1	–	–	13	–	1	–	1	–	–	–	–	4	1	3	3	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	11	–	–	1	–	1	–	1	1	2	3	–	1	1	3	–	–	1	1	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PORT GLASGOW BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	RENFREW COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		211	13	3	3	2	1	3	7	6	24	39	50	47	13	1669	49	21	9	8	8	14	14	50	133	295	418	496	154
		Males		131	8	2	–	–	1	3	4	5	17	25	32	26	8	865	34	13	4	5	7	10	6	28	78	189	213	222	56
		Females		80	5	1	3	2	–	–	3	1	7	14	18	21	5	804	15	8	5	3	1	4	8	22	55	106	205	274	98
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	7	–	–	–	–	–	–	–	1	2	3	–	1	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	21	–	–	–	–	–	–	1	1	3	3	6	6	1	162	–	–	–	–	1	1	1	4	22	42	53	35	3
			F.	12	–	–	–	–	–	–	2	–	1	3	–	6	–	142	–	–	2	1	–	2	4	5	20	27	39	30	12
160-165	—	Malignant neoplasms of respiratory system	M.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	60	–	–	–	–	–	1	–	3	11	19	19	7	–
			F.	5	–	–	–	–	–	–	1	–	–	2	–	2	–	13	–	–	–	–	–	–	–	1	3	2	4	3	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	8	–	–	–	–	–	–	1	–	1	3	3	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	10	–	–	2	1	–	1	1	1	–	–	2	1	1
140-159, 170-199	—	Other malignant neoplasms	M.	16	–	–	–	–	–	–	–	1	2	2	4	6	1	94	–	–	–	–	1	–	–	1	10	20	31	28	3
			F.	6	–	–	–	–	–	–	–	–	1	1	–	4	–	119	–	–	–	–	–	–	1	3	17	25	33	26	11
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	1	1	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	16	–	–	–	–	–	–	1	–	1	3	7	4	–	116	–	–	–	–	–	1	–	2	4	19	34	43	13
			F.	15	–	–	–	–	–	–	–	–	–	4	6	5	–	153	–	–	–	–	–	1	–	4	6	19	39	66	18
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	2	–	–	–	–	1	–	1	–	–	–	–	–	–	13	–	1	–	1	–	1	–	1	3	3	3	–	–
			F.	3	–	–	–	–	–	–	1	–	1	1	–	–	–	11	–	–	–	–	–	–	2	3	2	1	3	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	10	–	–	–	–	–	–	–	2	–	5	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	21	–	–	–	–	–	–	–	2	5	6	6	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	41	–	–	–	–	–	–	–	1	6	11	12	8	3	261	–	–	–	–	–	–	1	4	25	72	63	77	19
			F.	15	–	–	–	–	–	–	–	–	–	5	3	5	2	265	–	–	–	–	–	–	–	2	4	22	72	127	38
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	13	–	–	–	–	–	–	1	–	1	2	2	7	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	3	1	5	1

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	3	–	1	–	–	–	–	–	–	1	–	1	–	27	–	3	1	–	2	–	–	–	–	3	6	7	5	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	1	1	–	18	–	2	1	–	–	–	–	–	3	1	3	6	2	–	–	–	–
500-502	32	Bronchitis	M.	7	–	–	–	–	–	–	–	2	2	2	1	–	38	–	–	–	–	–	–	–	–	5	16	10	5	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	22	–	2	–	1	–	–	–	–	2	4	7	3	3	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	1	3	–	1	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	9	–	–	–	–	–	–	–	1	2	3	2	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	6	–	–	–	–	–	–	1	–	2	–	1	1	1	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	2	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	–	–	–	–	–	2	9	3	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–
750-759	41	Congenital malformations	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	13	6	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	–	1	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	–	–	1	3	3	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	3	–	–	–	–	–	1	–	–	2	–	–	–	11	–	–	–	1	2	1	–	3	2	–	2	–	–	–	–	–	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	17	–	5	–	–	–	1	1	–	3	1	3	2	1	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	—	13	–	2	1	–	–	1	–	1	1	1	–	5	1	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	4	–	–	–	–	–	–	1	1	1	1	–	–	16	1	–	1	3	1	1	2	2	1	1	1	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ROSS & CROMARTY COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	INSULAR PORTION OF ROSS AND CROMARTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		797	13	2	6	–	2	12	10	25	50	93	185	256	143	318	5	1	–	–	1	3	6	9	26	33	63	107	64
		Males		402	8	1	3	–	1	10	9	18	26	56	100	118	52	145	3	–	–	–	1	1	5	7	14	18	29	43	24
		Females		395	5	1	3	–	1	2	1	7	24	37	85	138	91	173	2	1	–	–	–	2	1	2	12	15	34	64	40
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	1	2	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	76	–	–	–	–	–	1	3	3	9	21	23	9	7	25	–	–	–	–	–	1	2	–	4	6	7	1	4
			F.	46	–	–	–	–	–	–	–	1	7	7	17	10	4	15	–	–	–	–	–	–	–	–	4	3	5	3	–
160-165	—	Malignant neoplasms of respiratory system	M.	21	–	–	–	–	–	–	–	2	3	10	5	1	–	6	–	–	–	–	–	–	–	–	2	3	1	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	4	–	–	–	–	–	1	1	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	51	–	–	–	–	–	–	2	1	6	10	18	7	7	18	–	–	–	–	–	–	2	–	2	3	6	1	4
			F.	39	–	–	–	–	–	–	–	1	6	7	13	8	4	13	–	–	–	–	–	–	–	–	4	3	4	2	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	–	1	4	2	3	–	–	–	–	–	–	–	–	–	–	–	1	2
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	4	–	–	–	–	–	1	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	65	–	–	–	–	–	–	1	–	2	8	11	34	9	23	–	–	–	–	–	–	1	–	2	3	3	9	5
			F.	78	–	–	–	–	–	–	–	–	4	14	13	32	15	26	–	–	–	–	–	–	–	–	2	5	5	11	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	–	–	1	1	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	5	–	–	–	–	–	1	–	–	1	–	–	2	1	3	–	–	–	–	–	1	–	–	–	–	–	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	130	–	–	–	–	–	–	–	3	3	18	43	47	16	48	–	–	–	–	–	–	–	1	–	5	15	21	6
			F.	130	–	–	–	–	–	–	–	2	2	7	28	51	40	61	–	–	–	–	–	–	–	1	1	3	10	29	17
430-434	27	Other diseases of heart	M.	7	–	–	–	–	–	–	–	–	–	1	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	4	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
440-443	28	Hypertensive heart disease	M.	11	–	–	–	–	–	–	–	–	1	2	5	3	–	9	–	–	–	–	–	–	–	–	1	2	3	3	–
			F.	[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	F.	3	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	7	–	–	1	–	–	–	–	2	–	1	3	–	3	–	–	–	–	–	–	–	–	2	–	–	1	–
			F.	8	–	1	1	–	–	–	–	–	–	2	3	1	3	–	1	–	–	–	–	–	–	–	–	1	1	–
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	2	1	–	2	1	3	–	–	–	–	–	–	–	–	2	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
470-475, 510-527	46.3	Other respiratory diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	2	1	1	–	–	1	4	–	–	–	–	–	–	–	1	1	1	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
590-594	38	Nephritis and nephrosis	M.	6	–	–	–	–	–	–	1	1	1	–	2	1	3	–	–	–	–	–	–	1	1	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
610	39	Hyperplasia of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	1	–	–	1	1	1	1	2	–	–	–	–	–	–	1	–	–	–	–	–	1
750-759	41	Congenital malformations	M.	5	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	2	–	1	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	12	–	–	–	–	–	–	–	–	–	2	5	5	4	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	21	–	–	–	–	–	–	–	–	–	1	8	12	10	–	–	–	–	–	–	–	–	–	–	–	2	8
780-793, 795	45.1	Ill-defined and unknown causes	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	8	–	–	–	–	–	4	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	8	–	–	–	–	1	2	1	2	1	–	–	1	–	2	–	–	–	–	1	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ROXBURGH COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	SELKIRK COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		590	5	1	–	–	–	4	4	8	38	95	135	218	82	312	4	–	–	1	–	1	6	5	22	43	82	108	40
		Males		274	3	1	–	–	–	2	1	4	24	63	69	80	27	128	2	–	–	–	–	–	3	1	12	22	35	41	12
		Females		316	2	–	–	–	–	2	3	4	14	32	66	138	55	184	2	–	–	1	–	1	3	4	10	21	47	67	28
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms . Total	M.	56	–	–	–	–	–	–	–	1	9	15	11	16	4	24	–	–	–	–	–	–	–	1	3	5	8	7	–
			F.	46	–	–	–	–	–	1	–	2	7	9	9	15	3	37	–	–	–	1	–	–	2	–	6	6	11	7	4
160-165	—	Malignant neoplasms of respiratory system	M.	9	–	–	–	–	–	–	–	–	4	4	1	–	–	6	–	–	–	–	–	–	–	–	1	2	2	1	–
			F.	5	–	–	–	–	–	–	–	–	1	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-159, 170-199	—	Other malignant neoplasms	M.	47	–	–	–	–	–	–	–	1	5	11	10	16	4	17	–	–	–	–	–	–	–	–	2	3	6	6	–
			F.	40	–	–	–	–	–	–	–	2	6	7	7	15	3	35	–	–	–	1	–	–	2	–	6	6	10	6	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	1	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	–	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	41	–	–	–	–	–	–	1	–	1	6	12	19	2	29	–	–	–	–	–	–	–	–	1	3	7	14	4
			F.	59	–	–	–	–	–	–	–	–	1	5	14	28	11	42	–	–	–	–	–	1	–	1	1	4	17	13	5
340	23	Non-meningococcal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	1	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	1	–	1	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	104	–	–	–	–	–	–	–	2	9	30	31	23	9	40	–	–	–	–	–	–	–	–	5	7	15	9	4
			F.	124	–	–	–	–	–	–	–	–	1	11	20	62	30	54	–	–	–	–	–	–	–	–	–	2	13	28	11
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	–	2	2	1	5	–	–	–	–	–	–	–	–	1	–	1	2	1
			F.	8	–	–	–	–	–	–	–	–	–	–	3	3	2	5	–	–	–	–	–	–	–	–	–	1	1	3	–
440-443	28	Hypertensive heart disease	M.	5	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

450-468	46.2	Other circulatory disease	F.	12	–	–	–	–	–	–	–	–	–	1	1	9	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	F.	8	–	–	–	–	–	–	–	–	–	1	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			M.	8	–	–	–	–	–	–	–	–	–	3	2	2	1	6	–	–	–	–	–	–	1	–	1	2	–	2	–	–	–	–	–	–
500-502	32	Bronchitis	F.	6	–	–	–	–	–	–	–	–	–	1	1	2	2	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
			M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
560, 561, 570	35	Intestinal obstruction and hernia	F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	F.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	8	–	–	–	–	–	–	–	–	–	–	–	3	5	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	3	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	1	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		FALKIRK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	STIRLING BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		464	14	–	2	–	2	4	6	15	44	79	118	141	39	319	3	4	1	2	1	2	8	13	24	61	72	98	30
		Male		252	10	–	1	–	2	4	4	8	28	49	62	69	15	169	3	3	–	1	–	2	4	7	12	30	41	59	7
		Females		212	4	–	1	–	–	–	2	7	16	30	56	72	24	150	–	1	1	1	1	–	4	6	12	31	31	39	23
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	1	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	1	–	1	2	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	57	–	–	–	–	–	1	–	2	11	16	17	10	–	32	–	–	–	–	–	–	2	1	2	10	8	9	–
			F.	38	–	–	1	–	–	–	–	–	7	8	10	12	–	31	–	–	–	–	–	–	–	5	4	7	5	8	2
160-165	—	Malignant neoplasms of respiratory system	M.	19	–	–	–	–	–	–	–	1	5	8	5	–	–	8	–	–	–	–	–	–	–	–	1	4	1	2	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	5	–	–	–	–	–	–	–	1	2	1	1	–	–	3	–	–	–	–	–	–	2	–	–	–	1	–	–
			F.	4	–	–	1	–	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	33	–	–	–	–	–	1	–	–	4	7	11	10	–	21	–	–	–	–	–	–	–	1	1	6	6	7	–
			F.	31	–	–	–	–	–	–	–	–	6	4	9	12	–	28	–	–	–	–	–	–	–	4	3	7	4	8	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	3	–	1
330-334	22	Vascular lesions affecting central nervous system	M.	38	–	–	–	–	–	–	1	1	3	4	12	15	2	26	–	–	–	–	–	–	–	–	1	5	4	11	5
			F.	53	–	–	–	–	–	–	–	1	4	7	15	21	5	29	–	–	–	–	–	–	1	–	1	9	7	11	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	1	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	1	1	1	1	1	–	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	82	–	–	–	–	–	1	–	–	9	12	19	33	8	51	–	–	–	–	–	–	–	3	5	10	11	22	–
			F.	52	–	–	–	–	–	–	–	1	–	5	16	22	8	31	–	–	–	–	–	–	–	–	3	5	7	8	8
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	–	1	–
440-443	28	Hypertensive heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
444-447	29	Other hypertensive disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

			F.	8	–	–	–	–	–	–	–	–	–	1	1	6	9	–	–	–	–	–	–	–	–	–	–	–	–	4	5
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	4	–	–	–	–	–	–	–	2	–	–	2	–	8	–	–	–	–	–	–	–	–	–	–	4	4	–
			F.	10	–	–	–	–	–	–	1	1	2	2	3	1	8	–	–	–	–	–	–	–	1	1	2	2	2
500-502	32	Bronchitis	M.	15	–	–	–	–	–	–	–	1	5	7	2	–	8	–	–	–	–	–	–	–	–	2	4	2	–
			F.	5	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.3	Other respiratory diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	3	1	1	–	4	–	–	–	–	–	–	1	1	–	–	2	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–
610	39	Hyperplasia of prostate	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	1	2	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1
750-759	41	Congenital malformations	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
E810-E835	E47	Motor vehicle accidents	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	3	–	–	–	–	1	–	1	–	–	–	–	1	2	–	1	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	–	–	3	1	2	–	–	–	–	–	–	–	–	–	2	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	5	–	–	–	–	1	–	1	–	–	1	1	–	3	–	–	–	–	–	1	1	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		STIRLING COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	SUTHERLAND COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		1320	45	16	4	8	–	15	25	55	104	200	350	391	107	198	4	2	1	1	1	2	4	7	10	21	42	67	36
		Males		725	27	8	1	5	–	11	20	31	56	127	196	203	40	91	3	–	–	1	1	1	1	5	5	10	18	26	20
		Females		595	18	8	3	3	–	4	5	24	48	73	154	188	67	107	1	2	1	–	–	1	3	2	5	11	24	41	16
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	1	1	4	2	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	112	–	–	–	–	–	2	1	7	15	28	33	25	1	9	–	–	–	–	–	–	–	–	1	3	2	2	1
			F.	108	–	–	–	1	–	1	–	12	22	18	28	23	3	17	–	–	–	–	–	–	1	–	2	5	5	4	–
160-165	—	Malignant neoplasms of respiratory system	M.	27	–	–	–	–	–	–	–	1	6	10	7	2	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	4	–	–	–	–	–	–	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	11	–	–	–	–	–	2	–	1	–	2	4	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	1	–	–	–	–	1	–	4	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	74	–	–	–	–	–	–	1	5	9	16	22	21	–	5	–	–	–	–	–	–	–	–	–	2	1	1	1
			F.	98	–	–	–	–	–	1	–	11	20	18	23	22	3	15	–	–	–	–	–	–	–	–	2	5	4	4	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	9	–	–	–	–	–	–	–	–	1	1	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	96	–	–	–	–	–	–	1	–	5	8	24	48	10	12	–	–	–	–	–	–	–	–	–	–	5	4	3
			F.	98	–	–	–	–	–	–	–	2	8	12	29	36	11	19	–	–	–	–	–	–	–	1	1	3	7	5	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	12	–	–	–	–	–	1	2	1	1	2	3	2	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
			F.	18	–	–	–	–	–	1	–	2	6	2	4	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	10	–	–	–	–	–	–	1	–	2	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	15	–	–	–	–	–	–	2	2	1	1	1	7	1	2	–	–	–	–	–	–	1	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	243	–	–	–	–	–	–	1	4	13	49	76	83	17	29	–	–	–	–	–	–	–	1	–	4	7	8	9
			F.	186	–	–	–	–	–	–	2	4	4	18	61	67	30	31	–	–	–	–	–	–	–	–	–	1	7	19	4
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	1	1	1	–	–	1	2	–	4	–	–	–	–	–	–	–	–	1	2	–	–	1
			F.	18	–	–	–	–	–	–	–	–	1	1	8	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertensive heart disease	M.	12	–	–	–	–	–	–	–	–	1	2	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	2	1	7	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	[illegible]	M.	9	–	–	–	–	–	–	–	1	–	1	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	17	–	2	–	–	–	1	–	3	1	3	4	3	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	19	–	1	–	1	–	–	–	1	–	3	4	7	2	6	1	–	–	–	–	–	–	1	–	–	–	2	2
500-502	32	Bronchitis	M.	28	–	–	–	–	–	–	–	2	5	10	6	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
470-475, 510-527	46.3	Other respiratory diseases	M.	21	–	–	–	–	–	–	–	1	1	4	12	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	1	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
550-553	34	Appendicitis	M.	3	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	7	–	–	–	1	–	–	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	1	–	–	–	–	2	–	–	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate	M.	14	–	–	–	–	–	–	–	–	–	2	4	7	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	–	–	2	3	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations	M.	7	3	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	6	3	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	10	–	–	–	–	–	–	–	–	–	–	1	7	2	3	–	–	–	–	–	–	–	–	–	–	–	–	3
			F.	14	–	–	–	–	–	–	–	–	–	–	–	8	6	8	–	–	–	–	–	–	–	–	–	–	–	5	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	12	–	–	–	1	–	3	2	2	2	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	6	1	2	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	15	–	1	2	–	–	–	–	1	–	1	2	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	23	–	–	1	1	–	3	4	4	2	3	3	1	1	5	–	–	–	1	1	1	–	2	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification		Causes of Death		WEST LOTHIAN COUNTY															WIGTOWN COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		922	32	16	2	3	3	7	10	29	79	150	252	258	81	387	11	4	1	–	1	3	5	11	35	59	105	111	41
		Males		512	19	10	1	2	3	3	6	16	51	97	127	137	40	194	10	3	–	–	–	1	4	7	21	32	57	45	14
		Females		410	13	6	1	1	–	4	4	13	28	53	125	121	41	193	1	1	1	–	1	2	1	4	14	27	48	66	27
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	1	–	–	2	1	–	–		1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–		1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	1	–	–	–	1	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–		1	–	–	–	–	–	1	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms . Total	M.	89	–	–	–	–	–	1	2	1	12	25	26	21	1	28	–	–	–	–	–	–	–	1	5	10	8	3	1
			F.	64	1	–	–	–	–	1	1	3	5	14	25	12	2	33	–	–	–	–	1	–	–	1	5	10	11	1	4
160-165	—	Malignant neoplasms of respiratory system	M.	32	–	–	–	–	–	–	–	–	4	12	7	9	–	9	–	–	–	–	–	–	–	1	1	5	1	1	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	8	–	–	–	–	–	1	–	–	2	3	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	1	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	49	–	–	–	–	–	–	2	1	6	10	19	11	–	18	–	–	–	–	–	–	–	–	3	5	7	2	1
			F.	56	–	–	–	–	–	–	1	3	5	12	21	12	2	32	–	–	–	1	–	–	–	1	5	9	11	1	4
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	2	2	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1
330-334	22	Vascular lesions affecting central nervous system	M.	64	–	–	–	–	–	–	–	1	5	8	16	25	9	33	–	–	–	–	–	–	–	2	4	2	10	14	1
			F.	82	–	–	–	–	–	1	–	3	7	6	30	30	5	42	–	–	–	–	–	–	–	–	2	4	13	16	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	4	–	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	6	–	–	–	–	–	–	–	1	1	2	1	1	–	4	–	–	1	–	–	–	–	1	–	–	–	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	–	3	1	2	–	–	–	6	–	–	–	–	–	–	–	–	–	2	4	–	–
			F.	12	–	–	–	–	–	–	1	–	2	6	1	2	–	6	–	–	–	–	–	–	–	–	–	1	1	3	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	145	–	–	–	–	–	–	–	4	17	32	38	45	9	58	–	–	–	–	–	–	–	1	3	10	25	13	6
			F.	110	–	–	–	–	–	–	–	–	4	13	35	41	17	57	–	–	–	–	–	–	–	–	3	7	11	27	9
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	7	–	–	–	–	–	–	–	2	1	1	3	–	–	6	–	–	–	–	–	–	–	–	–	–	2	4	–
440-443	28	Hypertensive heart disease	M.	13	–	–	–	–	–	–	–	–	2	2	4	2	3	7	–	–	–	–	–	–	–	–	1	3	1	2	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	4	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1

			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	25	–	3	–	–	1	–	1	–	3	2	7	5	3	6	–	2	–	–	–	–	–	–	1	–	–	3	–
			F.	21	–	2	–	–	–	1	–	1	2	3	–	8	4	2	–	–	–	–	–	–	–	–	–	–	–	2	–
500-502	32	Bronchitis	M.	25	–	–	–	–	–	–	–	–	3	7	7	3	5	4	–	–	–	–	–	–	–	1	–	–	1	2	–
			F.	8	–	1	–	–	–	–	–	–	–	2	4	1	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
470-475, 510-527	46.3	Other respiratory diseases	M.	15	–	–	–	–	1	–	–	–	1	2	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	–	–	–	3	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
581	37	Cirrhosis of liver	M.	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.4	Other diseases of liver	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	1	1	4	–	4	–	–	–	–	–	–	–	–	–	1	–	2	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis	M.	4	–	–	–	–	–	–	–	2	1	–	1	–	–	5	–	–	–	–	–	–	1	–	1	–	2	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
610	39	Hyperplasia of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–	1	3	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations	M.	4	1	2	–	–	–	–	1	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	4	1	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Ill-defined and unknown causes	M.	3	–	1	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	3	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	4	–	–	–	1	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	6	–	4	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–	–	1
			F.	9	–	–	–	–	–	–	1	–	–	–	3	–	5	5	–	1	–	–	–	–	–	–	2	–	1	1	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	7	–	–	1	–	–	–	–	2	1	2	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 46. Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ZETLAND COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		275	6	2	–	–	–	–	5	10	16	25	61	97	53
		Males		119	3	1	–	–	–	–	4	6	7	16	30	34	18
		Females		156	3	1	–	–	–	–	1	4	9	9	31	63	35
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms . Total	M.	21	–	–	–	–	–	–	1	2	2	2	8	4	2
			F.	20	–	–	–	–	–	–	–	1	1	3	6	6	3
160-165	—	Malignant neoplasms of respiratory system	M.	4	–	–	–	–	–	–	–	2	–	–	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-159, 170-199	—	Other malignant neoplasms	M.	16	–	–	–	–	–	–	1	–	2	2	5	4	2
			F.	19	–	–	–	–	–	–	–	1	1	3	6	5	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.0	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	–	2
330-334	22	Vascular lesions affecting central nervous system	M.	17	–	–	–	–	–	–	–	–	2	1	5	5	4
			F.	27	–	–	–	–	–	–	–	1	2	1	6	9	8
340	23	Non-meningococcal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.1	Other diseases of nervous system	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	47	–	–	–	–	–	–	–	2	2	8	13	13	9
			F.	55	–	–	–	–	–	–	–	2	2	2	10	25	14
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	–	2	–	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–
440-443	28	Hypertensive heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1
444-447	29	Other hypertensive disease	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–

490-493	31	Pneumonia (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	1	–	–	–	–	–	1	1	–	1	–
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	1	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.3	Other respiratory diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–
543	36.0	Gastritis and duodenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.1	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.4	Other diseases of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–
610	39	Hyperplasia of prostate	M.	2	–	–	–	–	–	–	–	–	–	–	2	–
600-609, 611-637	46.6	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.7	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1
750-759	41	Congenital malformations	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.0	Pneumonia of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.1	Diarrhœa of newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.2	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility without mention of psychosis	M.	2	–	–	–	–	–	–	–	–	–	–	1	1
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3
780-793, 795	45.1	Ill-defined and unknown causes	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-E979	E49	Suicide and self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-E835	E47	Motor vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-E845	E48.0	Other road vehicle accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E870-E936 (part) E961(pt) E962(pt)	E48.1	Accidents in the home	M.	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–
Remainder of E800-E999	E48.2	Other violence (BE50)	M.	6	–	–	–	–	–	3	2	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
*Including typhoid fever, scarlet fever, streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958

International Classification: Detailed List	International Classification: Abbreviated List "B"		Scotland	Counties of Cities	Large Burghs	Counties, ex Counties of Cities and Large Burghs	Small Burghs	Landward	Aberdeen County: Aberdeen County	Aberdeen County: Aberdeen County of City
		Population (Estimated), 30th June, 1958	5,168,992	1,912,884	867,844	2,388,264	867,691	1,520,573	325,931	186,350
		Total Live Births Registered (including Illegitimate)	99,481	41,451	22,896	35,134	14,207	20,927	6,112	4,164
		,, Corr. for Mother's Resid. (,)	99,481	37,434	17,926	44,121	16,016	28,105	5,726	3,243
		,, ,, ,, Male	51,018	19,179	9,289	22,550	8,188	14,362	2,964	1,675
		,, ,, ,, Female	48,463	18,255	8,637	21,571	7,828	13,743	2,762	1,568
		,, ,, ,, Illegitimate	4,073	1,820	650	1,603	547	1,056	280	145
		Stillbirths Registered (including Illegitimate)	2,324	1,066	505	753	225	528	111	91
		,, Corrected for Mother's Residence	2,324	887	456	981	358	623	92	52
		Marriages Registered	41,201	17,673	7,786	15,742	7,425	8,317	2,754	1,841
		Deaths Registered	62,065	25,648	10,505	25,912	8,921	16,991	3,883	2,657
		,, Corrected for Residence	62,065	23,769	9,808	28,488	11,251	17,237	3,692	2,113
		,, ,, Male	31,765	12,134	5,118	14,513	5,521	8,992	1,796	1,038
		,, ,, Female	30,300	11,635	4,690	13,975	5,730	8,245	1,896	1,075
		CAUSES OF DEATH								
001-008	1	Tuberculosis of respiratory system	638	337	117	184	57	127	14	13
010-019	2	Tuberculosis, other forms	49	24	10	15	5	10	1	1
020-029	3	Syphilis and its sequelæ	58	31	8	19	3	16	9	8
045-048	6	Dysentery, all forms	2	—	—	2	—	2	—	—
056	9	Whooping cough	4	—	1	3	1	2	1	—
057	10	Meningococcal infections	25	13	2	10	3	7	—	—
080	12	Acute poliomyelitis	16	4	—	12	4	8	1	1
085	14	Measles	4	—	—	4	2	2	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	119	39	18	62	23	39	10	3
140-205	18	Malignant neoplasms . Total	10,831	4,463	1,673	4,695	1,984	2,711	702	431
160-165	—	Malignant neoplasms of respiratory system	2,373	1,206	384	783	347	436	134	104
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	560	196	84	280	104	176	33	16
140-159, 170-199	—	Other malignant neoplasms	7,898	3,061	1,205	3,632	1,533	2,099	535	311
210-239	19	Benign and unspecified neoplasms	94	39	16	39	22	17	5	2
260	20	Diabetes mellitus	528	189	92	247	98	149	47	30
290-293	21	Anæmias	239	78	28	133	64	69	12	6
240-254, 270-289, 294-299	46.0	Other general diseases	409	162	73	174	77	97	25	11
330-334	22	Vascular lesions affecting central nervous system	9,982	3,594	1,620	4,768	1,915	2,853	637	319
340	23	Non-meningococcal meningitis	58	20	9	29	10	19	2	2
300-326, 341-398	46.1	Other diseases of nervous system	898	344	135	419	159	260	58	28
400-402	24	Rheumatic fever	17	7	1	9	5	4	1	—
410-416	25	Chronic rheumatic heart disease	815	370	132	313	116	197	40	30
420-422	26	Arteriosclerotic and degenerative heart disease	18,507	6,680	2,899	8,928	3,651	5,277	1,136	656
430-434	27	Other diseases of heart	786	252	109	425	176	249	33	19
440-443	28	Hypertensive heart disease	1,238	460	230	548	222	326	80	46
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)

430-468	46.2	Other circulatory disease	1,934	1,[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
480-483	30	Influenza	143	55	13	75	21	54	4	2
490-493	31	Pneumonia (except of newborn)	2,108	995	329	784	293	491	114	72
500-502	32	Bronchitis	2,294	1,196	350	748	306	442	109	72
470-475, 510-527	46.3	Other respiratory diseases	610	167	107	336	79	257	16	12
540, 541	33	Ulcer of stomach and duodenum	534	225	85	224	82	142	35	23
550-553	34	Appendicitis	85	38	18	29	10	19	7	6
560, 561, 570	35	Intestinal obstruction and hernia	353	122	68	163	63	100	21	11
543	36.0	Gastritis and duodenitis	10	5	2	3	2	1	1	1
571, 572	36.1	Diarrhœa (except of newborn)	274	100	45	129	41	88	17	6
581	37	Cirrhosis of liver	221	95	37	89	38	51	8	5
580, 582-586	46.4	Other diseases of liver	268	93	46	129	50	79	9	6
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	167	68	23	76	23	53	9	5
590-594	38	Nephritis and nephrosis	417	138	66	213	82	131	27	13
610	39	Hyperplasia of prostate	382	116	53	213	80	133	21	13
600-609, 611-637	46.6	Other diseases of genito-urinary system	372	137	57	178	66	112	25	14
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	15	7	3	5	1	4	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	38	10	4	24	5	19	2	1
690-749	46.7	Diseases of skin and organs of locomotion	307	106	51	150	54	96	18	8
750-759	41	Congenital malformations	648	253	134	261	78	183	29	15
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	808	340	150	318	115	203	36	19
763	43.0	Pneumonia of newborn	99	41	18	40	14	26	7	6
764	43.1	Diarrhœa of newborn	10	4	1	5	2	3	—	—
765-768	43.2	Other infections of the newborn	17	7	2	8	1	7	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	575	217	92	266	87	179	23	14
794	45.0	Senility without mention of psychosis	558	107	69	382	141	241	18	3
780-793, 795	45.1	Ill-defined and unknown causes	252	58	40	154	45	109	6	2
E963, E970-E979	E49	Suicide and self-inflicted injury	439	216	84	139	59	80	38	25
E810-E835	E47	Motor vehicle accidents	598	202	93	303	68	235	33	15
E840-E845	E48.0	Other road vehicle accidents	34	17	2	15	3	12	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	1,108	488	171	449	193	256	66	46
Remainder of E800-E999	E48.2	Other violence (BE50)	671	226	88	357	110	247	43	25
		ALL CAUSES	62,065	23,769	9,808	28,488	11,251	17,237	3,692	2,113
		AGES AT DEATH								
		Under 1	2,758	1,121	520	1,117	382	735	105	57
		1– 4	338	130	66	142	40	102	15	6
		5– 9	190	66	28	96	30	66	14	4
		10–14	158	39	20	99	39	60	15	5
		15–24	517	158	82	277	73	204	32	11
		25–34	862	337	151	374	121	253	36	22
		35–44	1,910	776	309	825	274	551	88	57
		45–54	4,997	2,029	840	2,128	787	1,341	285	188
		55–64	10,188	4,229	1,703	4,256	1,698	2,558	594	387
		65–74	16,200	6,355	2,598	7,247	3,005	4,242	897	539
		75–84	17,912	6,436	2,716	8,760	3,550	5,210	1,145	607
		85 and over	6,035	2,093	775	3,167	1,252	1,915	466	230
		Not stated	—	—	—	—	—	—	—	—
		ALL AGES	62,065	23,769	9,808	28,488	11,251	17,237	3,692	2,113

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

See footnote Table 35 (page 169).

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Aberdeen County—*cont.*: Ballater Burgh	Ellon Burgh	Fraserburgh Burgh	Huntly Burgh	Inverurie Burgh	Kintore Burgh	Oldmeldrum Burgh	Peterhead Burgh	Rosehearty Burgh	Turriff Burgh	Landward
		Population (Estimated), 30th June, 1958	1,135	1,449	10,376	3,939	4,993	849	1,081	12,629	1,180	2,798	99,152
		Total Live Births Registered (including Illegitimate)	6	1	418	201	13	6	3	70	4	154	1,072
		,, Corr. for Mother's Resid. (,,)	14	29	190	64	80	23	13	265	24	45	1,736
		,, ,, ,, Male	7	12	104	32	46	15	5	153	11	23	881
		,, ,, ,, Female	7	17	86	32	34	8	8	112	13	22	855
		,, ,, ,, Illegitimate	1	—	6	—	2	1	1	16	1	—	107
		Stillbirths Registered (including Illegitimate)	—	—	2	—	—	—	—	3	—	2	13
		,, Corrected for Mother's Residence	—	—	4	1	1	—	—	3	—	1	30
		Marriages Registered	8	45	110	43	69	8	17	110	9	31	463
		Deaths Registered	19	20	80	60	71	10	14	124	3	29	796
		,, Corrected for Residence	28	27	90	51	72	18	23	138	8	37	1,087
		,, ,, Male	9	11	45	18	26	11	12	55	6	23	542
		,, ,, Female	19	16	45	33	46	7	11	83	2	14	545
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	—	—	—	—	—	—	—	—	—	—	1
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	1
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	1	—	—	—	—	2	—	—	4
140-205	18	Malignant neoplasms . Total	4	6	14	7	9	2	5	28	1	7	188
160-165	—	Malignant neoplasms of respiratory system	—	2	3	1	1	—	—	3	—	1	19
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	—	1	2	1	—	1	—	—	—	—	12
140-159, 170-199	—	Other malignant neoplasms	4	3	9	5	8	1	5	25	1	6	157
210-239	19	Benign and unspecified neoplasms	—	—	—	1	—	—	—	—	—	—	2
260	20	Diabetes mellitus	—	—	—	—	2	1	—	1	—	1	12
290-293	21	Anæmias	—	—	1	1	1	—	—	—	—	—	3
240-254, 270-289, 294-299	46.0	Other general diseases	1	1	1	—	—	1	—	—	—	1	9
330-334	22	Vascular lesions affecting central nervous system	14	9	27	17	20	1	4	26	—	4	196
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	1	1	3	—	—	—	—	4	—	1	20
400-402	24	Rheumatic fever	—	—	1	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	2	1	1	—	—	1	—	—	5
420-422	26	Arteriosclerotic and degenerative heart disease	6	6	26	16	18	5	9	43	5	16	330
430-434	27	Other diseases of heart	—	—	—	1	—	1	—	1	—	1	10
440-443	28	Hypertensive heart disease	—	—	—	—	3	2	—	3	1	—	25

444-447	29	Other hypertensive disease	1	1	1	1	—	—	—	1	—	—	8
450-468	46.2	Other circulatory disease	—	—	—	—	2	—	2	4	—	—	48
480-483	30	Influenza	—	—	—	—	—	—	—	—	—	—	2
490-493	31	Pneumonia (except of newborn)	—	—	—	1	4	1	2	2	1	—	31
500-502	32	Bronchitis	—	—	2	1	2	1	1	6	—	—	24
470-475, 510-527	46.3	Other respiratory diseases	—	—	—	1	—	—	—	—	—	—	3
540, 541	33	Ulcer of stomach and duodenum	—	—	1	—	—	—	—	—	—	1	10
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	2	—	—	8
543	35.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	—	1	—	—	—	—	—	2	—	—	8
581	37	Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	2
580, 582-586	46.4	Other diseases of liver	—	—	—	—	1	—	—	—	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	4
590-594	38	Nephritis and nephrosis	—	1	—	—	—	—	—	1	—	2	10
610	39	Hyperplasia of prostate	1	—	—	—	—	1	—	—	—	—	6
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	1	—	3	—	—	—	—	—	7
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	1
690-749	46.7	Diseases of skin and organs of locomotion	—	—	—	—	1	—	—	1	—	—	8
750-759	41	Congenital malformations	—	—	1	—	1	—	—	—	—	1	11
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	—	1	—	—	1	—	2	—	1	12
763	43.0	Pneumonia of newborn	—	—	1	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	—	—	—	—	—	—	—	1	—	—	8
794	45.0	Senility without mention of psychosis	—	—	—	2	1	—	—	4	—	—	8
780-793, 795	45.1	Ill-defined and unknown causes	—	—	1	—	1	—	—	—	—	—	2
E963, E970-E979	E49	Suicide and self-inflicted injury	—	—	—	1	—	—	—	—	—	—	12
E810-E835	E47	Motor vehicle accidents	—	—	1	—	—	—	—	1	—	—	16
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	—	1	1	—	1	—	—	1	—	1	15
Remainder of E800-E999	E48.2	Other violence (BE50)	—	—	2	—	1	1	—	1	—	—	13
		ALL CAUSES	28	27	90	51	72	18	23	138	8	37	1,087
		AGES AT DEATH											
		Under 1	—	—	6	1	1	2	—	5	—	1	32
		1– 4	—	—	—	—	—	1	—	1	—	—	7
		5– 9	—	—	1	—	—	—	—	1	—	1	7
		10–14	—	—	2	—	—	—	—	1	—	1	6
		15–24	—	—	1	—	—	—	1	—	1	—	18
		25–34	—	1	2	1	—	—	—	3	1	—	6
		35–44	—	—	4	2	1	—	—	3	—	2	19
		45–54	—	1	5	1	4	2	3	10	1	1	69
		55–64	4	3	21	7	11	2	2	23	—	4	130
		65–74	7	6	16	9	14	4	3	33	1	10	255
		75–84	11	9	26	19	28	3	10	43	4	11	374
		85 and over	6	7	6	11	13	4	4	15	—	6	164
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	28	27	90	51	72	18	23	138	8	37	1,087

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Angus County: Angus County	Angus County: Dundee County of City	Angus County: Arbroath Burgh	Angus County: Brechin Burgh	Angus County: Carnoustie Burgh	Angus County: Forfar Burgh	Angus County: Kirriemuir Burgh	Angus County: Monifieth Burgh	Angus County: Montrose Burgh	Angus County: Landward	Argyll County: Argyll County	Argyll County: Campbeltown Burgh	Argyll County: Dunoon Burgh
		Population (Estimated), 30th June, 1958	277,290	180,166	19,942	7,401	5,202	10,086	3,514	3,362	10,741	36,876	56,381	6,959	8,811
		Total Live Births Registered (including Illegitimate)	5,462	4,282	329	6	8	421	7	2	13	394	709	146	187
		,, Corr. for Mother's Resid. (,,)	5,091	3,567	337	118	71	154	46	46	185	567	843	109	127
		,, ,, ,, Male	2,595	1,820	161	58	35	77	21	26	105	292	434	56	77
		,, ,, ,, Female	2,496	1,747	176	60	36	77	25	20	80	275	409	53	50
		,, ,, ,, Illegitimate	247	189	14	4	2	2	2	—	7	27	44	4	6
		Stillbirths Registered (including Illegitimate)	120	108	1	—	—	6	—	—	—	5	20	1	6
		,, Corrected for Mother's Residence	109	84	6	2	1	3	—	—	3	10	25	1	5
		Marriages Registered	2,261	1,584	150	80	21	120	39	21	101	145	311	51	57
		Deaths Registered	3,595	2,314	235	82	36	125	38	31	93	641	886	81	153
		,, Corrected for Residence	3,401	2,180	236	91	88	129	72	59	156	390	971	87	164
		,, ,, Male	1,626	1,035	109	44	42	65	29	31	74	197	518	44	84
		,, ,, Female	1,775	1,145	127	47	46	64	43	28	82	193	453	43	80
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	32	18	1	—	—	3	1	1	5	3	6	1	2
010-019	2	Tuberculosis, other forms	3	2	—	—	—	—	—	—	—	1	—	—	—
020-029	3	Syphilis and its sequelæ	3	3	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	2	2	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	1	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	1	—	—	—	—	—	—	—	—	2	—	1
140-205	18	Malignant neoplasms Total	658	440	49	20	18	20	19	10	20	62	156	13	27
160-165	—	Malignant neoplasms of respiratory system	147	105	15	1	5	6	3	1	2	9	26	3	5
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	23	16	—	—	1	—	—	1	1	4	10	—	—
140-159, 170-199	—	Other malignant neoplasms	488	319	34	19	12	14	16	8	17	49	120	10	22
210-239	19	Benign and unspecified neoplasms	11	9	—	—	—	—	—	—	1	1	1	—	—
260	20	Diabetes mellitus	25	16	1	1	—	—	—	—	2	5	10	3	1
290-293	21	Anæmias	26	17	1	1	—	1	1	2	2	1	3	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	30	23	2	—	1	—	1	—	—	3	2	1	—
330-334	22	Vascular lesions affecting central nervous system	536	344	42	15	8	23	12	10	21	61	183	17	36
340	23	Non-meningococcal meningitis	2	2	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	56	29	3	2	—	5	1	1	4	11	19	1	2
400-402	24	Rheumatic fever	1	1	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	47	36	1	2	1	—	—	1	1	5	7	—	2
420-422	26	Arteriosclerotic and degenerative heart disease	1,012	622	65	25	39	37	24	20	55	125	328	30	52
430-434	27	Other diseases of heart	30	18	—	—	1	3	2	—	1	5	17	1	4
440-443	28	Hypertensive heart disease	52	28	10	—	4	1	—	2	3	4	21	2	4

480-483	30	Influenza	7	4	—	—	—	—	—	1	—	2	8	1	—
490-493	31	Pneumonia (except of newborn)	142	108	10	3	1	2	3	—	7	8	20	2	3
500-502	32	Bronchitis	112	77	5	5	1	6	2	4	4	8	16	1	6
470-475, 510-527	46.3	Other respiratory diseases	28	21	2	1	—	1	—	1	—	2	5	—	1
540, 541	33	Ulcer of stomach and duodenum	49	33	2	1	—	2	—	1	5	5	9	—	4
550-553	34	Appendicitis	10	5	1	—	—	1	—	—	1	2	2	—	—
560, 561, 570	35	Intestinal obstruction and hernia	15	8	—	1	1	2	—	—	1	2	8	2	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	1	—	—
571, 572	36.1	Diarrhœa (except of newborn)	7	4	3	—	—	—	—	—	—	—	5	—	—
581	37	Cirrhosis of liver	7	7	—	—	—	—	—	—	—	—	3	—	1
580, 582-586	46.4	Other diseases of liver	13	7	—	1	1	2	—	—	—	2	4	1	—
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	16	9	—	—	1	1	—	—	1	4	4	—	1
590-594	38	Nephritis and nephrosis	18	12	2	1	1	—	1	—	1	—	6	1	1
610	39	Hyperplasia of prostate	28	15	4	2	—	2	—	—	1	4	6	—	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	29	19	1	1	—	2	—	—	2	4	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	1	—	—	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	24	12	3	—	1	1	—	—	2	5	2	—	1
750-759	41	Congenital malformations	33	23	3	—	—	—	—	—	—	7	7	1	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	29	23	—	—	—	2	—	—	—	4	7	2	1
763	43.0	Pneumonia of newborn	6	5	—	—	—	—	—	—	—	1	—	—	—
764	43.1	Diarrhœa of newborn	1	1	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	22	10	2	1	—	1	—	1	2	5	5	—	1
794	45.0	Senility without mention of psychosis	16	2	3	1	—	—	2	—	4	4	17	1	5
780-793, 795	45.1	Ill-defined and unknown causes	4	2	—	—	—	2	—	—	—	—	18	—	3
E963, E970-E979	E49	Suicide and self-inflicted injury	30	18	5	1	—	2	—	—	—	4	3	2	—
E810-E835	E47	Motor vehicle accidents	33	14	5	—	2	—	—	—	3	9	7	—	—
E840-E845	E48.0	Other road vehicle accidents	2	1	1	—	—	—	—	—	—	—	3	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	66	48	3	—	3	2	3	3	—	4	10	1	1
Remainder of E800-E999	E48.2	Other violence (BE50)	25	18	1	—	—	—	—	—	3	3	13	1	1
		ALL CAUSES	3,401	2,180	236	91	88	129	72	59	156	390	971	87	164
		AGES AT DEATH													
		Under 1	103	71	5	1	—	4	2	1	4	15	17	3	2
		1– 4	19	13	3	—	1	—	—	—	1	1	7	—	1
		5– 9	9	7	1	—	—	—	—	—	—	1	1	—	—
		10–14	7	5	—	—	—	—	—	—	—	2	4	1	—
		15–24	23	11	1	—	1	—	—	—	3	7	5	—	—
		25–34	29	20	2	—	—	—	—	—	1	6	16	1	5
		35–44	87	57	7	2	—	4	1	—	2	14	20	2	1
		45–54	249	169	15	7	2	8	4	3	11	30	59	4	5
		55–64	555	392	33	9	16	22	5	11	16	51	148	13	26
		65–74	899	588	63	30	23	28	17	18	47	85	267	28	52
		75–84	1,024	628	75	27	32	52	26	17	51	116	308	30	51
		85 and over	397	219	31	15	13	11	17	9	20	62	119	5	21
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,401	2,180	236	91	88	129	72	59	156	390	971	87	164

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Argyll County—*cont.*: Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County: Ayr County	Ardrossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galston Burgh	Girvan Burgh	Irvine Burgh	Kilmarnock Burgh
		Population (Estimated), 30th June, 1958	519	1,184	6,082	663	32,163	338,444	9,667	43,952	5,278	3,338	4,548	6,003	16,122	45,139
		Total Live Births Registered (including Illegitimate)	—	6	246	3	121	6,611	53	738	49	6	10	143	52	1,049
		,, Corr. for Mother's Resid. (,,)	11	32	115	7	442	6,666	195	842	134	53	74	115	367	1,025
		,, ,, ,, Male	3	14	65	4	215	3,368	94	432	75	38	39	63	168	512
		,, ,, ,, Female	8	18	50	3	227	3,298	101	410	59	15	35	52	199	513
		,, ,, ,, Illegitimate	3	2	7	2	20	244	11	34	7	—	2	3	17	41
		Stillbirths Registered (including Illegitimate)	—	—	10	—	3	153	1	4	1	—	—	3	1	11
		,, Corrected for Mother's Residence	1	—	6	—	12	155	6	19	3	—	2	2	6	29
		Marriages Registered	7	6	57	3	130	2,576	62	443	108	31	49	47	123	412
		Deaths Registered	5	21	158	17	451	3,780	66	654	24	28	38	82	110	571
		,, Corrected for Residence	8	32	104	23	553	3,899	100	577	46	46	57	77	183	507
		,, ,, Male	6	15	57	10	302	1,981	61	304	20	24	31	48	84	247
		,, ,, Female	2	17	47	13	251	1,918	39	273	26	22	26	29	99	260
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	—	2	—	1	16	1	4	—	—	—	—	1	1
010-019	2	Tuberculosis, other forms	—	—	—	—	—	1	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	3	—	—	—	—	—	—	—	1
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	3	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	1	3	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	1	8	—	—	—	—	—	—	—	1
140-205	18	Malignant neoplasms Total	1	8	11	4	92	644	21	109	4	8	10	22	32	80
160-165	—	Malignant neoplasms of respiratory system	—	1	4	1	12	109	2	23	—	—	2	8	5	12
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	—	—	—	—	10	38	2	4	1	1	—	1	2	8
140-159, 170-199	—	Other malignant neoplasms	1	7	7	3	70	497	17	82	3	7	8	13	25	60
210-239	19	Benign and unspecified neoplasms	—	—	—	1	—	9	1	2	1	1	1	—	1	—
260	20	Diabetes mellitus	—	1	—	—	5	39	—	3	3	—	—	—	1	5
290-293	21	Anæmias	—	—	2	—	1	20	2	3	—	—	—	—	—	2
240-254, 270-289, 294-299	46.0	Other general diseases	—	—	—	—	1	32	—	4	—	—	—	—	4	6
330-334	22	Vascular lesions affecting central nervous system	—	5	20	6	99	635	14	91	12	5	7	10	36	88
340	23	Non-meningococcal meningitis	—	—	—	—	—	5	—	—	—	—	—	—	—	1
300-326, 341-398	46.1	Other diseases of nervous system	1	—	4	1	10	54	—	9	—	—	—	2	1	11
400-402	24	Rheumatic fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	—	—	5	48	2	9	—	—	—	1	2	6
420-422	26	Arteriosclerotic and degenerative heart disease	1	7	38	8	192	1,234	32	180	11	14	21	22	43	152
430-434	27	Other diseases of heart	2	—	2	—	8	56	—	4	1	—	1	2	5	8

480-483	30	Influenza	—	—	1	—	6	5	—	1	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	—	1	4	—	10	100	1	16	—	2	4	—	5	14
500-502	32	Bronchitis	—	1	2	—	6	116	1	26	—	—	1	2	9	19
470-475, 510-527	46.3	Other respiratory diseases	—	1	1	—	2	38	—	3	—	—	2	—	2	1
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	5	29	—	4	1	—	—	2	2	4
550-553	34	Appendicitis	—	—	—	—	2	5	—	—	—	1	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	—	—	1	—	5	24	—	4	—	—	—	1	3	5
543	36.0	Gastritis and duodenitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	—	1	—	3	15	1	1	—	2	—	—	—	—
581	37	Cirrhosis of liver	1	—	—	—	1	7	—	1	—	—	—	—	1	1
580, 582-586	46.4	Other diseases of liver	—	—	1	—	2	13	1	4	1	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	—	3	12	—	—	—	—	—	—	1	2
590-594	38	Nephritis and nephrosis	—	—	—	1	3	26	1	6	—	—	—	—	3	6
610	39	Hyperplasia of prostate	—	1	—	—	4	34	1	3	—	—	1	4	1	3
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	—	2	19	—	3	—	—	—	—	—	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	1	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	—	—	—	1	15	—	1	1	—	—	2	1	1
750-759	41	Congenital malformations	—	1	—	—	5	29	—	4	—	1	—	—	2	4
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	—	2	—	2	60	2	6	2	—	2	2	5	11
763	43.0	Pneumonia of newborn	—	—	—	—	—	6	—	—	1	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	2	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	1	—	—	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	—	—	2	—	2	40	1	2	2	—	—	1	2	6
794	45.0	Senility without mention of psychosis	—	1	—	2	8	37	1	5	—	—	—	1	3	5
780-793, 795	45.1	Ill-defined and unknown causes	—	—	3	—	12	30	—	3	—	—	—	—	—	5
E963, E970-E979	E49	Suicide and self-inflicted injury	—	—	—	—	1	27	2	2	1	1	—	—	1	8
E810-E835	E47	Motor vehicle accidents	—	2	—	—	5	31	3	5	—	—	—	—	2	5
E840-E845	E48.0	Other road vehicle accidents	—	1	—	—	2	—	—	—	—	—	—	—	—	—
E870-E936 (part)	E48.1	Accidents in the home	—	—	—	—	8	69	3	14	2	1	2	1	2	7
E961 (part), E962 (part)																
Remainder of E800-E999	E48.2	Other violence (BE50)	—	1	2	—	8	40	—	4	—	1	—	—	4	3
		All Causes	8	32	104	23	553	3,899	100	577	46	46	57	77	183	507
		Ages at Death														
		Under 1	—	1	5	—	6	184	4	19	6	2	4	3	9	30
		1– 4	1	—	—	—	5	22	1	5	—	3	—	—	—	3
		5– 9	—	—	—	—	1	10	—	2	—	—	—	—	—	2
		10–14	—	1	—	—	2	19	—	—	1	1	—	—	3	1
		15–24	—	1	—	—	4	39	2	5	—	—	—	1	2	3
		25–34	—	1	1	—	8	53	2	7	1	—	—	—	6	11
		35–44	—	2	3	—	12	129	4	9	2	1	1	—	7	20
		45–54	2	2	10	2	34	326	13	49	2	4	4	8	22	51
		55–64	1	4	18	4	82	620	15	97	10	5	12	12	21	87
		65–74	2	12	22	7	144	998	35	151	6	14	16	19	54	116
		75–84	2	4	37	8	176	1,157	16	178	15	15	15	23	50	143
		85 and over	—	4	8	2	79	342	8	55	3	1	5	11	9	40
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	8	32	104	23	553	3,899	100	577	46	46	57	77	183	507

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ayr County—*continued*: Kilwinning Burgh	Largs Burgh	Maybole Burgh	Newmilns and Greenholm B.	Prestwick Burgh	Saltcoats Burgh	Stevenston Burgh	Stewarton Burgh	Troon Burgh	Landward	Banff County: Banff County	Aberchirder Burgh	Aberlour Burgh	Banff Burgh
		Population (Estimated), 30th June, 1958	7,274	7,822	4,978	4,023	11,625	13,969	9,974	3,456	10,028	131,248	49,039	780	1,124	3,340
		Total Live Births Registered (including Illegitimate)	1,014	15	38	2	133	76	29	18	13	3,173	853	7	—	271
		,, Corr. for Mother's Resid. (,,)	165	97	77	37	216	335	204	58	137	2,535	890	21	14	54
		,, ,, ,, Male	91	52	32	17	116	179	100	25	64	1,271	459	12	7	32
		,, ,, ,, Female	74	45	45	20	100	156	104	33	73	1,264	431	9	7	22
		,, ,, ,, Illegitimate	4	7	3	—	7	10	8	1	4	85	44	—	—	5
		Stillbirths Registered (including Illegitimate)	3	—	—	—	3	—	—	—	—	126	16	—	—	3
		,, Corrected for Mother's Residence	1	3	2	1	3	9	3	1	5	60	25	—	—	2
		Marriages Registered	78	56	32	23	85	110	81	22	60	754	326	6	11	24
		Deaths Registered	50	122	35	38	86	113	78	34	86	1,565	505	7	17	95
		,, Corrected for Residence	70	161	49	53	136	185	100	44	137	1,371	590	14	10	42
		,, ,, Male	30	63	23	23	64	80	58	21	66	734	293	7	3	18
		,, ,, Female	40	98	26	30	72	105	42	23	71	637	297	7	7	24
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	1	1	1	—	—	—	—	1	—	5	4	—	—	1
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	1	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	2	2	1	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	2	—	—	—
057	10	Meningococcal infections	—	—	—	1	—	—	—	—	—	2	1	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	3	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3	1	—	—	—	—	—	—	—	3	3	—	—	—
140-205	18	Malignant neoplasms . Total	12	30	5	7	25	38	18	4	23	196	109	—	3	5
160-165	—	Malignant neoplasms of respiratory system	1	3	—	3	5	7	2	—	4	32	18	—	2	1
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	2	—	—	—	2	1	—	1	12	6	—	—	1
140-159, 170-199	—	Other malignant neoplasms	10	25	5	4	20	29	15	4	18	152	85	—	1	3
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	1	1	3	—	—	1
260	20	Diabetes mellitus	—	2	2	—	1	1	2	—	2	17	3	—	—	—
290-293	21	Anæmias	—	2	1	1	—	2	—	—	—	7	1	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	—	—	—	—	—	5	—	—	—	13	5	—	—	1
330-334	22	Vascular lesions affecting central nervous system	6	30	7	15	19	30	18	8	16	223	78	3	4	6
340	23	Non-meningococcal meningitis	—	1	—	—	—	—	—	—	—	3	1	1	—	—
300-326, 341-398	46.1	Other diseases of nervous system	—	2	2	2	2	1	1	—	2	19	11	1	—	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	—	1	1	3	1	2	—	20	3	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	28	57	12	18	48	66	35	21	57	417	210	4	2	18
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	—	1	1	22	11	—	1	2

480-483	30	Influenza	—	1	—	—	—	—	—	—	—	3	2	—	—	—
490-493	31	Pneumonia (except of newborn)	—	5	—	—	6	4	2	—	1	40	13	—	—	—
500-502	32	Bronchitis	1	2	3	1	3	5	6	1	2	34	5	—	—	—
470-475, 510-527	46.3	Other respiratory diseases	2	—	1	—	1	—	1	—	—	25	3	—	—	1
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	1	1	3	—	1	10	3	—	—	—
550-553	34	Appendicitis	—	—	1	—	—	—	—	—	1	1	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	1	1	—	1	—	—	—	1	7	1	—	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	—	1	1	—	1	2	1	—	—	5	4	—	—	—
581	37	Cirrhosis of liver	—	—	1	—	—	1	1	—	1	—	—	—	—	—
580, 582-586	46.4	Other diseases of liver	—	—	—	—	—	—	—	—	2	5	3	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	—	—	1	1	—	—	7	2	—	—	—
590-594	38	Nephritis and nephrosis	1	1	1	—	2	1	1	—	1	2	5	—	—	—
610	39	Hyperplasia of prostate	2	2	—	—	3	—	2	—	1	11	5	1	—	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	1	—	—	—	1	—	—	2	8	6	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	1	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	1	—	—	—	1	—	—	1	6	2	—	—	—
750-759	41	Congenital malformations	—	—	—	—	—	2	—	—	—	16	5	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	2	—	—	—	—	6	1	—	—	21	7	—	—	—
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	2	—	3	3	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	1	—	—	—	1	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	1	—	—	—	3	1	1	1	—	19	7	1	—	—
794	45.0	Senility without mention of psychosis	—	3	1	—	2	—	1	—	—	15	7	1	—	—
780-793, 795	45.1	Ill-defined and unknown causes	—	—	1	—	—	3	—	—	—	18	6	—	—	—
E963, E970-E979	E49	Suicide and self-inflicted injury	1	—	—	1	2	—	—	—	—	8	4	—	—	—
E810-E835	E47	Motor vehicle accidents	—	—	—	—	—	2	1	1	2	10	3	—	—	—
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	2	5	—	1	2	2	3	—	5	17	6	—	—	1
Remainder of E800-E999	E48.2	Other violence (BE50)	1	—	1	—	1	—	—	—	3	22	5	—	—	—
		ALL CAUSES	70	161	49	53	136	185	100	44	137	1,371	590	14	10	42
		AGES AT DEATH														
		Under 1	6	2	—	1	5	10	3	3	1	76	31	2	—	1
		1– 4	1	—	—	—	—	2	—	—	—	7	2	—	—	—
		5– 9	—	1	—	—	—	1	—	—	—	4	2	—	—	—
		10–14	—	—	—	—	—	3	1	—	3	6	—	—	—	—
		15–24	1	1	—	—	2	—	—	—	3	19	3	—	—	—
		25–34	—	1	—	—	1	2	1	—	1	20	4	—	—	—
		35–44	5	3	2	1	2	8	2	2	3	57	15	1	—	—
		45–54	6	3	7	2	7	17	14	3	3	111	27	—	1	—
		55–64	9	14	9	11	18	32	20	6	26	216	88	—	—	9
		65–74	21	43	9	15	31	46	26	10	38	348	150	1	3	8
		75–84	17	62	20	18	52	52	30	16	41	394	196	9	5	18
		85 and over	4	31	2	5	18	12	3	4	18	113	72	1	1	6
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	70	161	49	53	136	185	100	44	137	1,371	590	14	10	42

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Banff County—*continued*: Buckie Burgh	Cullen Burgh	Dufftown Burgh	Findochty Burgh	Keith Burgh	Macduff Burgh	Portnockie Burgh	Portsoy Burgh	Landward	Berwick County: Berwick County	Coldstream Burgh	Duns Burgh	Eyemouth Burgh	Lauder Burgh	Landward
		Population (Estimated), 30th June, 1958	7,997	1,490	1,445	1,459	4,413	3,351	1,444	1,696	20,500	23,461	1,289	1,937	2,145	578	17,512
		Total Live Births Registered (including Illegitimate)	254	—	102	2	175	2	—	7	33	200	45	111	2	2	40
		,, Corr. for Mother's Resid. (,,)	158	14	28	21	102	76	22	31	349	291	36	31	10	11	203
		,, ,, ,, Male	86	7	16	13	49	43	9	13	172	151	20	15	5	6	105
		,, ,, ,, Female	72	7	12	8	53	33	13	18	177	140	16	16	5	5	98
		,, ,, ,, Illegitimate	10	1	2	—	3	—	1	1	21	11	2	1	—	—	8
		Stillbirths Registered (including Illegitimate)	6	—	2	—	4	—	—	—	1	1	—	—	—	—	1
		,, Corrected for Mother's Residence	5	1	1	—	3	1	—	—	12	3	—	—	—	—	3
		Marriages Registered	82	13	5	8	35	9	6	20	107	94	5	15	11	3	60
		Deaths Registered	94	13	26	8	64	19	11	30	121	226	18	33	23	5	147
		,, Corrected for Residence	88	24	20	16	71	52	26	33	194	336	19	33	33	9	242
		,, ,, Male	43	11	9	8	35	32	16	15	96	161	7	16	24	7	107
		,, ,, Female	45	13	11	8	36	20	10	18	98	175	12	17	9	2	135
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	16	3	4	1	11	10	12	6	38	59	5	6	6	3	39
160-165	—	Malignant neoplasms of respiratory system	2	1	—	—	2	3	1	—	6	3	—	—	—	—	3
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	—	—	—	—	—	2	—	2	3	—	—	—	—	3
140-159, 170-199	—	Other malignant neoplasms	13	2	4	1	9	7	9	6	30	53	5	6	6	3	33
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
260	20	Diabetes mellitus	—	1	—	—	1	—	—	—	1	3	—	—	1	—	2
290-293	21	Anæmias	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	1	—	—	—	3	—	—	—	—	3	—	—	—	—	3
330-334	22	Vascular lesions affecting central nervous system	7	3	3	1	11	10	5	3	22	59	3	7	2	3	44
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	1	—	1	1	1	—	—	—	4	4	—	1	1	—	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	—	1	—	—	—	—	—	1	1	—	—	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease	36	11	6	5	25	20	7	13	63	116	6	14	11	2	83
430-434	27	Other diseases of heart	1	—	—	—	—	—	1	—	6	5	—	—	1	—	4

430-468	46.2	Other circulatory disease	1	—	—	—	2	—	—	1	9	14	—	2	2	—	10
480-483	30	Influenza	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	4	—	—	1	—	2	—	1	5	10	1	1	1	—	7
500-502	32	Bronchitis	1	—	1	—	1	1	—	—	1	6	—	—	1	—	5
470-475, 510-527	46.3	Other respiratory diseases	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	—	—	—	1	2	6	—	1	—	—	5
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	—	—	1	—	—	1	—	—	2	1	—	—	—	—	1
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
580, 582-586	46.4	Other diseases of liver	—	—	—	—	2	—	—	—	—	3	—	—	—	—	3
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1
590-594	38	Nephritis and nephrosis	1	1	—	—	1	—	1	—	1	3	—	—	—	—	3
610	39	Hyperplasia of prostate	—	1	—	—	—	—	—	—	2	2	1	—	—	—	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	1	—	1	—	—	3	3	1	—	—	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1
750-759	41	Congenital malformations	1	—	—	1	—	—	—	—	3	2	—	—	—	—	2
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	1	—	—	4	1	—	—	1	2	—	—	—	—	2
763	43.0	Pneumonia of newborn	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	1	—	—	1	4	—	—	—	—	—	—	—	—	—	—
794	45.0	Senility without mention of psychosis	—	—	—	1	—	1	—	1	3	9	—	1	5	—	3
780-793, 795	45.1	Ill-defined and unknown causes	1	—	—	—	—	3	—	1	1	2	—	—	—	—	2
E963, E970-E979	E49	Suicide and self-inflicted injury	1	1	—	—	—	—	—	—	2	2	—	—	—	—	2
E810-E835	E47	Motor vehicle accidents	—	—	—	—	—	—	—	—	3	2	—	—	—	—	2
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	—	—	1	—	—	—	—	—	4	3	—	—	—	—	3
Remainder of E800-E999	E48.2	Other violence (BE50)	2	1	—	—	—	—	—	1	1	—	—	—	—	—	—
		All Causes	88	24	20	16	71	52	26	33	194	336	19	33	33	9	242
		Ages at Death															
		Under 1	2	1	—	3	11	4	—	—	7	2	—	—	—	—	2
		1– 4	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1
		5– 9	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1
		10–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–24	—	—	—	—	—	—	—	1	2	1	—	—	—	—	1
		25–34	—	—	—	—	—	2	—	1	1	1	—	—	—	—	1
		35–44	4	—	1	1	1	—	1	1	5	8	—	1	—	1	6
		45–54	3	2	3	—	2	2	2	—	12	21	1	5	1	1	13
		55–64	12	2	2	4	9	10	6	3	31	40	3	4	6	1	26
		65–74	30	9	5	4	15	16	5	11	43	103	7	10	10	3	73
		75–84	28	7	8	2	22	12	10	12	63	120	6	12	13	3	86
		85 and over	8	3	1	2	11	6	1	3	29	38	2	1	3	—	32
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	88	24	20	16	71	52	26	33	194	336	19	33	33	9	242

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Bute County: Bute County	Bute County: Millport Burgh	Bute County: Rothesay Burgh	Bute County: Landward	Caithness County: Caithness County	Caithness County: Thurso Burgh	Caithness County: Wick Burgh	Caithness County: Landward	Clackmannan County: Clackmannan County	Clackmannan County: Alloa Burgh	Clackmannan County: Alva Burgh	Clackmannan County: Dollar Burgh	Clackmannan County: Tillicoultry Burgh	Clackmannan County: Landward
		Population (Estimated), 30th June, 1958	14,970	1,660	7,234	6,076	25,387	4,343	7,691	13,353	40,578	14,141	4,068	1,628	4,105	16,636
		Total Live Births Registered (including Illegitimate)	168	14	118	36	499	31	245	223	289	75	16	9	41	148
		,, Corr. for Mother's Resid. (,,)	191	11	109	71	574	165	168	241	805	284	80	16	89	336
		,, ,, ,, Male	99	5	49	45	278	79	80	119	420	151	42	10	54	163
		,, ,, ,, Female	92	6	60	26	296	86	88	122	385	133	38	6	35	173
		,, ,, ,, Illegitimate	8	—	5	3	33	4	10	19	34	13	2	—	5	14
		Stillbirths Registered (including Illegitimate)	2	—	2	—	8	—	3	5	4	1	1	—	—	2
		,, Corrected for Mother's Residence	3	1	2	—	15	3	6	6	26	13	3	—	2	8
		Marriages Registered	89	6	57	26	191	33	97	61	316	157	30	7	40	82
		Deaths Registered	242	34	137	71	292	30	70	192	326	129	42	15	26	114
		,, Corrected for Residence	269	32	134	103	315	50	92	173	439	159	71	23	48	138
		,, ,, Male	115	20	49	46	161	28	43	90	238	87	37	11	26	77
		,, ,, Female	154	12	85	57	154	22	49	83	201	72	34	12	22	61
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	2	—	1	1	1	1	—	—	4	2	—	—	1	1
010-019	2	Tuberculosis, other forms	1	1	—	—	1	1	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	1	—	1	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	1	—	—	1	1	—	—	—	—	1
140-205	18	Malignant neoplasms . Total	55	5	25	25	38	7	11	20	76	24	14	7	7	24
160-165	—	Malignant neoplasms of respiratory system	7	—	4	3	2	—	—	2	13	4	3	1	2	3
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	2	1	1	—	2	—	—	2	4	—	1	—	—	3
140-159, 170-199	—	Other malignant neoplasms	46	4	20	22	34	7	11	16	59	20	10	6	5	18
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	1	—	1	—	2	—	1	1	5	2	1	—	—	2
290-293	21	Anæmias	1	—	1	—	5	1	2	2	2	1	—	—	1	—
240-254, 270-289, 294-299	46.0	Other general diseases	3	—	1	2	5	—	3	2	3	3	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	45	7	20	18	45	5	9	31	71	30	12	3	8	18
340	23	Non-meningococcal meningitis	1	—	1	—	1	—	1	—	1	1	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	7	—	6	1	3	—	1	2	4	2	—	1	1	—
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	—	1	1	2	—	1	1	4	—	1	—	—	3
420-422	26	Arteriosclerotic and degenerative heart disease	80	11	43	26	90	10	19	61	123	39	23	7	15	39
430-434	27	Other diseases of heart	—	—	—	—	5	—	3	2	7	6	—	—	1	—

480-483	30	Influenza	—	—	—	—	4	1	—	3	1	1	—	—	—	—
490-493	31	Pneumonia (except of newborn)	6	3	1	2	9	4	4	1	11	8	1	1	1	—
500-502	32	Bronchitis	4	1	3	—	2	—	2	—	16	4	2	1	2	7
470-475, 510-527	46.3	Other respiratory diseases	2	—	2	—	2	—	1	1	2	—	—	—	—	2
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	2	—	1	1	2	2	—	—	—	—
550-553	34	Appendicitis	1	1	—	—	1	—	1	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	2	—	1	—	—	1	5	1	1	—	—	3
543	36.0	Gastritis and duodenitis	—	—	—	—	1	1	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	—	—	1	—	—	—	—	2	—	—	—	—	2
581	37	Cirrhosis of liver	1	—	1	—	1	—	—	1	2	—	—	1	—	1
580, 582-586	46.4	Other diseases of liver	2	—	1	1	1	—	1	—	3	1	—	—	1	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	—	1	—	1	—	1	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	2	—	1	1	1	—	—	1	4	1	2	—	—	1
610	39	Hyperplasia of prostate	—	—	—	—	1	1	—	—	5	2	1	—	1	1
600-609, 611-637	46.6	Other diseases of genito-urinary system	1	—	1	—	—	—	—	—	4	2	1	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	3	1	1	1	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	5	2	—	3	4	—	3	1	2	—	—	—	—	2
750-759	41	Congenital malformations	2	—	—	2	6	2	1	3	2	1	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	2	—	—	2	4	1	1	2	6	1	—	—	3	2
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	1	—	—	1	3	—	—	3	7	3	—	—	—	4
794	45.0	Senility without mention of psychosis	6	—	3	3	18	—	11	7	3	2	—	—	—	1
780-793, 795	45.1	Ill-defined and unknown causes	7	—	4	3	11	4	2	5	2	—	1	—	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	1	—	1	—	2	1	1	—	2	2	—	—	—	—
E810-E835	E47	Motor vehicle accidents	1	—	—	1	5	1	—	4	5	2	—	—	1	2
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	7	1	4	2	9	—	5	4	6	2	1	—	—	3
Remainder of E800-E999	E48.2	Other violence (BE50)	3	—	1	2	6	2	3	1	9	4	—	1	1	3
		ALL CAUSES	269	32	134	103	315	50	92	173	439	159	71	23	48	138
		AGES AT DEATH														
		Under 1	6	—	1	5	18	5	4	9	18	8	—	—	3	7
		1– 4	1	—	—	1	4	1	2	1	2	—	—	—	1	1
		5– 9	—	—	—	—	2	—	—	2	4	1	—	—	—	3
		10–14	1	—	—	1	3	2	—	1	2	—	—	—	—	2
		15–24	—	—	—	—	6	1	1	4	5	—	3	1	—	1
		25–34	5	1	1	3	7	1	3	3	9	4	1	—	—	4
		35–44	7	—	6	1	10	3	3	4	14	5	4	—	—	5
		45–54	21	4	11	6	16	2	6	8	34	12	8	—	4	10
		55–64	32	2	18	12	43	7	13	23	74	29	6	1	10	28
		65–74	85	10	36	39	74	11	24	39	118	47	23	8	12	28
		75–84	85	11	49	25	96	16	28	52	127	42	18	9	15	43
		85 and over	26	4	12	10	36	1	8	27	32	11	8	4	3	6
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	269	32	134	103	315	50	92	173	439	159	71	23	48	138

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dumfries County: Dumfries County	Annan Burgh	Dumfries Burgh	Langholm Burgh	Lochmaben Burgh	Lockerbie Burgh	Moffat Burgh	Sanquhar Burgh	Landward	Dunbarton County: Dunbarton County	Bearsden Burgh	Clydebank Burgh	Cove and Kilcreggan Burgh	Dumbarton Burgh
		Population (Estimated), 30th June, 1958	89,439	5,142	27,640	2,338	1,220	2,663	2,050	2,514	45,872	177,368	13,539	50,714	808	26,726
		Total Live Births Registered (including Illegitimate)	2,080	33	1,799	6	2	4	70	19	147	2,662	38	394	4	877
		" Corr. for Mother's Resid. (,,)	1,545	126	500	25	18	33	23	36	784	3,659	222	1,150	8	663
		" " " Male	791	69	260	10	9	19	14	16	394	1,862	114	581	2	345
		" " " Female	754	57	240	15	9	14	9	20	390	1,797	108	569	6	318
		" " " Illegitimate	76	4	33	—	—	2	2	1	34	106	2	37	1	17
		Stillbirths Registered (including Illegitimate)	62	—	54	—	—	—	2	—	6	60	—	4	—	15
		" Corrected for Mother's Residence	45	5	14	—	1	2	1	1	21	83	4	29	—	15
		Marriages Registered	921	63	339	19	14	23	18	21	424	1,152	48	343	4	187
		Deaths Registered	1,153	42	527	37	7	35	34	13	458	1,838	188	386	14	232
		" Corrected for Residence	1,035	63	324	27	14	41	46	21	499	1,945	167	484	22	271
		" " Male	514	30	156	11	6	23	16	10	262	1,024	80	289	11	137
		" " Female	521	33	168	16	8	18	30	11	237	921	87	195	11	134
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	4	—	1	—	—	—	—	—	3	21	—	9	—	3
010-019	2	Tuberculosis, other forms	1	—	—	—	—	—	—	—	1	1	—	1	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	3	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	1	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	1	—	—	—	—	—	—	6	1	—	—	3
140-205	18	Malignant neoplasms . Total	162	10	54	5	6	3	8	4	72	331	28	70	1	34
160-165	—	Malignant neoplasms of respiratory system	31	3	16	—	2	—	—	3	7	74	8	22	—	12
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	8	—	2	—	—	—	1	—	5	20	1	4	—	—
140-159, 170-199	—	Other malignant neoplasms	123	7	36	5	4	3	7	1	60	237	19	44	1	22
210-239	19	Benign and unspecified neoplasms	1	—	1	—	—	—	—	—	—	3	—	—	—	1
260	20	Diabetes mellitus	6	—	2	—	—	2	—	—	2	21	—	5	—	7
290-293	21	Anæmias	3	—	—	—	—	—	1	—	2	9	1	3	1	2
240-254, 270-289, 294-299	46.0	Other general diseases	4	1	2	—	—	—	—	—	1	18	—	5	—	4
330-334	22	Vascular lesions affecting central nervous system	197	10	74	6	2	5	8	4	88	318	32	73	3	39
340	23	Non-meningococcal meningitis	2	—	—	—	—	—	—	—	2	2	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	7	—	1	—	—	1	—	1	4	29	5	8	—	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—
410-416	25	Chronic rheumatic heart disease	12	4	2	—	—	1	—	—	5	35	2	12	—	7
420-422	26	Arteriosclerotic and degenerative heart disease	309	15	92	11	2	12	19	6	152	557	51	140	15	73
430-434	27	Other diseases of heart	16	—	3	1	—	3	1	—	8	30	4	8	—	6
440-443	28	Hypertension heart disease	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	6	40	8	8	—	7

450-468	46.2	Other circulatory disease	26	1	3	—	—	2	4	2	14	38	3	6	—	5
480-483	30	Influenza	—	—	—	—	—	—	—	—	—	6	—	—	—	4
490-493	31	Pneumonia (except of newborn)	56	1	22	—	2	2	1	—	28	65	8	20	—	1
500-502	32	Bronchitis	36	4	14	1	1	3	—	3	10	61	4	16	—	5
470-475, 510-527	46.3	Other respiratory diseases	6	—	2	—	—	1	—	—	3	14	—	5	—	11
540, 541	33	Ulcer of stomach and duodenum	6	—	3	—	—	—	—	—	3	18	—	4	—	1
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	3	1	1	—	1
560, 561, 570	35	Intestinal obstruction and hernia	4	1	—	—	—	—	—	—	3	14	1	5	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	1	—	1	—	3
571, 572	36.1	Diarrhœa (except of newborn)	4	—	—	—	—	—	—	—	4	13	—	3	1	—
581	37	Cirrhosis of liver	6	—	2	—	—	—	—	—	4	6	1	1	—	1
580, 582-586	46.4	Other diseases of liver	7	2	3	—	—	—	—	—	2	11	—	3	—	3
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	6	1	2	—	—	—	—	—	3	10	2	3	—	1
590-594	38	Nephritis and nephrosis	8	2	2	—	—	—	—	1	3	13	—	4	—	1
610	39	Hyperplasia of prostate	3	—	1	—	—	—	—	—	2	12	—	2	—	3
600-609, 611-637	46.6	Other diseases of genito-urinary system	10	2	1	—	1	1	—	—	5	7	—	2	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	1	—	—	—	—	—	—	—	1	2	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	2	—	1	—	—
690-749	46.7	Diseases of skin and organs of locomotion	6	—	2	—	—	—	—	—	4	10	—	2	—	—
750-759	41	Congenital malformations	14	1	5	—	—	—	—	—	8	21	3	9	—	4
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	8	—	1	—	—	—	—	—	7	31	—	11	—	4
763	43.0	Pneumonia of newborn	1	—	—	—	—	—	—	—	1	5	—	—	—	8
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	2
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	1	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	10	2	1	1	—	—	—	—	6	17	—	5	—	—
794	45.0	Senility without mention of psychosis	14	2	1	—	—	1	1	—	9	21	1	2	—	2
780-793, 795	45.1	Ill-defined and unknown causes	1	—	—	—	—	—	—	—	1	1	—	—	—	9
E963, E970-E979	E49	Suicide and self-inflicted injury	6	—	2	—	—	—	—	—	4	12	1	1	—	—
E810-E835	E47	Motor vehicle accidents	14	1	4	—	—	—	—	—	9	28	2	11	—	5
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	1
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	19	1	8	1	—	1	2	—	6	36	4	14	1	—
Remainder of E800-E999	E48.2	Other violence (BE50)	8	—	2	1	—	—	1	—	4	19	1	4	—	5
		ALL CAUSES	1,035	63	324	27	14	41	46	21	499	1,945	167	484	22	1
		AGES AT DEATH														
		Under 1	41	2	11	1	—	—	—	—	27	104	3	33	—	271
		1– 4	6	—	3	—	—	—	—	—	3	7	—	4	—	25
		5– 9	5	1	1	—	—	—	—	—	3	7	1	1	—	—
		10–14	1	—	—	—	—	—	—	—	1	6	—	2	—	1
		15–24	7	—	1	1	—	—	—	—	5	16	—	6	—	—
		25–34	10	1	2	—	—	—	—	—	7	26	1	6	—	1
		35–44	28	2	9	—	1	—	—	—	16	65	5	22	—	3
		45–54	62	2	27	—	1	2	3	—	27	177	18	55	1	8
		55–64	168	14	54	2	2	5	4	4	83	332	23	89	5	20
		65–74	275	15	90	8	7	12	8	6	129	519	44	128	3	53
		75–84	323	20	92	15	1	19	24	8	144	521	55	109	6	79
		85 and over	109	6	34	—	2	3	7	3	54	165	17	29	7	60
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	21
		ALL AGES	1,035	63	324	27	14	41	46	21	499	1,945	167	484	22	271

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dunbarton County—*cont.*: Helensburgh Burgh	Kirkintilloch Burgh	Milngavie Burgh	Landward	East Lothian County: East Lothian County	Cockenzie and Port Seton B.	Dunbar Burgh	East Linton Burgh	Haddington Burgh	North Berwick Burgh	Prestonpans Burgh	Tranent Burgh	Landward
		Population (Estimated), 30th June, 1958	8,621	16,307	8,270	52,383	51,840	3,357	4,170	938	4,677	3,706	3,147	6,268	25,577
		Total Live Births Registered (including Illegitimate)	715	135	45	454	581	11	12	1	428	9	34	11	75
		,, Corr. for Mother's Resid. (,,)	151	360	143	962	946	65	59	18	72	52	88	150	442
		,, ,, ,, Male	67	190	79	484	507	36	32	11	41	25	43	79	240
		,, ,, ,, Female	84	170	64	478	439	29	27	7	31	27	45	71	202
		,, ,, ,, Illegitimate	7	7	4	31	32	1	1	—	4	1	3	5	17
		Stillbirths Registered (including Illegitimate)	37	1	1	2	3	1	—	—	2	—	—	—	—
		,, Corrected for Mother's Residence	4	7	2	22	12	1	2	—	2	—	2	2	3
		Marriages Registered	68	133	35	334	334	21	43	2	48	20	47	50	103
		Deaths Registered	137	114	56	711	575	21	59	8	139	43	18	39	248
		,, Corrected for Residence	139	170	96	596	605	41	46	17	73	55	32	59	282
		,, ,, Male	61	89	42	315	298	22	21	7	27	24	22	34	141
		,, ,, Female	78	81	54	281	307	19	25	10	46	31	10	25	141
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	—	—	1	8	4	—	—	—	—	2	—	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	3	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	1	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	1	—	1	3	—	—	—	1	—	—	—	2
140-205	18	Malignant neoplasms . Total	38	29	17	114	111	5	13	1	12	10	4	12	54
160-165	—	Malignant neoplasms of respiratory system	7	8	2	15	27	2	3	—	5	1	1	6	9
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	4	2	—	9	5	—	—	—	1	1	—	1	2
140-159, 170-199	—	Other malignant neoplasms	27	19	15	90	79	3	10	1	6	8	3	5	43
210-239	19	Benign and unspecified neoplasms	—	1	—	1	1	—	—	—	—	—	—	—	1
260	20	Diabetes mellitus	1	2	—	6	6	—	—	1	—	—	1	1	3
290-293	21	Anæmias	—	1	—	1	4	—	—	—	2	—	1	—	1
240-254, 270-289, 294-299	46.0	Other general diseases	—	2	2	5	2	—	1	—	—	—	—	—	1
330-334	22	Vascular lesions affecting central nervous system	28	34	15	94	118	5	10	7	20	10	2	5	59
340	23	Non-meningococcal meningitis	—	2	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	—	2	—	11	5	—	1	—	1	—	—	—	3
400-402	24	Rheumatic fever	1	1	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	3	1	5	5	7	1	1	—	—	—	—	2	3
420-422	26	Arteriosclerotic and degenerative heart disease	38	52	26	162	169	19	11	2	20	17	11	13	76
430-434	27	Other diseases of heart	1	5	3	3	13	—	1	1	1	1	1	2	6
440-443	28	Hypertensive heart disease	—	4	—	13	10	—	—	—	1	—	—	3	6

450-468	46.2	Other circulatory disease	2	1	2	20	24	2	3	2	4	6	1	—	4
480-483	30	Influenza	—	—	—	5	2	—	—	—	—	—	—	1	1
490-493	31	Pneumonia (except of newborn)	3	4	3	22	16	2	1	—	1	1	—	2	9
500-502	32	Bronchitis	3	5	2	20	15	2	—	—	1	1	2	3	6
470-475, 510-527	46.3	Other respiratory diseases	1	—	—	7	9	—	—	—	—	—	1	4	4
540, 541	33	Ulcer of stomach and duodenum	3	1	1	8	3	—	—	—	—	—	—	1	2
550-553	34	Appendicitis	—	—	—	1	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	3	—	2	5	—	—	—	—	—	1	1	3
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	1	—	6	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	—	—	—	1	1	—	—	—	—	—	1	—	—
580, 582-586	46.4	Other diseases of liver	1	2	1	3	1	—	—	—	—	—	—	1	—
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	—	1	2	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	1	5	3	—	—	—	1	—	—	2	—
610	39	Hyperplasia of prostate	2	—	3	4	3	—	—	—	—	—	—	1	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	1	1	—	3	3	2	—	—	1	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	1	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	2	1	1	5	—	—	—	1	1	—	1	2
750-759	41	Congenital malformations	1	1	—	3	7	—	—	—	—	1	—	2	4
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	3	2	1	6	8	2	—	—	—	—	3	—	3
763	43.0	Pneumonia of newborn	—	—	—	3	1	1	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	1	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	—	—	2	8	3	—	—	—	—	—	—	1	2
794	45.0	Senility without mention of psychosis	—	2	1	6	6	—	—	1	1	1	—	—	3
780-793, 795	45.1	Ill-defined and unknown causes	—	—	—	1	1	—	1	—	—	—	—	—	—
E963, E970-E979	E49	Suicide and self-inflicted injury	—	2	3	—	3	—	—	—	1	—	—	—	2
E810-E835	E47	Motor vehicle accidents	2	1	1	10	7	—	1	—	1	1	—	1	3
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	2	2	1	7	13	—	1	2	1	2	1	—	6
Remainder of E800-E999	E48.2	Other violence (BE50)	—	2	2	9	5	—	1	—	—	—	1	—	3
		ALL CAUSES	139	170	96	596	605	41	46	17	73	55	32	59	282
		AGES AT DEATH													
		Under 1	5	7	3	28	22	3	—	—	—	1	3	3	12
		1– 4	1	1	—	1	1	—	—	—	—	—	—	1	—
		5– 9	1	1	—	2	1	—	—	—	—	—	—	—	1
		10–14	1	—	1	2	1	—	—	—	—	—	—	1	—
		15–24	1	3	—	5	4	—	2	—	—	—	—	1	1
		25–34	1	2	1	12	5	—	—	—	1	—	—	—	4
		35–44	3	3	3	21	14	1	1	—	—	—	—	3	9
		45–54	8	9	6	60	56	4	5	1	4	8	5	5	24
		55–64	17	29	15	101	84	3	7	3	8	6	7	8	42
		65–74	33	52	27	153	165	12	10	3	27	13	8	16	76
		75–84	51	51	27	162	183	15	13	6	20	18	8	16	87
		85 and over	17	12	13	49	69	3	8	4	13	9	1	5	26
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	139	170	96	596	605	41	46	17	73	55	32	59	282

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County: Fife County	Auchtermuchty Burgh	Buckhaven and Methil Burgh	Burntisland Burgh	Cowdenbeath Burgh	Crail Burgh	Culross Burgh	Cupar Burgh	Dunfermline Burgh	Elie and Earlsferry B.	Falkland Burgh	Inverkeithing Burgh	Kilrenny and Anstruther B.	Kinghorn Burgh
		Population (Estimated), 30th June, 1958	322,195	1,350	21,803	6,048	13,638	1,182	595	5,696	46,200	921	1,074	4,090	2,970	2,351
		Total Live Births Registered (including Illegitimate)	6,013	11	179	19	46	2	3	19	1,768	2	8	27	13	5
		,, Corr. for Mother's Resid. (,,)	6,211	29	459	102	269	24	11	94	847	4	15	100	50	16
		,, ,, ,, Male	3,149	14	210	40	149	11	6	59	413	1	7	54	28	11
		,, ,, ,, Female	3,062	15	249	62	120	13	5	35	434	3	8	46	22	5
		,, ,, ,, Illegitimate	223	2	16	4	9	2	—	1	36	—	1	3	—	1
		Stillbirths Registered (including Illegitimate)	132	—	2	1	—	—	—	—	41	—	—	—	1	—
		,, Corrected for Mother's Residence	137	—	4	4	4	—	—	3	22	—	—	2	3	1
		Marriages Registered	2,322	5	168	35	147	6	22	74	393	10	8	39	25	20
		Deaths Registered	3,225	11	194	48	93	10	1	72	562	34	9	34	32	21
		,, Corrected for Residence	3,617	16	271	72	146	23	6	73	490	30	13	54	40	30
		,, ,, Male	1,862	12	146	41	74	6	2	29	251	12	8	32	19	17
		,, ,, Female	1,755	4	125	31	72	17	4	44	239	18	5	22	21	13
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	18	—	1	—	1	—	—	—	2	—	1	2	—	1
010-019	2	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	6	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	5	—	—	—	1	—	—	—	1	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	575	3	53	13	21	7	2	15	71	2	1	9	9	1
160-165	—	Malignant neoplasms of respiratory system	109	1	13	3	5	—	—	3	14	—	—	1	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	34	—	2	1	3	—	—	3	5	—	—	—	—	—
140-159, 170-199	—	Other malignant neoplasms	432	2	38	9	13	7	2	9	52	2	1	8	9	1
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	37	—	4	—	1	1	—	1	9	—	—	1	—	—
290-293	21	Anæmias	16	1	—	1	1	—	—	—	—	—	—	—	—	1
240-254, 270-289, 294-299	46.0	Other general diseases	16	—	1	—	2	—	—	—	1	1	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	623	2	34	14	29	2	1	8	91	2	6	11	9	9
340	23	Non-meningococcal meningitis	3	—	—	—	—	—	—	—	1	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	39	—	3	—	1	—	—	—	3	—	—	—	1	2
400-402	24	Rheumatic fever	2	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	37	—	1	—	3	—	—	—	5	1	—	—	2	—
420-422	26	Arteriosclerotic and degenerative heart disease	1,095	6	89	27	44	8	—	30	141	13	3	19	9	8
430-434	27	Other diseases of heart	57	—	1	1	1	—	—	1	11	2	1	1	—	2
440-443	28	Hypertensive heart disease	87	—	6	1	3	—	—	3	10	1	—	—	—	—

450-468	46.2	Other circulatory disease	127	1	10	1	4	2	—	1	7	1	—	1	3	—
480-483	30	Influenza	11	—	—	1	1	—	—	—	1	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	85	—	3	1	4	—	1	1	19	—	—	—	—	—
500-502	32	Bronchitis	108	—	13	3	2	—	—	2	20	—	1	—	—	3
470-475, 510-527	46.3	Other respiratory diseases	58	1	10	—	4	—	—	1	5	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	33	1	1	—	1	—	—	1	2	—	—	—	—	—
550-553	34	Appendicitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	22	—	2	1	—	—	—	—	7	—	—	—	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	24	—	1	—	—	—	1	1	6	—	—	—	—	—
581	37	Cirrhosis of liver	15	—	1	—	1	—	—	—	2	1	—	—	—	—
580, 582-586	46.4	Other diseases of liver	20	—	1	—	—	—	—	—	3	—	—	—	1	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	4	—	—	—	—	—	—	—	3	—	—	—	—	—
590-594	38	Nephritis and nephrosis	28	—	4	—	1	—	—	—	4	—	—	1	1	—
610	39	Hyperplasia of prostate	23	—	—	—	1	—	—	1	4	1	—	—	1	—
600-609, 611-637	46.6	Other diseases of genito-urinary system	18	—	2	—	1	1	—	1	1	—	—	1	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	5	—	—	—	1	—	—	—	1	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	25	—	1	—	—	—	—	1	3	2	—	—	—	1
750-759	41	Congenital malformations	39	—	4	—	4	—	1	1	6	—	—	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	33	1	3	1	1	—	—	1	4	—	—	—	—	—
763	43.0	Pneumonia of newborn	1	—	—	—	—	—	—	—	1	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	1	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	39	—	3	2	—	—	—	1	6	—	—	1	—	—
794	45.0	Senility without mention of psychosis	18	—	1	—	—	—	—	—	1	—	—	3	1	—
780-793, 795	45.1	Ill-defined and unknown causes	15	—	2	1	—	—	—	—	3	—	—	—	—	—
E963, E970-E979	E49	Suicide and self-inflicted injury	34	—	3	—	2	—	—	—	8	—	—	—	1	—
E810-E835	E47	Motor vehicle accidents	27	—	2	1	—	—	—	—	7	1	—	1	—	—
E840-E845	E48.0	Other road vehicle accidents	1	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	82	—	1	1	6	2	—	2	9	2	—	2	1	1
Remainder of E800-E999	E48.2	Other violence (BE50)	48	—	4	1	2	—	—	—	4	—	—	—	—	—
		ALL CAUSES	3,617	16	271	72	146	23	6	73	490	30	13	54	40	30
		AGES AT DEATH														
		Under 1	161	1	11	5	8	1	1	3	26	—	—	1	—	—
		1– 4	21	—	3	—	2	—	—	—	2	—	—	—	—	—
		5– 9	14	—	3	—	2	—	—	—	3	—	—	—	—	—
		10–14	5	—	1	—	1	—	—	—	—	—	—	—	—	—
		15–24	25	—	1	1	2	—	—	—	3	—	—	—	—	—
		25–34	45	—	4	—	1	1	—	—	10	1	—	—	—	1
		35–44	87	—	5	1	6	—	1	2	12	—	—	3	—	3
		45–54	278	4	19	3	10	—	—	5	43	1	—	3	1	2
		55–64	588	2	48	12	26	3	—	12	83	3	4	12	7	5
		65–74	953	2	75	20	32	7	3	16	109	9	2	18	12	8
		75–84	1,082	5	72	26	48	10	—	28	151	12	2	14	16	11
		85 and over	358	2	29	4	8	1	1	7	48	4	5	3	4	—
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,617	16	271	72	146	23	6	73	490	30	13	54	40	30

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County—*continued*: Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochgelly Burgh	Markinch Burgh	Newburgh Burgh	Newport-on-Tay Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
		Population (Estimated), 30th June, 1958	52,061	1,185	3,500	8,934	9,503	2,461	2,484	3,313	1,572	9,683	1,473	3,312	114,796
		Total Live Births Registered (including Illegitimate)	1,551	9	34	31	53	9	11	363	6	10	2	7	1,825
		,, Corr. for Mother's Resid. (,,)	1,017	25	66	142	188	38	40	46	20	106	19	67	2,417
		,, ,, ,, Male	525	11	29	70	87	22	20	27	11	51	7	32	1,254
		,, ,, ,, Female	492	14	37	72	101	16	20	19	9	55	12	35	1,163
		,, ,, ,, Illegitimate	33	1	2	3	4	1	2	1	1	6	1	2	91
		Stillbirths Registered (including Illegitimate)	53	—	1	—	—	—	—	4	—	—	—	—	29
		,, Corrected for Mother's Residence	35	—	2	5	4	—	1	—	—	2	—	—	45
		Marriages Registered	426	4	22	72	72	51	15	23	7	81	9	19	569
		Deaths Registered	601	9	38	61	69	28	17	48	21	103	20	30	1,059
		,, Corrected for Residence	524	19	49	99	111	43	26	67	27	140	23	47	1,178
		,, ,, Male	269	11	28	51	67	18	6	30	18	58	9	22	626
		,, ,, Female	255	8	21	48	44	25	20	37	9	82	14	25	552
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	2	—	—	—	—	1	—	—	1	—	—	—	6
010-019	2	Tuberculosis, other forms	2	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	2	—	—	—	—	—	—	—	—	—	—	—	4
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	—	1	—	—	—	—	—	—	—	1
140-205	18	Malignant neoplasms . Total	97	2	10	17	16	8	2	10	5	27	3	4	167
160-165	—	Malignant neoplasms of respiratory system	24	1	2	2	4	2	—	3	—	7	—	1	23
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	3	—	1	1	1	—	1	—	—	1	1	—	11
140-159, 170-199	—	Other malignant neoplasms	70	1	7	14	11	6	1	7	5	19	2	3	133
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	7	1	1	—	—	—	—	—	—	3	—	—	8
290-293	21	Anæmias	2	1	—	—	1	—	—	—	—	1	—	1	6
240-254, 270-289, 294-299	46.0	Other general diseases	5	—	1	—	—	—	—	—	—	1	—	1	3
330-334	22	Vascular lesions affecting central nervous system	81	6	9	17	25	7	3	10	7	28	7	3	202
340	23	Non-meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	1
300-326, 341-398	46.1	Other diseases of nervous system	10	1	—	1	1	1	1	—	1	—	—	1	12
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	—	1
410-416	25	Chronic rheumatic heart disease	10	—	1	—	2	1	1	—	—	1	—	—	9
420-422	26	Arteriosclerotic and degenerative heart disease	159	5	16	26	32	14	9	21	5	44	7	24	336
430-434	27	Other diseases of heart	4	—	—	2	1	1	—	—	—	1	1	1	25
440-443	28	Hypertensive heart disease	13	—	3	7	2	1	—	3	1	4	—	—	29

430-468	46.2	Other circulatory disease	3	—	—	—	—	—	—	—	—	—	—	5
480-483	30	Influenza	15	—	1	1	3	—	3	4	—	—	2	27
490-493	31	Pneumonia (except of newborn)	11	1	1	2	8	—	1	2	—	3	—	1	34
500-502	32	Bronchitis	6	—	—	2	1	—	—	—	1	3	1	—	23
470-475, 510-527	46.3	Other respiratory diseases	3	—	—	—	1	1	—	4	1	—	—	—	17
540, 541	33	Ulcer of stomach and duodenum	2	—	—	—	—	—	—	—	—	—	—	—	—
550-553	34	Appendicitis	2	—	—	—	1	—	—	—	—	—	—	—	9
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
543	36.0	Gastritis and duodenitis	4	—	1	1	—	—	—	—	—	1	—	1	7
571, 572	36.1	Diarrhœa (except of newborn)	3	—	—	1	—	—	—	—	—	—	1	—	5
581	37	Cirrhosis of liver	2	—	—	—	1	—	1	—	—	—	—	—	10
580, 582-586	46.4	Other diseases of liver	—	—	—	—	—	—	—	—	—	—	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases													
590-594	38	Nephritis and nephrosis	1	—	—	—	—	—	—	1	—	1	—	—	14
610	39	Hyperplasia of prostate	—	—	—	2	—	—	—	1	1	3	—	—	8
600-609, 611-637	46.6	Other diseases of genito-urinary system	2	—	—	1	—	—	—	—	—	1	—	—	7
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	—	1	—	—	—	—	—	—	—	1
690-749	46.7	Diseases of skin and organs of locomotion	4	—	—	—	—	—	—	—	1	1	1	—	10
750-759	41	Congenital malformations	3	—	—	1	2	—	1	—	—	2	—	1	13
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	8	—	—	1	1	—	—	—	—	—	—	1	11
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	1	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	2	1	—	—	1	1	—	—	—	1	—	1	19
794	45.0	Senility without mention of psychosis	1	—	—	—	—	3	1	—	—	1	—	1	5
780-793, 795	45.1	Ill-defined and unknown causes	1	—	—	—	—	—	—	—	—	—	—	—	8
E963, E970-E979	E49	Suicide and self-inflicted injury	5	—	—	2	—	—	—	—	—	—	—	—	13
E810-E835	E47	Motor vehicle accidents	3	—	—	—	1	—	—	—	—	—	—	—	11
E840-E845	E48.0	Other road vehicle accidents	—	—	—	1	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	13	—	—	8	1	1	—	—	—	1	1	2	28
Remainder of E800-E999	E48.2	Other violence (BE50)	5	—	—	—	2	1	2	2	—	1	—	1	23
		ALL CAUSES	524	19	49	99	111	43	26	67	27	140	23	47	1,178
		AGES AT DEATH													
		Under 1	20	1	—	2	5	1	1	—	—	2	—	4	68
		1– 4	4	—	—	—	—	—	—	—	—	—	—	—	10
		5– 9	2	—	1	—	1	—	—	—	—	—	—	—	2
		10–14	—	—	—	1	—	—	—	1	—	—	—	—	1
		15–24	3	—	—	—	1	—	—	—	—	2	—	—	12
		25–34	4	—	—	2	—	—	—	—	—	—	—	—	21
		35–44	10	—	—	2	2	1	—	1	1	—	1	3	33
		45–54	34	2	4	9	14	3	5	5	1	6	1	1	102
		55–64	90	4	11	19	21	6	3	5	3	23	5	3	178
		65–74	159	4	18	27	32	15	2	19	5	36	5	11	307
		75–84	162	7	10	23	28	11	7	22	11	49	6	17	334
		85 and over	36	1	5	14	7	6	8	14	6	22	5	8	110
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	524	19	49	99	111	43	26	67	27	140	23	47	1,178

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Inverness County: Inverness County	Fort William Burgh	Inverness Burgh	Kingussie Burgh	Landward	Kincardine County: Kincardine County	Banchory Burgh	Inverbervie Burgh	Laurencekirk Burgh	Stonehaven Burgh	Landward	Kinross County: Kinross County	Kinross Burgh	Landward
		Population (Estimated), 30th June, 1958	82,895	2,851	28,309	1,034	50,701	26,859	1,889	918	1,418	4,439	18,195	7,160	2,533	4,627
		Total Live Births Registered (including Illegitimate)	1,676	27	1,313	4	332	155	3	4	4	123	21	30	15	15
		,, Corr. for Mother's Resid. (,,)	1,425	51	555	10	809	431	41	14	21	68	287	106	39	67
		,, ,, ,, Male	740	18	303	6	413	241	25	8	8	35	165	54	18	36
		,, ,, ,, Female	685	33	252	4	396	190	16	6	13	33	122	52	21	31
		,, ,, ,, Illegitimate	69	—	32	—	37	15	—	—	2	1	12	4	2	2
		Stillbirths Registered (including Illegitimate)	40	—	35	—	5	4	—	—	1	3	—	—	—	—
		,, Corrected for Mother's Residence	23	1	9	—	13	10	—	1	4	5	—	1	1	—
		Marriages Registered	643	32	462	7	142	159	33	15	16	29	66	61	38	23
		Deaths Registered	1,251	50	581	23	597	231	21	7	11	81	111	81	21	60
		,, Corrected for Residence	1,030	40	312	18	660	332	36	13	27	73	183	99	45	54
		,, ,, Male	524	18	154	8	344	169	15	8	8	39	99	52	19	33
		,, ,, Female	506	22	158	10	316	163	21	5	19	34	84	47	26	21
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	10	—	5	—	5	1	—	—	—	—	1	2	—	2
010-019	2	Tuberculosis, other forms	1	—	—	—	1	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	3	—	—	—	3	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	—	1	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	1	—	—	—	1	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3	—	1	1	1	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms Total	170	5	58	4	103	54	4	4	7	9	30	21	13	8
160-165	—	Malignant neoplasms of respiratory system	22	—	11	—	11	3	—	1	—	—	2	1	—	1
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	6	—	2	—	4	7	1	1	3	—	2	2	1	1
140-159, 170-199	—	Other malignant neoplasms	142	5	45	4	88	44	3	2	4	9	26	18	12	6
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	1	—	—	1	—	—	—	—	—
260	20	Diabetes mellitus	10	3	3	—	4	4	—	—	—	3	1	—	—	—
290-293	21	Anæmias	5	1	1	—	3	3	1	—	1	—	1	1	—	1
240-254, 270-289, 294-299	46.0	Other general diseases	9	1	4	—	4	2	—	—	—	—	2	—	—	—
330-334	22	Vascular lesions affecting central nervous system	180	4	56	1	119	54	5	1	5	16	27	11	5	6
340	23	Non-meningococcal meningitis	1	—	1	—	—	—	—	—	—	—	—	1	1	—
300-326, 341-398	46.1	Other diseases of nervous system	17	1	5	—	11	3	—	—	1	1	1	—	—	—
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	5	—	1	—	4	2	—	—	—	—	2	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	300	9	89	8	194	125	18	6	6	25	70	27	9	18
430-434	27	Other diseases of heart	11	1	1	1	8	4	1	—	—	1	2	5	4	1
440-443	28	Hypertensive heart disease	23	2	12	1	8	3	—	—	—	1	2	2	—	2

480-483	30	Influenza	8	2	1	—	5	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	26	2	6	1	17	9	—	1	—	2	6	1	—
500-502	32	Bronchitis	14	—	5	—	9	9	2	—	2	—	5	5	3
470-475, 510-527	46.3	Other respiratory diseases	8	—	3	—	5	2	—	—	—	—	2	2	1
540, 541	33	Ulcer of stomach and duodenum	10	—	5	1	4	2	—	—	—	—	2	—	—
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	8	—	7	—	1	3	1	1	—	1	—	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	5	—	2	—	3	1	—	—	—	—	1	—	—
581	37	Cirrhosis of liver	3	—	—	—	3	—	—	—	—	—	—	—	—
580, 582-586	46.4	Other diseases of liver	4	—	1	—	3	—	—	—	—	—	—	1	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	3	—	2	—	1	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	9	2	2	—	5	4	—	—	—	—	4	3	1
610	39	Hyperplasia of prostate	6	—	2	—	4	8	1	—	—	3	4	2	—
600-609, 611-637	46.6	Other diseases of genito-urinary system	10	—	6	—	4	1	—	—	—	—	1	5	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	—	1	1	—	—	—	—	1	—	—
690-749	46.7	Diseases of skin and organs of locomotion	4	1	—	—	3	1	—	—	—	1	—	—	—
750-759	41	Congenital malformations	6	—	2	—	4	1	—	—	—	1	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	11	1	5	—	5	1	—	—	—	—	1	—	—
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	1	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	8	—	1	—	7	7	2	—	—	1	4	—	—
794	45.0	Senility without mention of psychosis	33	1	4	—	28	1	—	—	1	—	—	5	3
780-793, 795	45.1	Ill-defined and unknown causes	8	—	—	—	8	2	—	—	1	—	1	—	—
E963, E970-E979	E49	Suicide and self-inflicted injury	2	—	—	—	2	1	—	—	—	1	—	—	—
E810-E835	E47	Motor vehicle accidents	18	—	1	—	17	2	—	—	—	1	1	2	1
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	15	—	5	—	10	1	1	—	—	—	—	—	—
Remainder of E800-E999	E48.2	Other violence (BE50)	26	2	5	—	19	3	—	—	—	—	3	—	—
		ALL CAUSES	1,030	40	312	18	660	332	36	13	27	73	183	99	45
		AGES AT DEATH													
		Under 1	30	1	10	—	19	10	2	—	—	2	6	2	—
		1– 4	3	—	—	—	3	1	—	—	—	—	1	—	—
		5– 9	2	—	1	—	1	2	—	—	1	—	1	—	—
		10–14	3	—	1	—	2	—	—	—	—	—	—	—	—
		15–24	22	—	4	1	17	—	—	—	—	—	—	2	—
		25–34	15	2	5	—	8	6	—	—	—	2	4	—	—
		35–44	28	—	11	1	16	9	1	—	1	3	4	1	1
		45–54	67	2	24	4	37	18	1	—	1	3	13	7	2
		55–64	136	9	47	1	79	43	4	4	5	7	23	15	6
		65–74	243	10	79	4	150	71	8	3	5	16	39	29	19
		75–84	330	10	102	5	213	116	14	4	13	25	60	38	16
		85 and over	151	6	28	2	115	56	6	2	1	15	32	5	1
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	1,030	40	312	18	660	332	36	13	27	73	183	99	45

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Kirkcudbright County: Kirkcudbright County	Kirkcudbright County: Castle Douglas Burgh	Kirkcudbright County: Dalbeattie Burgh	Kirkcudbright County: Gatehouse of Fleet Burgh	Kirkcudbright County: Kirkcudbright Burgh	Kirkcudbright County: New Galloway Burgh	Kirkcudbright County: Landward	Lanark County: Lanark County	Lanark County: Glasgow County of City	Lanark County: Airdrie Burgh	Lanark County: Biggar Burgh	Lanark County: Coatbridge Burgh	Lanark County: Hamilton Burgh
		Population (Estimated), 30th June, 1958	30,403	3,326	3,428	886	2,513	282	19,968	1,627,977	1,078,958	32,800	1,441	52,918	41,330
		Total Live Births Registered (including Illegitimate)	153	14	19	3	14	—	103	33,710	22,922	634	13	497	1,117
		" Corr. for Mother's Resid. (,)	544	65	44	15	56	1	363	34,428	22,760	709	29	1,372	865
		" " " Male	282	36	20	6	25	1	194	17,729	11,674	385	18	717	464
		" " " Female	262	29	24	9	31	—	169	16,699	11,086	324	11	655	401
		" " " Illegitimate	22	1	1	—	—	—	20	1,449	1,117	19	1	40	30
		Stillbirths Registered (including Illegitimate)	1	—	—	—	—	—	1	871	627	9	—	4	11
		" Corrected for Mother's Residence	7	1	1	—	—	—	5	864	596	21	1	33	28
		Marriages Registered	210	28	32	7	29	—	114	14,265	9,965	330	21	419	424
		Deaths Registered	326	68	32	7	35	2	182	19,712	14,020	266	9	523	309
		" Corrected for Residence	390	50	44	12	36	3	245	19,569	13,453	356	19	563	497
		" " Male	193	24	21	7	21	1	119	10,430	7,136	185	4	309	272
		" " Female	197	26	23	5	15	2	126	9,139	6,317	171	15	254	225
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	3	—	—	—	—	—	3	368	277	2	—	14	9
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	24	15	1	—	—	1
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	1	15	12	—	—	1	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	1	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	13	9	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	3	3	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	—	—	—	—	33	19	1	—	1	—
140-205	18	Malignant neoplasms . Total	64	5	4	2	13	1	39	3,364	2,433	55	5	96	78
160-165	—	Malignant neoplasms of respiratory system	8	1	1	1	2	—	3	890	701	10	1	26	17
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	—	—	—	—	—	1	162	115	2	—	4	3
140-159, 170-199	—	Other malignant neoplasms	55	4	3	1	11	1	35	2,312	1,617	43	4	66	58
210-239	19	Benign and unspecified neoplasms	2	—	—	—	—	—	2	23	16	2	—	3	—
260	20	Diabetes mellitus	1	—	—	—	—	—	1	150	97	4	—	9	2
290-293	21	Anæmias	1	—	—	—	—	—	1	60	38	1	—	1	—
240-254, 270-289, 294-299	46.0	Other general diseases	5	2	1	—	1	—	1	126	84	2	—	5	7
330-334	22	Vascular lesions affecting central nervous system	66	6	7	4	7	—	42	2,934	1,992	46	2	91	81
340	23	Non-meningococcal meningitis	1	—	—	—	—	—	1	22	13	1	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	5	1	1	—	1	—	2	298	210	7	—	8	10
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	8	6	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	—	—	—	—	—	1	313	231	6	1	7	8
420-422	26	Arteriosclerotic and degenerative heart disease	120	20	10	3	10	2	75	5,359	3,565	118	4	173	148
430-434	27	Other diseases of heart	5	—	2	—	—	—	3	241	157	2	2	5	1
440-443	28	Hypertensive heart disease	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

480-483	30	Influenza	—	—	—	—	—	—	—	45	35	—	1	1	—
490-493	31	Pneumonia (except of newborn)	19	2	4	1	—	—	12	759	600	8	—	10	15
500-502	32	Bronchitis	7	2	1	—	—	—	4	1,103	856	13	—	21	20
470-475, 510-527	46.3	Other respiratory diseases	6	—	1	—	1	—	4	263	92	5	—	18	10
540, 541	33	Ulcer of stomach and duodenum	1	—	—	—	—	—	1	173	114	2	—	3	6
550-553	34	Appendicitis	1	—	—	—	—	—	1	32	22	2	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	6	—	—	—	—	—	6	110	72	1	—	4	1
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	2	1	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	—	—	—	—	—	1	105	65	2	—	4	1
581	37	Cirrhosis of liver	2	—	—	—	—	—	2	76	57	1	—	2	3
580, 582-586	46.4	Other diseases of liver	—	—	—	—	—	—	—	80	53	3	—	1	6
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	—	—	—	—	—	1	40	26	2	—	1	—
590-594	38	Nephritis and nephrosis	2	—	—	—	—	—	2	132	86	—	—	5	4
610	39	Hyperplasia of prostate	2	—	—	—	—	—	2	93	54	—	—	1	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	—	—	—	—	111	67	3	—	2	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	7	5	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	13	6	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	4	—	1	—	—	—	3	90	57	1	—	4	2
750-759	41	Congenital malformations	5	—	1	—	—	—	4	246	152	10	1	15	11
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	1	—	—	—	—	—	1	355	244	12	1	7	10
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	39	24	—	—	—	4
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	4	3	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	10	7	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	7	—	2	1	1	—	3	216	155	4	—	5	9
794	45.0	Senility without mention of psychosis	12	—	6	—	—	—	6	131	78	2	—	3	5
780-793, 795	45.1	Ill-defined and unknown causes	—	—	—	—	—	—	—	79	49	—	—	2	—
E963, E970-E979	E49	Suicide and self-inflicted injury	3	—	—	—	1	—	2	141	102	7	—	2	4
E810-E835	E47	Motor vehicle accidents	6	—	1	—	—	—	5	192	128	3	—	2	5
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	21	16	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	3	2	—	—	—	—	1	332	241	3	—	3	7
Remainder of E800-E999	E48.2	Other violence (BE50)	5	—	1	1	—	—	3	201	138	1	—	8	3
		ALL CAUSES	390	50	44	12	36	3	245	19,569	13,453	356	19	563	497
		AGES AT DEATH													
		Under 1	17	—	3	1	1	—	12	1,164	800	35	2	32	42
		1– 4	1	—	1	—	—	—	—	139	86	3	—	6	6
		5– 9	1	—	—	—	—	—	1	66	46	2	—	—	1
		10–14	1	—	—	—	—	—	1	45	21	—	—	—	2
		15–24	3	—	1	—	—	—	2	166	105	4	—	5	4
		25–34	4	1	1	—	—	—	2	345	231	6	—	11	13
		35–44	15	1	1	—	2	—	11	719	496	7	—	26	18
		45–54	19	3	1	—	1	—	14	1,769	1,223	30	2	37	57
		55–64	62	9	4	3	3	—	43	3,545	2,505	57	3	99	86
		65–74	103	12	14	2	14	—	61	5,156	3,608	93	1	144	126
		75–84	108	18	8	4	11	3	64	5,029	3,354	92	9	160	115
		85 and over	56	6	10	2	4	—	34	1,426	978	27	2	43	27
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	390	50	44	12	36	3	245	19,569	13,453	356	19	563	497

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Lanark County—*continued*: Lanark Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Landward	Midlothian County: Midlothian County	Edinburgh County of City	Bonnyrigg and Lasswade B.	Dalkeith Burgh	Loanhead Burgh	Musselburgh Burgh	Penicuik Burgh	Landward
		Population (Estimated), 30th June, 1958	8,275	72,153	24,397	315,705	575,142	467,410	5,989	9,146	5,225	18,128	5,847	63,397
		Total Live Births Registered (including Illegitimate)	1,194	1,405	119	5,809	10,979	10,083	34	39	25	338	39	421
		,, Corr. for Mother's Resid. (,,)	157	1,532	446	6,558	10,078	7,864	117	154	86	306	116	1,435
		,, ,, ,, Male	72	801	230	3,368	5,116	4,010	56	85	46	150	58	711
		,, ,, ,, Female	85	731	216	3,190	4,962	3,854	61	69	40	156	58	724
		,, ,, ,, Illegitimate	8	36	14	184	437	369	5	5	3	6	4	45
		Stillbirths Registered (including Illegitimate)	26	23	2	169	248	240	—	—	1	1	1	5
		,, Corrected for Mother's Residence	2	27	8	148	214	155	8	3	4	3	3	38
		Marriages Registered	74	622	258	2,152	5,068	4,283	59	96	31	162	52	385
		Deaths Registered	74	609	156	3,746	7,495	6,657	48	74	39	119	30	528
		,, Corrected for Residence	98	772	306	3,505	7,187	6,023	70	112	58	219	54	651
		,, ,, Male	47	427	144	1,906	3,552	2,925	33	50	27	131	23	363
		,, ,, Female	51	345	162	1,599	3,635	3,098	37	62	31	88	31	288
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	2	10	3	51	37	29	—	1	—	4	1	2
010-019	2	Tuberculosis, other forms	—	3	—	4	6	6	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	1	—	1	9	8	—	1	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	1	1	—	—	—	—	—	—	1
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	1	—	2	2	2	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	1	2	9	18	16	—	1	—	—	—	1
140-205	18	Malignant neoplasms . Total	14	114	51	518	1,358	1,159	11	20	9	41	5	113
160-165	—	Malignant neoplasms of respiratory system	2	17	14	102	340	296	4	3	1	11	1	24
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	10	1	26	67	49	2	1	3	4	—	8
140-159, 170-199	—	Other malignant neoplasms	11	87	36	390	951	814	5	16	5	26	4	81
210-239	19	Benign and unspecified neoplasms	—	—	—	2	15	12	—	—	—	2	—	1
260	20	Diabetes mellitus	1	7	3	27	58	46	2	1	—	2	—	7
290-293	21	Anæmias	1	3	—	16	21	17	—	—	1	1	—	2
240-254, 270-289, 294-299	46.0	Other general diseases	1	4	2	21	49	44	1	1	—	2	—	1
330-334	22	Vascular lesions affecting central nervous system	9	114	51	548	1,105	939	9	18	8	31	4	96
340	23	Non-meningococcal meningitis	—	1	—	7	4	3	—	—	—	—	—	1
300-326, 341-398	46.1	Other diseases of nervous system	4	9	1	49	95	77	1	1	2	3	1	10
400-402	24	Rheumatic fever	—	—	1	1	1	—	—	—	—	1	—	—
410-416	25	Chronic rheumatic heart disease	1	7	9	43	84	73	—	1	—	2	1	7
420-422	26	Arteriosclerotic and degenerative heart disease	38	231	93	989	2,237	1,837	29	35	25	73	25	213
430-434	27	Other diseases of heart	3	14	7	50	68	58	—	—	—	3	1	6
440-443	28	Hypertensive heart disease	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

480-483	30	Influenza	—	1	1	6	15	14	—	1	—	—	—	—
490-493	31	Pneumonia (except of newborn)	6	19	9	92	270	215	2	4	2	5	3	39
500-502	32	Bronchitis	2	42	8	141	224	191	2	4	—	7	1	19
470-475, 510-527	46.3	Other respiratory diseases	—	20	3	115	54	42	1	2	1	1	—	7
540, 541	33	Ulcer of stomach and duodenum	2	9	3	34	60	55	—	—	—	1	—	4
550-553	34	Appendicitis	—	—	—	7	5	5	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	6	3	23	38	31	—	1	1	2	2	1
543	36.0	Gastritis and duodenitis	—	—	—	1	3	3	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	—	8	2	23	29	25	—	1	—	1	—	2
581	37	Cirrhosis of liver	—	2	—	11	31	26	1	—	—	—	—	4
580, 582-586	46.4	Other diseases of liver	—	2	1	14	34	27	—	1	—	1	—	5
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	2	—	8	30	28	—	1	—	—	1	—
590-594	38	Nephritis and nephrosis	1	7	—	29	37	27	—	2	—	2	1	5
610	39	Hyperplasia of prostate	—	10	1	25	42	34	1	2	—	1	—	4
600-609, 611-637	46.6	Other diseases of genito-urinary system	2	9	3	23	44	37	1	—	—	—	—	6
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	1	2	2	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	7	3	2	—	1	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	1	2	2	21	36	29	1	—	—	2	1	3
750-759	41	Congenital malformations	2	11	2	42	76	63	1	3	—	1	—	8
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	1	7	4	69	71	54	—	—	4	4	1	8
763	43.0	Pneumonia of newborn	—	2	—	9	9	6	—	—	—	1	—	2
764	43.1	Diarrhœa of newborn	—	—	—	1	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	3	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	—	13	3	27	55	38	—	1	—	1	—	15
794	45.0	Senility without mention of psychosis	—	9	—	34	25	24	—	—	—	—	—	1
780-793, 795	45.1	Ill-defined and unknown causes	—	4	1	23	6	5	—	—	—	—	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	1	5	5	15	74	71	—	—	—	1	—	2
E810-E835	E47	Motor vehicle accidents	1	5	1	47	59	45	1	—	—	1	1	11
E840-E845	E48.0	Other road vehicle accidents	—	—	1	4	1	—	—	—	—	—	1	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	—	13	3	62	178	153	3	3	1	4	—	14
Remainder of E800-E999	E48.2	Other violence (BE50)	—	8	5	38	65	45	—	2	1	4	1	12
		ALL CAUSES	98	772	306	3,505	7,187	6,023	70	112	58	219	54	651
		AGES AT DEATH												
		Under 1	4	43	11	195	253	193	1	4	5	8	1	41
		1– 4	2	4	1	31	30	25	—	1	—	—	—	4
		5– 9	—	1	—	16	12	9	—	—	—	—	—	3
		10–14	—	4	—	18	13	8	—	1	1	1	—	2
		15–24	2	9	1	36	39	31	—	2	1	—	2	3
		25–34	1	12	6	65	84	64	2	3	1	2	1	11
		35–44	2	27	5	138	203	166	1	1	1	7	—	27
		45–54	7	56	33	324	555	449	7	8	3	15	7	66
		55–64	14	160	47	574	1,148	945	12	19	9	37	8	118
		65–74	29	214	77	864	1,911	1,620	20	26	15	60	11	159
		75–84	26	193	102	978	2,187	1,847	21	37	16	70	19	177
		85 and over	11	49	23	266	752	666	6	10	6	19	5	40
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	98	772	306	3,505	7,187	6,023	70	112	58	219	54	651

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Moray County: Moray County	Burghead Burgh	Elgin Burgh	Forres Burgh	Grantown-on-Spey Burgh	Lossiemouth & Branderburgh Burgh	Rothes Burgh	Landward	Nairn County: Nairn County	Nairn Burgh	Landward	Orkney County: Orkney County	Kirkwall Burgh	Stromness Burgh	Landward
		Population (Estimated), 30th June, 1958	49,160	1,385	11,528	4,974	1,543	5,225	1,205	23,300	8,278	4,668	3,610	19,533	4,242	1,465	13,826
		Total Live Births Registered (including Illegitimate)	881	2	459	254	1	32	3	130	125	18	107	278	188	5	85
		,, Corr. for Mother's Resid. (,,)	1,004	21	275	79	25	138	16	450	139	86	53	292	58	23	211
		,, ,, ,, Male	522	11	141	35	13	71	5	246	66	37	29	140	33	7	100
		,, ,, ,, Female	482	10	134	44	12	67	11	204	73	49	24	152	25	16	111
		,, ,, ,, Illegitimate	40	1	11	2	2	1	1	22	6	2	4	15	3	2	10
		Stillbirths Registered (including Illegitimate)	9	1	5	3	—	—	—	—	1	—	1	9	4	—	5
		,, Corrected for Mother's Residence	16	1	5	2	—	3	—	5	1	1	—	10	1	—	9
		Marriages Registered	367	8	159	42	10	55	16	77	51	46	5	135	45	15	75
		Deaths Registered	494	19	160	70	5	38	6	196	95	42	53	277	120	14	143
		,, Corrected for Residence	535	28	143	65	14	50	15	220	125	83	42	294	55	22	217
		,, ,, Male	265	16	65	33	5	26	6	114	56	37	19	131	19	11	101
		,, ,, Female	270	12	78	32	9	24	9	106	69	46	23	163	36	11	116
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—
085	14	Measles	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3	—	—	1	—	—	—	2	—	—	—	1	1	—	—
140-205	18	Malignant neoplasms . Total	79	4	23	6	5	6	2	33	26	23	3	39	10	3	26
160-165	—	Malignant neoplasms of respiratory system	14	1	5	—	2	1	2	3	4	3	1	2	1	1	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	5	—	1	1	1	—	—	2	2	1	1	4	—	—	4
140-159, 170-199	—	Other malignant neoplasms	60	3	17	5	2	5	—	28	20	19	1	33	9	2	22
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	5	—	2	—	—	1	1	1	1	—	1	4	1	—	3
290-293	21	Anæmias	2	1	1	—	—	—	—	—	—	—	—	2	—	—	2
240-254, 270-289, 294-299	46.0	Other general diseases	3	—	—	—	—	—	—	3	2	1	1	3	1	—	2
330-334	22	Vascular lesions affecting central nervous system	94	5	31	13	2	7	3	33	30	19	11	49	7	3	39
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	14	—	3	5	—	1	—	5	3	2	1	8	—	1	7
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	5	—	2	—	—	—	—	3	1	—	1	1	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease	175	13	46	21	2	19	5	69	37	19	18	81	16	6	59
430-434	27	Other diseases of heart	11	—	1	3	3	2	—	2	2	1	1	2	—	1	1
440-443	28	Hypertensive heart disease	11	1	4	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

480-483	30	Influenza	2	—	1	—	—	—	1	—	—	—	—	1	—	—	1
490-493	31	Pneumonia (except of newborn)	9	—	4	—	—	1	1	3	—	—	—	10	1	1	8
500-502	32	Bronchitis	13	2	2	2	1	2	—	4	2	1	1	2	—	1	1
470-475, 510-527	46.3	Other respiratory diseases	2	—	—	—	—	1	—	1	—	—	—	2	—	2	—
540, 541	33	Ulcer of stomach and duodenum	3	—	—	3	—	—	—	—	1	1	—	2	—	1	1
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	2	—	1	—	—	—	—	1	—	—	—	2	1	—	1
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	3	—	1	1	—	1	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—
580, 582-586	46.4	Other diseases of liver	2	—	2	—	—	—	—	—	—	—	—	1	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	—	—	—	—	—	—	1	1	1	—	1	1	—	—
590-594	38	Nephritis and nephrosis	5	—	1	—	—	—	—	4	—	—	—	6	—	—	6
610	39	Hyperplasia of prostate	2	—	—	—	—	—	—	2	—	—	—	10	1	—	9
600-609, 611-637	46.6	Other diseases of genito-urinary system	6	—	2	—	—	—	—	4	1	1	—	3	—	—	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	4	—	1	1	—	—	—	2	—	—	—	1	1	—	—
750-759	41	Congenital malformations	4	—	1	1	—	—	—	2	—	—	—	2	1	1	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	4	1	1	—	—	1	—	1	1	1	—	2	—	—	2
763	43.0	Pneumonia of newborn	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	3	—	1	—	—	—	—	2	2	2	—	2	—	—	2
794	45.0	Senility without mention of psychosis	5	—	1	—	—	1	—	3	—	—	—	17	3	—	14
780-793, 795	45.1	Ill-defined and unknown causes	1	—	—	—	—	—	—	1	—	—	—	3	1	—	2
E963, E970-E979	E49	Suicide and self-inflicted injury	1	—	—	—	—	—	—	1	1	1	—	1	1	—	—
E810-E835	E47	Motor vehicle accidents	8	—	—	—	—	1	—	7	3	2	1	1	—	—	1
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	9	—	2	2	—	4	—	1	1	1	—	8	5	—	3
Remainder of E800-E999	E48.2	Other violence (BE50)	14	1	2	1	—	—	—	10	1	1	—	4	1	—	3
		ALL CAUSES	535	28	143	65	14	50	15	220	125	83	42	294	55	22	217
		AGES AT DEATH															
		Under 1	21	1	5	2	—	3	1	9	3	3	—	6	1	1	4
		1– 4	6	—	—	2	—	3	—	1	2	1	1	1	—	—	1
		5– 9	—	—	—	—	—	—	—	—	1	1	—	2	—	—	2
		10–14	2	—	1	—	—	1	—	—	1	—	1	2	—	—	2
		15–24	8	—	—	1	—	—	—	7	2	—	2	2	—	—	2
		25–34	11	1	2	—	—	1	—	7	2	1	1	3	2	—	1
		35–44	16	2	5	—	—	2	—	7	3	1	2	5	3	—	2
		45–54	37	2	11	2	3	5	—	14	12	9	3	19	3	2	14
		55–64	56	3	14	7	1	3	2	26	17	15	2	33	9	3	21
		65–74	155	11	41	22	2	13	6	60	27	20	7	62	16	3	43
		75–84	159	6	52	21	7	10	5	58	42	26	16	118	17	10	91
		85 and over	64	2	12	8	1	9	1	31	13	6	7	41	4	3	34
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	535	28	143	65	14	50	15	220	125	83	42	294	55	22	217

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Peebles County: Peebles County	Innerleithen Burgh	Peebles Burgh	Landward	Perth County: Perth County	Aberfeldy Burgh	Abernethy Burgh	Alyth Burgh	Auchterarder Burgh	Blairgowrie and Rattray Burgh	Callander Burgh	Coupar Angus Burgh	Crieff Burgh	Doune Burgh	Dunblane Burgh
		Population (Estimated), 30th June, 1958	14,211	2,388	5,600	6,223	126,999	1,483	649	1,998	2,388	5,285	1,624	2,128	5,378	844	2,839
		Total Live Births Registered (including Illegitimate)	152	—	139	13	1,847	106	2	172	13	19	1	5	28	8	16
		,, Corr. for Mother's Resid. (,,)	206	38	69	99	2,146	27	8	22	61	102	34	36	95	16	67
		,, ,, ,, Male	110	19	42	49	1,083	15	5	10	25	45	17	15	48	9	32
		,, ,, ,, Female	96	19	27	50	1,063	12	3	12	36	57	17	21	47	7	35
		,, ,, ,, Illegitimate	8	2	2	4	109	1	—	1	8	7	3	1	1	1	3
		Stillbirths Registered (including Illegitimate)	1	—	1	—	31	1	—	1	—	—	—	—	—	—	—
		,, Corrected for Mother's Residence	7	—	3	4	41	1	—	1	1	—	—	2	3	—	2
		Marriages Registered	99	23	44	32	901	7	6	20	18	45	14	14	33	18	30
		Deaths Registered	148	24	91	33	1,703	24	5	21	44	77	20	21	86	12	23
		,, Corrected for Residence	214	43	89	82	1,645	28	8	39	52	95	28	35	88	21	41
		,, ,, Male	91	24	30	37	803	15	3	16	27	42	13	20	35	13	16
		,, ,, Female	123	19	59	45	842	13	5	23	25	53	15	15	53	8	25
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	—	—	—	—	8	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	1	2	—	—	—	—	1	—	—	—	—	—
140-205	18	Malignant neoplasms . Total	21	7	5	9	305	8	2	9	9	19	4	1	16	5	8
160-165	—	Malignant neoplasms of respiratory system	4	1	1	2	50	2	—	1	2	2	1	—	1	—	—
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	—	—	1	20	2	—	—	—	1	—	—	—	1	1
140-159, 170-199	—	Other malignant neoplasms	16	6	4	6	235	4	2	8	7	16	3	1	15	4	7
210-239	19	Benign and unspecified neoplasms	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
260	20	Diabetes mellitus	3	1	1	1	11	—	—	—	—	2	—	1	1	—	—
290-293	21	Anæmias	2	—	1	1	6	—	1	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	3	1	2	—	8	—	—	—	—	2	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	50	12	23	15	258	5	2	11	15	15	7	7	14	2	9
340	23	Non-meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
300-326, 341-398	46.1	Other diseases of nervous system	1	—	—	1	24	—	1	1	—	1	1	1	—	1	1
400-402	24	Rheumatic fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	—	—	1	17	1	1	—	1	—	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease	74	10	33	31	566	6	1	14	15	36	8	13	38	8	12
430-434	27	Other diseases of heart	4	1	2	1	11	—	—	—	—	—	—	1	—	—	—
440-443	28	Hypertensive heart disease	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

480-483	30	Influenza	—	—	—	—	3	1	—	—	—	1	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	6	—	4	2	60	1	—	—	2	4	1	—	2	—	6
500-502	32	Bronchitis	8	1	5	2	27	1	—	—	—	—	—	1	—	—	—
470-475, 510-527	46.3	Other respiratory diseases	—	—	—	—	9	—	—	—	1	—	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	2	1	—	1	11	—	—	—	—	1	—	—	2	—	1
550-553	34	Appendicitis	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	11	—	—	—	—	—	—	—	1	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	3	—	2	1	4	—	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	1	—	—	1	11	1	—	—	2	—	2	—	—	—	—
580, 582-586	46.4	Other diseases of liver	1	—	1	—	10	—	—	—	—	—	—	—	1	—	—
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	1	—	—	1	5	—	—	1	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	1	1	—	—	9	—	—	—	1	1	—	1	—	—	—
610	39	Hyperplasia of prostate	—	—	—	—	14	—	—	—	—	—	—	2	1	—	—
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	—	14	—	—	—	1	1	—	—	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	—	—	—	10	—	—	—	1	1	—	—	—	—	—
750-759	41	Congenital malformations	1	—	1	—	12	—	—	—	2	—	—	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	1	—	1	—	13	—	—	—	—	1	—	—	1	—	—
763	43.0	Pneumonia of newborn	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	1	1	—	—	18	—	—	—	—	—	—	—	2	1	—
794	45.0	Senility without mention of psychosis	5	2	1	2	19	2	—	—	—	1	1	—	—	1	—
780-793, 795	45.1	Ill-defined and unknown causes	2	1	1	—	6	—	—	—	—	—	—	—	1	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	2	1	1	—	9	—	—	—	—	1	—	—	—	—	—
E810-E835	E47	Motor vehicle accidents	6	—	—	6	26	—	—	—	—	2	—	—	—	—	—
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	4	—	2	2	25	—	—	—	—	1	1	—	2	1	—
Remainder of E800-E999	E48.2	Other violence (BE50)	—	—	—	—	17	—	—	1	—	—	—	—	—	—	2
		ALL CAUSES	214	43	89	82	1,645	28	8	39	52	95	28	35	88	21	41
		AGES AT DEATH															
		Under 1	6	2	2	2	47	—	—	—	1	1	—	—	4	1	1
		1– 4	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—
		5– 9	1	—	—	1	3	—	—	—	1	—	—	—	—	—	—
		10–14	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
		15–24	3	1	1	1	15	—	—	—	—	2	—	—	—	—	—
		25–34	2	—	—	2	14	—	—	1	1	—	—	—	1	—	—
		35–44	—	—	—	—	38	—	—	2	—	1	—	—	2	—	1
		45–54	14	2	3	9	114	1	1	1	3	7	1	1	2	—	3
		55–64	26	7	7	12	215	8	—	4	8	10	3	2	8	3	4
		65–74	45	12	20	13	455	8	5	10	13	26	8	11	22	6	17
		75–84	77	12	39	26	494	6	1	16	15	32	12	14	28	9	10
		85 and over	39	7	17	15	242	5	1	5	10	16	4	7	21	2	5
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	214	43	89	82	1,645	28	8	39	52	95	28	35	88	21	41

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Perth County—*cont.*: Perth Burgh	Perth County—*cont.*: Pitlochry Burgh	Perth County—*cont.*: Landward	Renfrew County: Renfrew County	Renfrew County: Barrhead Burgh	Renfrew County: Gourock Burgh	Renfrew County: Greenock Burgh	Renfrew County: Johnstone Burgh	Renfrew County: Paisley Burgh	Renfrew County: Port Glasgow Burgh	Renfrew County: Renfrew Burgh	Renfrew County: Landward
		Population (Estimated), 30th June, 1958	40,964	2,311	59,108	335,171	14,029	9,175	77,968	16,612	96,540	23,506	17,958	79,383
		Total Live Births Registered (including Illegitimate)	1,215	15	247	7,501	182	48	1,855	159	3,290	246	175	1,546
		,, Corr. for Mother's Resid. (,,)	718	38	922	6,678	321	151	1,601	351	2,034	527	384	1,309
		,, ,, ,, Male	370	19	473	3,441	162	80	831	182	1,041	273	198	674
		,, ,, ,, Female	348	19	449	3,237	159	71	770	169	993	254	186	635
		,, ,, ,, Illegitimate	34	4	45	213	2	1	67	7	76	18	13	29
		Stillbirths Registered (including Illegitimate)	25	—	4	170	1	—	62	1	37	6	3	60
		,, Corrected for Mother's Residence	11	1	19	166	4	4	53	2	50	18	10	25
		Marriages Registered	430	17	249	2,422	85	55	590	148	792	202	95	455
		Deaths Registered	600	24	746	3,848	94	85	1,000	100	1,368	134	130	937
		,, Corrected for Residence	528	23	659	3,947	166	149	880	164	1,187	211	212	978
		,, ,, Male	263	10	330	2,046	90	78	440	95	610	131	115	487
		,, ,, Female	265	13	329	1,901	76	71	440	69	577	80	97	491
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	5	—	3	44	2	—	16	1	15	4	—	6
010-019	2	Tuberculosis, other forms	—	—	—	4	1	—	—	—	—	1	1	1
020-029	3	Syphilis and its sequelæ	2	—	—	2	—	—	—	—	—	1	—	1
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	1	—	—	—	—	—	1	—	—
080	12	Acute poliomyelitis	—	—	1	2	1	—	—	—	—	—	—	1
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	5	—	—	1	—	3	—	—	1
140-205	18	Malignant neoplasms . Total	93	4	127	710	26	37	163	32	210	33	47	162
160-165	—	Malignant neoplasms of respiratory system	19	—	22	175	6	7	38	9	55	9	11	40
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	4	—	11	35	2	1	8	1	7	2	4	10
140-159, 170-199	—	Other malignant neoplasms	70	4	94	500	18	29	117	22	148	22	32	112
210-239	19	Benign and unspecified neoplasms	1	—	—	5	1	—	1	—	2	1	—	—
260	20	Diabetes mellitus	3	1	3	25	2	—	4	—	13	—	—	6
290-293	21	Anæmias	3	—	2	12	3	—	1	1	4	—	—	3
240-254, 270-289, 294-299	46.0	Other general diseases	3	—	3	18	—	3	3	—	7	1	1	3
330-334	22	Vascular lesions affecting central nervous system	69	6	96	656	27	22	123	20	233	31	32	168
340	23	Non-meningococcal meningitis	—	—	—	5	—	—	2	1	—	—	—	2
300-326, 341-398	46.1	Other diseases of nervous system	7	—	10	55	1	2	14	3	12	5	3	15
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	7	—	7	55	3	2	5	1	16	3	5	20
420-422	26	Arteriosclerotic and degenerative heart disease	167	7	241	1,188	54	48	268	49	338	56	66	309
430-434	27	Other diseases of heart	5	—	5	47	2	5	12	1	11	1	1	14
440-443	28	Hypertensive heart disease	9	—	4	93	2	2	35	3	22	7	6	15

450-468	46.2	Other circulatory disease	1	—	—	8	—	1	1	—	—	—	6
480-483	30	Influenza	27	—	17	129	5	2	33	7	45	6	7	24
490-493	31	Pneumonia (except of newborn)	12	1	12	138	7	8	29	5	41	8	7	33
500-502	32	Bronchitis	5	—	3	26	—	1	3	1	10	3	—	8
470-475, 510-527	46.3	Other respiratory diseases	6	—	1	28	—	—	2	—	10	3	4	9
540, 541	33	Ulcer of stomach and duodenum	2	—	1	8	—	—	2	—	6	—	—	—
550-553	34	Appendicitis	4	1	5	23	1	—	3	—	5	4	2	8
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	1	—	—	—	—	—	1	—	—
543	36.0	Gastritis and duodenitis	2	—	2	13	—	1	1	1	3	1	1	5
571, 572	36.1	Diarrhœa (except of newborn)	3	1	2	19	—	1	3	1	6	1	1	6
581	37	Cirrhosis of liver	3	—	6	14	1	—	3	—	2	3	—	5
580, 582-586	46.4	Other diseases of liver	—	—	4	5	—	—	—	—	1	2	—	2
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases												
590-594	38	Nephritis and nephrosis	2	1	3	21	2	—	5	1	8	—	2	3
610	39	Hyperplasia of prostate	5	—	6	22	2	5	3	—	5	—	1	6
600-609, 611-637	46.6	Other diseases of genito-urinary system	2	—	8	19	—	—	4	1	8	1	1	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	2	—	—	2	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	1	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	3	—	5	18	—	—	4	2	8	—	1	3
750-759	41	Congenital malformations	6	—	3	50	2	1	12	3	17	4	—	11
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	8	—	3	63	2	—	17	7	15	6	4	12
763	43.0	Pneumonia of newborn	1	—	—	13	1	—	1	1	6	1	1	2
764	43.1	Diarrhœa of newborn	—	—	—	1	—	—	1	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	1	—	—	1	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	8	1	6	27	—	—	9	3	8	2	1	4
794	45.0	Senility without mention of psychosis	4	—	10	17	2	—	4	—	6	—	3	2
780-793, 795	45.1	Ill-defined and unknown causes	1	—	3	24	—	3	17	—	3	—	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	8	—	—	22	1	—	5	3	8	—	—	5
E810-E835	E47	Motor vehicle accidents	6	—	18	39	2	—	9	1	11	5	3	8
E840-E845	E48.0	Other road vehicle accidents	—	—	1	3	—	—	—	—	—	—	—	3
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	16	—	4	66	7	2	13	3	20	3	3	15
Remainder of E800-E999	E48.2	Other violence (BE50)	4	—	10	38	1	—	11	3	4	4	2	13
		ALL CAUSES	528	23	659	3,947	166	149	880	164	1,187	211	212	978
		AGES AT DEATH												
		Under 1	24	1	14	203	8	2	57	17	60	16	10	33
		1– 4	4	—	2	24	—	—	6	—	6	3	—	9
		5– 9	1	—	1	15	—	—	2	1	3	2	3	4
		10–14	1	—	1	14	2	—	5	2	—	1	—	4
		15–24	1	—	12	39	1	—	11	1	11	3	1	11
		25–34	6	—	5	47	2	2	10	2	16	7	2	6
		35–44	17	—	15	123	5	4	24	7	43	6	9	25
		45–54	41	1	52	333	9	7	75	14	101	24	23	80
		55–64	76	4	85	700	35	33	164	27	202	39	37	163
		65–74	160	5	164	1,038	42	40	240	46	330	50	53	237
		75–84	137	7	207	1,102	46	43	231	38	328	47	62	307
		85 and over	60	5	101	309	16	18	55	9	87	13	12	99
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	528	23	659	3,947	166	149	880	164	1,187	211	212	978

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ross and Cromarty County: Ross and Cromarty County	Cromarty Burgh	Dingwall Burgh	Fortrose Burgh	Invergordon Burgh	Stornoway Burgh	Tain Burgh	Landward	Roxburgh County: Roxburgh County	Hawick Burgh	Jedburgh Burgh	Kelso Burgh	Melrose Burgh	Landward
		Population (Estimated), 30th June, 1958	59,823	681	3,593	857	1,597	5,294	1,659	46,142	44,766	16,599	3,954	4,159	2,144	17,910
		Total Live Births Registered (including Illegitimate)	822	2	345	7	3	238	4	223	513	321	62	80	6	44
		,, Corr. for Mother's Resid. (,,)	972	9	70	15	24	94	30	730	662	239	47	62	24	290
		,, ,, ,, Male	489	6	37	7	9	51	16	363	336	128	27	31	11	139
		,, ,, ,, Female	483	3	33	8	15	43	14	367	326	111	20	31	13	151
		,, ,, ,, Illegitimate	43	1	3	1	1	2	3	32	24	11	2	—	—	11
		Stillbirths Registered (including Illegitimate)	17	—	4	—	—	7	—	6	10	7	2	—	—	1
		,, Corrected for Mother's Residence	24	—	2	—	1	3	—	18	18	7	4	—	—	7
		Marriages Registered	200	3	25	3	6	34	23	106	304	145	32	48	10	69
		Deaths Registered	667	13	33	8	8	97	7	501	520	194	43	78	89	116
		,, Corrected for Residence	797	17	35	16	19	53	15	642	590	218	47	72	48	205
		,, ,, Male	402	11	14	9	5	32	7	324	274	103	27	35	19	90
		,, ,, Female	395	6	21	7	14	21	8	318	316	115	20	37	29	115
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	4	—	—	—	—	1	—	3	1	1	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	3	—	1	—	—	—	—	2	—	—	—	—	—	—
140-205	18	Malignant neoplasms Total	122	2	1	—	4	12	4	99	102	37	11	13	12	29
160-165	—	Malignant neoplasms of respiratory system	25	1	—	—	—	3	—	21	14	4	1	3	2	4
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	7	—	—	—	1	—	—	6	1	—	—	—	—	1
140-159, 170-199	—	Other malignant neoplasms	90	1	1	—	3	9	4	72	87	33	10	10	10	24
210-239	19	Benign and unspecified neoplasms	2	—	1	—	—	—	—	1	—	—	—	—	—	—
260	20	Diabetes mellitus	7	—	—	—	—	—	—	7	4	1	—	—	—	3
290-293	21	Anæmias	2	—	—	—	—	1	—	1	7	—	—	1	1	5
240-254, 270-289, 294-299	46.0	Other general diseases	6	—	—	—	—	—	—	6	—	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system	143	2	12	2	5	7	—	115	100	32	8	17	5	38
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	9	—	1	1	—	1	—	6	7	2	—	2	1	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	5	—	—	—	—	1	—	4	8	3	—	2	1	2
420-422	26	Arteriosclerotic and degenerative heart disease	260	4	15	4	5	12	4	216	228	97	15	24	19	73
430-434	27	Other diseases of heart	12	—	—	—	1	1	1	9	13	4	3	—	—	6
440-443	28	Hypertensive heart disease	39	1	—	1	—	4	—	33	10	5	2	—	—	3
(a)	(b)	(c)														

490-493	31	Pneumonia (except of newborn)	15	—	—	1	2	4	—	8	11	2	1	2	1	5
500-502	32	Bronchitis	8	—	1	—	—	1	—	6	14	3	1	4	2	4
470-475, 510-527	46.3	Other respiratory diseases	4	—	—	—	—	—	—	4	3	3	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	6	—	—	1	—	2	—	3	1	—	—	1	—	—
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	5	—	1	—	—	1	—	3	2	2	—	—	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	4	—	—	—	—	—	—	4	—	—	—	—	—	—
581	37	Cirrhosis of liver	1	—	—	—	—	—	—	1	2	1	—	—	—	1
580, 582-586	46.4	Other diseases of liver	3	—	—	1	—	—	—	2	2	1	—	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	3	1	—	—	—	—	—	2	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	8	—	—	—	—	—	—	8	3	2	—	—	1	—
610	39	Hyperplasia of prostate	3	—	—	—	—	—	—	3	2	2	—	—	—	—
600-609, 611-637	46.6	Other diseases of genito-urinary system	1	—	—	—	—	1	—	—	5	2	1	—	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	6	—	—	—	—	—	—	6	—	—	—	—	—	—
750-759	41	Congenital malformations	9	—	—	1	—	1	—	7	2	1	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	5	—	1	—	—	—	1	3	1	—	—	—	1	—
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	1	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	4	—	—	—	—	—	1	3	2	—	—	—	—	2
794	45.0	Senility without mention of psychosis	33	4	—	4	—	—	—	25	5	3	—	—	—	2
780-793, 795	45.1	Ill-defined and unknown causes	6	—	—	—	—	—	—	6	1	—	—	—	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	—	—	—	—	—	—	—	—	3	1	—	1	1	—
E810-E835	E47	Motor vehicle accidents	11	—	—	—	—	—	1	10	3	—	—	—	—	3
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	4	—	—	—	—	—	—	4	7	3	—	1	1	2
Remainder of E800-E999	E48.2	Other violence (BE50)	8	—	—	—	—	2	1	5	3	1	—	1	—	1
		ALL CAUSES	797	17	35	16	19	53	15	642	590	218	47	72	48	205
		AGES AT DEATH														
		Under 1	15	—	1	—	—	2	2	10	6	1	—	—	1	4
		1– 4	6	—	—	1	1	—	—	4	—	—	—	—	—	—
		5– 9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		10–14	2	—	—	—	—	1	—	1	—	—	—	—	—	—
		15–24	12	—	1	—	—	—	2	9	4	—	—	1	—	3
		25–34	10	—	—	—	—	2	—	8	4	1	—	—	—	3
		35–44	25	—	—	—	—	4	—	21	8	2	1	1	1	3
		45–54	50	2	4	—	1	9	—	34	38	13	5	3	3	14
		55–64	93	2	6	—	3	5	—	77	95	36	7	12	8	32
		65–74	185	7	5	4	7	13	6	143	135	48	17	12	15	43
		75–84	256	3	11	7	4	14	4	213	218	85	15	31	16	71
		85 and over	143	3	7	4	3	3	1	122	82	32	2	12	4	32
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	797	17	35	16	19	53	15	642	590	218	47	72	48	205

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	Abbreviated List "B"		Selkirk County: Selkirk County	Galashiels Burgh	Selkirk Burgh	Landward	Stirling County: Stirling County	Bridge of Allan Burgh	Denny and Dunipace Burgh	Falkirk Burgh	Grangemouth Burgh	Kilsyth Burgh	Stirling Burgh	Landward
		Population (Estimated), 30th June, 1958	20,964	12,154	5,739	3,071	192,782	3,254	7,505	37,271	17,043	10,380	27,314	90,015
		Total Live Births Registered (including Illegitimate)	417	316	97	4	5,399	90	39	1,603	112	50	1,097	2,408
		,, Corr. for Mother's Resid. (,,)	328	208	71	49	3,577	56	154	670	398	177	516	1,606
		,, ,, ,, Male	184	115	40	29	1,878	30	77	350	206	91	295	829
		,, ,, ,, Female	144	93	31	20	1,699	26	77	320	192	86	221	777
		,, ,, ,, Illegitimate	9	7	2	—	101	3	7	14	5	4	25	43
		Stillbirths Registered (including Illegitimate)	8	4	4	—	148	3	—	49	—	—	59	37
		,, Corrected for Mother's Residence	10	6	4	—	103	1	3	15	9	5	14	56
		Marriages Registered	147	85	47	15	1,474	22	62	343	133	81	221	612
		Deaths Registered	449	179	67	203	2,452	24	45	650	100	61	541	1,031
		,, Corrected for Residence	312	184	96	32	2,103	36	69	464	154	90	319	971
		,, ,, Male	128	73	40	15	1,146	15	34	252	82	54	169	540
		,, ,, Female	184	111	56	17	957	21	35	212	72	36	150	431
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	1	1	—	—	20	—	—	6	—	—	5	9
010-019	2	Tuberculosis, other forms	—	—	—	—	1	—	—	—	—	—	1	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	1	—	—	4	—	—	—	—	1	—	3
140-205	18	Malignant neoplasms Total	61	37	19	5	378	4	13	95	29	26	63	148
160-165	—	Malignant neoplasms of respiratory system	7	4	2	1	61	—	1	22	2	4	8	24
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	2	—	1	1	32	—	—	9	2	2	6	13
140-159, 170-199	—	Other malignant neoplasms	52	33	16	3	285	4	12	64	25	20	49	111
210-239	19	Benign and unspecified neoplasms	2	1	1	—	2	—	—	—	—	—	1	1
260	20	Diabetes mellitus	3	1	1	1	18	—	3	3	—	1	2	9
290-293	21	Anæmias	3	3	—	—	6	1	—	—	—	—	1	4
240-254, 270-289, 294-299	46.0	Other general diseases	4	4	—	—	10	1	—	1	—	—	5	3
330-334	22	Vascular lesions affecting central nervous system	71	45	19	7	340	5	11	91	18	4	55	156
340	23	Non-meningococcal meningitis	—	—	—	—	2	—	—	1	—	—	—	1
300-326, 341-398	46.1	Other diseases of nervous system	—	—	—	—	39	1	2	5	1	—	4	26
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	1	1	—	36	1	1	7	2	—	4	21
420-422	26	Arteriosclerotic and degenerative heart disease	94	48	39	7	645	13	25	134	65	32	82	294
430-434	27	Other diseases of heart	10	8	2	—	30	2	1	3	1	2	3	18
440-443	28	Hypertensive heart disease	1	1	—	—	36	—	—	6	3	2	8	17

480-483	30	Influenza	—	—	—	—	2	—	—	1	—	—	—	1
490-493	31	Pneumonia (except of newborn)	4	2	—	2	66	1	2	14	8	2	16	23
500-502	32	Bronchitis	9	7	1	1	60	1	4	20	5	2	9	19
470-475, 510-527	46.3	Other respiratory diseases	1	1	—	—	27	1	1	1	—	1	1	22
540, 541	33	Ulcer of stomach and duodenum	3	1	1	1	21	—	—	7	—	1	6	7
550-553	34	Appendicitis	—	—	—	—	3	—	—	—	1	1	—	1
560, 561, 570	35	Intestinal obstruction and hernia	2	2	—	—	12	—	—	3	3	1	1	4
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	—	—	1	4	—	—	1	—	—	—	3
581	37	Cirrhosis of liver	2	2	—	—	6	—	—	3	1	1	—	1
580, 582-586	46.4	Other diseases of liver	2	1	1	—	10	1	—	3	—	1	2	3
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	—	5	—	—	1	—	1	1	2
590-594	38	Nephritis and nephrosis	1	—	1	—	18	—	1	2	2	—	3	10
610	39	Hyperplasia of prostate	2	—	—	2	20	—	2	3	2	1	3	9
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	—	12	1	—	—	—	—	3	8
40, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	—	—	1	—	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	—	—	—	—	8	—	—	3	—	—	2	3
750-759	41	Congenital malformations	—	—	—	—	19	—	—	3	1	—	3	12
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	2	1	—	1	23	—	—	8	2	1	2	10
763	43.0	Pneumonia of newborn	—	—	—	—	2	—	—	—	—	1	—	1
764	43.1	Diarrhœa of newborn	—	—	—	—	1	—	—	—	1	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	2	—	—	—	—	—	—	2
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	2	2	—	—	24	—	1	3	1	1	1	17
794	45.0	Senility without mention of psychosis	11	7	2	2	29	2	—	1	1	1	4	20
780-793, 795	45.1	Ill-defined and unknown causes	—	—	—	—	1	—	—	—	—	—	—	1
E963, E970-E979	E49	Suicide and self-inflicted injury	2	1	1	—	7	—	—	2	—	—	2	3
E810-E835	E47	Motor vehicle accidents	1	1	—	—	16	1	—	1	1	1	3	9
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	1	—	—	—	—	—	—	1
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	3	1	2	—	33	—	1	8	1	1	4	18
Remainder of E800-E999	E48.2	Other violence (BE50)	4	—	2	2	37	—	1	6	2	2	5	21
		ALL CAUSES	312	184	96	32	2,103	36	69	464	154	90	319	971
		AGES AT DEATH												
		Under 1	4	3	—	1	82	—	1	14	8	3	7	49
		1– 4	—	—	—	—	7	—	—	2	—	—	1	4
		5– 9	1	—	—	1	10	—	—	—	3	2	2	3
		10–14	—	—	—	—	3	—	—	2	—	—	1	—
		15–24	1	—	—	1	21	—	—	4	1	3	2	11
		25–34	6	4	2	—	39	—	1	6	3	2	8	19
		35–44	5	3	—	2	83	1	2	15	6	2	13	44
		45–54	22	10	11	1	172	3	5	44	12	7	24	77
		55–64	43	27	12	4	340	6	12	79	23	17	61	142
		65–74	82	46	26	10	540	6	23	118	46	25	72	250
		75–84	108	72	27	9	630	16	21	141	41	25	98	288
		85 and over	40	19	18	3	176	4	4	39	11	4	30	84
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	312	184	96	32	2,103	36	69	464	154	90	319	971

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Sutherland County: Sutherland County	Sutherland County: Dornoch Burgh	Sutherland County: Landward	West Lothian County: West Lothian County	West Lothian County: Armadale Burgh	West Lothian County: Bathgate Burgh	West Lothian County: Bo'ness Burgh	West Lothian County: Linlithgow Burgh	West Lothian County: Queensferry Burgh	West Lothian County: Whitburn Burgh	West Lothian County: Landward
		Population (Estimated), 30th June, 1958	13,055	848	12,207	93,028	6,255	12,084	10,380	4,220	2,751	5,871	51,467
		Total Live Births Registered (including Illegitimate)	141	—	141	1,741	57	78	78	20	23	71	1,414
		,, Corr. for Mother's Resid. (,,)	235	4	231	1,913	137	263	203	72	70	149	1,019
		,, ,, ,, Male	118	2	116	951	71	128	104	34	30	65	519
		,, ,, ,, Female	117	2	115	962	66	135	99	38	40	84	500
		,, ,, ,, Illegitimate	13	—	13	50	4	9	4	2	1	4	26
		Stillbirths Registered (including Illegitimate)	4	—	4	42	—	1	4	1	1	—	35
		,, Corrected for Mother's Residence	6	1	5	42	4	5	5	1	3	3	21
		Marriages Registered	83	19	64	674	59	110	80	44	20	41	320
		Deaths Registered	160	8	152	1,025	26	68	91	18	11	17	794
		,, Corrected for Residence	198	11	187	922	61	139	138	37	32	32	483
		,, ,, Male	91	3	88	512	29	75	83	22	19	17	267
		,, ,, Female	107	8	99	410	32	64	55	15	13	15	216
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	4	—	4	4	—	—	—	—	—	—	4
010-019	2	Tuberculosis, other forms	—	—	—	1	—	—	—	—	—	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	1	—	—	—	—	—	—	1
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	—	—	—	2	—	—	1	—	—	—	1
140-205	18	Malignant neoplasms . Total	26	—	26	153	13	25	20	5	8	5	77
160-165	—	Malignant neoplasms of respiratory system	3	—	3	35	4	8	3	2	1	—	17
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	3	—	3	13	5	2	1	—	—	1	4
140-159, 170-199	—	Other malignant neoplasms	20	—	20	105	4	15	16	3	7	4	56
210-239	19	Benign and unspecified neoplasms	—	—	—	2	—	—	—	—	—	1	1
260	20	Diabetes mellitus	2	—	2	9	—	3	3	—	—	1	2
290-293	21	Anæmias	2	—	2	1	—	—	—	1	—	—	—
240-254, 270-289, 294-299	46.0	Other general diseases	—	—	—	4	—	1	1	—	—	1	1
330-334	22	Vascular lesions affecting central nervous system	31	—	31	146	8	23	24	1	6	9	75
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	5	—	5	10	—	2	2	—	—	—	6
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	—	2	18	1	4	1	2	1	1	8
420-422	26	Arteriosclerotic and degenerative heart disease	60	5	55	255	15	35	37	12	8	4	144
430-434	27	Other diseases of heart	4	—	4	10	4	1	1	—	—	—	4
440-443	28	Hypertensive heart disease	1	—	1	18	1	6	—	1	—	—	10

			3	—	3	—	—	1	—	—	—	2
490-493	31	Pneumonia (except of newborn)	8	—	8	46	—	6	10	3	—	2	25
500-502	32	Bronchitis	2	—	2	33	—	2	5	3	5	1	17
470-475, 510-527	46.3	Other respiratory diseases	—	—	—	16	2	1	—	—	—	2	11
540, 541	33	Ulcer of stomach and duodenum	1	—	1	7	—	4	—	1	—	—	2
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	1	1	—	1	—	—	—	—	—
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	—	—	—	6	1	1	1	1	—	1	1
581	37	Cirrhosis of liver	—	—	—	5	1	—	—	1	1	—	2
580, 582-586	46.4	Other diseases of liver	1	—	1	9	1	2	1	—	—	—	5
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	—	—	—	3	—	—	—	—	—	—	3
590-594	38	Nephritis and nephrosis	1	—	1	4	—	—	2	—	—	—	2
610	39	Hyperplasia of prostate	2	—	2	3	—	—	1	—	—	—	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	3	1	2	8	—	3	2	—	1	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	1	—	—	—	—	—	—	1
690-749	46.7	Diseases of skin and organs of locomotion	1	1	—	3	—	1	1	—	—	—	1
750-759	41	Congenital malformations	3	—	3	11	4	1	2	—	—	—	4
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	3	—	3	13	2	—	1	1	—	1	8
763	43.0	Pneumonia of newborn	1	—	1	1	—	—	—	—	—	—	1
764	43.1	Diarrhœa of newborn	—	—	—	1	—	—	—	—	—	—	1
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	—	—	—	12	—	3	2	—	—	1	6
794	45.0	Senility without mention of psychosis	11	2	9	3	—	—	1	—	—	—	2
780-793, 795	45.1	Ill-defined and unknown causes	3	—	3	3	—	—	—	—	—	—	3
E963, E970-E979	E49	Suicide and self-inflicted injury	—	—	—	4	—	2	1	—	—	—	1
E810-E835	E47	Motor vehicle accidents	1	—	1	6	—	1	—	1	—	1	3
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	1	—	1	15	2	1	2	—	1	1	8
Remainder of E800-E999	E48.2	Other violence (BE50)	5	1	4	8	—	1	1	—	1	—	5
		All Causes	198	11	187	922	61	139	138	37	32	32	483
		Ages at Death											
		Under 1	6	—	6	48	6	6	7	1	2	4	22
		1– 4	1	—	1	2	—	—	—	—	—	—	2
		5– 9	1	—	1	3	—	—	—	—	—	—	3
		10–14	1	—	1	3	1	1	—	—	—	—	1
		15–24	2	1	1	7	2	—	—	—	—	2	3
		25–34	4	—	4	10	—	2	2	—	—	2	4
		35–44	7	—	7	29	3	3	6	1	1	1	14
		45–54	10	—	10	79	9	11	5	4	4	2	44
		55–64	21	—	21	150	10	23	22	7	7	1	80
		65–74	42	3	39	252	17	37	43	10	6	14	125
		75–84	67	5	62	258	8	42	40	12	9	5	142
		85 and over	36	2	34	81	5	14	13	2	3	1	43
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		All Ages	198	11	187	922	61	139	138	37	32	32	483

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 47. Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1958—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Wigtown County: Wigtown County	Wigtown County: Newton-Stewart Burgh	Wigtown County: Stranraer Burgh	Wigtown County: Whithorn Burgh	Wigtown County: Wigtown Burgh	Wigtown County: Landward	Zetland County: Zetland County	Zetland County: Lerwick Burgh	Zetland County: Landward
		Population (Estimated), 30th June, 1958	30,090	2,027	8,933	1,014	1,330	16,786	18,373	5 585	12,788
		Total Live Births Registered (including Illegitimate)	453	3	367	7	6	70	269	216	53
		,, Corr. for Mother's Resid. (,,)	606	29	177	19	23	358	273	99	174
		,, ,, ,, Male	317	13	97	6	11	190	144	60	84
		,, ,, ,, Female	289	16	80	13	12	168	129	39	90
		,, ,, ,, Illegitimate	52	—	14	3	3	32	12	4	8
		Stillbirths Registered (including Illegitimate)	8	—	6	—	1	1	10	9	1
		,, Corrected for Mother's Residence	21	—	8	1	1	11	10	3	7
		Marriages Registered	204	16	101	12	11	64	87	53	34
		Deaths Registered	333	17	140	11	10	155	272	139	133
		,, Corrected for Residence	387	35	107	13	21	211	275	71	204
		,, ,, Male	194	18	62	4	11	99	119	37	82
		,, ,, Female	193	17	45	9	10	112	156	34	122
		CAUSES OF DEATH									
001-008	1	Tuberculosis of respiratory system	1	—	—	—	—	1	1	1	—
010-019	2	Tuberculosis, other forms	1	—	1	—	—	—	—	—	—
020-029	3	Syphilis and its sequel	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	—	—	—	—	1	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—
030-044, 049-055, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B4, 5, 7, 8, 11, 13, 15, 16)*	1	—	—	—	—	1	1	—	1
140-205	18	Malignant neoplasms . Total	61	8	12	4	2	35	41	11	30
160-165	—	Malignant neoplasms of respiratory system	10	2	1	—	—	7	5	—	5
200-205	—	Malignant neoplasms of lymphatic and hæmatopoietic tissues	1	—	—	—	—	1	1	—	1
140-159, 170-199	—	Other malignant neoplasms	50	6	11	4	2	27	35	11	24
210-239	19	Benign and unspecified neoplasms	2	—	1	—	—	1	1	—	1
260	20	Diabetes mellitus	3	—	—	—	—	3	5	2	3
290-293	21	Anæmias	—	—	—	—	—	—	1	1	—
240-254, 270-289, 294-299	46.0	Other general diseases	6	—	4	—	—	2	3	2	1
330-334	22	Vascular lesions affecting central nervous system	75	6	17	5	4	43	44	11	33
340	23	Non-meningococcal meningitis	1	—	—	—	—	1	—	—	—
300-326, 341-398	46.1	Other diseases of nervous system	5	—	2	—	2	1	4	1	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	12	2	5	—	—	5	2	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	115	8	35	4	7	61	102	23	79
430-434	27	Other diseases of heart	9	—	—	—	—	9	7	1	6

480-483	30	Influenza	1	—	—	—	—	1	1	—	1
490-493	31	Pneumonia (except of newborn)	8	—	1	—	2	5	5	1	4
500-502	32	Bronchitis	7	—	2	—	1	4	3	2	1
470-475, 510-527	46.3	Other respiratory diseases	2	—	1	—	—	1	—	—	—
540, 541	33	Ulcer of stomach and duodenum	4	1	2	—	—	1	3	1	2
550-553	34	Appendicitis	1	—	—	—	—	1	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	1	—	—	1	2	—	2
543	36.0	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—
571, 572	36.1	Diarrhœa (except of newborn)	1	—	—	—	—	1	1	—	1
581	37	Cirrhosis of liver	1	—	1	—	—	—	1	—	1
580, 582-586	46.4	Other diseases of liver	4	1	1	—	—	2	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.5	Other digestive diseases	2	1	—	—	—	1	—	—	—
590-594	38	Nephritis and nephrosis	7	2	3	—	1	1	2	—	2
610	39	Hyperplasia of prostate	4	—	—	—	—	4	2	—	2
600-609, 611-637	46.6	Other diseases of genito-urinary system	—	—	—	—	—	—	2	2	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including abortion with sepsis	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	2	—	—	—	—	2	—	—	—
690-749	46.7	Diseases of skin and organs of locomotion	1	—	—	—	—	1	1	1	—
750-759	41	Congenital malformations	4	—	1	—	—	3	1	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	4	—	3	—	—	1	1	1	—
763	43.0	Pneumonia of newborn	—	—	—	—	—	—	—	—	—
764	43.1	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—
765-768	43.2	Other infections of the newborn	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy and immaturity unqualified	3	—	1	—	—	2	5	3	2
794	45.0	Senility without mention of psychosis	—	—	—	—	—	—	6	2	4
780-793, 795	45.1	Ill-defined and unknown causes	3	—	2	—	—	1	—	—	—
E963, E970-E979	E49	Suicide and self-inflicted injury	2	1	—	—	—	1	—	—	—
E810-E835	E47	Motor vehicle accidents	2	—	1	—	—	1	—	—	—
E840-E845	E48.0	Other road vehicle accidents	—	—	—	—	—	—	—	—	—
E870-E936 (part), E961 (part), E962 (part)	E48.1	Accidents in the home	7	2	3	—	1	1	4	1	3
Remainder of E800-E999	E48.2	Other violence (BE50)	2	1	—	—	—	1	6	1	5
		All Causes	387	35	107	13	21	211	275	71	204
		Ages at Death									
		Under 1	15	—	7	—	—	8	8	4	4
		1– 4	1	—	1	—	—	—	—	—	—
		5– 9	—	—	—	—	—	—	—	—	—
		10–14	1	—	—	—	—	1	—	—	—
		15–24	3	—	1	—	—	2	—	—	—
		25–34	5	—	2	—	—	3	5	1	4
		35–44	11	—	4	1	1	5	10	4	6
		45–54	35	2	13	1	5	14	16	6	10
		55–64	59	9	17	2	2	29	25	10	15
		65–74	105	12	22	2	4	65	61	20	41
		75–84	111	5	28	5	6	67	97	14	83
		85 and over	41	7	12	2	3	17	53	12	41
		Not stated	—	—	—	—	—	—	—	—	—
		All Ages	387	35	107	13	21	211	275	71	204

*Including typhoid fever, scarlet fever and streptococcal sore throat, diphtheria and acute infectious encephalitis.

Table 48. Standardised mortality ratios, age specific death rates and infant mortal

International List Nos.	Cause of Death	Country	S.M.R. All Ages M.	S.M.R. All Ages F.	Death Rates per Million Population All Ages M.	All Ages F.	1–4 M.	1–4 F.	5–14 M.	5–14 F.	15–24 M.	15–24 F.
	All Causes	**England and Wales**	99	98	12,447	10,965	991·2	767·2	439·4	274·8	948·7	447
		Scotland	109	116	12,809	11,268	981·1	924·6	497·5	310·5	996·7	482
		Northern Ireland	115	128	13,323	11,639	1,183	977·4	516·9	263·2	924·6	401
001-008	Tuberculosis of respiratory system	England and Wales	96	92	135·6	44·9	*1·47*	*1·54*	*1·41*	*0·59*	9·26	9
		Scotland	133	168	173·8	77·0	*11·0*	*5·78*	–	–	*8·77*	*16*
		Northern Ireland	120	127	146·3	54·3	–	–	*14·8*	–	*9·07*	
010-019	Tuberculosis, other forms	England and Wales	100	101	11·9	9·54	*9·52*	*10·8*	*3·66*	*3·53*	7·12	3
		Scotland	99	87	11·3	7·81	*11·0*	–	*9·13*	*4·78*	*8·77*	2
		Northern Ireland	105	113	*11·7*	*9·74*	–	*18·8*	*7·38*	*7·74*	*9·07*	*19*
020-029	Syphilis and its sequelæ	England and Wales	104	105	30·0	16·6	–	–	*0·28*	–	–	0
		Scotland	61	48	16·1	*6·69*	–	–	–	–	–	
		Northern Ireland	122	110	30·7	*13·9*	–	–	–	–	–	
057	Meningococcal infections	England and Wales	97	99	3·27	3·17	16·1	*12·3*	*0·56*	*0·88*	*0·36*	0
		Scotland	137	126	*5·24*	*4·46*	*33·1*	*23·1*	–	–	–	
		Northern Ireland	69	36	*2·93*	*1·39*	*35·3*	18·8	–	–	–	
080	Acute poliomyelitis	England and Wales	93	108	3·27	2·48	*5·13*	*5·40*	*3·09*	*2·95*	*3·21*	4
		Scotland	145	45	*5·24*	*1·12*	–	*5·78*	*4·56*	–	*5·85*	
		Northern Ireland	163	54	*5·85*	*1·39*	*17·7*	–	–	–	*9·07*	9
Rest of 001-138	Other infective and parasitic diseases	England and Wales	97	8	24·9	22·4	27·1	28·5	12·7	9·72	7·12	6
		Scotland	101	111	25·4	24·5	*38·6*	*23·1*	*9·13*	*4·78*	*2·92*	*13*
		Northern Ireland	179	116	45·4	25·0	*53·0*	*37·6*	*7·38*	–	*9·07*	
140-148	Malignant neoplasm of buccal cavity and pharynx	England and Wales	98	98	58·3	28·1	*2·20*	*0·77*	*1·13*	*0·59*	*0·71*	1
		Scotland	114	117	62·1	29·7	–	–	–	–	–	2
		Northern Ireland	106	125	57·1	29·2	–	–	–	–	–	
150	œsophagus	England and Wales	98	96	59·8	42·5	–	–	–	–	–	0
		Scotland	128	132	71·8	50·6	–	–	–	–	–	
		Northern Ireland	75	122	41·0	43·1	–	–	–	–	–	
151	stomach	England and Wales	99	97	364·9	264·4	–	–	–	–	*1·78*	0
		Scotland	106	121	357·7	287·8	–	–	–	–	*5·85*	2
		Northern Ireland	107	128	345·3	279·6	–	–	–	–	–	
153	large intestine	England and Wales	97	98	170·1	232·4	–	–	–	–	*0·71*	1
		Scotland	129	125	208·9	258·4	–	–	–	–	*2·92*	
		Northern Ireland	100	100	158·0	190·6	–	–	–	–	–	
154	rectum	England and Wales	100	101	144·0	107·0	–	–	*0·28*	–	*1·07*	0
		Scotland	101	96	133·5	88·9	–	–	–	–	*2·92*	
		Northern Ireland	89	69	114·1	58·4	–	–	–	–	–	9
161	larynx	England and Wales	101	94	30·4	7·32	–	–	–	–	–	
		Scotland	102	129	28·2	8·92	–	–	–	–	–	
		Northern Ireland	55	220	*14·6*	*13·9*	–	–	–	–	–	
162, 163	trachea, bronchus, and lung	England and Wales	100	99	783·7	119·0	*0·73*	*0·77*	*0·28*	–	*2·49*	1
		Scotland	106	116	760·9	126·1	–	–	–	–	*2·92*	2
		Northern Ireland	58	72	384·8	71·0	–	–	–	–	–	9
170	breast	England and Wales	103	101	3·36	383·0	–	–	–	–	–	0
		Scotland	81	95	*2·42*	323.2	–	–	–	–	–	
		Northern Ireland	51	88	*1·46*	274·1	–	–	–	–	–	
171	cervix uteri	England and Wales	–	103	–	115·6	–	–	–	*0·29*	–	
		Scotland	–	79	–	81·1	–	–	–	–	–	
		Northern Ireland	–	60	–	55·7	–	–	–	–	–	
172	corpus uteri	England and Wales	–	109	–	50·9	–	–	–	–	–	
		Scotland	–	36	–	15·2	–	–	–	–	–	
		Northern Ireland	–	22	–	*8·35*	–	–	–	–	–	
177	prostate	England and Wales	100	–	166·2	–	*2·20*	–	–	–	–	
		Scotland	99	–	151·6	–	–	–	–	–	–	
		Northern Ireland	99	–	152·1	–	–	–	–	–	–	
181	bladder and other urinary organs	England and Wales	102	99	92·4	36·9	*0·73*	*1·54*	*0·28*	–	*0·36*	
		Scotland	92	104	77·0	33·5	–	–	–	–	–	
		Northern Ireland	72	108	58·5	32·0	–	–	–	–	–	
204	Leukæmia and aleukæmia	England and Wales	101	100	59·8	46·4	50·5	38·6	34·6	20·3	22·4	1
		Scotland	96	104	55·2	45·4	*60·6*	*52·0*	*25·1*	*19·1*	*29·2*	*1*
		Northern Ireland	91	100	51·2	41·7	–	*37·6*	*51·7*	*15·5*	*45·3*	

NOTE. Rates based upon less t

es from selected causes in 1958 in England and Wales, Scotland and Northern Ireland

Death Rates per Million Population														Deaths under 1 Year per thousand live births	
25–34		35–44		45–54		55–64		65–74		75–84		85 and over			
M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
69	797·7	2,432	1,800	7,396	4,497	21,858	10,927	54,251	30,880	124,563	87,464	242,625	215,559	25·3	19·6
93	1,074	3,173	2,456	9,040	5,509	24,856	13,695	59,659	37,005	127,254	99,763	257,059	248,079	30·9	24·3
35	947·5	3,185	2,842	9,322	6,925	26,533	16,012	62,741	43,049	132,722	102,964	317,570	279,392	31·3	24·6
·9	48·5	85·2	57·9	166·4	51·5	400·8	69·0	572·3	99·1	450·7	104·6	*181·8*	*79·8*	*0·01*	*0·01*
·9	143·7	148·6	167·7	283·7	67·1	536·1	79·9	656·7	125·6	409·0	132·0	*117·2*	*129·2*	–	*0·02*
·9	*64·6*	*181·7*	*56·4*	*175·4*	*92·0*	489·8	*98·8*	562·8	*165·3*	*635·8*	*192·7*	*815·3*	–	–	–
·70	*5·02*	11·9	7·16	13·6	9·74	19·8	14·7	28·7	19·2	*32·3*	29·3	*45·5*	*26·6*	*0·01*	*0·01*
·69	–	*3·03*	*11·4*	*14·9*	*11·2*	*16·4*	*13·3*	*14·0*	*19·3*	*31·5*	–	*117·2*	*64·6*	*0·02*	*0·02*
·0	*10·8*	–	–	*25·1*	–	*16·3*	–	*26·8*	–	*53·0*	*77·1*	–	–	–	–
·35	*0·33*	8·68	*1·87*	21·5	9·14	73·3	35·2	189·8	64·1	171·8	88·0	*136·4*	159·6	*0·01*	*0·00*
–	–	*12·1*	–	*11·9*	*5·59*	*57·3*	*23·3*	*97·8*	*43·5*	*47·2*	–	*117·2*	–	–	–
–	*10·8*	–	*11·3*	*62·6*	–	*130·6*	*56·5*	*160·8*	*62·0*	*106·0*	–	–	*266·6*	–	–
·34	*0·33*	*0·32*	*1·25*	*0·63*	*1·22*	*1·29*	*1·44*	*0·72*	*1·48*	*1·70*	*1·96*	–	–	0·10	0·10
–	–	–	–	–	–	*4·09*	–	–	–	–	–	–	–	*0·12*	*0·17*
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
·04	8·36	*4·50*	*0·62*	*1·58*	–	*0·43*	*0·36*	–	–	–	–	–	–	–	–
·6	*5·64*	*3·03*	–	*5·97*	–	–	–	–	–	–	–	–	–	*0·04*	–
·9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
·05	10·0	13·8	*12·5*	25·6	21·9	33·2	27·3	65·9	40·9	79·9	65·5	*147·7*	127·7	0·15	0·13
·90	*11·3*	*12·1*	*14·2*	*38·8*	30·8	*32·7*	*33·3*	*55·9*	*29·0*	*78·7*	*101·6*	*234·3*	*129·2*	*0·20*	*0·14*
–	*10·8*	*24·2*	*11·3*	*50·1*	*23·0*	*49·0*	*42·4*	*107·2*	*62·0*	*264·9*	–	–	–	*0·51*	*0·41*
·68	*3·68*	6·75	8·72	29·1	27·7	101·4	51·4	264·3	80·9	756·8	162·3	988·6	244·7	*0·00*	–
·90	–	*12·1*	*2·84*	*32·9*	*28·0*	*102·3*	*46·6*	363·3	115·9	833·8	223·4	*937·3*	*516·7*	–	–
–	–	*12·1*	–	*25·1*	*34·5*	*81·6*	*42·4*	*375·2*	*144·6*	*582·8*	*269·8*	*244·6*	*266·6*	–	–
·68	*1·00*	6·43	*4·98*	33·5	20·4	123·4	61·8	345·3	159·3	598·6	320·6	556·8	441·5	–	–
–	*2·82*	*18·2*	*8·53*	*44·8*	*33·6*	188·2	93·2	335·4	183·6	881·0	467·2	*820·2*	*516·7*	–	–
–	–	*12·1*	–	*12·5*	*34·5*	*98·0*	*42·4*	*294·8*	*247·9*	*423·9*	*385·5*	*407·7*	*799·8*	–	–
·72	12·4	69·1	41·1	303·4	128·2	885·2	362·2	1,926	1,001	2,954	2,032	2,830	2,495	–	–
·4	*14·1*	*45·5*	*45·5*	370·3	195·7	888·0	476·0	2,131	1,111	3,146	2,519	*2,109*	3,940	–	–
·9	*32·3*	*48·4*	*45·1*	375·9	*195·6*	104·5	480·1	1,742	1,301	3,391	2,660	*2,854*	*2,933*	–	–
·38	10·4	36·7	40·2	103·4	136·7	305·9	335·2	861·7	767·3	1,871	1,745	2,477	2,899	–	–
·4	*5·64*	*39·4*	*51·2*	173·2	181·8	376·5	419·4	1,076	1,063	2,533	2,163	3,866	3,294	–	–
–	*21·5*	*36·3*	*33·8*	*100·2*	*115·0*	*277·6*	381·2	1,099	867·6	1,748	1,696	*2,446*	*2,399*	–	–
·36	*4·01*	22·5	20·9	90·8	69·1	290·8	171·0	735·0	367·4	1,565	731·2	1,568	1,197	–	–
·4	–	*48·5*	*28·4*	89·6	67·1	253·7	176·4	803·5	405·7	1,337	528·1	*1,875*	*1,033*	–	–
·0	–	*72·7*	*11·3*	*62·6*	*11·5*	*228·6*	*169·4*	670·0	*309·9*	1,272	*385·5*	*1,223*	*533·2*	–	–
·34	–	*3·54*	*2·49*	22·1	9·14	66·0	14·0	173·4	20·7	253·4	44·0	375·0	*37·2*	–	–
–	–	*3·03*	–	*26·9*	*8·39*	*73·7*	*26·6*	*118·8*	*53·1*	377·6	–	*117·2*	*129·2*	–	–
–	–	*12·1*	–	*12·5*	*11·5*	*32·7*	*28·2*	*80·4*	*41·3*	*158·9*	*115·6*	–	*533·2*	–	–
·5	11·0	166·2	47·9	916·5	135·2	2,684	278·5	3,923	400·9	2,969	468·2	1,182	404·3	–	–
·3	*16·9*	263·9	62·5	958·7	145·4	3,012	326·2	3,885	468·5	2,643	568·7	*1,289*	*387·5*	–	–
·8	–	*133·2*	*33·8*	538·8	*103·5*	1,731	*141·2*	1,956	*392·5*	1,325	*346·9*	407·7	–	–	–
–	38·8	*1·61*	213·9	*3·48*	556·0	*5·61*	757·1	*13·6*	1,089	37·4	1,525	*34·1*	2,351	–	–
–	*33·8*	–	204·7	–	536·9	*12·3*	709·0	*14·0*	1,019	*15·7*	1,361	–	2,261	–	–
–	*10·8*	–	225·5	–	506·2	–	480·1	*26·8*	991·5	–	1,542	–	*2,666*	–	–
–	23·7	–	99·3	–	177·8	–	245·8	–	303·7	–	348·0	–	377·7	–	–
–	*14·1*	–	110·9	–	156·6	–	193·1	–	188·4	–	*182·8*	–	*193·8*	–	–
–	–	–	*56·4*	–	*149·6*	–	*141·2*	–	*82·6*	–	*231·3*	–	*533·2*	–	–
–	*0·67*	–	7·78	–	44·8	–	130·8	–	178·0	–	248·3	–	191·5	–	–
–	–	–	–	–	*8·39*	–	66·6	–	*67·6*	–	*20·3*	–	*129·2*	–	–
–	–	–	–	–	–	–	*56·5*	–	–	–	*38·5*	–	*266·6*	–	–
–	–	*1·61*	–	18·0	–	155·7	–	921·9	–	2,707	–	3,511	–	–	–
–	–	–	–	*26·9*	–	118·7	–	992·1	–	2,501	–	4,335	–	–	–
–	–	–	–	*12·5*	–	*130·6*	–	1,099	–	2,702	–	*1,223*	–	–	–
·01	–	8·68	*4·36*	46·5	16·1	202·8	51·7	512·2	142·5	932·0	283·5	1,091	377·7	–	–
–	*2·82*	*9·10*	*2·84*	*26·9*	*30·8*	184·1	*53·3*	398·2	144·9	1,070	253·9	*1,054*	387·5	–	–
–	–	*12·1*	*11·3*	*62·6*	*46·0*	*147·0*	*56·5*	*268·0*	*144·6*	*529·8*	*192·7*	*2,038*	*533·2*	–	–
·8	16·4	33·4	24·9	48·4	40·8	114·3	66·1	193·4	123·8	261·9	190·6	*204·5*	159·6	*0·03*	*0·03*
·6	*19·7*	*18·2*	*14·2*	*41·8*	*47·5*	110·5	69·9	153·7	130·4	346·1	*172·7*	*117·2*	*129·2*	–	*0·06*
·8	*21·5*	–	*22·6*	*25·1*	*57·5*	*65·3*	*113·0*	*187·6*	*123·9*	*317·9*	*115·6*	–	–	–	–

leaths shown in italic figures.

International List Nos.	Cause of Death	Country	S.M.R. All Ages M.	S.M.R. All Ages F.	Death Rates per Million Population All Ages M.	All Ages F.	1–4 M.	1–4 F.	5–14 M.	5–14 F.	15–24 M.	15–24 F.
Rest of 140-205	Other malignant neoplasms	England and Wales	98	98	400·3	495·2	67·4	47·8	43·0	31·2	60·9	54·
		Scotland	115	113	437·9	514·3	*55·1*	*46·2*	*38·8*	*33·4*	76·0	52·
		Northern Ireland	100	121	361·4	505·0	*35·3*	*37·6*	*22·2*	*23·2*	*63·5*	38·
Total 140-205	All malignant neoplasms and neoplasms of the lymphatic and hæmatopoietic tissues	England and Wales	100	99	2,333	1,929	123·8	89·4	79·6	52·4	90·5	72·
		Scotland	108	107	2,347	1,863	115·7	*98·2*	63·9	52·5	119·8	79·
		Northern Ireland	84	101	1,739	1,603	*35·3*	*75·2*	*73·8*	*38·7*	*108·8*	57·
260	Diabetes mellitus	England and Wales	97	94	53·0	92·6	*4·40*	*3·08*	*0·84*	*2·06*	*3·92*	3·
		Scotland	124	161	62·5	138·7	–	–	–	–	*2·92*	2·
		Northern Ireland	115	102	57·1	80·7	–	*18·8*	–	*7·74*	–	-
290-293	Anæmias	England and Wales	98	95	26·5	47·5	*5·86*	*3·86*	*1·97*	*3·53*	*2·85*	2·
		Scotland	111	147	27·8	63·2	*5·51*	*5·78*	–	*2·39*	*2·92*	2·
		Northern Ireland	122	135	30·7	54·3	–	–	–	*15·5*	–	-
330-334	Vascular lesions affecting central nervous system	England and Wales	98	97	1,439	1,921	*2·93*	*3·86*	*3·09*	*5·01*	17·5	11·
		Scotland	123	130	1,658	2,183	*11·0*	*5·78*	*6·85*	*9·55*	*14·6*	21·
		Northern Ireland	97	112	1,304	1,750	–	–	7·38	*7·74*	*27·2*	9·
345	Multiple sclerosis	England and Wales	87	95	15·0	23·1	–	–	*0·56*	–	*0·71*	2·
		Scotland	214	136	34·3	31·2	–	–	–	–	*5·85*	2·
		Northern Ireland	121	152	*17·6*	32·0	–	–	–	–	–	9·
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales	100	99	121·3	210·9	*2·20*	*0·77*	*5·34*	*2·06*	18·9	22·
		Scotland	90	110	100·8	216·4	–	–	*2·28*	*4·78*	*20·5*	21·
		Northern Ireland	129	99	136·1	176·7	–	–	–	*7·74*	*45·3*	28·
420	Arteriosclerotic heart disease, including coronary disease	England and Wales	98	97	2,395	1,368	–	–	*0·28*	–	*3·92*	0·
		Scotland	114	122	2,564	1,472	–	–	*2·28*	–	*5·85*	2·
		Northern Ireland	116	121	2,506	1,347	–	–	–	–	–	
421, 422, 430-434	Other heart diseases	England and Wales	97	97	1,334	1,753	*5·86*	*3·08*	*2·81*	*1·47*	12·5	8·
		Scotland	121	132	1,509	1,946	–	–	–	*7·16*	*23·4*	19·
		Northern Ireland	115	122	1,470	1,692	–	–	*7·38*	*7·74*	*9·07*	28·
440-447	Hypertensive disease	England and Wales	102	100	400·0	468·6	–	–	*0·56*	*0·29*	*4·27*	1·
		Scotland	87	102	313·3	408·3	–	–	–	–	*2·92*	8·
		Northern Ireland	95	104	337·9	386·8	–	–	–	–	–	
450-468	Other circulatory diseases	England and Wales	100	100	344·5	382·7	*0·73*	*2·31*	*0·84*	*1·47*	*4·99*	3·
		Scotland	101	106	318·6	336·9	–	–	–	–	*11·7*	5·
		Northern Ireland	82	92	258·9	272·7	*17·7*	–	–	–	*9·07*	9·
480-483	Influenza	England and Wales	105	103	55·9	50·7	*10·3*	*6·94*	*2·81*	*2·95*	*6·41*	6·
		Scotland	60	61	29·4	26·0	–	*5·78*	–	–	*11·7*	2·
		Northern Ireland	67	115	32·2	45·9	*17·7*	–	–	–	–	
490-493	Pneumonia	England and Wales	101	101	542·6	511·0	155·3	124·9	17·2	21·2	27·4	14·
		Scotland	88	87	442·0	376·3	121·3	132·9	*25·1*	*9·55*	*20·5*	19·
		Northern Ireland	97	100	496·0	413·2	*158·9*	*94·0*	*7·38*	*7·74*	*27·2*	19·
500-502	Bronchitis	England and Wales	103	103	934·8	388·2	40·3	32·4	7·31	*5·30*	9·26	6·
		Scotland	78	79	649·2	254·4	*38·6*	*28·9*	*2·28*	*7·16*	*2·92*	
		Northern Ireland	65	82	526·7	249·0	–	*18·8*	–	*7·74*	–	
470-475, 510-527	Other respiratory diseases	England and Wales	99	100	169·4	68·1	22·0	*13·1*	8·44	7·66	9·97	7·
		Scotland	119	86	189·9	51·7	*16·5*	*40·5*	*4·56*	*4·78*	–	11·
		Northern Ireland	74	174	112·6	98·8	–	–	*14·8*	*7·74*	*9·07*	9·
540-541	Ulcer of stomach and duodenum	England and Wales	100	100	157·5	63·0	–	–	*0·84*	*0·29*	*2·85*	0·
		Scotland	108	100	156·9	53·9	–	–	–	–	*5·85*	2·
		Northern Ireland	72	83	100·9	41·7	–	–	–	–	–	
550-553	Appendicitis	England and Wales	102	101	21·2	14·0	16·8	*6·17*	7·31	*5·30*	*6·05*	4·
		Scotland	97	108	19·4	13·8	*16·5*	*23·1*	*11·4*	*4·78*	*17·5*	
		Northern Ireland	60	34	*11·7*	*4·17*	–	–	*7·38*	*7·74*	*9·07*	
560, 561, 570	Intestinal obstruction and hernia	England and Wales	99	98	64·4	62·7	*11·0*	*10·0*	*2·25*	*0·88*	*2·49*	1·
		Scotland	113	120	69·4	67·3	*22·0*	–	–	*2·39*	–	
		Northern Ireland	90	105	55·6	55·7	*35·3*	*18·8*	–	–	–	
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhœa of new-born)	England and Wales	99	98	45·8	57·6	30·8	23·1	*3·38*	*2·06*	*6·05*	11·
		Scotland	104	118	46·8	62·5	*5·51*	*23·1*	*2·28*	*7·16*	*14·6*	11·
		Northern Ireland	118	96	54·1	48·7	*105·9*	*18·8*	–	–	–	

NOTE. Rates based upon less th

inued

Death Rates per Million Population														Deaths under 1 Year per thousand live births	
25–34		35–44		45–54		55–64		65–74		75–84		85 and over			
.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
5	69·2	163·3	184·9	432·1	503·3	934·0	995·7	1,635	1,606	2,323	2,196	2,943	2,686	0·06	*0·05*
1	81·7	175·9	196·2	489·8	604·0	1,146	1,138	1,831	1,874	3,005	2,498	3,515	3,100	*0·02*	*0·08*
9	*75·4*	*157·5*	248·1	413·5	621·2	996·0	1,130	1,742	2,066	2,755	2,968	*3,261*	*3,732*	–	–
9	191·3	519·9	701·4	2,047	1,865	5,869	3,521	11,504	6,240	17,230	10,294	17,761	13,862	0·09	0·08
0	191·6	633·9	727·8	2,282	2,044	6,466	3,795	12,101	6,825	18,689	10,958	20,035	16,018	*0·02*	*0·14*
4	*161·5*	*496·6*	687·9	1,641	1,887	4,833	3,262	9,541	6,713	15,206	10,948	16,307	15,196	–	–
72	*6·35*	16·7	11·5	27·8	29·2	77·2	118·6	256·4	390·0	620·7	718·5	659·1	707·4	*0·01*	*0·01*
5	*2·82*	*27·3*	*19·9*	*44·8*	*47·5*	102·3	269·6	328·4	748·7	802·3	995·3	*234·3*	*839·6*	–	–
0	*10·8*	*12·1*	–	*37·6*	*34·5*	*81·6*	*98·8*	348·4	454·5	*794·7*	771·0	*407·7*	*799·8*	–	–
34	*4·68*	*2·57*	*3·74*	9·49	11·3	32·4	33·4	110·3	164·7	363·9	437·9	727·3	766·0	*0·01*	*0·01*
–	*2·82*	–	*14·2*	*5·97*	*11·2*	*57·3*	*56·6*	111·8	231·9	440·5	700·8	*703·0*	1,486	*0·02*	–
–	*10·8*	*12·1*	*11·3*	*25·1*	*46·0*	*32·7*	*42·4*	80·4	*289·2*	*635·8*	*462·6*	*407·7*	*533·2*	–	–
2	31·4	119·3	123·0	479·6	479·9	1,862	1,633	6,982	5,988	20,173	18,516	37,443	37,904	*0·04*	*0·01*
0	64·8	136·5	199·0	624·2	788·5	2,308	2,290	8,754	8,129	25,454	23,654	45,577	50,507	*0·08*	*0·02*
9	*43·1*	*205·9*	*78·9*	551·3	517·7	2,188	2,344	7,022	7,994	17,008	19,197	42,805	39,456	*0·06*	*0·07*
71	13·0	22·8	32·7	31·3	53·0	34·1	49·6	26·5	31·1	*15·3*	*13·7*	*11·4*	–	–	–
6	*19·7*	*42·5*	*37·0*	65·7	64·3	85·9	83·2	*111·8*	58·0	*94·4*	*30·5*	–	–	–	–
–	*21·5*	*36·3*	*45·1*	*75·2*	*80·5*	*16·3*	*84·7*	*53·6*	*20·7*	–	77·1	–	–	–	–
9	67·6	96·1	146·9	170·5	297·8	272·2	407·8	426·9	541·9	568·0	784·0	420·5	904·3	*0·00*	–
6	115·5	109·2	244·5	137·4	338·3	233·3	489·3	426·2	483·0	*283·2*	650·0	*117·2*	*839·6*	–	–
5	*53·8*	*169·6*	*203·0*	*225·5*	402·6	*212·3*	338·9	*412·4*	516·4	*529·8*	*501·1*	*2,038*	*799·8*	–	–
0	6·69	424·8	56·4	1,899	320·0	5,579	1,534	12,332	5,494	20,901	11,794	24,307	17,165	*0·00*	–
9	*8·45*	649·1	142·2	2,485	556·4	7,014	2,413	14,665	6,844	20,294	13,233	21,910	16,793	–	–
6	*21·5*	*496·6*	*124·1*	2,556	644·2	7,037	2,612	14,821	6,672	20,981	12,066	32,205	20,794	–	–
1	18·4	55·9	40·2	200·9	120·3	963·8	573·8	4,890	3,438	22,369	18,674	66,250	67·356	*0·04*	*0·04*
7	*19·7*	*45·5*	76·8	310·6	179·0	1,330	865·5	6,470	4,854	26,115	24,933	81,195	90,680	–	*0·02*
8	*10·8*	*133·2*	*112·8*	288·2	*218·6*	1,225	903·7	6,084	4,730	24,160	21,896	84,386	85,311	–	*0·07*
8	7·69	57·2	29·6	202·5	117·2	648·0	420·1	2,009	1,601	4,808	4,438	7,750	7,899	–	–
69	*11·3*	*51·6*	*22·7*	167·2	167·8	589·3	472·7	1,712	1,715	3,917	4,154	7,264	7,557	–	–
9	–	*36·3*	*22·6*	*162·9*	*103·5*	489·8	522·5	2,090	1,818	4,292	4,279	9,784	8,264	–	–
4	13·7	26·0	33·0	90·2	70·6	347·3	220·6	1,420	899·4	5,124	3,670	14,364	12,495	*0·01*	*0·01*
–	*14·1*	*33·4*	*37·0*	98·6	58·7	266·0	169·8	1,209	777·7	5,553	3,390	17,692	17,180	–	–
0	–	–	*45·1*	*87·7*	*103·5*	*277·6*	*197·7*	1,126	888·2	3,868	2,737	14,268	14,396	–	–
1	9·70	18·3	10·3	38·0	21·0	117·8	50·7	234·2	142·5	443·9	363·6	1,034	1,053	*0·04*	*0·05*
5	*2·82*	3·03	*11·4*	*32·9*	*8·39*	*40·9*	*36·6*	*111·8*	*82·1*	298·9	*162·5*	585·8	*710·5*	*0·04*	*0·10*
–	–	*12·1*	*11·3*	*37·6*	*34·5*	16·3	*56·5*	*80·4*	*123·9*	*529·8*	*501·1*	*815·3*	*1,333*	*0·06*	*0·07*
5	25·4	63·3	42·7	191·7	113·6	648·0	326·6	2,070	1,185	6,639	4,377	16,750	13,931	2·08	1·86
9	*19·7*	75·8	*39·8*	215·0	111·8	515·6	286·3	1,900	1,039	4,798	3,555	10,896	9,365	2·98	2·50
0	*21·5*	*121·1*	*78·9*	*125·3*	*80·5*	326·6	282·4	1,956	1,239	5,033	3,547	17,937	16,262	4·65	2·74
4	11·0	69·1	30·5	434·0	102·6	2,044	390·2	5,181	1,168	8,871	3,349	13,750	7,973	0·54	0·40
69	*25·4*	66·7	*42·6*	501·7	111·8	1,960	392·8	3,871	912·9	4,562	2,153	7,616	5,102	0·39	*0·29*
8	*10·8*	*84·8*	*33·8*	388·4	*103·5*	1,404	282·4	2,895	1,012	5,192	2,776	9,376	5,865	*0·19*	*0·07*
1	11·7	36·3	21·8	124·0	45·4	441·8	90·9	820·9	156·3	1,099	411·5	1,875	1,287	0·17	0·11
3	*16·9*	*45·5*	*28·4*	98·6	*36·4*	495·2	66·6	1,272	159·4	1,447	294·5	*1,172*	*710·5*	0·12	*0·08*
0	–	*12·1*	*56·4*	*162·9*	*69·0*	*293·9*	*141·2*	*509·2*	*309·9*	*900·7*	886·6	*2,038*	*2,399*	–	*0·07*
1	*6·35*	32·5	11·2	121·5	27·1	317·1	66·5	775·8	210·1	1,539	511·2	1,864	1,005	*0·02*	*0·01*
4	*5·64*	60·7	*19·9*	131·4	*41·9*	401·0	79·9	817·4	231·9	1,447	436·7	*1,172*	*322·9*	–	–
–	–	*36·3*	*22·6*	*25·1*	–	391·9	*70·6*	589·6	*165·3*	*900·7*	*462·6*	*407·7*	*799·8*	–	–
71	*5·02*	7·72	*2·80*	15·2	9·14	40·6	16·9	79·5	36·0	125·9	91·9	227·3	*95·7*	*0·01*	*0·01*
69	*2·82*	3·03	*8·53*	*23·9*	*8·39*	*40·9*	*23·3*	*55·9*	*38·6*	*47·2*	*81·2*	–	*64·6*	*0·02*	–
–	–	–	*11·3*	*12·5*	–	*16·3*	–	*80·4*	–	*53·0*	*38·5*	–	–	–	–
36	*2·34*	11·9	9·34	33·9	20·4	92·8	64·3	272·9	194·3	661·6	530·8	1,114	829·8	0·33	0·19
6	*8·45*	*9·10*	*19·9*	*35·8*	*33·6*	98·2	76·6	349·3	227·0	739·4	599·2	*1,757*	*1,163*	*0·25*	*0·23*
–	*10·8*	*24·2*	–	*37·6*	*46·0*	*147·0*	*28·2*	*134·0*	*185·9*	*635·8*	*578·2*	*1,223*	*1,866*	*0·13*	*0·07*
03	8·03	11·9	17·7	28·8	24·7	69·9	53·5	154·0	171·1	348·6	374·4	579·5	755·3	*0·39*	*0·26*
69	*11·3*	*12·1*	*19·9*	35·8	*28·0*	*65·5*	66·6	*97·8*	149·7	409·0	487·5	*468·7*	516·7	0·59	0·60
9	*10·8*	–	*45·1*	*37·6*	*11·5*	*49·0*	*28·2*	*26·8*	*123·9*	*370·9*	*192·7*	*407·7*	*1,066*	*0·89*	*0·75*

eaths shown in italic figures.

International List Nos.	Cause of Death	Country	S.M.R. All Ages M.	S.M.R. All Ages F.	Death Rates per Million Population All Ages M.	All Ages F.	1–4 M.	1–4 F.	5–14 M.	5–14 F.	15–24 M.	15–24 F.
581	Cirrhosis of liver	England and Wales	96	90	29·6	22·8	*2·20*	*1·54*	*1·69*	*1·77*	*0·71*	2
		Scotland	145	191	41·5	43·9	–	–	*6·85*	*4·78*	*2·92*	2
		Northern Ireland	87	120	*23·4*	*25·0*	–	–	*7·38*	–	–	
584, 585	Cholelithiasis, cholecystitis	England and Wales	98	95	21·3	38·9	–	–	–	–	–	0
		Scotland	131	159	26·2	56·2	–	–	–	–	–	2
		Northern Ireland	59	68	*11·7*	*22·3*	–	–	–	–	–	
Rest of 530-587	Other digestive diseases	England and Wales	97	97	37·9	38·4	17·6	*13·1*	6·47	*4·12*	*2·49*	5
		Scotland	114	118	42·3	42·4	*11·0*	*23·1*	*4·56*	*2·39*	*11·7*	5
		Northern Ireland	140	126	51·2	43·1	*17·7*	–	–	–	*9·07*	
590-594	Nephritis and nephrosis	England and Wales	100	100	99·2	82·2	*4·40*	*3·86*	9·28	7·36	27·1	24
		Scotland	96	98	89·5	72·5	–	–	*18·3*	*9·55*	*55·5*	19
		Northern Ireland	114	103	102·4	71·0	–	*18·8*	*7·38*	15·5	*54·4*	9
610	Hyperplasia of prostate	England and Wales	99	–	164·5	–	–	–	–	–	–	
		Scotland	102	–	154·0	–	–	–	–	–	–	
		Northern Ireland	113	–	175·6	–	–	–	–	–	–	
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	99	99	63·1	75·2	*3·66*	*3·86*	*3·09*	*2·06*	*3·56*	3
		Scotland	112	116	65·7	77·7	*5·51*	–	*6·85*	*4·78*	–	2
		Northern Ireland	85	72	49·7	44·5	–	–	–	–	–	
640-689	Complications of pregnancy, child-birth, and the puerperium	England and Wales	–	95	–	14·0	–	–	–	–	–	24
		Scotland	–	130	–	19·7	–	–	–	–	–	21
		Northern Ireland	–	149	–	*22·3*	–	–	–	–	–	9
750-759	Congenital malformations	England and Wales	100	98	119·1	98·5	131·9	130·3	25·9	27·4	29·9	19
		Scotland	94	111	125·0	125·7	*104·7*	167·6	*27·4*	*40·6*	*26·3*	11
		Northern Ireland	107	126	156·5	160·0	*176·5*	*188·0*	*59·1*	*7·74*	18·1	19
760-776	Certain diseases of early infancy	England and Wales	96	98	258·4	162·6	*0·73*	*3·08*	–	–	–	
		Scotland	122	110	379·9	210·8	*5·51*	–	–	–	–	
		Northern Ireland	118	116	416·9	257·4	–	–	–	–	–	
Rest of 210-795	All other diseases	England and Wales	96	97	377·4	532·4	101·8	73·2	46·7	32·1	170·2	59
		Scotland	113	111	413·3	513·9	110·2	127·1	*54·8*	*40·6*	81·8	65
		Northern Ireland	176	158	648·1	684·5	*194·2*	*150·4*	*73·8*	*31·0*	*9·07*	19
E963, E970-E979.	Suicide	England and Wales	103	105	146·0	90·9	–	–	*0·84*	–	45·6	22
		Scotland	87	71	115·3	56·9	–	–	–	–	*38·0*	10
		Northern Ireland	37	23	45·4	*16·7*	–	–	–	–	*18·1*	19
E810-E845	Motor vehicle and other road transport accidents	England and Wales	100	100	192·5	63·0	84·2	54·0	88·3	34·5	350·8	53
		Scotland	99	105	186·7	62·8	126·8	*92·5*	100·4	*43·0*	257·2	63
		Northern Ireland	96	88	182·9	51·5	*105·9*	*75·2*	*96·0*	*15·5*	217·6	28
E870-E936 (part)	Accidents in the home and residential institutions	England and Wales	95	95	117·7	190·1	90·1	75·6	16·0	17·1	18·2	9
		Scotland	155	151	185·5	258·8	*60·6*	*75·1*	*16·0*	*19·1*	*26·3*	1
		Northern Ireland	83	98	102·4	161·4	*105·9*	*150·4*	*14·8*	*23·2*	*45·3*	19
Rest of E800-E999	Other violence	England and Wales	97	102	157·4	46·1	63·0	27·0	74·0	16·8	142·8	17
		Scotland	132	96	208·5	39·4	110·2	*17·3*	118·7	*23·9*	187·1	1
		Northern Ireland	82	49	127·3	*19·5*	*70·6*	–	*36·9*	*7·74*	*163·2*	19

NOTE. Rates based upon less t

	Death Rates per Million Population												Deaths under 1 Year per thousand live births	
	35–44		45–54		55–64		65–74		75–84		85 and over			
F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1·00	16·1	6·23	43·7	28·0	83·7	56·4	105·3	78·4	122·4	68·4	*181·8*	*79·8*	*0·01*	*0·01*
–	*18·2*	*14·2*	*41·8*	*47·5*	126·9	106·5	188·6	212·5	*283·2*	*121·9*	*117·2*	*322·9*	–	–
–	–	*11·3*	*50·1*	*46·0*	*130·6*	*56·5*	*80·4*	*123·9*	–	*77·1*	–	*266·6*	–	–
2·01	*0·96*	*4·05*	7·91	12·5	35·8	52·5	114·6	132·1	244·9	316·7	522·7	579·8	*0·00*	–
5·64	*6·07*	*5·69*	*11·9*	*22·4*	*36·8*	116·5	181·7	217·4	377·6	497·6	–	*581·3*	–	–
21·5	–	–	–	*23·0*	–	*42·4*	*53·6*	*82·6*	*211·9*	*77·1*	*815·3*	*799·8*	–	–
5·02	14·1	10·3	29·7	19·2	69·0	48·9	149·7	110·0	243·2	235·6	409·1	398·9	0·18	0·18
11·3	*24·3*	*5·69*	*41·8*	*25·2*	94·1	66·6	153·7	130·4	*236·0*	294·5	*468·7*	*516·7*	*0·16*	*0·17*
–	*24·2*	*45·1*	*25·1*	*23·0*	*98·0*	*42·4*	*160·8*	*227·2*	*741·8*	*308·4*	*815·3*	–	*0·06*	*0·21*
27·4	60·8	41·4	100·0	56·6	186·8	98·8	321·6	246·1	705·8	494·6	1,205	728·7	*0·03*	*0·01*
39·5	60·7	*28·4*	128·4	*50·3*	135·0	156·5	279·5	202·9	361·8	436·7	*2,109*	*452·1*	–	*0·06*
32·3	*72·7*	*22·6*	*125·3*	69·0	*195·9*	*141·2*	*455·6*	*268·5*	*582·8*	385·5	*815·3*	*799·8*	–	–
–	–	–	*5·06*	–	83·3	–	681·2	–	2,980	–	7,557	–	–	–
–	–	–	*8·96*	–	*73·7*	–	691·7	–	2,926	–	8,905	–	–	–
–	–	–	–	–	*81·6*	–	991·6	–	2,490	–	12,638	–	–	–
12·0	10·9	23·3	29·7	49·9	90·2	106·4	277·2	224·9	756·8	508·3	1,545	957·4	*0·04*	*0·02*
22·5	*15·2*	45·5	*38·8*	*44·7*	90·0	173·1	300·4	328·5	770·9	345·3	*1,992*	*645·9*	*0·14*	*0·04*
–	*12·1*	*33·8*	–	*57·5*	*81·6*	*98·8*	*348·4*	*165·3*	*529·8*	*231·3*	*1,631*	*799·8*	–	–
50·2	–	32·7	–	*1·22*	–	–	–	–	–	–	–	–	–	–
70·4	–	*51·2*	–	*5·59*	–	–	–	–	–	–	–	–	–	–
36·1	–	*78·9*	–	–	–	–	–	–	–	–	–	–	–	–
18·1	23·8	21·5	36·1	29·2	42·7	31·3	48·0	26·1	34·0	23·5	*56·8*	*16·0*	4·70	4·44
14·1	*18·2*	*11·4*	*26·9*	*33·6*	*20·5*	*9·99*	27·9	*24·2*	15·7	–	–	–	4·65	5·34
21·5	–	*22·6*	*12·5*	*11·5*	*49·0*	*42·4*	–	*20·7*	–	–	–	–	5·22	6·37
–	–	–	–	–	–	–	–	–	–	–	–	–	14·7	10·6
–	–	–	–	–	–	–	–	–	–	–	–	–	18·4	11·7
–	–	–	–	–	–	–	–	–	–	–	–	–	18·2	12·7
55·6	105·1	106·8	184·8	206·8	427·1	432·3	1,019	993·6	4,034	3,774	17,386	19,101	0·74	0·50
93·0	163·8	176·3	331·5	209·7	642·5	595·8	1,418	1,333	3,398	3,849	15,700	16,793	0·86	1·13
53·8	*181·7*	*169·2*	250·6	*218·6*	538·8	536·6	1,581	1,446	9,060	6,939	44,435	38,656	*0·64*	*0·41*
50·2	146·9	83·4	219·2	151·0	329·2	189·7	366·0	207·6	466·0	173·0	397·7	*101·1*	–	–
31·0	160·8	88·1	256·8	117·4	200·5	103·2	258·5	115·9	*220·2*	*71·1*	*468·7*	*64·6*	–	–
32·3	*48·4*	*11·3*	*137·8*	*34·5*	*179·6*	*28·2*	*53·6*	–	–	*38·5*	–	–	–	–
29·8	144·4	24·0	149·3	46·0	202·8	66·5	281·5	151·9	631·0	259·0	920·5	287·2	*0·01*	*0·01*
33·8	175·9	*42·6*	197·1	39·1	208·7	69·9	314·4	115·9	534·9	223·4	*468·7*	*129·2*	*0·02*	*0·04*
32·3	*84·8*	*56·4*	*187·9*	*23·0*	342·9	*127·1*	*241·2*	*103·3*	*476·8*	*115·6*	*1,223*	*266·6*	–	–
7·36	32·5	23·3	46·2	46·3	107·0	87·0	272·2	344·2	1,276	1,715	4,227	6,053	0·69	0·49
29·5	81·9	*51·2*	80·6	109·1	237·3	163·1	440·2	526·5	1,573	2,478	7,147	8,332	1·71	1·42
31·5	*24·2*	*22·6*	*37·6*	*23·0*	*49·0*	*113·0*	*294·8*	*309·9*	*953·7*	1,503	3,261	7,198	*0·70*	*0·55*
6·1	159·2	16·8	169·3	27·7	215·3	37·0	209·9	88·3	432·0	257·1	818·2	872·3	0·09	0·10
8·45	263·9	*31·3*	227·0	*53·1*	274·2	*49·9*	216·6	*67·6*	597·8	203·1	*703·0*	*64·6*	0·08	0·10
–	*145·3*	*11·3*	*62·6*	*11·5*	*228·6*	*28·2*	*160·8*	*41·3*	*317·9*	*154·2*	–	–	–	*0·07*

hown in italic figures.

Table 49. Method of Celebration, etc. of Marriages in Scotland, 1855-1957

Year	Total Marriages: Number	Total Marriages: Proportion per 1,000 of Population	Marriage according to Forms of the: Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
						Decennial Averages					
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1861-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	267
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472		26,364		5,685	1,383	3,487	0	6,558	1
						Annual Numbers					
1941	47,620	9·284		30,017		6,282	1,705	4,214	0	5,394	
1942	47,402	9·215		29,827		6,103	1,671	4,073	0	5,712	1
1943	38,177	7·402		23,377		4,891	1,489	3,230	0	5,176	1
1944	37,017	7·134		22,554		4,831	1,334	3,163	0	5,117	1
1945	48,642	9·432		30,107		6,025	1,745	3,913	0	6,840	1
1946	45,785	8·917		27,599		5,770	1,390	3,490	0	7,522	1
1947	44,360	8·725		26,189		5,714	1,176	3,337	0	7,930	1
1948	43,718	8·577		25,798		5,879	1,243	3,313	0	7,474	1
1949	41,708	8·161		24,590		5,694	1,065	3,177	0	7,176	
1950	40,459	7·892		23,579		5,660	1,009	2,960	0	7,243	
1951	41,361	8·087		24,259		6 062	1,122	2,986	0	6,928	
1952	41,154	8·046		23,671		6,033	1,022	2,961	0	7,459	
1953	40,902	7·992		23,597		6,284	935	2,899	0	7,180	
1954	41,974	8·193		23,802		6,425	988	2,912	0	7,842	
1955	43,199	8·415		24,213		6,734	1,017	2,919	0	8,302	1
1956	43,963	8·546		24,915		7,235	950	2,986	0	7,870	
1957	42,661	8·284		24,325		7,093	939	2,874	0	7,424	
						Rate per hundred Marriages—Decennial					
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·0
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·1
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·0
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·5
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·7
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·3
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·9
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·7
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	—	12·7
1941-1950	100·00	—		60·56		13·09	3·18	8·01	—	15·13	0·0
						Rate per hundred Marriages—Annual					
1941	100·00	—		63·03		13·19	3·58	8·85	—	11·33	0·0
1942	100·00	—		62·92		12·88	3·53	8·59	—	12·05	0·0
1943	100·00	—		61·23		12·81	3·90	8·46	—	13·56	0·0
1944	100·00	—		60·93		13·05	3·60	8·54	—	13·82	0·0
1945	100·00	—		61·90		12·39	3·59	8·04	—	14·06	0·0
1946	100·00	—		60·28		12·60	3·04	7·62	—	16·43	0·0
1947	100·00	—		59·04		12·88	2·65	7·52	—	17·88	0·0
1948	100·00	—		59·01		13·45	2·84	7·58	—	17·10	0·0
1949	100·00	—		58·96		13·65	2·55	7·62	—	17·21	0·0
1950	100·00	—		58·28		13·99	2·49	7·32	—	17·90	0·0
1951	100·00	—		58·65		14·66	2·71	7·22	—	16·75	0·0
1952	100·00	—		57·52		14·66	2·48	7·19	—	18·12	0·0
1953	100·00	—		57·69		15·36	2·29	7·09	—	17·55	0·0
1954	100·00	—		56·71		15·31	2·35	6·94	—	18·68	0·0
1955	100·00	—		56·05		15·59	2·35	6·76	—	19·22	0·0
1956	100·00	—		56·67		16·46	2·16	6·79	—	17·90	0·0
1957	100·00	—		57·02		16·63	2·20	6·74	—	17·40	0·0

*The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland".

†By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

Table 50, Ecclesiastical, Civil and Irregular Marriages in Scotland—1957.

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages						Irregular Marriages
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages		
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
LAND . .	42,661	25,351	8,550	1,186	144	7,087	337	6	59·4	20·0	2·8	0·3	16·6	0·8	0·0
es of Cities .	18,326	8,676	4,582	445	83	4,312	226	2	47·3	25·0	2·4	0·5	23·5	1·2	0·0
Burghs . .	8,102	4,692	1,734	240	23	1,343	70	—	57·9	21·4	3·0	0·3	16·6	0·9	—
es (ex Counties of s and Large Burghs)	16,233	11,983	2,234	501	38	1,432	41	4	73·8	13·8	3·1	0·2	8·8	0·3	0·0
es (ex Large Burghs)															
Aberdeen .	988	835	49	21	3	79	1	—	84·5	5·0	2·1	0·3	8·0	0·1	—
Angus . .	520	424	17	18	—	60	1	—	81·5	3·3	3·5	—	11·5	0·2	—
Argyll . .	262	221	17	12	—	11	1	—	84·4	6·5	4·6	—	4·2	0·4	—
Ayr . .	1,871	1,470	214	66	3	114	3	1	78·6	11·4	3·5	0·2	6·1	0·2	0·1
Banff . .	338	299	15	6	—	17	1	—	88·5	4·4	1·8	—	5·0	0·3	—
Berwick. .	120	99	4	8	—	8	1	—	82·5	3·3	6·7	—	6·7	0·8	—
Bute . .	91	66	7	8	3	7	—	—	72·5	7·7	8·8	3·3	7·7	—	—
Caithness .	195	159	7	2	1	24	2	—	81·5	3·6	1·0	0·5	12·3	1·0	—
Clackmannan .	321	239	28	8	—	46	—	—	74·5	8·7	2·5	—	14·3	—	—
Dumfries .	559	333	14	6	—	201	2	3	59·6	2·5	1·1	—	36·0	0·4	0·5
Dunbarton .	664	408	189	28	1	36	2	—	61·4	28·5	4·2	0·2	5·4	0·3	—
East Lothian .	370	261	46	8	—	51	4	—	70·5	12·4	2·2	—	13·8	1·1	—
Fife . .	1,551	1,149	177	62	2	158	3	—	74·1	11·4	4·0	0·1	10·2	0·2	—
Inverness .	169	128	28	3	1	8	1	—	75·7	16·6	1·8	0·6	4·7	0·6	—
Kincardine .	157	141	1	6	—	8	1	—	89·8	0·6	3·8	—	5·1	0·6	—
Kinross .	42	32	4	2	—	4	—	—	76·2	9·5	4·8	—	9·5	—	—
Kirkcudbright .	228	209	5	3	—	11	—	—	91·7	2·2	1·3	—	4·8	—	—
Lanark . .	2,275	1,439	638	47	9	136	6	—	63·3	28·0	2·1	0·4	6·0	0·3	—
Midlothian .	775	518	120	41	3	91	2	—	66·8	15·5	5·3	0·4	11·7	0·3	—
Moray . .	365	287	13	12	1	49	3	—	78·6	3·6	3·3	0·3	13·4	0·8	—
Nairn . .	59	53	—	1	1	4	—	—	89·8	—	1·7	1·7	6·8	—	—
Orkney . .	120	106	2	1	1	10	—	—	88·3	1·7	0·8	0·8	8·3	—	—
Peebles . .	82	62	3	4	—	12	1	—	75·6	3·7	4·9	—	14·6	1·2	—
Perth . .	470	390	25	15	—	40	—	—	83·0	5·3	3·2	—	8·5	—	—
Renfrew .	876	557	237	20	4	58	—	—	63·6	27·1	2·3	0·5	6·6	—	—
Ross & Cromarty	248	180	47	9	—	9	3	—	72·6	19·0	3·6	—	3·6	1·2	—
Roxburgh .	298	246	17	10	1	22	2	—	82·6	5·7	3·4	0·3	7·4	0·7	—
Selkirk .	153	115	4	10	—	24	—	—	75·2	2·6	6·5	—	15·7	—	—
Stirling .	932	707	152	32	1	40	—	—	75·9	16·3	3·4	0·1	4·3	—	—
Sutherland .	55	48	2	1	—	4	—	—	87·3	3·6	1·8	—	7·3	—	—
West Lothian .	762	531	143	27	3	58	—	—	69·7	18·8	3·5	0·4	7·6	—	—
Wigtown .	237	197	7	3	—	30	—	—	83·1	3·0	1·3	—	12·7	—	—
Zetland .	80	74	2	1	—	2	1	—	92·5	2·5	1·3	—	2·5	1·3	—
es of Cities															
Glasgow .	10,325	4,617	3,240	234	52	2,075	106	1	44·7	31·4	2·3	0·5	20·1	1·0	0·0
Edinburgh .	4,325	2,082	696	154	19	1,298	75	1	48·1	16·1	3·6	0·4	30·0	1·7	0·0
Aberdeen .	1,975	1,198	190	42	1	526	18	—	60·7	9·6	2·1	0·1	26·6	0·9	—
Dundee .	1,701	779	456	15	11	413	27	—	45·8	26·8	0·9	0·6	24·3	1·6	—
Burghs															
Paisley . .	825	481	218	30	2	93	1	—	58·3	26·4	3·6	0·2	11·3	0·1	—
Greenock .	662	405	161	22	3	66	5	—	61·2	24·3	3·3	0·5	10·0	0·8	—
Motherwell and Wishaw .	606	327	166	12	5	93	3	—	54·0	27·4	2·0	0·8	15·3	0·5	—
Kirkcaldy .	517	283	64	5	—	159	6	—	54·7	12·4	1·0	—	30·8	1·2	—
Coatbridge .	416	194	184	7	1	30	—	—	46·6	44·2	1·7	0·2	7·2	—	—
Dunfermline .	412	201	61	20	2	120	8	—	48·8	14·8	4·9	0·5	29·1	1·9	—
Clydebank .	331	153	126	8	—	43	1	—	46·2	38·1	2·4	—	13·0	0·3	—
Ayr . .	486	323	58	11	2	83	9	—	66·5	11·9	2·3	0·4	17·1	1·9	—
Kilmarnock .	432	286	68	9	2	62	5	—	66·2	15·7	2·1	0·5	14·4	1·2	—
Perth . .	470	271	41	15	—	135	8	—	57·7	8·7	3·2	—	28·7	1·7	—
Hamilton .	426	236	126	7	1	52	4	—	55·4	29·6	1·6	0·2	12·2	0·9	—
Falkirk . .	379	236	48	7	1	83	4	—	62·3	12·7	1·8	0·3	21·9	1·1	—
Airdrie . .	313	170	114	8	—	19	2	—	54·3	36·4	2·6	—	6·1	0·6	—
Inverness .	440	298	42	12	—	86	2	—	67·7	9·5	2·7	—	19·5	0·5	—
Stirling . .	247	135	34	16	—	60	2	—	54·7	13·8	6·5	—	24·3	0·8	—
Dumfries .	341	204	24	14	1	94	4	—	59·8	7·0	4·1	0·3	27·6	1·2	—
Rutherglen .	254	168	48	20	1	17	—	—	66·1	18·9	7·9	0·4	6·7	—	—
Dumbarton .	171	81	70	2	1	13	4	—	47·4	40·9	1·2	0·6	7·6	2·3	—
Port Glasgow .	202	117	68	10	1	5	1	—	57·9	33·7	5·0	0·5	2·5	0·5	—
Arbroath .	172	123	13	5	—	30	1	—	71·5	7·6	2·9	—	17·4	0·6	—

* Registered by Decree of Declarator.

Table 51. Marriages in Scotland according to Church of Celebration—1957

	According to Forms of								Percentage of Total Marriages						
	Total Marriages	Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms	Civil and Irregular	Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND	42,661	24,325	367	216	7,093	939	2,291	7,430	57·0	0·9	0·5	16·6	2·2	5·4	17·4
Counties of Cities	18,326	8,603	120	62	3,537	426	1,038	4.540	46·9	0·7	0·3	19·3	2·3	5·7	24·8
Large Burghs	8,102	4,230	56	49	1,614	195	545	1,413	52·2	0·7	0·6	19·9	2·4	6·7	17·4
Counties (ex Counties of Cities and Large Burghs)	16,233	11,492	191	105	1,942	318	708	1,477	70·8	1·2	0·6	12·0	2·0	4·4	9·1
Counties (ex Large Burghs)															
Aberdeen	988	817	1	—	12	23	55	80	82·7	0·1	—	1·2	2·3	5·6	8·1
Angus	520	417	4	—	7	18	13	61	80·2	0·8	—	1·3	3·5	2·5	11·7
Argyll	262	203	6	5	22	4	10	12	77·5	2·3	1·9	8·4	1·5	3·8	4·6
Ayr	1,871	1,392	55	1	187	18	100	118	74·4	2·9	0·1	10·0	1·0	5·3	6·3
Banff	338	255	—	—	30	6	29	18	75·4	—	—	8·9	1·8	8·6	5·3
Berwick	120	103	—	—	2	2	4	9	85·8	—	—	1·7	1·7	3·3	7·5
Bute	91	73	—	—	9	1	1	7	80·2	—	—	10·0	1·1	1·1	7·7
Caithness	195	144	—	4	4	3	14	26	73·8	—	2·1	2·1	1·5	7·2	13·3
Clackmannan	321	214	20	—	19	7	15	46	66·7	6·2	—	5·9	2·2	4·7	14·3
Dumfries	559	305	4	—	13	13	18	206	54·6	0·7	—	2·3	2·3	3·2	36·9
Dunbarton	664	429	5	1	169	11	11	38	64·6	0·8	0·2	25·5	1·7	1·7	5·7
East Lothian	370	250	—	—	43	11	11	55	67·6	—	—	11·6	3·0	3·0	14·9
Fife	1,551	1,170	22	—	127	31	40	161	75·4	1·4	—	8·2	2·0	2·6	10·4
Inverness	169	108	2	14	26	4	6	9	63·9	1·2	8·3	15·4	2·4	3·6	5·3
Kincardine	157	139	—	—	2	7	—	9	88·5	—	—	1·3	4·5	—	5·7
Kinross	42	34	—	—	3	1	—	4	81·0	—	—	7·1	2·4	—	9·5
Kirkcudbright	228	192	—	—	13	7	5	11	84·2	—	—	5·7	3·1	2·2	4·8
Lanark	2,275	1,351	15	—	599	18	150	142	59·4	0·7	—	26·3	0·8	6·6	6·2
Midlothian	775	516	7	—	103	31	25	93	66·6	0·9	—	13·3	4·0	3·2	12·0
Moray	365	262	2	2	24	11	12	52	71·8	0·5	0·5	6·6	3·0	3·3	14·2
Nairn	59	51	—	—	—	2	2	4	86·4	—	—	—	3·4	3·4	6·8
Orkney	120	95	1	—	—	—	14	10	79·2	0·8	—	—	—	11·7	8·3
Peebles	82	55	—	—	4	6	4	13	67·1	—	—	4·9	7·3	4·9	15·9
Perth	470	391	3	—	15	17	4	40	83·2	0·6	—	3·2	3·6	0·9	8·5
Renfrew	876	538	9	—	193	20	58	58	61·4	1·0	—	22·0	2·3	6·6	6·6
Ross and Cromarty	248	155	1	62	2	8	8	12	62·5	0·4	25·0	0·8	3·2	3·2	4·8
Roxburgh	298	228	—	—	18	12	16	24	76·5	—	—	6·0	4·0	5·4	8·1
Selkirk	153	99	—	—	10	12	8	24	64·7	—	—	6·5	7·8	5·2	15·7
Stirling	932	691	13	—	142	6	40	40	74·1	1·4	—	15·2	0·6	4·3	4·3
Sutherland	55	31	—	16	—	—	4	4	56·4	—	29·1	—	—	7·3	7·3
West Lothian	762	532	17	—	131	5	19	58	69·8	2·2	—	17·2	0·7	2·5	7·6
Wigtown	237	187	2	—	13	2	3	30	78·9	0·8	—	5·5	0·8	1·3	12·7
Zetland	80	65	2	—	—	1	9	3	81·3	2·5	—	—	1·3	11·3	3·8
Counties of Cities															
Glasgow	10,325	4,579	73	52	2,659	105	675	2,182	44·3	0·7	0·5	25·8	1·0	6·5	21·1
Edinburgh	4,325	2,161	30	8	402	161	189	1,374	50·0	0·7	0·2	9·3	3·7	4·4	31·8
Aberdeen	1,975	1,153	11	2	82	95	88	544	58·4	0·6	0·1	4·2	4·8	4·5	27·5
Dundee	1,701	710	6	—	394	65	86	440	41·7	0·4	—	23·2	3·8	5·1	25·9
Large Burghs															
Paisley	825	486	4	—	185	6	50	94	58·9	0·5	—	22·4	0·7	6·1	11·4
Greenock	662	280	4	2	247	9	49	71	42·3	0·6	0·3	37·3	1·4	7·4	10·7
Motherwell and Wishaw	606	305	9	—	134	9	53	96	50·3	1·5	—	22·1	1·5	8·7	15·8
Kirkcaldy	517	260	4	1	36	10	41	165	50·3	0·8	0·2	7·0	1·9	7·9	31·9
Coatbridge	416	179	5	3	170	5	24	30	43·0	1·2	0·7	40·9	1·2	5·8	7·2
Dunfermline	412	209	2	—	31	15	27	128	50·7	0·5	—	7·5	3·6	6·6	31·1
Clydebank	331	143	—	—	112	2	30	44	43·2	—	—	33·8	0·6	9·1	13·3
Ayr	486	271	3	—	58	22	40	92	55·8	0·6	—	11·9	4·5	8·2	18·9
Kilmarnock	432	278	7	—	65	3	12	67	64·4	1·6	—	15·0	0·7	2·8	15·5
Perth	470	247	4	—	36	19	21	143	52·6	0·9	—	7·7	4·0	4·5	30·4
Hamilton	426	221	—	—	122	5	22	56	51·9	—	—	28·6	1·2	5·2	13·1
Falkirk	379	233	—	—	30	9	20	87	61·5	—	—	7·9	2·4	5·3	23·0
Airdrie	313	135	1	—	102	6	48	21	43·1	0·3	—	32·6	1·9	15·3	6·7
Inverness	440	246	—	40	27	11	28	88	55·9	—	9·1	6·1	2·5	6·4	20·0
Stirling	247	141	4	—	27	7	6	62	57·1	1·6	—	10·9	2·8	2·4	25·1
Dumfries	341	162	3	—	47	21	10	98	47·5	0·9	—	13·8	6·2	2·9	28·7
Rutherglen	254	181	—	—	35	2	19	17	71·3	—	—	13·8	0·8	7·5	6·7
Dumbarton	171	60	—	3	65	8	18	17	35·1	—	1·8	38·0	4·7	10·5	9·9
Port Glasgow	202	85	—	—	78	18	15	6	42·1	—	—	38·6	8·9	7·4	3·0
Arbroath	172	108	6	—	7	8	12	31	62·8	3·5	—	4·1	4·7	7·0	18·0

Table 52. Conjugal Condition of Persons Marrying in Scotland—1957

	Total Marriages	Conjugal Condition					Percentage of Total Marriages				
		Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	*Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced
SCOTLAND	**42,661**	**38,424**	**519**	**868**	**577**	**2,273**	**90·1**	**1·2**	**2·0**	**1·4**	**5·3**
Counties of Cities	18,326	16,054	253	405	290	1,324	87·6	1·4	2·2	1·6	7·2
Large Burghs	8,102	7,271	129	157	128	417	89·7	1·6	1·9	1·6	5·1
Counties (ex Counties of Cities and Large Burghs)	16,233	15,099	137	306	159	532	93·0	0·8	1·9	1·0	3·3
Counties (ex Large Burghs)											
Aberdeen	988	939	5	11	7	26	95·0	0·5	1·1	0·7	2·6
Angus	520	492	1	12	5	10	94·6	0·2	2·3	1·0	1·9
Argyll	262	246	1	3	3	9	93·9	0·4	1·1	1·1	3·4
Ayr	1,871	1,725	21	41	18	66	92·2	1·1	2·2	1·0	3·5
Banff	338	319	2	3	5	9	94·4	0·6	0·9	1·5	2·7
Berwick	120	109	1	5	1	4	90·8	0·8	4·2	0·8	3·3
Bute	91	84	2	2	—	3	92·3	2·2	2·2	—	3·3
Caithness	195	182	—	3	2	8	93·3	—	1·5	1·0	4·1
Clackmannan	321	294	6	4	3	14	91·6	1·9	1·2	0·9	4·4
Dumfries	559	527	8	8	3	13	94·3	1·4	1·4	0·5	2·3
Dunbarton	664	603	9	15	12	25	90·8	1·4	2·3	1·8	3·8
East Lothian	370	348	6	3	3	10	94·1	1·6	0·8	0·8	2·7
Fife	1,551	1,434	15	29	13	60	92·5	1·0	1·9	0·8	3·9
Inverness	169	158	1	7	1	2	93·5	0·6	4·1	0·6	1·2
Kincardine	157	140	3	6	3	5	89·2	1·9	3·8	1·9	3·2
Kinross	42	40	1	—	—	1	95·2	2·4	—	—	2·4
Kirkcudbright	228	217	—	5	4	2	95·2	—	2·2	1·8	0·9
Lanark	2,275	2,146	11	40	18	60	94·3	0·5	1·8	0·8	2·6
Midlothian	775	698	7	13	10	47	90·1	0·9	1·7	1·3	6·1
Moray	365	337	2	4	3	19	92·3	0·5	1·1	0·8	5·2
Nairn	59	57	1	—	—	1	96·6	1·7	—	—	1·7
Orkney	120	117	—	2	—	1	97·5	—	1·7	—	0·8
Peebles	82	70	1	3	1	7	85·4	1·2	3·7	1·2	8·5
Perth	470	432	4	8	4	22	91·9	0·9	1·7	0·9	4·7
Renfrew	876	797	9	26	10	34	91·0	1·0	3·0	1·1	3·9
Ross and Cromarty	248	230	2	7	2	7	92·7	0·8	2·8	0·8	2·8
Roxburgh	298	284	3	6	2	3	95·3	1·0	2·0	0·7	1·0
Selkirk	153	136	1	4	1	11	88·9	0·7	2·6	0·7	7·2
Stirling	932	875	4	19	12	22	93·9	0·4	2·0	1·3	2·4
Sutherland	55	50	—	1	1	3	90·9	—	1·8	1·8	5·5
West Lothian	762	712	6	11	7	26	93·4	0·8	1·4	0·9	3·4
Wigtown	237	225	4	4	2	2	94·9	1·7	1·7	0·8	0·8
Zetland	80	76	—	1	3	—	95·0	—	1·3	3·8	—
Counties of Cities											
Glasgow	10,325	9,159	135	215	169	647	88·7	1·3	2·1	1·6	6·3
Edinburgh	4,325	3,649	65	104	65	442	84·4	1·5	2·4	1·5	10·2
Aberdeen	1,975	1,740	28	47	31	129	88·1	1·4	2·4	1·6	6·5
Dundee	1,701	1,506	25	39	25	106	88·5	1·5	2·3	1·5	6·2
Large Burghs											
Paisley	825	741	14	17	13	40	89·8	1·7	2·1	1·6	4·8
Greenock	662	608	13	6	11	24	91·8	2·0	0·9	1·7	3·6
Motherwell & Wishaw	606	550	9	11	14	22	90·8	1·5	1·8	2·3	3·6
Kirkcaldy	517	438	11	8	10	50	84·7	2·1	1·5	1·9	9·7
Coatbridge	416	394	6	5	4	7	94·7	1·4	1·2	1·0	1·7
Dunfermline	412	362	4	9	10	27	87·9	1·0	2·2	2·4	6·6
Clydebank	331	301	8	4	3	15	90·9	2·4	1·2	0·9	4·5
Ayr	486	419	7	14	11	35	86·2	1·4	2·9	2·3	7·2
Kilmarnock	432	394	4	6	8	20	91·2	0·9	1·4	1·9	4·6
Perth	470	402	7	12	8	41	85·5	1·5	2·6	1·7	8·7
Hamilton	426	395	6	6	4	15	92·7	1·4	1·4	0·9	3·5
Falkirk	379	328	9	13	5	24	86·5	2·4	3·4	1·3	6·3
Airdrie	313	286	6	8	1	12	91·4	1·9	2·6	0·3	3·8
Inverness	440	395	8	9	8	20	89·8	1·8	2·0	1·8	4·5
Stirling	247	213	5	6	5	18	86·2	2·0	2·4	2·0	7·3
Dumfries	341	310	4	6	3	18	90·9	1·2	1·8	0·9	5·3
Rutherglen	254	229	1	8	7	9	90·2	0·4	3·1	2·8	3·5
Dumbarton	171	160	—	3	1	7	93·6	—	1·8	0·6	4·1
Port Glasgow	202	192	2	3	1	4	95·0	1·0	1·5	0·5	2·0
Arbroath	172	154	5	3	1	9	89·5	2·9	1·7	0·6	5·2

* See Tables 54A and B.

Table 53. Ages of Men at Marriage in Scotland—1957

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND	**42661**	**27·5**	**26**	**233**	**792**	**1479**	**2624**	**16246**	**11909**	**4119**	**1851**	**982**	**862**	**520**	**397**	**279**	**186**	**100**	**42**	**13**	**1**
Counties of Cities	**18326**	**27·8**	**16**	**114**	**385**	**666**	**1202**	**6758**	**4864**	**1789**	**844**	**470**	**416**	**273**	**201**	**158**	**100**	**42**	**21**	**6**	**1**
Large Burghs	**8102**	**27·5**	**4**	**48**	**153**	**295**	**507**	**3169**	**2177**	**749**	**345**	**181**	**162**	**103**	**76**	**56**	**40**	**28**	**5**	**4**	**–**
Counties (ex Counties of Cities and Large Burghs)	**16233**	**27·1**	**6**	**71**	**254**	**518**	**915**	**6319**	**4868**	**1581**	**662**	**331**	**284**	**144**	**120**	**65**	**46**	**30**	**16**	**3**	**–**
Counties (ex Large Burghs)																					
Aberdeen	988	26·9	–	2	14	30	47	394	300	108	43	15	19	4	6	2	2	–	2	–	–
Angus	520	27·7	–	2	2	15	19	185	185	55	28	9	5	3	4	4	1	1	2	–	–
Argyll	262	28·2	–	–	1	5	10	84	92	37	17	4	4	5	2	–	–	1	–	–	–
Ayr	1871	27·1	–	3	32	69	92	775	522	179	73	32	38	16	17	12	6	2	3	–	–
Banff	338	27·6	–	2	1	6	15	121	124	38	11	4	5	2	4	4	–	1	–	–	–
Berwick	120	27·9	–	1	2	1	8	39	42	15	5	1	1	3	–	–	–	1	1	–	–
Bute	91	28·2	–	–	–	2	6	30	32	11	–	3	3	2	1	1	–	–	–	–	–
Caithness	195	27·7	–	–	3	2	10	66	63	24	13	10	2	1	1	–	–	–	–	–	–
Clackmannan	321	26·7	1	2	6	4	18	143	92	28	8	6	6	1	2	2	1	1	–	–	–
Dumfries	559	25·5	1	11	26	29	41	217	149	50	14	6	9	2	1	–	2	1	–	–	–
Dunbarton	664	27·7	–	2	7	21	34	264	189	67	23	19	9	12	10	2	4	1	–	–	–
East Lothian	370	26·2	–	3	7	18	31	149	108	18	16	4	10	2	1	3	–	–	–	–	–
Fife	1551	26·2	1	13	24	72	128	661	394	131	47	21	25	13	5	4	8	4	–	–	–
Inverness	169	31·1	–	–	2	4	1	33	67	22	16	6	10	1	3	3	1	–	–	–	–
Kincardine	157	30·1	–	1	3	1	8	51	47	15	9	6	5	1	5	1	–	2	1	1	–
Kinross	42	26·4	–	–	–	2	2	18	14	1	4	–	1	–	–	–	–	–	–	–	–
Kirkcudbright	228	28·4	1	–	2	1	10	77	83	23	9	9	7	1	2	–	1	2	–	–	–
Lanark	2275	26·7	1	10	41	76	150	943	634	194	94	50	28	23	15	6	5	3	2	–	–
Midlothian	775	26·6	1	6	11	40	38	311	226	63	31	22	11	6	3	1	3	1	–	1	–
Moray	365	27·2	–	2	3	9	28	136	104	41	19	10	7	1	4	–	–	–	1	–	–
Nairn	59	27·2	–	–	–	–	4	20	22	8	2	1	2	–	–	–	–	–	–	–	–
Orkney	120	27·7	–	1	2	1	6	45	32	18	4	5	3	2	1	–	–	–	–	–	–
Peebles	82	28·2	–	–	–	4	4	25	29	9	6	–	1	1	1	2	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

Ross and Cromarty	248	29·8	–	1	–	–	14	64	80	46	15	10	9	3	4	1	1	–	–	–	–
Roxburgh	298	27·3	–	–	2	10	12	114	97	32	12	10	4	–	3	–	1	1	–	–	–
Selkirk	153	28·3	–	–	2	4	3	52	59	15	2	4	6	1	3	1	–	1	–	–	–
Stirling	932	27·4	–	1	9	24	49	383	274	86	38	19	17	11	9	7	2	2	1	–	–
Sutherland	55	30·2	–	–	–	1	1	17	18	5	6	1	3	1	–	2	–	–	–	–	–
West Lothian	762	26·1	–	5	21	32	48	322	219	58	21	12	13	4	2	2	2	–	1	–	–
Wigtown	237	26·9	–	–	7	8	19	87	68	18	15	8	4	2	1	–	–	–	–	–	–
Zetland	80	29·2	–	–	–	1	4	19	28	18	4	1	1	2	1	1	–	–	–	–	–
Counties of Cities																					
Glasgow	10325	27·7	8	61	233	378	685	3805	2792	977	484	252	217	144	120	89	48	20	7	4	1
Edinburgh	4325	28·5	2	20	74	142	266	1552	1119	472	209	132	124	71	51	39	30	11	9	2	–
Aberdeen	1975	27·8	3	9	42	68	120	743	524	194	101	38	51	29	16	16	13	5	3	–	–
Dundee	1701	27·1	3	24	36	78	131	658	429	146	50	48	24	29	14	14	9	6	2	–	–
Large Burghs																					
Paisley	825	27·4	–	7	10	31	58	328	208	76	33	26	18	12	8	6	2	2	–	–	–
Greenock	662	26·7	1	5	17	28	57	284	144	54	30	8	10	7	6	5	3	2	–	1	–
Motherwell & Wishaw	606	27·3	2	3	15	25	27	228	175	63	28	12	8	10	1	5	2	2	–	–	–
Kirkcaldy	517	27·5	–	3	12	25	31	202	132	44	24	10	14	4	7	4	1	3	1	–	–
Coatbridge	416	26·2	–	4	8	19	23	175	119	35	14	8	4	4	1	2	–	–	–	–	–
Dunfermline	412	27·6	–	3	6	18	41	162	98	38	8	5	9	5	4	4	6	4	1	–	–
Clydebank	331	27·1	–	–	7	10	19	135	94	28	17	6	5	4	3	1	1	–	–	1	–
Ayr	486	28·5	1	1	11	13	31	183	122	45	25	12	14	9	8	5	5	–	1	–	–
Kilmarnock	432	26·9	–	1	4	20	34	168	128	30	19	9	8	4	2	2	2	1	–	–	–
Perth	470	29·4	–	1	6	7	26	163	130	53	28	12	14	10	6	6	4	2	2	–	–
Hamilton	426	26·0	–	4	11	15	27	187	113	47	6	5	3	1	2	2	1	2	–	–	–
Falkirk	379	28·5	–	1	7	12	14	139	112	34	20	12	12	2	7	4	1	2	–	–	–
Airdrie	313	26·3	–	2	9	12	19	137	77	25	13	8	7	1	2	1	–	–	–	–	–
Inverness	440	29·4	–	1	3	10	15	121	158	53	30	17	14	6	5	2	3	2	–	–	–
Stirling	247	28·5	–	2	5	11	17	81	66	24	13	6	8	6	4	1	2	1	–	–	–
Dumfries	341	27·4	–	5	7	14	23	118	94	46	10	8	4	3	5	1	1	2	–	–	–
Rutherglen	254	27·9	–	4	6	7	9	105	74	17	9	5	2	9	1	3	1	1	–	1	–
Dumbarton	171	27·2	–	–	4	5	10	73	52	10	4	2	2	3	2	–	2	1	–	1	–
Port Glasgow	202	25·7	–	1	4	10	11	105	41	12	8	5	2	–	1	1	–	1	–	–	–
Arbroath	172	27·9	–	–	1	3	15	75	40	15	6	5	4	3	1	1	3	–	–	–	–

Table 54. Ages of Women at Marriage in Scotland—1957

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND	**42661**	**24·8**	**419**	**1394**	**2928**	**4213**	**5088**	**15614**	**6899**	**2449**	**1285**	**838**	**596**	**407**	**275**	**144**	**76**	**23**	**12**	**1**	**–**
Counties of Cities	**18326**	**25·2**	**172**	**640**	**1299**	**1795**	**2070**	**6405**	**2937**	**1156**	**613**	**439**	**304**	**217**	**134**	**85**	**43**	**12**	**5**	**–**	**–**
Large Burghs	**8102**	**24·9**	**99**	**252**	**505**	**822**	**1010**	**2938**	**1299**	**457**	**239**	**158**	**128**	**86**	**50**	**33**	**15**	**5**	**5**	**1**	**–**
Counties (ex Counties of Cities and Large Burghs)	**16233**	**24·3**	**148**	**502**	**1124**	**1596**	**2008**	**6271**	**2663**	**836**	**433**	**241**	**164**	**104**	**91**	**26**	**18**	**6**	**2**	**–**	**–**
Counties (ex Large Burghs)																					
Aberdeen	988	23·9	1	33	68	107	128	374	172	53	19	13	13	4	2	–	1	–	–	–	–
Angus	520	24·4	3	12	34	51	66	200	88	33	16	6	5	2	2	–	–	2	–	–	–
Argyll	262	25·0	2	7	9	22	30	101	56	15	6	5	6	2	1	–	–	–	–	–	–
Ayr	1871	24·3	20	55	127	177	260	727	284	89	47	30	18	14	15	6	1	–	1	–	–
Banff	338	24·2	3	11	21	26	45	142	50	17	11	7	1	2	2	–	–	–	–	–	–
Berwick	120	24·8	1	5	5	6	10	57	20	6	4	2	3	–	–	–	1	–	–	–	–
Bute	91	25·3	–	3	10	5	7	30	22	6	2	3	2	–	–	1	–	–	–	–	–
Caithness	195	24·1	9	7	8	27	20	67	32	9	12	–	1	2	–	1	–	–	–	–	–
Clackmannan	321	24·2	3	7	19	38	45	122	51	18	4	5	4	1	3	–	1	–	–	–	–
Dumfries	559	22·5	18	54	82	74	77	145	64	23	7	7	1	4	3	–	–	–	–	–	–
Dunbarton	664	25·0	5	16	40	68	74	256	104	44	19	11	10	5	8	3	1	–	–	–	–
East Lothian	370	23·8	2	6	30	37	59	138	62	15	10	5	–	6	–	–	–	–	–	–	–
Fife	1551	23·7	15	59	129	166	202	613	214	69	26	21	15	10	3	5	3	1	–	–	–
Inverness	169	26·7	1	6	5	5	8	69	36	16	12	5	2	2	1	–	1	–	–	–	–
Kincardine	157	26·1	1	4	11	18	13	57	23	10	3	9	2	2	1	3	–	–	–	–	–
Kinross	42	23·9	–	1	3	4	5	20	6	1	1	–	–	–	1	–	–	–	–	–	–
Kirkcudbright	228	24·9	–	5	10	18	32	92	41	15	7	1	2	–	3	–	1	1	–	–	–
Lanark	2275	24·3	13	53	158	202	287	901	395	110	73	37	21	10	13	–	2	–	–	–	–
Midlothian	775	23·9	9	21	62	84	105	295	119	29	21	11	8	5	4	–	1	–	1	–	–
Moray	365	24·5	5	18	25	35	31	135	63	24	18	2	3	2	3	–	–	1	–	–	–
Nairn	59	24·2	1	1	5	4	7	24	9	4	2	2	–	–	–	–	–	–	–	–	–
Orkney	120	23·3	5	10	11	20	11	35	15	4	5	2	1	–	–	1	–	–	–	–	–
Peebles	82	25·0	2	1	7	9	6	36	11	4	–	–	3	1	1	–	1	–	–	–	–
Perth	470	24·4	3	12	30	35	51	184	103	30	9	3	2	3	3	2	–	–	–	–	–

Ross and Cromarty	248	25·9	–	8	10	16	19	94	54	17	15	8	4	1	2	–	–	–	–	–	–
Roxburgh	298	24·5	2	4	17	28	42	115	53	13	8	5	8	2	1	–	–	–	–	–	–
Selkirk	153	24·5	–	3	4	13	20	67	23	11	5	3	2	–	1	1	–	–	–	–	–
Stirling	932	24·4	1	21	62	100	107	382	158	40	22	11	10	9	7	–	2	–	–	–	–
Sutherland	55	27·2	1	–	1	3	5	23	8	6	3	1	2	1	–	1	–	–	–	–	–
West Lothian	762	23·4	8	22	57	85	116	303	114	21	15	10	4	3	2	1	–	1	–	–	–
Wigtown	237	23·9	7	12	17	32	21	83	34	16	7	4	1	2	–	–	1	–	–	–	–
Zetland	80	25·8	–	1	4	8	4	32	17	10	–	1	2	–	–	1	–	–	–	–	–
Counties of Cities																					
Glasgow	10325	25·1	101	345	722	1023	1201	3591	1675	671	331	237	169	112	66	50	21	7	3	–	–
Edinburgh	4325	25·7	41	156	291	408	445	1472	712	292	159	126	86	60	43	20	12	1	1	–	–
Aberdeen	1975	25·2	11	66	133	170	226	733	331	120	61	37	36	28	15	3	3	2	–	–	–
Dundee	1701	24·6	19	73	153	194	198	609	219	73	62	39	13	17	10	12	7	2	1	–	–
Large Burghs																					
Paisley	825	24·8	6	20	50	83	113	302	129	49	25	20	13	10	5	–	–	–	–	–	–
Greenock	662	24·3	12	20	37	77	90	241	103	32	21	8	6	7	3	2	2	–	1	–	–
Motherwell & Wishaw	606	24·8	3	16	35	50	81	223	118	39	12	13	3	7	2	2	2	–	–	–	–
Kirkcaldy	517	25·1	4	16	38	59	62	180	76	33	15	7	12	6	3	3	1	1	–	1	–
Coatbridge	416	24·2	1	7	21	44	39	196	61	25	8	6	4	3	–	–	–	–	1	–	–
Dunfermline	412	25·0	7	13	30	55	59	133	50	22	13	5	10	4	2	5	2	1	1	–	–
Clydebank	331	24·6	3	9	18	30	47	127	56	17	5	6	7	3	1	1	1	–	–	–	–
Ayr	486	25·5	7	29	34	51	49	156	73	25	28	10	7	4	8	4	1	–	–	–	–
Kilmarnock	432	24·7	5	13	29	42	51	163	69	20	20	9	6	–	2	2	1	–	–	–	–
Perth	470	26·4	2	13	31	43	49	159	73	34	18	18	13	8	3	3	–	2	1	–	–
Hamilton	426	23·9	3	16	21	47	62	162	77	15	9	6	3	1	1	2	–	–	1	–	–
Falkirk	379	25·8	5	4	19	36	39	147	68	18	8	14	7	9	3	2	–	–	–	–	–
Airdrie	313	24·3	2	7	23	28	40	114	63	18	8	2	6	1	1	–	–	–	–	–	–
Inverness	440	25·9	10	11	33	36	41	138	83	43	15	6	8	8	3	3	2	–	–	–	–
Stirling	247	25·5	3	3	14	24	36	97	29	11	7	9	7	2	3	1	1	–	–	–	–
Dumfries	341	24·1	7	24	30	39	36	105	57	17	9	5	4	5	–	2	1	–	–	–	–
Rutherglen	254	25·5	2	13	10	24	30	91	44	15	8	4	4	2	4	1	1	1	–	–	–
Dumbarton	171	24·6	8	2	7	11	29	71	20	10	3	1	4	3	2	–	–	–	–	–	–
Port Glasgow	202	23·1	4	6	16	22	40	73	25	6	2	4	2	–	2	–	–	–	–	–	–
Arbroath	172	24·7	5	10	9	21	17	60	25	8	5	5	2	3	2	–	–	–	–	–	–

Table 54A. Ages and Conditions of Persons Married in the year 1957—Scotland
Men

Age last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	**42,661**	**39,749**	**1,676**	**1,236**	**38,424**	**519**	**806**	**868**	**577**	**231**	**836**	**144**	**256**
16	26	26	—	—	26	—	—	—	—	—	—	—	—
17	233	233	—	—	232	1	—	—	—	—	—	—	—
18	792	792	—	—	789	1	2	—	—	—	—	—	—
19	1,479	1,479	—	—	1,475	—	4	—	—	—	—	—	—
20	2,624	2,622	—	2	2,608	2	12	—	—	—	2	—	—
Under 21	**5,154**	**5,152**	—	**2**	**5,130**	**4**	**18**	—	—	—	**2**	—	—
21	3,675	3,672	1	2	3,652	4	16	1	—	—	2	—	—
22	4,125	4,124	—	1	4,094	7	23	—	—	—	1	—	—
23	4,363	4,353	1	9	4,325	4	24	1	—	—	8	—	1
24	4,083	4,069	1	13	4,005	18	46	1	—	—	11	1	1
21–24	**16,246**	**16,218**	**3**	**25**	**16,076**	**33**	**109**	**3**	—	—	**22**	**1**	**2**
25	3,561	3,526	3	32	3,477	13	36	3	—	—	31	—	1
26	2,806	2,775	2	29	2,711	11	53	2	—	—	25	2	2
27	2,260	2,217	9	34	2,165	12	40	9	—	—	32	—	2
28	1,857	1,808	8	41	1,748	20	40	7	—	1	32	1	8
29	1,425	1,355	15	55	1,309	12	34	12	3	—	41	3	11
25–29	**11,909**	**11,681**	**37**	**191**	**11,410**	**68**	**203**	**33**	**3**	**1**	**161**	**6**	**24**
30	1,167	1,105	8	54	1,048	15	42	8	—	—	45	2	7
31	961	887	12	62	823	17	47	10	—	2	48	5	9
32	777	711	13	53	647	15	49	8	3	2	43	3	7
33	657	585	16	56	521	22	42	13	—	3	50	1	5
34	557	481	24	52	435	18	28	16	3	5	34	7	11
30–34	**4,119**	**3,769**	**73**	**277**	**3,474**	**87**	**208**	**55**	**6**	**12**	**220**	**18**	**39**
35	513	433	24	56	377	20	36	18	2	4	36	2	18
36	468	386	21	61	332	22	32	15	2	4	46	6	9
37	357	278	20	59	237	16	25	15	3	2	45	—	14
38	284	217	28	39	182	17	18	18	3	7	24	5	10
39	229	182	18	29	148	15	19	15	3	—	16	6	7
35–39	**1,851**	**1,496**	**111**	**244**	**1,276**	**90**	**130**	**81**	**13**	**17**	**167**	**19**	**58**
40	209	150	27	32	133	4	13	16	5	6	15	3	14
41	222	155	29	38	118	19	18	20	2	7	25	5	8
42	185	120	24	41	93	10	17	14	2	8	24	8	9
43	183	107	35	41	83	8	16	21	5	9	22	7	12
44	183	102	45	36	78	16	8	25	10	10	19	5	12
40–44	**982**	**634**	**160**	**188**	**505**	**57**	**72**	**96**	**24**	**40**	**105**	**28**	**55**
45	199	116	50	33	80	22	14	28	13	9	18	9	6
46	202	94	64	44	71	15	8	30	17	17	25	9	10
47	168	91	50	27	61	21	9	26	10	14	14	4	9
48	126	68	43	15	48	16	4	14	18	11	8	1	6
49	167	71	61	35	50	18	3	32	17	12	14	8	13
45–49	**862**	**440**	**268**	**154**	**310**	**92**	**38**	**130**	**75**	**63**	**79**	**31**	**44**
(a)	*(b)*	*(c)*	*(d)*	*(e)*	*(f)*	*(g)*	*(h)*	*(i)*	*(j)*	*(k)*	*(l)*	*(m)*	*(n)*

50	124	55	49	20	39	12	4	26	14	9	11	5	4
51	95	41	41	13	30	8	3	19	19	3	4	4	5
52	101	27	54	20	20	5	2	23	20	11	10	3	7
53	110	31	63	16	25	5	1	30	24	9	8	4	4
54	90	33	47	10	24	6	3	26	13	8	4	1	5
50–54	**520**	**187**	**254**	**79**	**138**	**36**	**13**	**124**	**90**	**40**	**37**	**17**	**25**
55	95	32	49	14	18	12	2	29	13	7	6	5	3
56	99	25	60	14	16	5	4	30	24	6	9	2	3
57	69	20	43	6	14	5	1	20	20	3	3	2	1
58	76	16	53	7	12	3	1	23	27	3	6	1	—
59	58	7	41	10	2	4	1	16	22	3	7	3	—
55–59	**397**	**100**	**246**	**51**	**62**	**29**	**9**	**118**	**106**	**22**	**31**	**13**	**7**
60	48	10	33	5	4	3	3	13	15	5	2	3	—
61	63	12	48	3	10	1	1	24	21	3	1	2	—
62	64	8	53	3	5	2	1	25	25	3	1	2	—
63	57	8	48	1	4	4	—	18	26	4	—	1	—
64	47	2	43	2	2	—	—	22	16	5	1	—	1
60–64	**279**	**40**	**225**	**14**	**25**	**10**	**5**	**102**	**103**	**20**	**5**	**8**	**1**
65	50	5	44	1	5	—	—	18	22	4	1	—	—
66	46	7	38	1	2	4	1	15	22	1	1	—	—
67	29	2	27	—	2	—	—	8	17	2	—	—	—
68	34	3	30	1	1	2	—	14	12	4	1	—	—
69	27	2	23	2	2	—	—	11	11	1	1	1	—
65–69	**186**	**19**	**162**	**5**	**12**	**6**	**1**	**66**	**84**	**12**	**4**	**1**	**—**
70	31	2	26	3	—	2	—	9	17	—	2	1	—
71	19	1	16	2	1	—	—	8	7	1	1	—	1
72	21	1	19	1	—	1	—	8	11	—	—	1	—
73	14	2	12	—	1	1	—	5	7	—	—	—	—
74	15	3	12	—	1	2	—	7	5	—	—	—	—
70–74	**100**	**9**	**85**	**6**	**3**	**6**	**—**	**37**	**47**	**1**	**3**	**2**	**1**
75	9	—	9	—	—	—	—	4	5	—	—	—	—
76	15	—	15	—	—	—	—	7	7	1	—	—	—
77	6	—	6	—	—	—	—	4	2	—	—	—	—
78	6	3	3	—	3	—	—	1	2	—	—	—	—
79	6	—	6	—	—	—	—	2	4	—	—	—	—
75–79	**42**	**3**	**39**	**—**	**3**	**—**	**—**	**18**	**20**	**1**	**—**	**—**	**—**
80	7	—	7	—	—	—	—	3	3	1	—	—	—
81	3	—	3	—	—	—	—	2	1	—	—	—	—
82	3	—	3	—	—	—	—	—	2	1	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	1	1	—	—	—	1	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**14**	**1**	**13**	**—**	**—**	**1**	**—**	**5**	**6**	**2**	**—**	**—**	**—**
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 54B. Ages and Conditions of Persons Married in the Year 1957—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	**42,661**	**40,128**	**1,240**	**1,293**	**38,424**	**868**	**836**	**519**	**577**	**144**	**806**	**231**	**256**
16	419	419	—	—	415	2	2	—	—	—	—	—	—
17	1,394	1,394	—	—	1,381	2	11	—	—	—	—	—	—
18	2,928	2,928	—	—	2,905	8	15	—	—	—	—	—	—
19	4,213	4,208	1	4	4,176	9	23	1	—	—	4	—	—
20	5,088	5,083	—	5	5,040	7	36	—	—	—	5	—	—
Under 21	**14,042**	**14,032**	**1**	**9**	**13,917**	**28**	**87**	**1**	—	—	**9**	—	—
21	5,045	5,031	2	12	4,983	14	34	2	—	—	11	—	1
22	4,429	4,408	2	19	4,345	14	49	2	—	—	16	1	2
23	3,397	3,359	6	32	3,299	14	46	6	—	—	30	—	2
24	2,743	2,691	8	44	2,629	17	45	7	—	1	40	—	4
21–24	**15,614**	**15,489**	**18**	**107**	**15,256**	**59**	**174**	**17**	—	**1**	**97**	**1**	**9**
25	2,166	2,103	11	52	2,047	20	36	11	—	—	44	—	8
26	1,661	1,593	8	60	1,532	12	49	8	—	—	48	5	7
27	1,243	1,178	16	49	1,123	15	40	13	2	1	39	3	7
28	1,002	919	18	65	867	13	39	15	2	1	55	4	6
29	827	757	17	53	700	18	39	16	—	1	40	2	11
25–29	**6,899**	**6,550**	**70**	**279**	**6,269**	**78**	**203**	**63**	**4**	**3**	**226**	**14**	**39**
30	656	583	15	58	527	19	37	9	—	6	42	7	9
31	552	470	24	58	417	19	34	21	1	2	44	5	9
32	444	367	15	62	316	27	24	11	3	1	43	3	16
33	420	340	17	63	285	23	32	11	4	2	37	15	11
34	377	292	27	58	243	24	25	20	1	6	39	7	12
30–34	**2,449**	**2,052**	**98**	**299**	**1,788**	**112**	**152**	**72**	**9**	**17**	**205**	**37**	**57**
35	303	222	33	48	176	25	21	21	7	5	28	9	11
36	329	232	36	61	178	27	27	20	9	7	39	9	13
37	291	201	40	50	151	32	18	25	10	5	34	9	7
38	179	111	27	41	83	14	14	18	9	—	14	10	17
39	183	112	30	41	77	22	13	12	9	9	18	12	11
35–39	**1,285**	**878**	**166**	**241**	**665**	**120**	**93**	**96**	**44**	**26**	**133**	**49**	**59**
40	184	108	39	37	68	26	14	19	15	5	19	8	10
41	163	80	31	52	52	13	15	18	9	4	19	13	20
42	172	84	53	35	50	22	12	32	13	8	19	6	10
43	168	86	52	30	50	21	15	22	20	10	11	12	7
44	151	78	38	35	42	18	18	13	18	7	14	13	8
40–44	**838**	**436**	**213**	**189**	**262**	**100**	**74**	**104**	**75**	**34**	**82**	**52**	**55**
45	134	75	36	23	42	28	5	15	17	4	8	7	8
46	128	65	36	27	32	27	6	18	11	7	12	8	7
47	118	62	44	12	28	28	6	17	22	5	4	3	5
48	121	70	41	10	32	31	7	13	19	9	3	4	3
49	95	45	36	14	23	20	2	13	21	2	6	7	1
45–49	**596**	**317**	**193**	**86**	**157**	**134**	**26**	**76**	**90**	**27**	**33**	**29**	**24**
(a)	*(b)*	*(c)*	*(d)*	*(e)*	*(f)*	*(g)*	*(h)*	*(i)*	*(j)*	*(k)*	*(l)*	*(m)*	*(n)*

51	75	36	32	7	14	19	1	4	19	1	2	5	1
52	82	39	27	16	15	22	2	4	22	1	4	9	3
53	84	42	37	5	14	21	7	6	24	7	—	4	1
54	67	31	28	8	15	14	2	9	14	5	6	2	—
50–54	**407**	**192**	**165**	**50**	**65**	**107**	**20**	**40**	**105**	**20**	**12**	**29**	**9**
55	60	30	23	7	10	18	2	5	16	2	2	4	1
56	67	26	37	4	8	17	1	8	27	2	1	2	1
57	55	21	31	3	6	15	—	5	25	1	2	1	—
58	49	19	25	5	3	15	1	5	18	2	2	1	2
59	44	14	24	6	3	11	—	5	19	—	—	6	—
55–59	**275**	**110**	**140**	**25**	**30**	**76**	**4**	**28**	**105**	**7**	**7**	**14**	**4**
60	35	7	27	1	2	4	1	3	21	3	1	—	—
61	31	14	17	—	3	10	1	1	14	2	—	—	—
62	38	11	24	3	3	7	1	6	16	2	—	3	—
63	23	5	17	1	—	5	—	2	14	1	—	1	—
64	17	9	7	1	1	8	—	—	7	—	—	1	—
60–64	**144**	**46**	**92**	**6**	**9**	**34**	**3**	**12**	**72**	**8**	**1**	**5**	**—**
65	18	6	12	—	2	4	—	3	9	—	—	—	—
66	18	5	13	—	1	4	—	—	13	—	—	—	—
67	17	3	14	—	—	3	—	2	12	—	—	—	—
68	17	3	13	1	—	3	—	—	13	—	—	1	—
69	6	2	3	1	1	1	—	—	3	—	1	—	—
65–69	**76**	**19**	**55**	**2**	**4**	**15**	**—**	**5**	**50**	**—**	**1**	**1**	**—**
70	6	—	6	—	—	—	—	—	6	—	—	—	—
71	9	—	9	—	—	—	—	1	8	—	—	—	—
72	1	1	—	—	—	1	—	—	—	—	—	—	—
73	3	1	2	—	1	—	—	—	2	—	—	—	—
74	4	3	1	—	—	3	—	1	—	—	—	—	—
70–74	**23**	**5**	**18**	**—**	**1**	**4**	**—**	**2**	**16**	**—**	**—**	**—**	**—**
75	3	—	3	—	—	—	—	1	2	—	—	—	—
76	4	1	3	—	—	1	—	1	1	1	—	—	—
77	2	—	2	—	—	—	—	—	2	—	—	—	—
78	2	—	2	—	—	—	—	1	1	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—
75–79	**12**	**1**	**11**	**—**	**—**	**1**	**—**	**3**	**7**	**1**	**—**	**—**	**—**
80	—	—	—	—	—	—	—	—	—	—	—	—	—
81	1	1	—	—	1	—	—	—	—	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**1**	**1**	**—**	**—**	**1**	**—**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 55. Ages in combination of MEN and WOMEN at Marriage in Scotland—1957

Ages of HUSBANDS	Ages of WIVES: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16	9	8	7	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	26	16
17	40	75	58	22	27	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	233	17
18	63	188	227	159	87	62	6	–	–	–	–	–	–	–	–	–	–	–	–	–	792	18
19	62	219	371	363	245	208	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1,479	19
20	67	236	479	598	532	640	65	5	2	–	–	–	–	–	–	–	–	–	–	–	2,624	20
21–	131	538	1,366	2,253	2,948	7,665	1,214	110	15	4	2	–	–	–	–	–	–	–	–	–	16,246	21–
25–	38	98	361	687	1,090	5,636	3,320	561	86	27	4	1	–	–	–	–	–	–	–	–	11,909	25–
30–	8	25	45	106	125	1,085	1,542	820	269	74	18	2	–	–	–	–	–	–	–	–	4,119	30–
35–	–	5	10	17	23	224	524	535	358	108	36	10	1	–	–	–	–	–	–	–	1,851	35–
40–	–	1	1	5	3	54	132	232	241	205	83	17	7	1	–	–	–	–	–	–	982	40–
45–	1	1	1	3	5	18	62	127	181	217	166	62	14	2	1	–	1	–	–	–	862	45–
50–	–	–	2	–	2	7	15	37	82	105	120	108	33	8	1	–	–	–	–	–	520	50–
55–	–	–	–	–	1	1	6	12	38	58	77	101	74	25	4	–	–	–	–	–	397	55–
60–	–	–	–	–	–	2	–	4	9	26	53	58	71	42	14	–	–	–	–	–	279	60–
65–	–	–	–	–	–	–	2	2	4	10	26	32	45	35	25	5	–	–	–	–	186	65–
70–	–	–	–	–	–	–	–	1	–	2	8	14	23	22	19	7	4	–	–	–	100	70–
75–	–	–	–	–	–	–	–	1	–	2	3	1	6	6	9	9	4	1	–	–	42	75–
80–	–	–	–	–	–	–	–	1	–	–	–	1	1	3	3	2	2	–	–	–	13	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	419	1394	2,928	4,213	5,088	15,614	6,899	2,449	1,285	838	596	407	275	144	76	23	12	1	–	–	42,661	Ttl. Husbands and Wives

Average Age—Husbands, 27·5; Wives, 24·8.

The Table read *vertically* shows the numbers of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 4,213 Wives aged 19, 22 Married Husbands aged 17, 159 Married Husbands, aged 18, etc.

Table 56. Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland 1957

Ages of BACHELORS	Ages of SPINSTERS: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of BACHELORS
16	9	8	7	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	26	16
17	40	75	58	21	27	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	232	17
18	63	188	227	159	87	61	4	–	–	–	–	–	–	–	–	–	–	–	–	–	789	18
19	62	219	371	363	245	204	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1,475	19
20	67	236	479	597	531	635	58	4	1	–	–	–	–	–	–	–	–	–	–	–	2,608	20
21–	131	534	1,363	2,246	2,943	7,618	1,145	86	9	1	–	–	–	–	–	–	–	–	–	–	16,076	21–
25–	37	92	350	674	1,073	5,509	3,137	473	53	8	4	–	–	–	–	–	–	–	–	–	11,410	25–
30–	6	24	42	98	114	980	1,366	637	169	29	7	2	–	–	–	–	–	–	–	–	3,474	30–
35–	–	4	8	12	14	182	408	374	211	49	12	2	–	–	–	–	–	–	–	–	1,276	35–
40–	–	–	–	4	2	39	96	136	124	74	24	3	3	–	–	–	–	–	–	–	505	40–
45–	–	1	–	2	3	10	33	59	65	66	56	11	2	1	1	–	–	–	–	–	310	45–
50–	–	–	–	–	–	5	9	15	26	21	27	26	8	1	–	–	–	–	–	–	138	50–
55–	–	–	–	–	1	–	1	2	7	11	18	13	6	3	–	–	–	–	–	–	62	55–
60–	–	–	–	–	–	1	–	–	–	2	5	4	9	3	1	–	–	–	–	–	25	60–
65–	–	–	–	–	–	–	1	–	–	1	4	3	2	–	1	–	–	–	–	–	12	65–
70–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	3	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	3	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	415	1381	2,905	4,176	5,040	15,256	6,269	1,788	665	262	157	65	30	9	4	1	–	1	–	–	38,424	Ttl. Bachelors and Spinsters

Average Age—Husbands, 25·7; Wives, 23·2.

Table 57. Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1957

Ages of BACHELORS	Ages of WIDOWS: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of BACHELORS
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	17
18	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	20
21–	–	–	–	–	–	6	16	5	3	2	1	–	–	–	–	–	–	–	–	–	33	21–
25–	–	–	–	–	–	9	21	20	9	8	–	1	–	–	–	–	–	–	–	–	68	25–
30–	–	–	–	–	–	1	13	18	34	16	5	–	–	–	–	–	–	–	–	–	87	30–
35–	–	–	–	–	–	–	8	15	31	20	10	6	–	–	–	–	–	–	–	–	90	35–
40–	–	–	–	–	–	–	1	7	6	24	14	2	2	1	–	–	–	–	–	–	57	40–
45–	–	–	–	–	–	–	1	6	10	26	26	15	7	–	–	–	1	–	–	–	92	45–
50–	–	–	–	–	–	–	1	1	2	4	13	8	4	2	1	–	–	–	–	–	36	50–
55–	–	–	–	–	–	–	–	–	1	1	4	8	8	6	1	–	–	–	–	–	29	55–
60–	–	–	–	–	–	–	–	–	–	3	1	–	3	1	2	–	–	–	–	–	10	60–
65–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	1	–	–	–	–	6	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–	–	6	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	1	–	17	63	72	96	104	76	40	28	12	5	2	3	–	–	–	519	Ttl. Bachelors and Widows

Table 58. Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1957

Ages of WIDOWERS	Ages of SPINSTERS: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of WIDOWERS
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	21–
25–	–	–	2	3	1	17	8	2	–	–	–	–	–	–	–	–	–	–	–	–	33	25–
30–	1	–	1	1	2	20	18	10	2	–	–	–	–	–	–	–	–	–	–	–	55	30–
35–	–	–	1	3	2	8	26	24	16	1	–	–	–	–	–	–	–	–	–	–	81	35–
40–	–	1	1	1	1	7	11	24	25	11	12	2	–	–	–	–	–	–	–	–	96	40–
45–	1	–	1	–	1	3	13	25	33	25	22	6	–	–	–	–	–	–	–	–	130	45–
50–	–	–	1	–	–	2	1	13	24	25	32	19	7	–	–	–	–	–	–	–	124	50–
55–	–	–	–	–	–	1	–	7	11	24	23	35	16	1	–	–	–	–	–	–	118	55–
60–	–	–	–	–	–	1	–	3	8	7	26	22	22	9	4	–	–	–	–	–	102	60–
65–	–	–	–	–	–	–	1	2	1	4	12	14	15	14	3	–	–	–	–	–	66	65–
70–	–	–	–	–	–	–	–	–	–	1	5	8	12	6	3	2	–	–	–	–	37	70–
75–	–	–	–	–	–	–	–	1	–	2	2	1	4	2	4	1	1	–	–	–	18	75–
80–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	1	–	–	–	–	5	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	2	2	8	9	7	59	78	112	120	100	134	107	76	34	15	4	1	–	–	–	868	Ttl. Widowers and Spinsters

Average Age—Husbands, 51·5; Wives, 41·7.

Table 59. Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1957

Ages of WIDOWERS	Ages of WIDOWS: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of WIDOWERS
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21–
25–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	3	25–
30–	–	–	–	–	–	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–	6	30–
35–	–	–	–	–	–	–	2	2	4	5	–	–	–	–	–	–	–	–	–	–	13	35–
40–	–	–	–	–	–	–	–	3	7	8	5	1	–	–	–	–	–	–	–	–	24	40–
45–	–	–	–	–	–	–	–	3	10	26	23	11	1	1	–	–	–	–	–	–	75	45–
50–	–	–	–	–	–	–	–	–	12	16	25	26	8	3	–	–	–	–	–	–	90	50–
55–	–	–	–	–	–	–	–	–	4	9	14	30	35	11	3	–	–	–	–	–	106	55–
60–	–	–	–	–	–	–	–	–	1	6	16	21	29	23	7	–	–	–	–	–	103	60–
65–	–	–	–	–	–	–	–	–	1	3	5	12	22	17	20	4	–	–	–	–	84	65–
70–	–	–	–	–	–	–	–	–	–	1	1	4	7	14	14	4	2	–	–	–	47	70–
75–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	7	3	–	–	–	20	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	–	–	6	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	–	–	4	9	44	75	90	105	105	72	50	16	7	–	–	–	577	Ttl. Widowers and Widows

Average Age—Husbands 58·4; Wives 53·0

Table 39A. Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1957

Ages of DIVORCED MEN	Ages of WOMEN: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of DIVORCED MEN
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	20
21–	–	3	2	2	2	10	5	1	–	–	–	–	–	–	–	–	–	–	–	–	25	21–
25–	1	6	9	10	15	64	56	23	6	1	–	–	–	–	–	–	–	–	–	–	191	25–
30–	1	1	2	7	9	66	93	65	22	8	3	–	–	–	–	–	–	–	–	–	277	30–
35–	–	1	1	2	7	30	53	70	53	20	6	–	1	–	–	–	–	–	–	–	244	35–
40–	–	–	–	–	–	8	21	39	43	56	13	6	2	–	–	–	–	–	–	–	188	40–
45–	–	–	–	1	1	5	11	19	34	42	24	15	2	–	–	–	–	–	–	–	154	45–
50–	–	–	1	–	2	–	3	5	11	21	16	16	3	1	–	–	–	–	–	–	79	50–
55–	–	–	–	–	–	–	3	3	9	10	11	7	5	3	–	–	–	–	–	–	51	55–
60–	–	–	–	–	–	–	–	1	–	3	1	4	1	4	–	–	–	–	–	–	14	60–
65–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	5	65–
70–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	1	–	–	–	6	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	2	11	15	23	36	184	245	226	178	163	77	49	15	11	–	–	1	–	–	–	1,236	Ttl. Husbands and Wives

Average Age—Husbands, 38·8; Wives, 33·5.

Table 59B. Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1957

Ages of MEN	Ages of DIVORCED WOMEN: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of MEN
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	18
19	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	19
20	–	–	–	–	1	4	5	1	1	–	–	–	–	–	–	–	–	–	–	–	12	20
21–	–	–	–	4	3	32	49	18	3	1	1	–	–	–	–	–	–	–	–	–	111	21–
25–	–	–	–	–	1	40	106	50	21	10	–	–	–	–	–	–	–	–	–	–	228	25–
30–	–	–	–	–	–	20	66	101	44	24	4	–	–	–	–	–	–	–	–	–	259	30–
35–	–	–	–	–	–	6	34	70	62	20	10	2	1	–	–	–	–	–	–	–	205	35–
40–	–	–	–	–	–	–	8	35	50	47	22	4	1	–	–	–	–	–	–	–	167	40–
45–	–	–	–	–	–	1	5	20	40	50	20	7	2	–	–	–	–	–	–	–	145	45–
50–	–	–	–	–	–	–	2	4	10	26	15	17	3	1	–	–	–	–	–	–	78	50–
55–	–	–	–	–	–	–	2	–	8	6	8	9	4	1	–	–	–	–	–	–	38	55–
60–	–	–	–	–	–	–	–	–	–	5	4	7	8	2	–	–	–	–	–	–	26	60–
65–	–	–	–	–	–	–	–	–	2	–	2	3	4	1	1	–	–	–	–	–	13	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	2	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	–	–	4	5	107	279	299	241	189	86	50	25	6	2	–	–	–	–	–	1,293	Ttl. Husbands and Wives

Average Age—Husbands, 37·4; Wives, 35·4.

NOTE.—The summations of the totals in Tables 56 to 59B exceeds by 256 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and

Table 60. Parliamentary Electors—Scotland.
Parliamentary Electors on the February 1958 Register

Parliamentary Constituencies	Parliamentary Electors					Votes Cast at Bye-Elections
	Total	Ordinary Residence Qualification		Service Voters' Qualification		
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5)*	
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	*3,407,801*	*3,374,498*	*22,047*	*33,303*	*2,986*	*77,522*
County Constituencies	*1,794,726*	*1,777,310*	*12,335*	*17,416*	*1,585*	*56,253*
Burgh Constituencies	*1,613,075*	*1,597,188*	*9,712*	*15,887*	*1,401*	*21,269*
ABERDEENSHIRE						
County Constituencies	*91,344*	*90,263*	*538*	*1,081*	*134*	*29,453*
East Aberdeenshire	44,694	44,227	253	467	51	29,453
West Aberdeenshire	46,650	46,036	285	614	83	—
Burgh Constituencies	*124,415*	*123,191*	*857*	*1,224*	*133*	—
Aberdeen North	66,862	66,197	372	665	73	—
Aberdeen South	57,553	56,994	485	559	60	—
ANGUS AND KINCARDINE						
County Constituencies	*81,623*	*80,592*	*555*	*1,031*	*78*	—
North Angus and Mearns	36,677	36,169	257	508	34	—
South Angus	44,946	44,423	298	523	44	—
Burgh Constituencies	*121,222*	*119,805*	*1,114*	*1,417*	*121*	—
Dundee East	58,552	57,915	500	637	54	—
Dundee West	62,670	61,890	614	780	67	—
ARGYLL						
County Constituency						
Argyll	40,162	39,846	181	316	19	26,800
AYRSHIRE AND BUTE						
County Constituencies	*233,128*	*231,377*	*1,787*	*1,751*	*143*	—
Ayr	44,997	44,593	295	404	31	—
Bute and North Ayrshire	43,952	43,539	259	413	27	—
Central Ayrshire	48,118	47,756	386	362	25	—
Kilmarnock	48,776	48,491	359	285	26	—
South Ayrshire	47,285	46,998	488	287	34	—
BANFFSHIRE						
County Constituency						
Banff	34,719	34,273	209	446	60	—
BERWICKSHIRE AND EAST LOTHIAN						
County Constituency						
Berwick and East Lothian	50,348	49,782	317	566	73	—
CAITHNESS AND SUTHERLAND						
County Constituency						
Caithness and Sutherland	26,972	26,717	144	255	15	—
DUMFRIESSHIRE						
County Constituency						
Dumfries	56,877	56,198	413	679	76	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1957, but who becomes 21 on or before 15th June, 1958, and who is entitled to vote only at elections held after 1st October 1958.

Table 60. Parliamentary Electors—Scotland—*continued.*

(1)	(2)	(3)	(4)	(5)	(6)	(7)
DUNBARTONSHIRE						
County Constituencies	*114,148*	*113,262*	*684*	*886*	*63*	—
East Dunbartonshire	63,926	63,469	413	457	33	—
West Dunbartonshire	50,222	49,793	271	429	30	—
FIFE						
County Constituencies	*106,239*	*105,002*	*710*	*1,237*	*106*	—
East Fife	50,557	49,871	310	686	60	—
West Fife	55,682	55,131	400	551	46	—
Burgh Constituencies	*101,925*	*100,584*	*664*	*1,341*	*85*	—
Dunfermline Burghs	47,659	46,949	285	710	48	—
Kirkcaldy Burghs	54,266	53,635	379	631	37	—
INVERNESS-SHIRE AND ROSS AND CROMARTY						
County Constituencies	*99,901*	*98,946*	*421*	*955*	*48*	—
Inverness	49,359	48,803	202	556	29	—
Ross and Cromarty	25,437	25,155	97	282	12	—
Western Isles	25,105	24,988	122	117	7	—
KIRKCUDBRIGHT AND WIGTOWN						
County Constituency						
Galloway	35,251	34,757	229	494	68	—
LANARKSHIRE						
County Constituencies	298,891	296,617	2,905	2,274	202	—
Bothwell	55,363	54,970	529	393	50	—
Hamilton	51,649	51,213	559	436	35	—
Lanark	55,442	55,013	494	429	47	—
Motherwell	50,409	49,985	508	424	31	—
North Lanarkshire	43,167	42,871	418	296	20	—
Rutherglen	42,861	42,565	397	296	19	—
Burgh Constituencies	*761,051*	*754,853*	*4,433*	*6,198*	*585*	*21,269*
Coatbridge and Airdrie	52,425	52,072	532	353	42	—
Glasgow, Bridgeton	49,462	49,106	218	356	34	—
Cathcart	60,591	60,283	357	308	23	—
Central	38,097	37,776	225	321	32	—
Craigton	47,140	46,594	296	546	59	—
Gorbals	50,152	49,796	174	356	38	—
Govan	52,282	51,905	277	377	34	—
Hillhead	39,050	38,775	205	275	12	—
Kelvingrove	35,337	35,077	169	260	30	21,269
Maryhill	47,082	46,500	294	582	48	—
Pollok	52,392	51,968	296	424	40	—
Provan	45,308	44,967	208	341	29	—
Scotstoun	56,364	55,929	410	435	44	—
Shettleston	51,142	50,701	288	441	44	—
Springburn	38,444	38,005	251	439	47	—
Woodside	45,783	45,399	233	384	29	—
MIDLOTHIAN						
County Constituency						
Midlothian	57,537	56,925	410	612	58	—
Burgh Constituencies	*337,469*	*333,281*	*1,592*	*4,188*	*333*	—
Edinburgh, Central	43,389	42,857	213	532	43	—
East	54,271	53,552	279	719	67	—
Leith	40,166	39,710	169	456	38	—
North	42,788	42,270	141	518	27	—
Pentlands	52,732	51,993	258	739	59	—
South	48,540	48,002	307	538	39	—
West	55,583	54,897	225	686	60	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1957, but who becomes 21 on or before 15th June 1958, and who is entitled to vote only at elections held after 1st October 1958.

Table 60. Parliamentary Electors—Scotland—*continued*

(1)	(2)	(3)	(4)	(5)	(6)	(7)
MORAY AND NAIRNSHIRE						
County Constituency						
Moray and Nairn	35,404	34,647	129	757	70	—
ORKNEY AND ZETLAND						
County Constituency						
Orkney and Zetland	26,906	26,761	184	145	12	—
PERTHSHIRE AND KINROSS-SHIRE						
County Constituencies	*88,491*	*87,341*	*488*	*1,150*	*83*	—
Kinross and West Perthshire	33,678	33,267	133	411	33	—
Perth and East Perthshire	54,813	54,074	355	739	50	—
RENFREWSHIRE						
County Constituencies	*107,559*	*106,787*	*784*	*772*	*74*	—
East Renfrewshire	60,454	60,072	461	382	36	—
West Renfrewshire	47,105	46,715	323	390	38	—
Burgh Constituencies	*111,617*	*110,674*	*689*	*943*	*81*	—
Greenock	48,278	47,855	228	423	38	—
Paisley	63,339	62,819	461	520	43	—
ROXBURGH, SELKIRK AND PEEBLES						
County Constituency						
Roxburgh, Selkirk and Peebles	55,917	55,327	243	590	80	—
STIRLINGSHIRE AND CLACKMANNANSHIRE						
County Constituencies	*95,020*	*94,229*	*652*	*791*	*70*	—
Clackmannan and East Stirlingshire	51,666	51,255	294	411	30	—
West Stirlingshire	43,354	42,974	358	380	40	—
Burgh Constituency						
Stirling and Falkirk Burghs	55,376	54,800	363	576	63	—
WEST LOTHIAN						
County Constituency						
West Lothian	58,289	57,661	352	628	53	—

*"Y" indicates an elector who is not 21 on the qualifying date 10th October 1957, but who becomes 21 on or before 15th June 1958, and who is entitled to vote only at elections held after 1st October 1958.

Table 61. Local Government Electors and Analysis of Local Elections on the 1958 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
SCOTLAND	**3,402,252**	**1,141**	**726**	**2,221,448**	**933,259**	**42·0**
Counties of Cities	**1,277,827**	**13**	**72**	**1,139,951**	**383,371**	**33·6**
Large Burghs	**562,669**	**38**	**105**	**447,685**	**199,606**	**44·6**
Small Burghs	**591,746**	**351**	**339**	**312,473**	**157,449**	**50·4**
Landward Areas	**970,010**	**739**	**210**	**321,339**	**192,833**	**60·0**
Districts	**964,741**	**1,134**	**163**	**172,072**	**102,501**	**59·6**
ABERDEEN COUNTY:						
County of City:						
Aberdeen	123,756	3	9	99,339	34,281	34·5
Small Burghs	**27,943**	**24**	**11**	**3,875**	**1,561**	**40·3**
Ballater	880	—	4	880	387	44·0
Ellon	1,062	—	4	1,062	473	44·5
Fraserburgh	6,887	5	—	—	—	—
Huntly	2,828	3	—	—	—	—
Inverurie	3,706	3	—	—	—	—
Kintore	616	3	—	—	—	—
Oldmeldrum	800	3	—	—	—	—
Peterhead	8,417	4	—	—	—	—
Rosehearty	814	3	—	—	—	—
Turriff	1,933	—	3	1,933	701	36·3
Landward	**63,618**	**51**	**5**	**7,291**	**2,926**	**40·1**
Districts	**63,618**	**113**	**2**	**1,004**	**583**	**58·1**
Aberdeen	17,649	20	—	—	—	—
Alford	5,884	14	2	1,004	583	58·1
Deer	13,804	17	—	—	—	—
Deeside	5,579	13	—	—	—	—
Ellon	6,689	12	—	—	—	—
Garioch	5,357	15	—	—	—	—
Huntly	3,490	10	—	—	—	—
Turriff	5,166	12	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	120,421	6	6	60,216	23,745	39·4
Large Burgh:						
Arbroath	13,206	—	6	13,206	6,240	47·3
Small Burghs	**29,591**	**16**	**9**	**14,976**	**5,488**	**36·6**
Brechin	5,286	5	—	—	—	—
Carnoustie	4,028	4	—	—	—	—
Forfar	7,293	—	5	7,293	2,784	38·2
Kirriemuir	2,711	4	—	—	—	—
Monifieth	2,590	3	—	—	—	—
Montrose	7,683	—	4	7,683	2,704	35·2
Landward	**21,279**	**24**	**6**	**5,245**	**2,922**	**55·7**
Districts	**21,279**	**51**	**1**	**384**	**212**	**55·2**
Brechin	3,086	9	—	—	—	—
Carnoustie	3,112	5	1	384	212	55·2
Forfar	4,716	11	—	—	—	—
Kirriemuir	3,013	9	—	—	—	—
Monifieth	4,311	10	—	—	—	—
Montrose	3,041	7	—	—	—	—

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
ARGYLL COUNTY:						
Small Burghs	**17,138**	**4**	**21**	**11,597**	**6,142**	**53·0**
Campbeltown	4,444	—	5	4,444	2,334	52·5
Dunoon	6,536	2	2	3,563	1,997	56·0
Inveraray	399	—	6	399	155	38·8
Lochgilphead	864	—	3	864	474	54·9
Oban	4,381	2	2	1,813	894	49·3
Tobermory	514	—	3	514	288	56·0
Landward	**23,651**	**25**	**9**	**6,439**	**4,086**	**63·5**
Districts	**23,651**	**40**	**6**	**1,328**	**796**	**59·9**
Ardnamurchan	1,140	3	—	—	—	—
Cowal	5,234	5	—	—	—	—
Islay	2,678	3	—	—	—	—
Jura and Colonsay	305	8	—	—	—	—
Kintyre	3,565	6	—	—	—	—
Lorn North	2,633	5	—	—	—	—
Lorn South	2,672	2	1	606	409	67·5
Mid Argyll	3,227	5	—	—	—	—
Mull	1,236	2	1	589	292	49·6
Tiree and Coll	961	1	4	133	95	71·4
AYR COUNTY:						
Large Burghs	**60,978**	**4**	**10**	**44,947**	**19,266**	**42·9**
Ayr	30,210	2	4	23,306	9,352	40·1
Kilmarnock	30,768	2	6	21,641	9,914	45·8
Small Burghs	**78,746**	**24**	**30**	**50,352**	**27,399**	**54·4**
Ardrossan	6,018	—	3	6,018	3,383	56·2
Cumnock and Holmhead	3,474	3	—	—	—	—
Darvel	2,483	—	3	2,483	1,037	41·8
Galston	2,915	3	—	—	—	—
Girvan	3,991	4	—	—	—	—
Irvine	10,621	1	5	9,626	5,627	58·5
Kilwinning	4,587	—	3	4,587	2,525	55·0
Largs	6,253	3	—	—	—	—
Maybole	3,123	4	—	—	—	—
Newmilns and Greenholm	2,746	—	3	2,746	1,082	39·4
Prestwick	8,199	2	3	5,833	3,130	53·7
Saltcoats	8,812	—	3	8,812	5,456	61·9
Stevenston	6,275	—	3	6,275	3,063	48·8
Stewarton	2,329	—	3	2,351	990	42·1
Troon	6,920	4	1	1,621	1,106	68·2
Landward	**80,433**	**28**	**14**	**26,193**	**15,190**	**58·0**
Districts	**80,433**	**69**	**8**	**8,727**	**5,171**	**59·3**
Ayr	7,800	8	—	—	—	—
Cumnock	21,439	17	—	—	—	—
Dalmellington	8,149	7	—	—	—	—
Girvan	3,364	5	1	1,181	830	70·3
Irvine	5,745	4	1	983	648	65·9
Kilbirnie	14,515	6	6	6,563	3,693	56·3
Kilmarnock	9,893	8	—	—	—	—
Maybole	3,668	6	—	—	—	—
Newmilns	1,034	3	—	—	—	—
Saltcoats	4,826	5	—	—	—	—

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
BANFF COUNTY:						
Small Burghs	**20,825**	**17**	**31**	**15,087**	**7,082**	**46·9**
Aberchirder	543	5	—	—	—	—
Aberlour	601	4	—	—	—	—
Banff	2,384	3	—	—	—	—
Buckie	5,987	—	8	5,987	2,688	44·9
Cullen	1,134	—	5	1,134	663	58·5
Dufftown	1,092	—	3	1,092	581	53·2
Findochty	1,063	3	—	—	—	—
Keith	3,300	—	4	3,300	1,593	48·3
Macduff	2,547	—	4	2,547	1,051	41·3
Portknockie	1,027	—	7	1,027	506	49·3
Portsoy	1,147	2	—	—	—	—
Landward	**13,711**	**21**	**1**	**376**	**272**	**72·3**
Districts	**13,711**	**22**	—	—	—	—
Aberchirder	1,522	4	—	—	—	—
Banff	3,251	5	—	—	—	—
Buckie	1,901	2	—	—	—	—
Cullen	1,299	2	—	—	—	—
Dufftown	2,941	5	—	—	—	—
Keith	2,797	4	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,426**	**4**	**7**	**1,866**	**723**	**38·7**
Coldstream	934	3	—	—	—	—
Duns	1,415	—	4	1,415	485	34·3
Eyemouth	1,626	1	—	—	—	—
Lauder	451	—	3	451	238	52·8
Landward	**12,074**	**25**	**2**	**825**	**486**	**58·9**
Districts	**12,074**	**19**	—	—	—	—
East	4,767	7	—	—	—	—
Middle	4,015	7	—	—	—	—
West	3,292	5	—	—	—	—
BUTE COUNTY:						
Small Burghs	**7,150**	**6**	**3**	**3,237**	**1,650**	**51·0**
Millport	1,555	3	—	—	—	—
Rothesay	5,595	3	3	3,237	1,650	51·0
Landward	**4,471**	**10**	**1**	**433**	**275**	**63·5**
Districts	**4,471**	**7**	**2**	**831**	**472**	**56·8**
Arran	2,860	4	2	831	472	56·8
Bute	1,565	2	—	—	—	—
Cumbrae	46	1	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**8,228**	**4**	**5**	**4,964**	**2,201**	**44·3**
Thurso	3,264	4	—	—	—	—
Wick	4,964	—	5	4,964	2,201	44·3
Landward	**8,814**	**20**	**2**	**572**	**430**	**75·2**
Districts	**8,814**	**24**	—	—	—	—
Central	1,370	4	—	—	—	—
Eastern	2,215	5	—	—	—	—
Northern	1,235	4	—	—	—	—
Southern	1,773	5	—	—	—	—
Western	2,221	6	—	—	—	—

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
LACKMANNAN COUNTY:						
Small Burghs	**15,755**	**1**	**12**	**13,565**	**7,086**	**52·2**
Alloa	9,210	1	3	7,020	3,244	46·2
Alva	2,711	—	3	2,711	1,549	57·1
Dollar	1,105	—	3	1,105	665	60·2
Tillicoultry	2,729	—	3	2,729	1,628	59·7
Landward	**10,320**	**8**	**3**	**2,987**	**2,184**	**73·1**
Districts	**10,320**	**9**	**1**	**1,563**	**1,167**	**74·7**
Alloa	8,246	6	1	1,563	1,167	74·7
Hillfoots	2,074	3	—	—	—	—
UMFRIES COUNTY:						
Large Burgh						
Dumfries	18,104	8	1	1,817	739	40·7
Small Burghs	**11,103**	**21**	—	—	—	—
Annan	3,583	5	—	—	—	—
Langholm	1,692	3	—	—	—	—
Lochmaben	851	3	—	—	—	—
Lockerbie	1,974	3	—	—	—	—
Moffat	1,459	4	—	—	—	—
Sanquhar	1,544	3	—	—	—	—
Landward	**27,799**	**21**	**14**	**12,392**	**8,413**	**67·9**
Districts	**27,799**	**35**	—	—	—	—
Annan	3,350	4	—	—	—	—
Dumfries	7,157	8	—	—	—	—
Gretna	3,586	4	—	—	—	—
Langholm	1,637	3	—	—	—	—
Lockerbie	2,788	4	—	—	—	—
Moffat	1,054	2	—	—	—	—
Sanquhar	3,541	4	—	—	—	—
Thornhill	4,686	6	—	—	—	—
UNBARTON COUNTY:						
Large Burghs	**48,794**	**2**	**12**	**44,407**	**20,151**	**45·4**
Clydebank	32,033	—	7	32,033	13,890	43·4
Dumbarton	16,761	2	5	12,374	6,261	50·6
Small Burghs	**33,019**	**10**	**20**	**21,780**	**14,841**	**68·1**
Bearsden	9,951	6	9	5,553	3,922	70·6
Cove and Kilcreggan	712	—	3	712	363	51·0
Helensburgh	6,367	2	2	3,480	2,236	64·3
Kirkintilloch	10,150	2	2	6,196	3,929	63·4
Milngavie	5,839	—	4	5,839	4,391	75·2
Landward	**31,945**	**14**	**14**	**17,560**	**12,063**	**68·7**
Districts	**31,945**	**20**	**17**	**17,974**	**11,889**	**66·1**
Cumbernauld	3,269	3	3	1,479	803	54·3
Helensburgh	4,358	6	2	491	388	79·0
Kirkintilloch	2,329	4	—	—	—	—
Old Kilpatrick	5,901	4	3	3,073	1,796	58·4
Vale of Leven	16,088	3	9	12,931	8,902	68·8
AST LOTHIAN COUNTY:						
Small Burghs	**17,846**	**3**	**21**	**13,851**	**6,074**	**43·9**
Cockenzie and Port Seton	2,370	—	3	2,370	1,065	44·9
Dunbar	2,888	—	5	2,888	1,446	50·1

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electoral Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
East Lothian County—*continued.*						
East Linton	722	—	3	722	332	46·0
Haddington	3,140	—	4	3,140	790	25·2
North Berwick	2,796	—	3	2,796	1,649	59·0
Prestonpans	1,935	—	3	1,935	792	40·9
Tranent	3,995	3	—	—	—	—
Landward	**16,463**	**22**	**4**	**2,624**	**1,704**	**64·9**
Districts	**16,463**	**25**	**1**	**476**	**321**	**67·4**
Dunbar	2,239	5	—	—	—	—
Haddington	2,787	5	1	476	321	67·4
North Berwick	3,371	5	—	—	—	—
Prestonpans	3,758	4	—	—	—	—
Tranent	4,308	6	—	—	—	—
FIFE COUNTY:						
Large Burghs	**64,132**	**9**	**10**	**31,401**	**14,232**	**45·3**
Dunfermline	29,945	8	—	—	—	—
Kirkcaldy	34,187	1	10	31,401	14,232	45·3
Small Burghs	**72,825**	**46**	**43**	**29,050**	**13,668**	**47·0**
Auchtermuchty	961	—	4	961	210	21·9
Buckhaven and Methil	13,977	4	—	—	—	—
Burntisland	4,271	5	—	—	—	—
Cowdenbeath	8,665	2	2	3,372	1,202	35·6
Crail	855	—	3	855	558	65·3
Culross	368	—	3	368	214	58·2
Cupar	3,877	4	—	—	—	—
Elie and Earlsferry	763	4	—	—	—	—
Falkland	767	4	—	—	—	—
Inverkeithing	2,739	—	4	2,739	1,518	55·4
Kilrenny, Anstruther Easter and Anstruther Wester	2,212	4	—	—	—	—
Kinghorn	1,564	—	3	1,564	906	57·9
Ladybank	906	3	—	—	—	—
Leslie	2,038	—	3	2,038	1,231	60·4
Leven	6,019	2	1	1,915	1,491	77·9
Lochgelly	6,158	—	4	6,158	1,841	29·9
Markinch	1,775	—	4	1,775	775	43·7
Newburgh	1,689	4	—	—	—	—
Newport-on-Tay	2,479	3	—	—	—	—
Pittenweem	1,154	4	—	—	—	—
St. Andrews	6,237	—	6	6,237	3,173	50·9
St. Monance	1,068	—	6	1,068	549	51·4
Tayport	2,283	3	—	—	—	—
Landward	**70,537**	**35**	**11**	**20,691**	**10,374**	**50·1**
Districts	**70,537**	**72**	**8**	**12,592**	**6,305**	**50·1**
Cupar	8,590	17	—	—	—	—
Dunfermline	16,442	11	—	—	—	—
Kirkcaldy	10,598	11	3	2,454	578	23·6
Lochgelly	19,498	8	4	8,542	4,742	55·5
St. Andrews	7,396	17	—	—	—	—
Wemyss	8,013	8	1	1,596	985	61·7
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,152	2	5	11,462	5,052	44·1

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Inverness County—*continued*						
Small Burghs	**2,912**	**6**	—	—	—	—
Fort William	2,126	4	—	—	—	—
Kingussie	786	2	—	—	—	—
Landward	**36,244**	**47**	**12**	**6,840**	**3,754**	**54·9**
Districts	**36,244**	**50**	**7**	**4,439**	**2,015**	**45·4**
Aird	4,941	8	1	365	104	28·5
Badenoch	4,120	7	1	620	443	71·5
Barra	1,411	—	2	1,411	674	47·8
Harris	3,155	3	—	—	—	—
Inverness	5,268	9	1	455	275	60·4
Lochaber	6,478	10	1	899	355	39·5
North Uist	1,430	1	1	689	164	23·8
Skye	6,707	9	—	—	—	—
South Uist	2,734	3	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	**6,431**	**12**	**4**	**3,243**	**1,948**	**60·1**
Banchory	1,423	4	—	—	—	—
Inverbervie	716	3	—	—	—	—
Laurencekirk	1,049	5	—	—	—	—
Stonehaven	3,243	—	4	3,243	1,948	60·1
Landward	**11,226**	**17**	**3**	**1,823**	**1,274**	**69·9**
Districts	**11,226**	**21**	—	—	—	—
Laurencekirk	2,660	5	—	—	—	—
Lower Deeside	1,962	3	—	—	—	—
St. Cyrus	2,307	4	—	—	—	—
Stonehaven	2,502	5	—	—	—	—
Upper Deeside	1,795	4	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,698	2	—	—	—	—
Landward	**2,827**	**11**	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	**6,860**	**16**	**4**	**2,085**	**532**	**25·5**
Castle Douglas	2,272	4	—	—	—	—
Dalbeattie	2,085	—	4	2,085	532	25·5
Gatehouse-of-Fleet	619	4	—	—	—	—
Kirkcudbright	1,638	6	—	—	—	—
New Galloway	246	2	—	—	—	—
Landward	**12,200**	**18**	**4**	**2,047**	**1,495**	**73·0**
Districts	**12,200**	**21**	—	—	—	—
Castle Douglas	1,910	3	—	—	—	—
Creetown	1,922	4	—	—	—	—
Dalbeattie	2,494	3	—	—	—	—
Eastern	1,922	4	—	—	—	—
Glenkens	1,587	4	—	—	—	—
Kirkcudbright	2,365	3	—	—	—	—
LANARK COUNTY:						
County of City:						
Glasgow	709,669	—	38	709,669	243,145	34·3

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Lanark County—*continued*						
Large Burghs	**141,897**	**4**	**28**	**129,095**	**63,726**	**49·4**
Airdrie	20,220	—	5	20,220	11,708	57·9
Coatbridge	31,828	—	6	31,828	17,855	56·1
Hamilton	25,948	2	3	15,608	5,156	33·0
Motherwell and Wishaw	46,759	—	9	46,759	21,951	46·9
Rutherglen	17,142	2	5	14,680	7,056	48·1
Small Burghs	**6,573**	—	**8**	**6,573**	**3,129**	**47·6**
Biggar	1,042	—	3	1,042	364	34·9
Lanark	5,531	—	5	5,531	2,765	50·0
Landward	**200,811**	**25**	**32**	**116,178**	**68,395**	**58·9**
Districts	**200,811**	**50**	**31**	**78,785**	**46,489**	**59·0**
No. 1	4,998	11	—	—	—	—
No. 2	9,536	3	6	6,205	4,061	65·4
No. 3	13,990	6	4	4,845	3,331	68·8
No. 4	22,193	3	3	7,168	4,203	58·6
No. 5	23,383	6	4	13,066	6,659	51·0
No. 6	38,488	7	3	10,251	5,496	53·6
No. 7	22,470	4	3	7,125	4,704	66·0
No. 8	25,573	3	4	15,087	8,612	57·1
No. 9	40,180	7	4	15,038	9,423	62·7
MIDLOTHIAN COUNTY:						
County of City:						
Edinburgh	323,981	4	19	270,727	82,200	30·4
Small Burghs	**29,691**	**4**	**14**	**22,244**	**13,579**	**61·0**
Bonnyrigg and Lasswade	4,110	3	—	—	—	—
Dalkeith	5,902	—	4	5,902	4,460	75·6
Loanhead	3,333	—	4	3,333	1,813	54·4
Musselburgh	12,385	1	3	9,048	5,231	57·8
Penicuik	3,961	—	3	3,961	2,075	52·4
Landward	**40,096**	**28**	**11**	**11,758**	**6,948**	**59·1**
Districts	**40,096**	**35**	**4**	**4,082**	**2,443**	**59·8**
Currie	4,592	3	1	1,137	753	66·2
East Calder	4,134	4	—	—	—	—
Gala Water	7,857	8	—	—	—	—
Lasswade	3,633	4	—	—	—	—
Musselburgh	4,769	4	—	—	—	—
Newbattle	6,701	4	2	2,086	1,222	58·6
Penicuik	3,842	4	—	—	—	—
West Calder	4,568	4	1	859	468	54·5
MORAY COUNTY:						
Small Burghs	**16,679**	**20**	**13**	**10,821**	**4,948**	**45·7**
Burghead	886	3	—	—	—	—
Elgin	7,565	—	8	7,565	3,158	41·7
Forres	3,167	8	—	—	—	—
Grantown-on-Spey	1,022	6	—	—	—	—
Lossiemouth and Branderburgh	3,256	—	5	3,256	1,790	55·0
Rothes	783	3	—	—	—	—
Landward	**12,940**	**21**	**1**	**625**	**442**	**70·7**
Districts	**12,940**	**32**	—	—	—	—
Cromdale	685	3	—	—	—	—
Duffus and Drainie	1,888	5	—	—	—	—
Elgin	3,644	8	—	—	—	—

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Moray County—*continued*						
Fochabers	2,587	5	—	—	—	—
Forres	3,053	8	—	—	—	—
Rothes and Knockando	1,083	3	—	—	—	—
NAIRN COUNTY:						
Small Burgh						
Nairn	3,378	—	6	3,378	984	29·1
Landward	**2,442**	**8**	**1**	**509**	**269**	**52·8**
Districts—None	—	—	—	—	—	—
ORKNEY COUNTY:						
Small Burghs	**4,057**	**3**	**4**	**2,942**	**884**	**30·0**
Kirkwall	2,942	—	4	2,942	884	30·0
Stromness	1,115	3	—	—	—	—
Landward	**9,705**	**20**	**1**	**699**	**220**	**31·5**
Districts	**9,705**	**50**	**14**	**909**	**267**	**29·4**
Eday	160	4	—	—	—	—
Hoy and Walls	632	10	—	—	—	—
Mainland	5,563	10	—	—	—	—
North Ronaldsay	138	4	—	—	—	—
Rousay	274	5	—	—	—	—
Sanday	527	—	8	527	110	20·9
Shapinsay	320	4	—	—	—	—
South Ronaldsay	945	7	—	—	—	—
Stonsay	382	—	6	382	157	41·1
Westray	764	6	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	**5,836**	**3**	**4**	**4,117**	**1,516**	**36·8**
Innerleithen	1,719	3	—	—	—	—
Peebles	4,117	—	4	4,117	1,516	36·8
Landward	**4,207**	**15**	—	—	—	—
Districts	**4,207**	**15**	—	—	—	—
Broughton	778	4	—	—	—	—
Innerleithen	1,185	3	—	—	—	—
Linton	1,316	4	—	—	—	—
Peebles	928	4	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth	27,524	3	5	18,104	7,140	39·4
Small Burghs	**19,070**	**23**	**14**	**8,160**	**3,447**	**42·2**
Aberfeldy	1,084	4	—	—	—	—
Abernethy	464	3	—	—	—	—
Alyth	1,376	4	—	—	—	—
Auchterarder	1,713	—	3	1,713	954	55·7
Blairgowrie and Rattray	3,622	—	5	3,622	1,352	37·3
Callander	1,179	—	3	1,179	429	36·4
Coupar Angus	1,471	4	—	—	—	—
Crieff	3,828	4	—	—	—	—
Doune	569	3	—	—	—	—
Dunblane	2,118	1	—	—	—	—
Pitlochry	1,646	—	3	1,646	712	43·3
Landward	**37,341**	**45**	**1**	**734**	**520**	**70·8**

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Perth County—*continued*						
Districts	**37,341**	**44**	**2**	**2,104**	**969**	**46·1**
Central	6,028	9	—	—	—	—
Eastern	5,832	7	—	—	—	—
Highland	5,618	9	—	—	—	—
Perth	14,384	13	1	1,235	499	40·4
Western	5,479	6	1	869	470	54·1
RENFREW COUNTY:						
Large Burghs	**125,118**	**1**	**21**	**122,123**	**48,945**	**40·1**
Greenock	48,201	—	9	48,201	18,465	38·3
Paisley	63,226	—	9	63,226	24,879	39·3
Port Glasgow	13,691	1	3	10,696	5,601	52·4
Small Burghs	**37,814**	**4**	**11**	**26,199**	**14,381**	**54·9**
Barrhead	9,258	1	3	7,366	4,246	57·6
Gourock	6,802	2	1	1,594	904	56·7
Johnstone	9,905	—	4	9,905	5,373	54·2
Renfrew	11,849	1	3	7,334	3,858	52·6
Landward	**55,688**	**19**	**8**	**20,001**	**11,076**	**55·4**
Districts	**55,688**	**55**	**8**	**6,863**	**4,385**	**63·9**
No. 1	29,559	21	—	—	—	—
No. 2	9,534	6	2	3,358	2,200	65·5
No. 3	3,567	11	—	—	—	—
No. 4	9,509	11	4	1,795	1,211	67·5
No. 5	3,519	6	2	1,710	974	57·0
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,186**	**13**	**12**	**1,806**	**983**	**54·4**
Cromarty	501	1	—	—	—	—
Dingwall	2,322	5	—	—	—	—
Fortrose	668	—	6	668	342	51·2
Invergordon	1,171	4	—	—	—	—
Stornoway	3,386	3	—	—	—	—
Tain	1,138	—	6	1,138	641	56·3
Landward	**32,543**	**30**	**6**	**5,977**	**3,065**	**51·3**
Districts	**32,543**	**46**	**15**	**3,971**	**1,769**	**44·5**
Avoch	2,056	3	2	749	340	45·4
Dingwall	2,485	4	—	—	—	—
Fearn	1,817	4	—	—	—	—
Fortrose	741	1	—	—	—	—
Gairloch	1,372	3	3	615	199	32·4
Invergordon	2,252	3	—	—	—	—
Lewis	12,895	10	—	—	—	—
Lochbroom	1,178	2	4	929	379	40·8
Lochcarron	1,211	3	3	586	286	48·8
Muir of Ord	3,706	6	—	—	—	—
South West	1,541	3	3	1,092	565	51·7
Tain	1,289	4	—	—	—	—
ROXBURGH COUNTY:						
Small Burghs	**19,055**	**17**	**1**	**1,811**	**950**	**52·5**
Hawick	12,048	4	1	1,811	950	52·5
Jedburgh	2,589	6	—	—	—	—
Kelso	3,019	4	—	—	—	—

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
:burgh County—*continued*						
Melrose	1,399	3	—	—	—	—
.andward	**12,219**	**27**	**1**	**419**	**259**	**61·8**
)istricts	**12,219**	**27**	—	—	—	—
Hawick	2,985	6	—	—	—	—
Jedburgh	2,486	7	—	—	—	—
Kelso	2,975	7	—	—	—	—
Melrose	3,773	7	—	—	—	—
LKIRK COUNTY:						
;mall Burghs	**12,960**	**4**	**7**	**6,003**	**2,797**	**46·6**
Galashiels	8,821	4	1	1,864	1,064	57·1
Selkirk	4,139	—	6	4,139	1,733	41·9
.andward	**2,009**	**7**	—	—	—	—
)istricts	**2,009**	**9**	—	—	—	—
North	1,220	4	—	—	—	—
South	789	5	—	—	—	—
IRLING COUNTY:						
Large Burghs	**43,764**	**5**	**7**	**31,123**	**14,115**	**45·4**
Falkirk	25,628	1	4	22,696	10,830	47·7
Stirling	18,136	4	3	8,427	3,285	39·0
Small Burghs	**25,122**	**8**	**6**	**10,445**	**5,341**	**51·1**
Bridge of Allan	2,350	3	—	—	—	—
Denny and Dunipace	4,814	—	4	4,814	3,089	64·2
Grangemouth	11,499	2	2	5,631	2,252	40·0
Kilsyth	6,459	3	—	—	—	—
Landward	**55,035**	**19**	**24**	**35,766**	**24,091**	**67·4**
Districts	**55,035**	**31**	**11**	**16,303**	**11,118**	**68·2**
Central No. 1	10,314	6	1	1,921	1,452	75·6
No. 2	8,906	6	—	—	—	—
Eastern No. 1	11,837	5	3	5,829	3,755	64·4
No. 2	8,604	5	1	1,201	910	75·8
No. 3	4,990	3	1	1,055	675	64·0
Western No. 1	1,121	2	—	—	—	—
No. 2	4,451	3	2	1,940	1,364	70·3
No. 3	4,812	1	3	4,357	2,962	68·0
JTHERLAND COUNTY:						
Small Burgh:						
Dornoch	587	3	—	—	—	—
Landward	**9,294**	**14**	**5**	**2,486**	**1,854**	**74·6**
Districts	**9,294**	**23**	**4**	**1,011**	**630**	**62·3**
Assynt	604	2	3	406	304	74·9
Dornoch and Creich	1,640	4	—	—	—	—
Eddrachillis and Durness	851	3	—	—	—	—
Golspie, Rogart and Lairg	2,368	6	—	—	—	—
Kildonan, Loth and Clyne	2,245	4	1	605	326	53·9
Tongue and Farr	1,586	4	—	—	—	—
EST LOTHIAN COUNTY:						
Small Burghs	**27,429**	**17**	**13**	**14,585**	**6,419**	**44·0**
Armadale	4,046	3	—	—	—	—
Bathgate	8,036	—	4	8,036	3,545	44·1
Bo'ness	7,035	6	6	3,062	1,535	50·1

Table 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percenta of Electora Voting
(1)	(2)	(3)	(4)	(5)	(6)	(7)
West Lothian County—*continued*						
Linlithgow	2,950	5	—	—	—	—
Queensferry	1,875	3	—	—	—	—
Whitburn	3,487	—	3	3,487	1,339	38·4
Landward	**30,579**	**24**	**9**	**9,466**	**6,553**	**69·2**
Districts	**30,579**	**23**	**7**	**7,812**	**4,988**	**63·9**
Bo'ness	2,339	2	—	—	—	—
Linlithgow	2,011	2	—	—	—	—
Kirkliston and Winchburgh	3,855	3	—	—	—	—
Torphichen and Bathgate	4,090	5	1	943	577	61·2
Uphall	7,827	6	1	1,110	573	51·6
Whitburn and Livingston	10,457	5	5	5,759	3,838	66·6
WIGTOWN COUNTY:						
Small Burghs	**7,952**	**16**	—	—	—	—
Newton Stewart	1,397	3	—	—	—	—
Stranraer	5,228	7	—	—	—	—
Whithorn	561	2	—	—	—	—
Wigtown	766	4	—	—	—	—
Landward	**8,315**	**21**	—	—	—	—
Districts	**8,315**	**21**	—	—	—	—
Machars	3,327	9	—	—	—	—
Rhins	4,988	12	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,861	—	5	3,861	1,696	43·9
Landward	**9,174**	**19**	**5**	**2,383**	**1,293**	**54·3**
Districts	**9,174**	**75**	**14**	**914**	**512**	**56·0**
Bressay	241	—	5	241	183	75·9
Delting	578	8	—	—	—	—
Dunrossness	1,634	9	—	—	—	—
Fetlar	106	2	—	—	—	—
Lerwick (Landward)	769	4	—	—	—	—
Nesting	384	7	—	—	—	—
Northmaven	639	9	—	—	—	—
Sandsting and Aithsting	819	6	—	—	—	—
Tingwall	1,111	9	—	—	—	—
Unst	673	—	9	673	329	48·9
Walls	576	9	—	—	—	—
Whalsay	632	4	—	—	—	—
Yell	1,012	8	—	—	—	—

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958

	1939	1954	1955	1956	1957	1958
COTLAND	1,294,872	1,507,986	1,531,751	1,551,196	1,566,877	1,583,662
Counties of Cities	507,110	568,502	577,350	585,098	591,100	595,698
Large Burghs	199,651	244,300	248,902	252,792	256,406	260,341
Small Burghs	213,511	263,399	267,710	271,101	274,526	282,498
Landward Areas	374,600	431,785	437,789	442,205	444,845	445,125
BERDEEN COUNTY	83,224	94,416	95,613	96,504	97,439	98,144
Aberdeen County of City	46,516	54,057	54,914	55,695	56,427	56,951
Small Burghs	10,386	12,085	12,308	12,435	12,575	12,685
Ballater	394	447	469	464	469	467
Ellon	389	476	476	469	472	467
Fraserburgh	2,410	2,836	2,907	2,939	2,991	3,037
Huntly	1,106	1,212	1,233	1,245	1,274	1,274
Inverurie	1,306	1,585	1,629	1,673	1,682	1,687
Kintore	231	263	262	274	272	268
Oldmeldrum	293	355	362	368	364	362
Peterhead	3,177	3,608	3,670	3,709	3,755	3,832
Rosehearty	308	384	376	375	373	372
Turriff	772	919	924	919	923	919
Landward	26,322	28,274	28,391	28,374	28,437	28,508
NGUS COUNTY	78,121	88,871	90,243	91,657	93,015	93,904
Dundee County of City	49,416	56,768	57,977	59,262	60,364	61,262
Large Burgh	5,806	6,836	6,882	6,914	7,031	7,003
Arbroath	5,806	6,836	6,882	6,914	7,031	7,003
Small Burghs	12,612	14,650	14,798	14,930	15,031	15,136
Brechin	2,161	2,637	2,644	2,664	2,648	2,686
Carnoustie	1,603	2,001	1,994	2,004	2,058	2,035
Forfar	3,156	3,518	3,588	3,663	3,685	3,762
Kirriemuir	1,187	1,352	1,376	1,389	1,397	1,391
Monifieth	1,038	1,287	1,285	1,283	1,289	1,294
Montrose	3,467	3,855	3,911	3,927	3,954	3,968
Landward	10,287	10,617	10,586	10,551	10,589	10,503
RGYLL COUNTY	18,889	20,425	20,478	20,656	20,628	20,823
Small Burghs	7,487	8,384	8,412	8,564	8,591	8,601
Campbeltown	1,745	2,186	2,163	2,146	2,141	2,139
Dunoon	3,501	3,663	3,693	3,721	3,720	3,726
Inveraray	153	146	153	167	165	162
Lochgilphead	370	416	419	421	418	432
Oban	1,472	1,707	1,719	1,847	1,885	1,883
Tobermory	246	266	265	262	262	259
Landward	11,402	12,041	12,066	12,092	12,037	12,222
YR COUNTY	75,984	93,647	96,172	98,179	100,219	102,269
Large Burghs	20,424	25,233	26,021	26,653	27,292	27,827
Ayr	9,981	12,234	12,540	12,755	12,895	13,079
Kilmarnock	10,443	12,999	13,481	13,898	14,397	14,748
Small Burghs	25,787	34,536	35,500	36,330	37,038	37,661
Ardrossan	1,951	2,527	2,601	2,668	2,707	2,746
Cumnock and Holmhead	1,089	1,434	1,488	1,566	1,615	1,624
Darvel	1,003	1,154	1,177	1,224	1,226	1,230
Galston	1,247	1,424	1,443	1,451	1,448	1,462
Girvan	1,634	1,804	1,829	1,860	1,860	1,893
Irvine	3,074	4,272	4,539	4,646	4,784	4,874
Kilwinning	1,320	1,912	1,962	2,026	2,052	2,105
Largs	2,882	3,231	3,257	3,321	3,363	3,397

OTE.—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958—*contd.*

	1939	1954	1955	1956	1957	1958
Ayr County—*continued*						
Maybole	1,202	1,425	1,504	1,449	1,451	1,452
Newmilns and Greenholm	1,237	1,400	1,398	1,392	1,396	1,373
Prestwick	2,934	3,596	3,623	3,681	3,719	3,838
Saltcoats	2,980	3,817	3,899	4,125	4,317	4,497
*Stevenston	—	2,542	2,657	2,724	2,816	2,884
Stewarton	795	1,004	1,048	1,084	1,127	1,127
Troon	2,439	2,994	3,075	3,113	3,157	3,159
Landward	**29,773**	**33,878**	**34,651**	**35,196**	**35,889**	**36,781**
BANFF COUNTY	**13,217**	**14,471**	**14,781**	**15,096**	**15,286**	**15,343**
Small Burghs	**7,545**	**8,410**	**8,685**	**8,924**	**9,076**	**9,113**
Aberchirder	259	268	268	269	271	263
Aberlour	229	259	270	271	273	271
Banff	932	1,121	1,148	1,154	1,211	1,202
Buckie	1,912	2,038	2,175	2,255	2,281	2,294
Cullen	479	529	531	552	542	541
Dufftown	425	461	462	471	473	474
Findochty	371	427	435	451	457	455
Keith	1,144	1,273	1,284	1,312	1,362	1,375
Macduff	896	1,035	1,113	1,170	1,184	1,221
Portknockie	407	445	445	455	455	445
Portsoy	491	554	554	564	567	572
Landward	**5,672**	**6,061**	**6,096**	**6,172**	**6,210**	**6,230**
BERWICK COUNTY	**7,856**	**7,992**	**7,891**	**7,801**	**7,912**	**7,832**
Small Burghs	**1,862**	**2,094**	**2,135**	**2,107**	**2,179**	**2,151**
Coldstream	417	468	465	449	480	474
Duns	606	683	690	693	695	684
Eyemouth	624	717	743	731	771	759
Lauder	215	226	237	234	233	234
Landward	**5,994**	**5,898**	**5,756**	**5,694**	**5,733**	**5,681**
BUTE COUNTY	**7,338**	**7,844**	**7,848**	**7,878**	**7,555**	**7,500**
Small Burghs	**4,470**	**4,877**	**4,878**	**4,898**	**4,772**	**4,747**
Millport	1,207	1,261	1,261	1,261	1,261	1,264
Rothesay	3,263	3,616	3,617	3,637	3,511	3,483
Landward	**2,868**	**2,967**	**2,970**	**2,980**	**2,783**	**2,753**
CAITHNESS COUNTY	**7,211**	**8,258**	**8,342**	**8,493**	**8,775**	**9,104**
Small Burghs	**2,846**	**3,564**	**3,623**	**3,763**	**4,030**	**4,392**
Thurso	852	1,134	1,167	1,288	1,506	1,843
Wick	1,994	2,430	2,456	2,475	2,524	2,549
Landward	**4,365**	**4,694**	**4,719**	**4,730**	**4,745**	**4,712**
CLACKMANNAN CO.	**9,025**	**11,813**	**11,939**	**12,083**	**12,138**	**12,518**
Small Burghs	**6,094**	**7,266**	**7,433**	**7,465**	**7,530**	**7,773**
Alloa	3,423	4,167	4,248	4,259	4,291	4,418
Alva	1,198	1,330	1,321	1,310	1,311	1,409
Dollar	456	522	558	552	557	572
Tillicoultry	1,017	1,247	1,306	1,344	1,371	1,374
Landward	**2,931**	**4,547**	**4,506**	**4,618**	**4,608**	**4,745**
DUMFRIES COUNTY	**21,490**	**25,644**	**26,477**	**26,778**	**26,705**	**26,787**
Large Burgh	**6,381**	**8,009**	**8,241**	**8,319**	**8,136**	**8,156**
Dumfries	6,381	8,009	8,241	8,319	8,136	8,156
Small Burghs	**4,002**	**5,214**	**5,221**	**5,265**	**5,336**	**5,420**
Annan	1,057	1,518	1,555	1,604	1,681	1,744
Langholm	784	905	900	906	897	909
Lochmaben	292	375	371	380	380	393
Lockerbie	760	942	900	905	915	918
Moffat	611	718	721	722	720	713
Sanquhar	498	756	774	748	743	743
Landward	**11,107**	**12,421**	**13,015**	**13,194**	**13,233**	**13,211**

* Formation of new burgh, 1952.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958—*contd.*

	1939	1954	1955	1956	1957	1958
DUNBARTON COUNTY	**39,258**	**48,430**	**49,987**	**50,993**	**51,855**	**52,560**
Large Burghs	**16,977**	**20,575**	**21,275**	**21,875**	**22,254**	**22,462**
Clydebank	11,572	13,232	13,631	14,137	14,432	14,677
Dumbarton	5,405	7,343	7,644	7,738	7,822	7,785
Small Burghs	**7,732**	**9,813**	**10,152**	**10,237**	**10,534**	**15,422**
*Bearsden	—	—	—	—	—	4,696
Cove and Kilcreggan	351	375	374	375	384	373
Helensburgh	2,405	2,792	2,833	2,845	2,975	3,047
Kirkintilloch	3,242	4,119	4,360	4,380	4,508	4,545
Milngavie	1,734	2,527	2,585	2,637	2,667	2,761
Landward	**14,549**	**18,042**	**18,560**	**18,881**	**19,067**	**14,676**
EAST LOTHIAN CO.	**12,767**	**15,374**	**15,529**	**15,801**	**15,907**	**15,979**
Small Burghs	**6,301**	**7,911**	**8,078**	**8,250**	**8,320**	**8,419**
Cockenzie and Port Seton	738	1,049	1,083	1,114	1,112	1,144
Dunbar	1,163	1,401	1,376	1,384	1,377	1,377
East Linton	284	357	357	356	355	346
Haddington	1,168	1,390	1,431	1,445	1,431	1,411
North Berwick	1,005	1,343	1,373	1,371	1,390	1,385
Prestonpans	672	844	855	848	864	876
Tranent	1,271	1,527	1,603	1,732	1,791	1,880
Landward	**6,466**	**7,463**	**7,451**	**7,551**	**7,587**	**7,560**
FIFE COUNTY	**75,928**	**94,023**	**95,218**	**96,276**	**97,134**	**98,112**
Large Burghs	**22,997**	**29,510**	**29,996**	**30,542**	**30,412**	**30,689**
Dunfermline	10,309	13,272	13,671	14,004	13,907	14,095
Kirkcaldy	12,688	16,238	16,325	16,538	16,505	16,594
Small Burghs	**27,768**	**33,796**	**34,137**	**34,284**	**34,591**	**34,973**
Auchtermuchty	414	465	478	468	476	484
Buckhaven and Methil	4,516	6,121	6,163	6,319	6,413	6,425
Burntisland	1,621	1,875	1,970	1,983	1,973	2,014
Cowdenbeath	3,108	3,997	4,008	3,952	3,998	3,916
Crail	397	467	466	457	461	466
Culross	134	167	168	170	161	152
Cupar	1,558	1,816	1,875	1,838	1,859	1,856
Elie and Earlsferry	485	517	521	520	521	527
Falkland	294	368	389	377	386	376
Inverkeithing	881	1,116	1,138	1,221	1,259	1,301
Kilrenny, Anstruther Easter and Anstruther Wester	1,119	1,145	1,135	1,128	1,124	1,131
Kinghorn	698	814	811	797	811	803
Ladybank	391	454	467	452	454	453
Leslie	782	943	954	1,011	1,014	1,184
Leven	2,345	2,826	2,844	2,834	2,848	2,943
Lochgelly	2,118	2,652	2,649	2,630	2,670	2,698
Markinch	652	792	823	837	836	827
Newburgh	770	829	831	821	823	838
Newport-on-Tay	1,009	1,199	1,218	1,193	1,195	1,203
Pittenweem	534	593	591	601	610	621
St. Andrews	2,379	2,882	2,891	2,918	2,931	2,988
St. Monance	561	606	599	594	614	624
Tayport	1,002	1,152	1,148	1,163	1,154	1,143
Landward	**25,163**	**30,717**	**31,085**	**31,450**	**32,131**	**32,450**
INVERNESS COUNTY	**20,773**	**24,215**	**24,505**	**24,670**	**24,808**	**24,940**
Large Burgh	**6,089**	**7,946**	**8,083**	**8,278**	**8,321**	**8,389**
Inverness	6,089	7,946	8,083	8,278	8,321	8,389
Small Burghs	**944**	**1,091**	**1,093**	**1,120**	**1,108**	**1,122**
Fort William	636	743	745	774	770	776
Kingussie	308	348	348	346	338	346
Landward	**13,740**	**15,178**	**15,329**	**15,272**	**15,379**	**15,429**

*Formation of new burgh 1958.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958—*contd.*

	1939	1954	1955	1956	1957	1958
KINCARDINE COUNTY	**7,119**	**8,039**	**8,123**	**8,144**	**8,102**	**8,109**
Small Burghs	**2,553**	**3,029**	**3,061**	**3,068**	**3,052**	**3,065**
Banchory	514	616	612	614	611	629
Inverbervie	268	294	307	305	302	302
Laurencekirk	468	535	533	531	525	522
Stonehaven	1,303	1,584	1,609	1,618	1,614	1,612
Landward	**4,566**	**5,010**	**5,062**	**5,076**	**5,050**	**5,044**
KINROSS COUNTY	**2,057**	**2,271**	**2,272**	**2,253**	**2,248**	**2,237**
Small Burgh	**716**	**806**	**809**	**806**	**815**	**802**
Kinross	716	806	809	806	815	802
Landward	**1,341**	**1,465**	**1,463**	**1,447**	**1,433**	**1,435**
KIRKCUDBRIGHT CO.	**8,315**	**9,231**	**9,257**	**9,490**	**9,274**	**9,180**
Small Burghs	**2,801**	**3,153**	**3,225**	**3,262**	**3,311**	**3,305**
Castle Douglas	876	1,013	1,061	1,063	1,081	1,078
Dalbeattie	868	954	946	962	986	979
Gatehouse of Fleet	252	308	315	311	306	306
Kirkcudbright	663	742	766	787	798	799
New Galloway	142	136	137	139	140	143
Landward	**5,514**	**6,078**	**6,032**	**6,228**	**5,963**	**5,875**
LANARK COUNTY	**400,057**	**458,456**	**466,770**	**473,082**	**478,100**	**483,295**
Glasgow County of City	**283,011**	**312,323**	**317,894**	**321,368**	**324,350**	**326,267**
Large Burghs	**47,604**	**60,358**	**61,337**	**62,159**	**63,190**	**64,502**
Airdrie	6,276	8,380	8,544	8,671	8,832	9,100
Coatbridge	10,082	13,282	13,459	13,767	14,037	14,345
Hamilton	8,639	10,890	11,031	11,234	11,318	11,456
Motherwell and Wishaw	15,925	20,112	20,528	20,682	21,072	21,499
Rutherglen	6,682	7,694	7,775	7,805	7,931	8,102
Small Burghs	**1,988**	**2,898**	**2,942**	**3,043**	**3,109**	**3,118**
Biggar	415	523	524	524	521	523
Lanark	1,573	2,375	2,418	2,519	2,588	2,595
Landward	**67,454**	**82,877**	**84,597**	**86,512**	**87,451**	**89,408**
MIDLOTHIAN COUNTY	**150,274**	**175,282**	**177,577**	**180,210**	**181,580**	**183,469**
Edinburgh County of City	**128,167**	**145,354**	**146,565**	**148,773**	**149,959**	**151,218**
Small Burghs	**9,949**	**13,096**	**13,388**	**13,491**	**13,618**	**13,701**
Bonnyrigg and Lasswade	1,453	1,719	1,764	1,848	1,949	2,057
Dalkeith	1,901	2,542	2,600	2,617	2,655	2,598
Loanhead	959	1,398	1,480	1,477	1,474	1,490
Musselburgh	4,399	5,507	5,622	5,638	5,626	5,660
Penicuik	1,237	1,930	1,922	1,911	1,914	1,896
Landward	**12,158**	**16,832**	**17,624**	**17,946**	**18,003**	**18,550**
MORAY COUNTY	**11,031**	**13,352**	**13,406**	**13,459**	**13,463**	**13,472**
Small Burghs	**5,787**	**7,398**	**7,487**	**7,580**	**7,610**	**7,688**
Burghead	378	379	394	393	399	392
Elgin	2,474	3,291	3,354	3,456	3,494	3,534
Forres	1,148	1,417	1,428	1,426	1,416	1,432
Grantown-on-Spey	418	496	504	507	508	502
Lossiemouth and Branderburgh	1,033	1,437	1,431	1,429	1,425	1,465
Rothes	336	378	376	369	368	363
Landward	**5,244**	**5,954**	**5,919**	**5,879**	**5,853**	**5,784**
NAIRN COUNTY	**2,281**	**2,563**	**2,582**	**2,581**	**2,661**	**2,702**
Small Burgh	**1,239**	**1,493**	**1,518**	**1,514**	**1,585**	**1,634**
Nairn	1,239	1,493	1,518	1,514	1,585	1,634
Landward	**1,042**	**1,070**	**1,064**	**1,067**	**1,076**	**1,068**

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958—*contd.*

	1939	1954	1955	1956	1957	1958
ORKNEY COUNTY	**6,087**	**6,306**	**6,271**	**6,242**	**6,234**	**6,222**
Small Burghs	**1,487**	**1,748**	**1,753**	**1,766**	**1,816**	**1,835**
Kirkwall	1,044	1,228	1,235	1,251	1,287	1,310
Stromness	443	520	518	515	529	525
Landward	**4,600**	**4,558**	**4,518**	**4,476**	**4,418**	**4,387**
PEEBLES COUNTY	**4,318**	**4,885**	**4,892**	**4,868**	**4,897**	**4,875**
Small Burghs	**2,475**	**2,838**	**2,869**	**2,873**	**2,889**	**2,879**
Innerleithen	697	821	836	863	880	863
Peebles	1,778	2,017	2,033	2,010	2,009	2,016
Landward	**1,843**	**2,047**	**2,023**	**1,995**	**2,008**	**1,996**
PERTH COUNTY	**34,217**	**39,546**	**39,860**	**40,014**	**40,571**	**40,667**
Large Burgh	**10,286**	**12,784**	**12,825**	**12,882**	**13,262**	**13,309**
Perth	10,286	12,784	12,825	12,882	13,262	13,309
Small Burghs	**7,128**	**8,836**	**9,000**	**9,019**	**9,137**	**9,116**
Aberfeldy	437	504	538	531	547	542
Abernethy	199	239	236	240	241	239
Alyth	601	655	656	658	678	664
Auchterarder	680	831	833	845	844	841
Blairgowrie and Rattray	1,519	1,733	1,774	1,791	1,794	1,791
Callander	447	580	582	579	580	578
Coupar Angus	601	700	699	699	717	699
Crieff	1,559	1,755	1,758	1,758	1,753	1,772
Doune	253	275	274	274	270	262
Dunblane	832	888	939	921	988	1,010
*Pitlochry	—	676	711	723	725	718
Landward	**16,803**	**17,926**	**18,035**	**18,113**	**18,172**	**18,242**
RENFREW COUNTY	**81,383**	**95,339**	**97,349**	**98,618**	**99,769**	**101,831**
Large Burghs	**46,882**	**54,608**	**55,606**	**56,331**	**57,144**	**58,362**
Greenock	18,239	20,478	20,739	20,996	21,312	21,734
Paisley	24,284	28,355	28,971	29,415	29,970	30,549
Port Glasgow	4,359	5,775	5,896	5,920	5,862	6,079
Small Burghs	**13,408**	**16,552**	**16,913**	**16,974**	**17,138**	**17,472**
Barrhead	3,014	4,077	4,216	4,212	4,247	4,201
Gourock	2,693	3,198	3,191	3,191	3,192	3,253
Johnstone	3,373	4,126	4,230	4,253	4,257	4,475
Renfrew	4,328	5,151	5,276	5,318	5,442	5,543
Landward	**21,093**	**24,179**	**24,830**	**25,313**	**25,487**	**25,997**
ROSS AND CROMARTY COUNTY	**15,993**	**17,460**	**17,630**	**17,649**	**17,771**	**17,897**
Small Burghs	**3,197**	**3,908**	**4,011**	**4,058**	**4,099**	**4,151**
Cromarty	268	267	267	262	268	267
Dingwall	714	942	952	977	988	996
Fortrose	285	332	338	337	335	344
Invergordon	424	497	535	537	559	549
Stornoway	1,084	1,338	1,379	1,412	1,408	1,442
Tain	422	532	540	533	541	553
Landward	**12,796**	**13,552**	**13,619**	**13,591**	**13,672**	**13,746**
ROXBURGH COUNTY	**12,972**	**14,847**	**14,917**	**14,932**	**14,903**	**14,750**
Small Burghs	**7,612**	**9,115**	**9,216**	**9,218**	**9,257**	**9,196**
Hawick	4,978	5,781	5,801	5,832	5,909	5,869
Jedburgh	1,041	1,386	1,383	1,365	1,318	1,335
Kelso	1,120	1,389	1,472	1,448	1,460	1,417
Melrose	473	559	560	573	570	575
Landward	**5,360**	**5,732**	**5,701**	**5,714**	**5,646**	**5,554**

*Formation of new burgh 1947.

Table 62. Return of Inhabited Houses in Scotland, 1939 and 1954 to 1958—*contd.*

	1939	1954	1955	1956	1957	1958
SELKIRK COUNTY	6,666	7,223	7,304	7,299	7,430	7,351
Small Burghs	5,697	6,387	6,438	6,441	6,571	6,526
Galashiels	3,985	4,327	4,375	4,371	4,481	4,451
Selkirk	1,712	2,060	2,063	2,070	2,090	2,075
Landward	969	836	866	858	859	825
STIRLING COUNTY	43,522	52,769	53,470	54,050	54,747	55,443
Large Burghs	16,205	18,441	18,636	18,839	19,364	19,642
Falkirk	9,490	10,923	10,975	11,024	11,387	11,547
Stirling	6,715	7,518	7,661	7,815	7,977	8,095
Small Burghs	8,112	10,616	10,828	11,062	11,320	11,452
Bridge of Allan	787	1,002	1,016	1,033	1,041	1,031
Denny and Dunipace	1,443	2,031	2,038	2,091	2,131	2,189
Grangemouth	3,690	4,736	4,901	5,051	5,257	5,285
Kilsyth	2,192	2,847	2,873	2,887	2,891	2,947
Landward	19,205	23,712	24,006	24,149	24,063	24,349
SUTHERLAND COUNTY	4,725	4,620	4,697	4,738	4,793	4,766
Small Burgh	225	261	267	269	274	276
Dornoch	225	261	267	269	274	276
Landward	4,500	4,359	4,430	4,469	4,519	4,490
WEST LOTHIAN CO.	19,476	25,422	25,635	25,927	26,280	27,100
Small Burghs	8,867	12,123	12,000	12,531	12,555	12,886
Armadale	1,281	1,798	1,712	1,859	1,861	1,898
Bathgate	2,569	3,591	3,470	3,688	3,718	3,907
Bo'ness	2,538	3,011	2,978	3,083	3,094	3,110
Linlithgow	959	1,368	1,445	1,399	1,357	1,403
Queensferry	542	842	870	861	869	917
Whitburn	978	1,513	1,525	1,641	1,656	1,651
Landward	10,609	13,299	13,635	13,396	13,725	14,214
WIGTOWN COUNTY	7,599	8,890	9,003	9,013	8,886	8,715
Small Burghs	2,973	3,766	3,854	3,853	3,954	4,077
Newton-Stewart	561	668	666	654	699	691
Stranraer	1,769	2,388	2,475	2,488	2,542	2,683
Whithorn	291	319	322	337	331	325
Wigtown	352	391	391	374	382	378
Landward	4,626	5,124	5,149	5,160	4,932	4,638
ZETLAND COUNTY	5,699	6,062	5,713	5,762	5,792	5,766
Small Burgh	1,461	1,685	1,678	1,701	1,705	1,704
Lerwick	1,461	1,685	1,678	1,701	1,705	1,704
Landward	4,238	4,377	4,035	4,061	4,087	4,062

Table 63. Meteorology of Scotland for 1958; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each month of the Year 1958

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature	53·1°	42·3°	43·0°	42·2°	51·5°	56·3°	60·7°	65·5°	64·2°	63·9°	56·1°	48·8°	43·3°
Mean of Minimum Temperature	41·4°	31·7°	32·2°	32·0°	38·1°	41·8°	47·8°	51·8°	52·2°	51·6°	45·2°	38·6°	33·9°
Mean Temperature	47·3°	36·9°	37·6°	37·1°	44·8°	49·1°	54·1°	58·6°	58·2°	57·7°	50·6°	43·7°	38·6°
Absolute Maximum	85°	62°	56°	59°	68°	75°	78°	85°	77°	78°	68°	61°	54°
Absolute Minimum	–9°	–7°	–2°	–9°	15°	19°	28°	29°	34°	27°	25°	15°	8°
Rainfall (Normal 100)	96	100	115	89	75	132	103	120	112	97	81	38	112
Births (Living Children only)	99,481	8,642	7,768	8,690	8,783	9,037	7,768	7,821	7,709	8,005	8,941	7,761	8,556
Stillbirths	2,324	224	182	208	188	187	193	184	178	168	199	181	232
Deaths	62,065	6,789	5,746	6,087	5,636	4,988	4,565	4,372	4,099	4,196	4,621	4,661	6,305
Deaths under 1	2,758	317	243	234	241	241	210	204	187	187	217	232	245
Marriages	41,201	1,982	2,851	6,048	3,606	1,177	3,602	4,393	3,501	4,572	3,713	2,233	3,523
Rates per 1,000 of Estimated Population: Births	19·2	19·7	19·6	19·8	20·7	20·6	18·3	17·8	17·6	18·8	20·4	18·3	19·5
Rates per 1,000 of Estimated Population: Stillbirths†	23	25	23	23	21	20	24	23	23	21	22	23	26
Rates per 1,000 of Estimated Population: Deaths	12·0	15·5	14·5	13·9	13·3	11·4	10·7	10·0	9·3	9·9	10·5	11·0	14·4
Rates per 1,000 of Estimated Population: Infant Mortality*	28	37	31	27	27	27	27	26	24	23	24	30	29
Rates per 1,000 of Estimated Population: Marriages	8·0	4·5	7·2	13·8	8·5	2·7	8·5	10·0	8·0	10·8	8·5	5·3	8·0

*Rate per 1,000 live births. †Rate per 1,000 births (including stillbirths).

Table 64. Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each week of 1958

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfer)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches
1	January 4	702	14·1	48	14	34·7	0·41	27	July 5	535	10·7	85	47	62·9	0·30
2	11	839	16·9	50	31	38·9	1·64	28	12	514	10·3	80	47	60·8	0·70
3	18	779	15·6	52	22	39·9	0·37	29	19	464	9·3	74	41	57·6	1·27
4	25	724	14·5	45	10	28·8	0·92	30	26	510	10·2	73	37	55·7	0·90
5	February 1	809	16·2	57	33	43·6	0·41	31	August 2	482	9·7	70	43	57·1	2·67
6	8	717	14·4	53	19	35·3	0·78	32	9	447	9·0	68	40	56·3	0·53
7	15	765	15·4	52	11	39·5	1·01	33	16	514	10·3	73	48	60·3	1·54
8	22	718	14·4	55	26	38·7	0·46	34	23	485	9·7	71	44	57·9	1·32
9	March 1	739	14·8	55	23	37·6	0·48	35	30	460	9·2	70	44	58·6	0·48
10	8	638	12·8	55	27	40·2	0·25	36	September 6	477	9·6	75	49	61·7	1·04
11	15	666	13·4	45	11	32·3	0·31	37	13	467	9·4	73	46	59·9	0·19
12	22	749	15·0	50	22	35·4	0·04	38	20	443	8·9	72	48	58·8	0·46
13	29	744	14·9	45	28	37·8	1·64	39	27	489	9·8	63	27	52·7	1·13
14	April 5	680	13·6	54	28	39·2	0·74	40	October 4	554	11·1	62	41	53·5	1·78
15	12	783	15·7	58	25	40·7	0·01	41	11	500	10·0	63	34	50·3	1·11
16	19	708	14·2	62	31	47·1	0·43	42	18	543	10·9	61	30	48·0	0·60
17	26	607	12·2	64	35	48·2	0·55	43	25	539	10·8	65	36	52·7	0·06
18	May 3	587	11·8	74	35	52·8	0·01	44	November 1	496	10·0	59	28	48·8	0·61
19	10	545	10·9	64	32	48·0	0·81	45	8	571	11·5	56	33	46·3	0·51
20	17	559	11·2	61	31	47·0	0·28	46	15	599	12·0	57	23	40·9	0·43
21	24	584	11·7	64	35	49·1	1·63	47	22	602	12·1	56	32	46·8	0·07
22	31	600	12·0	68	35	50·5	0·38	48	29	532	10·7	52	27	40·7	0·02
23	June 7	547	11·0	69	41	54·4	0·30	49	December 6	700	14·0	51	22	38·2	0·05
24	14	523	10·5	77	41	53·2	0·65	50	13	738	14·8	45	24	36·0	1·56
25	21	555	11·1	69	41	54·9	0·48	51	20	737	14·8	52	22	38·8	1·53
26	28	532	10·7	68	39	54·6	1·25	52	27	690	13·8	51	27	40·0	1·00

METEOROLOGICAL TABLES, 1958

Table I. District Values of Air Temperature, Rainfall and Sunshine

District	1958	Air Temperature: Highest	Air Temperature: Lowest	Air Temperature: Deviation from Average Daily Mean	Rainfall: Percentage of Normal	Rainfall: Number of Days Deviation from Normal	Sunshine: Percentage of Average Duration	Normal Values: Daily Mean Temperature	Normal Values: Total Rainfall	Normal Values: Number of Days	Normal Values: Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	62	−6	−2·1	130	+1	90	39·1	5·79	23	·90
	Feb.	53	−2	−2·6	137	+2	86	39·2	4·57	21	1·89
	Mar.	57	−3	−4·1	84	−7	112	41·0	4·41	23	3·16
	April	64	15	−0·2	83	−1	101	43·7	3·23	19	4·39
	May	69	19	−1·7	173	+4	110	47·9	2·80	19	5·49
	June	77	28	+0·5	63	−6	91	52·3	2·72	16	5·37
	July	84	29	0·0	83	−3	117	55·8	3·35	19	4·22
	Aug.	74	36	+0·3	114	+3	81	55·6	4·18	21	4·06
	Sept.	76	29	+3·5	82	−9	117	52·4	3·78	19	3·36
	Oct.	65	26	+2·1	96	0	105	47·5	5·00	22	2·33
	Nov.	59	15	+1·9	46	−6	125	42·8	5·63	23	1·31
	Dec.	53	8	−1·0	90	−1	102	40·4	6·18	24	·59
	Year	**84**	**−6**	**−0·3**	**97**	**−22**	**103**	**46·5**	**51·64**	**249**	**3·09**
East Scotland	Jan.	59	−7	−1·4	87	−1	113	37·7	2·57	17	1·58
	Feb.	56	0	−1·7	136	+4	73	38·3	2·24	16	2·54
	Mar.	59	−9	−5·2	169	+1	85	41·0	2·48	19	3·54
	April	68	18	−0·2	91	−3	101	44·2	1·85	16	4·61
	May	75	22	−0·8	116	+4	109	48·7	2·24	16	5·49
	June	78	28	−0·9	143	+2	67	54·4	2·13	14	6·15
	July	83	29	−0·3	167	+3	104	58·0	2·87	17	4·94
	Aug.	77	34	+0·2	107	+3	88	57·1	3·15	18	4·60
	Sept.	74	27	+3·3	88	−1	101	53·5	2·24	15	5·06
	Oct.	68	26	+2·5	49	−5	121	47·7	3·27	19	3·02
	Nov.	61	17	+0·9	36	−7	99	42·1	3·11	19	1·96
	Dec.	52	9	−0·8	164	+2	115	39·1	3·11	19	1·28
	Year	**83**	**−9**	**−0·3**	**108**	**−1**	**96**	**46·8**	**31·26**	**205**	**3·65**
West Scotland	Jan.	61	0	−1·7	108	−1	127	38·8	4·57	20	1·15
	Feb.	55	10	−1·0	105	+3	93	39·1	3·94	18	2·12
	Mar.	57	10	−3·9	40	−4	101	41·4	3·58	19	3·28
	April	67	17	−0·4	58	−3	97	44·7	2·76	16	4·77
	May	74	24	−1·4	116	+2	104	49·5	2·91	16	6·06
	June	74	34	−0·3	117	+2	69	54·5	2·87	15	6·24
	July	85	32	+0·3	117	+1	124	57·5	3·46	17	4·84
	Aug.	76	36	+0·5	100	+1	95	57·0	4·41	18	4·51
	Sept.	78	32	+3·7	102	−5	104	53·4	3·66	16	3·72
	Oct.	64	25	+1·9	78	−1	90	48·2	4·69	19	2·58
	Nov.	60	19	+1·5	44	−6	67	42·6	5·16	19	1·70
	Dec.	54	15	−0·9	96	+2	98	40·1	5·63	22	1·02
	Year	**85**	**0**	**−0·1**	**91**	**−5**	**97**	**47·2**	**47·64**	**215**	**3·51**

Table II. Summary Table of Mean Values of Air Temperatures at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Inverness) together with Extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom.

1958	Air Temperatures								Rainfall		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A–B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January	42·3	31·7	36·9	−1·5	10·6	+1·5	62	−7	100	98	100
February	43·0	32·2	37·6	−1·4	10·8	+1·0	56	−2	115	179	146
March	42·2	32·0	37·1	−4·6	10·2	−1·7	59	−9	89	83	63
April	51·5	38·1	44·8	−0·2	13·4	0·0	68	15	75	51	63
May	56·3	41·8	49·1	−0·9	14·5	−0·6	75	19	132	133	108
June	60·7	47·8	54·1	−1·2	12·9	−2·7	78	28	103	202	192
July	65·5	51·8	58·6	−0·1	13·7	−0·3	85	29	120	117	128
August	64·2	52·2	58·2	+0·2	12·0	−1·6	77	34	112	123	123
September	63·9	51·6	57·7	+3·6	12·3	−0·8	78	27	97	160	103
October	56·1	45·2	50·6	+2·3	10·9	−0·4	68	25	81	88	73
November	48·8	38·6	43·7	+1·2	10·2	+0·1	61	15	38	58	55
December	43·3	33·9	38·6	−1·0	9·4	+0·6	54	8	112	119	113
Means and Extremes	53·1	41·4	47·3	−0·3	11·7	−0·4	85	−9	96	114	106

Table III. Number of Hours Bright Sunshine

1958	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Shetland													
Lerwick	19	57	105	153	143	141	147	90	108	69	50	17	1,099
Orkney													
Grimsetter	25	61	95	145	208	155	161	117	145	91	56	17	1,276
Caithness													
Wick	35	62	105	157	212	160	163	102	139	101	70	25	1,331
Sutherland													
Strathy	21	45	103	126	170	146	154	107	112	81	59	19	1,143
Ross and Cromarty													
Fortrose	40	41	115	126	211	117	160	98	136	97	73	37	1,251
Stornoway	33	46	137	132	196	177	152	114	117	83	52	28	1,267
Inverness													
Dalwhinnie	20	29	75	107	153	115	132	78	110	68	40	17	944
Fort Augustus	26	37	103	113	164	129	140	104	97	42	42	18	1,015
Inverness	30	41	104	126	193	112	(150)	116	139	100	69	29	1,209
Onich	27	43	114	104	181	134	147	102	116	50	36	17	1,071
Skye-Duntulm	30	47	140	132	218	181	143	127	126	63	35	22	1,264
East Scotland													
Nairn													
Nairn	39	42	109	137	209	126	154	113	137	112	78	36	1,292
Moray													
Elgin	41	50	104	149	223	145	149	108	137	112	73	38	1,329
Forres	44	52	123	136	210	134	156	111	140	101	79	39	1,325
Gordon Castle	31	41	105	114	(218)	106	144	124	150	117	64	29	1,243
Kinloss	36	46	113	141	217	140	160	121	143	110	77	37	1,341
Banff													
Glenlivet	33	28	102	130	181	135	148	104	141	104	61	38	1,205
Aberdeen													
Braemar	18	31	69	117	(163)	109	142	74	(111)	73	30	17	954
Craibstone	55	52	93	138	185	120	156	117	129	133	55	51	1,284
Dyce	54	56	93	141	181	123	153	121	126	135	49	49	1,281
Rattray Head	43	48	99	149	219	177	155	128	150	136	47	48	1,399
Kincardine													
Stonehaven	55	43	87	148	193	114	157	116	121	140	53	52	1,279
Angus													
Arbroath	66	65	108	161	208	129	176	126	146	142	48	53	1,428
Carnoustie	(65)	63	116	159	209	129	176	123	140	135	45	43	1,403
Dundee (Mayfield)	53	71	102	150	183	105	134	112	113	131	47	53	1,254
Perth													
Perth	40	60	92	151	195	102	172	110	111	123	45	32	1,233
Fife													
Kirkcaldy	59	58	102	143	201	112	144	130	121	117	31	35	1,253
Leuchars	65	71	111	156	215	124	176	122	127	143	47	55	1,412
St. Andrews	69	66	95	158	201	127	159	120	126	139	52	51	1,363

Table III. Number of Hours Bright Sunshine—*continued*

1958	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
Midlothian													
Edinburgh (R.O.)	68	58	88	138	187	124	159	122	120	108	46	44	1,262
Edinburgh (B.G.)	58	57	88	149	208	139	171	137	128	109	36	37	1,317
Penicuik	33	54	79	128	171	118	162	120	105	82	30	19	1,101
Turnhouse	59	63	80	145	198	124	164	125	122	105	39	41	1,265
East Lothian													
North Berwick	48	52	106	148	193	143	147	147	125	111	40	31	1,291
Berwick													
Marchmont	61	50	89	145	169	123	173	149	125	96	46	49	1,275
Peebles													
Blyth Bridge	55	54	76	122	161	108	144	106	124	85	38	43	1,116
West Scotland													
Argyll													
Lephinmore	38	43	111	132	190	114	163	116	104	48	36	26	1,121
Tiree	37	54	121	134	253	173	201	174	125	77	33	41	1,423
Dunbarton													
Helensburgh	38	48	95	147	207	114	154	97	102	56	26	15	1,099
Renfrew													
Greenock	27	42	83	147	211	119	183	125	109	67	21	17	1,151
Paisley	39	53	91	143	210	106	187	126	120	83	29	18	1,205
Renfrew	37	55	83	138	209	117	189	128	115	75	27	17	1,190
Lanark													
Glasgow	38	53	79	125	170	107	164	97	100	67	25	27	1,052
Thorntonhall	30	47	84	132	194	111	169	117	106	61	21	16	1,088
Ayr													
Auchincruive	61	53	122	156	204	131	203	123	150	67	47	38	1,355
Kilmarnock	57	50	112	141	204	111	197	135	140	64	22	20	1,253
Prestwick (Airport)	64	56	127	167	218	140	205	137	153	75	49	38	1,429
Dumfries													
Dumfries	47	59	106	146	139	105	172	123	113	64	36	34	1,144
Eskdalemuir	53	58	101	126	149	119	161	108	103	75	35	35	1,123
Ruthwell	49	59	119	151	148	111	162	111	112	67	32	35	1,156
Kirkcudbright													
Castle Douglas	52	58	111	145	160	109	173	120	119	73	35	43	1,198

Table IV. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations.

1958	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04 inch. or more
North Scotland															
SHETLAND															
Lerwick	5·61	2·31	1·65	1·63	3·92	·66	3·65	3·45	4·46	4·79	2·70	3·93	38·76	238	172
ORKNEY															
Grimsetter	5·79	4·45	2·63	1·34	3·52	·74	2·12	2·42	1·18	4·67	2·21	5·53	36·60	223	167
CAITHNESS															
Wick	4·10	5·01	2·93	1·48	3·25	·91	2·14	3·19	·84	3·48	1·35	3·43	32·11	215	158
SUTHERLAND															
Cape Wrath	4·85	3·49	2·11	2·35	5·09	2·21	1·24	3·42	1·97	4·63	2·55	3·43	37·34	234	186
Strathy	4·61	4·51	2·50	1·76	5·91	1·53	2·15	3·93	1·47	3·99	1·62	3·28	37·26	234	173
ROSS AND CROMARTY															
Achnashellach	11·83	7·26	3·36	5·48	8·20	2·64	2·61	4·17	3·86	12·72	3·06	7·98	73·17	272	208
Fortrose	2·73	1·84	1·03	1·32	2·48	1·29	2·57	3·69	2·28	2·08	·69	1·65	23·65	189	128
Stornoway	6·74	3·54	2·13	1·76	5·06	1·53	1·44	3·26	3·35	3·68	2·26	3·13	37·88	227	173
INVERNESS															
Benbecula	7·74	4·28	1·80	2·09	4·08	2·25	·92	4·33	4·58	5·19	3·31	3·98	44·55	243	183
Dalwhinnie	4·64	2·80	2·15	1·86	3·97	1·61	4·45	4·08	4·56	4·92	·94	4·56	40·54	233	175
Duntulm	7·24	3·25	2·63	2·54	6·87	1·63	1·75	3·62	4·33	6·35	3·01	2·87	46·09	243	195
Fort William	7·69	3·58	2·25	4·78	6·50	2·11	3·27	5·39	5·10	10·39	2·44	5·65	59·15	243	178
Inverness	1·98	1·70	1·05	1·49	2·61	1·29	2·44	4·04	2·45	2·41	·65	2·37	24·48	148	120
Onich	9·11	3·92	2·69	5·82	6·50	2·94	3·59	6·13	6·61	10·44	3·17	7·11	68·03	228	206
East Scotland															
NAIRN															
Nairn	2·63	2·62	·89	1·35	2·48	2·23	2·43	3·70	2·59	1·75	·88	1·61	25·16	184	120
MORAY															
Forres	2·88	2·70	·64	1·15	2·98	2·63	3·53	3·58	2·30	1·61	·86	1·32	26·18	185	133
Gordon Castle	3·19	3·23	1·66	1·42	2·73	2·07	6·63	4·26	2·70	1·51	1·07	2·41	32·88	214	154
Kinloss	3·72	3·02	1·10	1·51	2·02	2·11	3·34	3·47	1·56	1·70	·92	1·54	26·01	224	141

BANFF															
Glenlivet	3·90	4·28	2·31	1·91	3·59	2·24	6·01	4·06	1·64	2·15	1·19	3·78	37·06	233	161
ABERDEEN															
Balmoral	2·59	3·78	3·32	1·73	3·38	3·35	4·91	2·90	3·14	2·16	·65	5·26	37·17	231	162
Braemar	3·77	3·30	3·11	1·27	(3·50)	3·15	3·53	3·20	3·25	2·10	·62	4·97	35·77	208	148
Craibstone	3·52	3·90	4·77	1·67	3·28	1·62	5·89	2·75	2·44	1·61	·75	5·08	37·28	216	152
Dyce	2·85	3·81	4·99	1·65	3·17	1·50	6·20	2·72	2·55	1·55	·74	4·98	36·71	212	148
Rattray Head	4·47	3·61	3·21	1·11	2·55	1·28	3·61	3·28	2·02	2·57	1·23	2·96	31·90	216	145
KINCARDINE															
Stonehaven	4·42	3·01	4·46	1·57	2·38	1·32	6·21	5·11	2·03	1·94	·50	4·47	37·42	201	138
ANGUS															
Arbroath	1·89	2·02	4·43	1·77	2·39	1·28	5·42	3·58	2·07	1·42	·76	3·29	30·32	163	114
Buddon Ness	1·62	2·50	5·67	1·63	2·24	2·00	4·95	3·29	2·58	1·51	·86	4·38	33·23	185	128
Dundee	1·84	2·71	5·73	1·50	3·05	2·95	4·06	2·92	2·55	1·93	1·00	4·43	34·67	197	133
Montrose	3·46	2·34	5·06	1·70	2·83	1·57	5·61	4·76	1·97	1·52	·70	4·12	35·64	183	132
PERTH															
Perth	1·79	2·52	2·69	1·23	2·42	2·97	5·45	4·18	2·75	2·05	1·10	6·06	35·21	179	133
FIFE															
Kirkcaldy	1·31	2·21	2·88	1·99	2·18	2·78	5·84	3·48	2·37	1·68	1·39	5·45	33·56	189	135
Leuchars	1·68	2·34	4·07	1·73	1·97	2·37	5·17	2·59	1·87	1·52	·63	3·72	29·66	174	120
St. Andrews	2·79	2·88	3·88	1·87	1·83	2·35	5·26	2·85	2·20	1·51	·70	4·01	32·13	183	132
MIDLOTHIAN															
Bush House	2·21	2·21	2·00	2·10	2·53	3·78	7·35	2·63	3·20	1·22	1·26	4·93	35·42	207	145
Edinburgh	1·37	1·65	1·97	1·38	1·97	3·30	6·47	3·11	2·29	·93	1·08	3·99	29·51	182	125
Midcalder	1·97	2·40	1·35	2·29	3·23	4·17	6·73	5·20	4·15	1·80	1·44	4·72	39·45	214	139
Penicuik	2·29	2·58	1·96	2·22	2·35	3·04	7·01	2·95	3·35	1·43	1·19	5·25	35·62	214	150
Turnhouse	·99	2·02	1·87	1·65	1·99	3·63	5·81	4·00	3·49	1·33	1·25	4·13	32·16	191	125
EAST LOTHIAN															
North Berwick	·83	2·21	2·61	2·09	1·96	2·51	5·25	2·37	2·39	·86	1·04	3·98	28·10	174	119
BERWICK															
Marchmont	1·91	2·36	2·79	2·33	2·73	3·94	4·41	4·05	2·26	1·48	1·12	4·75	34·13	209	149
PEEBLES															
Blyth Bridge	3·07	2·85	1·64	2·11	2·34	2·54	6·26	3·81	3·96	2·04	1·37	4·87	36·86	217	156

Table IV. Monthly and Annual Amounts of Rainfall (Inches) and Number of Days of Rain at Selected Stations—*continued*

1958	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04 inch. or more
ROXBURGH															
Kelso	1·45	2·20	1·43	2·36	2·60	2·86	4·50	2·63	2·53	1·42	·89	4·08	28·95	194	150
West Scotland															
ARGYLL															
Colonsay	5·08	4·66	1·19	1·93	3·21	3·75	3·08	4·22	4·31	5·46	3·11	5·48	45·48	285	200
Dunoon (Benmore)	9·95	5·46	1·88	3·80	5·55	3·79	5·27	8·58	7·20	8·62	3·20	9·60	72·90	221	191
Dunoon	11·01	5·22	2·06	3·46	5·92	4·07	5·25	7·86	6·99	7·97	3·74	9·39	72·94	230	195
Glenbranter	10·73	5·87	2·35	3·85	6·92	3·50	4·80	6·99	6·45	9·66	3·01	11·09	75·22	207	188
Tiree	5·73	3·48	·75	2·10	2·70	3·29	1·82	3·12	4·19	4·05	2·67	4·60	38·50	232	170
BUTE															
Millport	5·20	3·19	1·16	1·78	3·24	2·41	4·59	4·25	4·04	3·14	2·51	7·25	42·76	213	169
DUNBARTON															
Helensburgh	5·37	3·53	1·34	2·04	4·55	3·51	5·52	6·21	4·68	5·31	2·34	5·65	50·05	194	179
STIRLING															
Falkirk	2·69	2·06	1·72	1·00	2·91	3·40	7·31	4·53	2·79	2·67	1·53	5·73	38·34	190	141
Stirling	3·92	2·18	1·26	·84	2·67	2·99	6·03	4·67	4·76	4·05	1·47	5·96	40·80	212	144
RENFREW															
Greenock	7·27	3·46	1·33	2·35	4·50	3·49	6·30	5·07	5·41	6·37	2·53	7·58	55·66	216	174
Paisley	5·85	2·78	1·00	1·12	3·30	3·16	4·89	4·06	3·89	3·89	1·66	5·37	40·97	208	159
Renfrew	4·52	2·35	·89	1·07	2·90	2·89	4·77	3·63	3·17	3·31	1·69	4·62	35·81	194	152
AYR															
Auchincruive	3·93	3·22	·71	1·18	2·64	2·72	4·44	4·24	3·91	3·36	1·43	3·59	35·37	186	146
Colmonell	6·20	4·27	·96	1·71	1·73	4·00	3·91	3·33	3·83	2·93	1·36	5·99	40·22	231	179
Kilmarnock	4·11	2·96	·84	1·48	2·94	2·05	4·95	4·26	4·90	3·84	1·48	4·54	38·35	182	150
Largs	5·87	4·00	1·41	2·15	3·70	2·79	4·75	4·59	3·99	3·26	2·09	7·22	45·82	214	176
Prestwick (Airport)	3·34	2·97	·79	1·26	2·42	2·52	4·73	4·14	2·87	2·74	1·38	3·78	32·94	184	148

DUMFRIES															
Dumfries	5·23	3·95	1·54	·95	3·88	3·68	4·70	3·75	5·56	4·19	1·63	3·82	42·88	198	159
Eskdalemuir . . .	6·45	5·03	1·94	2·49	4·34	3·73	6·69	6·05	6·11	4·69	2·13	5·39	45·04	233	182
Ruthwell	4·57	3·46	1·48	1·09	3·41	3·59	4·08	3·78	6·77	3·59	1·51	3·60	40·93	212	155
KIRKCUDBRIGHT															
Castle Douglas . . .	6·46	3·68	1·10	1·36	3·44	4·04	4·09	4·83	5·17	4·64	2·06	4·35	45·22	188	161
Glenlee	8·47	5·29	1·68	1·65	3·96	3·46	4·42	5·14	6·20	5·08	2·43	5·94	53·72	223	178
Glenlochar Barrage . .	6·05	3·68	1·17	1·43	3·93	3·79	4·63	3·60	5·21	4·84	2·72	4·38	45·43	209	162

Printed in Scotland under the authority of Her Majesty's Stationery Office
by David J. Clark Limited, Glasgow. Wt.70788. K4